

TEENAGE VITAL STATISTICS DATA  
 BY DISTRICT OF RESIDENCE AND RACE OF MOTHER  
 MISSISSIPPI, 2010

DISTRICT: I

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	319,959	24,360	12,322	12,038	4,306
WHITE	189,957	12,382	6,332	6,050	2,349
NONWHITE	130,002	11,978	5,990	5,988	1,957

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	670	16	237	417	239	2	81	156	431	14	156	261
TEENAGE IMMATURE BIRTHS	89	2	24	63	17	0	4	13	72	2	20	50
TEENAGE PREMATURE BIRTHS	132	7	53	72	19	0	11	8	113	7	42	64
TEENAGE ILLEGITIMATE BIRTHS	623	16	223	384	193	2	67	124	430	14	156	260
TEENS WHO HAD PREVIOUS LIVE BIRTHS	140	0	27	113	42	0	7	35	98	0	20	78
TEENS WHO HAD PREVIOUS PREGNANCIES	165	0	35	130	51	0	7	44	114	0	28	86
TEENS WITH INADEQUATE* PRENATAL CARE	45	2	20	23	10	0	4	6	35	2	16	17
TEENAGE FERTILITY RATE	27.5	1.3	54.3 (15-19)		19.3	0.3	39.2 (15-19)		36.0	2.3	69.6 (15-19)	
TEENAGE FETAL DEATHS**	5	0	2	3	2	0	1	1	3	0	1	2
TEENAGE FETAL DEATH RATIO	7.5	0.0	8.4	7.2	8.4	0.0	12.3	6.4	7.0	0.0	6.4	7.7
TEENAGE INDUCED TERMINATIONS#	149	8	59	82	54	2	16	36	93	6	42	45
TEENAGE INDUCED TERMINATION RATIO	222.4	500.0	248.9	196.6	225.9	1000.0	197.5	230.8	215.8	428.6	269.2	172.4
TEENAGE PREGNANCIES#	824	24	298	502	295	4	98	193	527	20	199	308
TEENAGE PREGNANCY RATE	33.8	1.9	66.4 (15-19)		23.8	0.6	48.1 (15-19)		44.0	3.3	84.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	5	0	2	3	1	0	0	1	4	0	2	2
INFANT MORTALITY RATE, TEEN MOMS	7.5	0.0	8.4	7.2	4.2	0.0	0.0	6.4	9.3	0.0	12.8	7.7

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY DISTRICT OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2010

DISTRICT: II

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	360,784	25,570	11,764	13,806	4,500
WHITE	272,207	17,832	8,216	9,616	3,327
NONWHITE	88,577	7,738	3,548	4,190	1,173

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	715	11	220	484	493	8	142	343	222	3	78	141
TEENAGE IMMATURE BIRTHS	102	1	26	75	58	1	12	45	44	0	14	30
TEENAGE PREMATURE BIRTHS	119	3	38	78	78	2	25	51	41	1	13	27
TEENAGE ILLEGITIMATE BIRTHS	586	11	203	372	367	8	125	234	219	3	78	138
TEENS WHO HAD PREVIOUS LIVE BIRTHS	168	0	24	144	102	0	13	89	66	0	11	55
TEENS WHO HAD PREVIOUS PREGNANCIES	206	0	32	174	132	0	19	113	74	0	13	61
TEENS WITH INADEQUATE* PRENATAL CARE	29	1	10	18	17	1	6	10	12	0	4	8
TEENAGE FERTILITY RATE	28.0	0.9	51.0	(15-19)	27.6	1.0	50.4	(15-19)	28.7	0.8	52.3	(15-19)
TEENAGE FETAL DEATHS**	4	3	1	0	3	3	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	5.6	272.7	4.5	0.0	6.1	375.0	0.0	0.0	4.5	0.0	12.8	0.0
TEENAGE INDUCED TERMINATIONS#	90	5	23	62	36	4	7	25	51	1	15	35
TEENAGE INDUCED TERMINATION RATIO	125.9	454.5	104.5	128.1	73.0	500.0	49.3	72.9	229.7	333.3	192.3	248.2
TEENAGE PREGNANCIES#	809	19	244	546	532	15	149	368	274	4	94	176
TEENAGE PREGNANCY RATE	31.6	1.6	57.2	(15-19)	29.8	1.8	53.8	(15-19)	35.4	1.1	64.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	11	0	5	6	7	0	2	5	4	0	3	1
INFANT MORTALITY RATE, TEEN MOMS	15.4	0.0	22.7	12.4	14.2	0.0	14.1	14.6	18.0	0.0	38.5	7.1

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY DISTRICT OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2010

DISTRICT: III

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	216,708	16,022	7,492	8,530	3,317
WHITE	69,711	3,610	1,663	1,947	765
NONWHITE	146,997	12,412	5,829	6,583	2,552

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	669	16	228	425	88	0	21	67	581	16	207	358
TEENAGE IMMATURE BIRTHS	86	2	33	51	8	0	2	6	78	2	31	45
TEENAGE PREMATURE BIRTHS	132	7	51	74	8	0	1	7	124	7	50	67
TEENAGE ILLEGITIMATE BIRTHS	648	16	222	410	67	0	15	52	581	16	207	358
TEENS WHO HAD PREVIOUS LIVE BIRTHS	163	1	29	133	21	0	0	21	142	1	29	112
TEENS WHO HAD PREVIOUS PREGNANCIES	187	1	36	150	26	0	1	25	161	1	35	125
TEENS WITH INADEQUATE* PRENATAL CARE	55	5	17	33	5	0	1	4	50	5	16	29
TEENAGE FERTILITY RATE	41.8	2.1	76.6 (15-19)		24.4	0.0	45.2 (15-19)		46.8	2.7	85.8 (15-19)	
TEENAGE FETAL DEATHS**	10	1	4	5	0	0	0	0	10	1	4	5
TEENAGE FETAL DEATH RATIO	14.9	62.5	17.5	11.8	0.0	0.0	0.0	0.0	17.2	62.5	19.3	14.0
TEENAGE INDUCED TERMINATIONS#	93	8	36	49	3	0	2	1	90	8	34	48
TEENAGE INDUCED TERMINATION RATIO	139.0	500.0	157.9	115.3	34.1	0.0	95.2	14.9	154.9	500.0	164.2	134.1
TEENAGE PREGNANCIES#	772	25	268	479	91	0	23	68	681	25	245	411
TEENAGE PREGNANCY RATE	48.2	3.3	87.6 (15-19)		25.2	0.0	46.7 (15-19)		54.9	4.3	99.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	7	0	4	3	1	0	0	1	6	0	4	2
INFANT MORTALITY RATE, TEEN MOMS	10.5	0.0	17.5	7.0	11.4	0.0	0.0	14.9	10.3	0.0	19.3	5.6

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY DISTRICT OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2010

DISTRICT: IV

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	246,970	17,839	8,039	9,800	3,070
WHITE	140,366	8,764	3,816	4,948	1,571
NONWHITE	106,604	9,075	4,223	4,852	1,499

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	441	6	127	308	158	3	53	102	283	3	74	206
TEENAGE IMMATURE BIRTHS	63	0	19	44	14	0	8	6	49	0	11	38
TEENAGE PREMATURE BIRTHS	83	0	28	55	28	0	13	15	55	0	15	40
TEENAGE ILLEGITIMATE BIRTHS	399	6	122	271	122	3	48	71	277	3	74	200
TEENS WHO HAD PREVIOUS LIVE BIRTHS	75	0	13	62	21	0	4	17	54	0	9	45
TEENS WHO HAD PREVIOUS PREGNANCIES	96	0	16	80	29	0	6	23	67	0	10	57
TEENS WITH INADEQUATE* PRENATAL CARE	28	1	9	18	10	0	2	8	18	1	7	10
TEENAGE FERTILITY RATE	24.7	0.7	44.4 (15-19)		18.0	0.8	31.3 (15-19)		31.2	0.7	57.7 (15-19)	
TEENAGE FETAL DEATHS**	6	0	0	6	1	0	0	1	5	0	0	5
TEENAGE FETAL DEATH RATIO	13.6	0.0	0.0	19.5	6.3	0.0	0.0	9.8	17.7	0.0	0.0	24.3
TEENAGE INDUCED TERMINATIONS#	80	3	35	42	20	2	6	12	60	1	29	30
TEENAGE INDUCED TERMINATION RATIO	181.4	500.0	275.6	136.4	126.6	666.7	113.2	117.6	212.0	333.3	391.9	145.6
TEENAGE PREGNANCIES#	527	9	162	356	179	5	59	115	348	4	103	241
TEENAGE PREGNANCY RATE	29.5	1.1	52.8 (15-19)		20.4	1.3	35.2 (15-19)		38.3	0.9	70.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	9	0	4	5	3	0	3	0	6	0	1	5
INFANT MORTALITY RATE, TEEN MOMS	20.4	0.0	31.5	16.2	19.0	0.0	56.6	0.0	21.2	0.0	13.5	24.3

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY DISTRICT OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2010

DISTRICT: V

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	631,821	45,836	22,290	23,546	8,676
WHITE	303,432	17,619	9,015	8,604	3,753
NONWHITE	328,389	28,217	13,275	14,942	4,923

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	1,179	19	417	743	319	2	80	237	860	17	337	506
TEENAGE IMMATURE BIRTHS	175	2	68	105	29	0	8	21	146	2	60	84
TEENAGE PREMATURE BIRTHS	218	1	81	136	57	0	17	40	161	1	64	96
TEENAGE ILLEGITIMATE BIRTHS	1,112	19	408	685	261	2	71	188	851	17	337	497
TEENS WHO HAD PREVIOUS LIVE BIRTHS	254	0	42	212	60	0	7	53	194	0	35	159
TEENS WHO HAD PREVIOUS PREGNANCIES	309	0	56	253	82	0	14	68	227	0	42	185
TEENS WITH INADEQUATE* PRENATAL CARE	63	2	25	36	9	0	1	8	54	2	24	28
TEENAGE FERTILITY RATE	25.7	0.8	49.3 (15-19)		18.1	0.2	36.8 (15-19)		30.5	1.3	56.4 (15-19)	
TEENAGE FETAL DEATHS**	12	0	4	8	2	0	1	1	10	0	3	7
TEENAGE FETAL DEATH RATIO	10.2	0.0	9.6	10.8	6.3	0.0	12.5	4.2	11.6	0.0	8.9	13.8
TEENAGE INDUCED TERMINATIONS#	262	13	92	157	41	2	20	19	221	11	72	138
TEENAGE INDUCED TERMINATION RATIO	222.2	684.2	220.6	211.3	128.5	1000.0	250.0	80.2	257.0	647.0	213.6	272.7
TEENAGE PREGNANCIES#	1,453	32	513	908	362	4	101	257	1,091	28	412	651
TEENAGE PREGNANCY RATE	31.7	1.4	60.4 (15-19)		20.5	0.4	41.6 (15-19)		38.7	2.1	71.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	15	0	4	11	4	0	0	4	11	0	4	7
INFANT MORTALITY RATE, TEEN MOMS	12.7	0.0	9.6	14.8	12.5	0.0	0.0	16.9	12.8	0.0	11.9	13.8

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY DISTRICT OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2010

DISTRICT: VI

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	244,467	17,251	8,318	8,933	3,318
WHITE	137,336	8,035	3,945	4,090	1,706
NONWHITE	107,131	9,216	4,373	4,843	1,612

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	549	14	158	377	212	2	57	153	337	12	101	224
TEENAGE IMMATURE BIRTHS	84	1	21	62	19	0	5	14	65	1	16	48
TEENAGE PREMATURE BIRTHS	112	3	35	74	28	0	7	21	84	3	28	53
TEENAGE ILLEGITIMATE BIRTHS	491	14	149	328	161	2	49	110	330	12	100	218
TEENS WHO HAD PREVIOUS LIVE BIRTHS	110	0	17	93	37	0	7	30	73	0	10	63
TEENS WHO HAD PREVIOUS PREGNANCIES	141	0	25	116	48	0	9	39	93	0	16	77
TEENS WITH INADEQUATE* PRENATAL CARE	29	2	9	18	5	1	2	2	24	1	7	16
TEENAGE FERTILITY RATE	31.8	1.7	59.9 (15-19)		26.4	0.5	51.3 (15-19)		36.6	2.7	67.1 (15-19)	
TEENAGE FETAL DEATHS**	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FETAL DEATH RATIO	5.5	0.0	0.0	8.0	0.0	0.0	0.0	0.0	8.9	0.0	0.0	13.4
TEENAGE INDUCED TERMINATIONS#	55	7	14	34	19	2	6	11	36	5	8	23
TEENAGE INDUCED TERMINATION RATIO	100.2	500.0	88.6	90.2	89.6	1000.0	105.3	71.9	106.8	416.7	79.2	102.7
TEENAGE PREGNANCIES#	607	21	172	414	231	4	63	164	376	17	109	250
TEENAGE PREGNANCY RATE	35.2	2.5	65.6 (15-19)		28.7	1.0	55.5 (15-19)		40.8	3.9	74.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	5	0	1	4	0	0	0	0	5	0	1	4
INFANT MORTALITY RATE, TEEN MOMS	9.1	0.0	6.3	10.6	0.0	0.0	0.0	0.0	14.8	0.0	9.9	17.8

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY DISTRICT OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2010

DISTRICT: VII

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	174,795	11,849	5,781	6,068	2,286
WHITE	90,001	5,097	2,557	2,540	983
NONWHITE	84,794	6,752	3,224	3,528	1,303

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	400	6	130	264	118	0	25	93	282	6	105	171
TEENAGE IMMATURE BIRTHS	56	0	20	36	6	0	1	5	50	0	19	31
TEENAGE PREMATURE BIRTHS	74	1	24	49	11	0	0	11	63	1	24	38
TEENAGE ILLEGITIMATE BIRTHS	363	6	129	228	85	0	24	61	278	6	105	167
TEENS WHO HAD PREVIOUS LIVE BIRTHS	92	0	16	76	32	0	1	31	60	0	15	45
TEENS WHO HAD PREVIOUS PREGNANCIES	105	0	17	88	38	0	1	37	67	0	16	51
TEENS WITH INADEQUATE* PRENATAL CARE	26	2	8	16	4	0	2	2	22	2	6	14
TEENAGE FERTILITY RATE	33.8	1.0	64.9 (15-19)		23.2	0.0	46.4 (15-19)		41.8	1.9	78.2 (15-19)	
TEENAGE FETAL DEATHS**	4	0	1	3	0	0	0	0	4	0	1	3
TEENAGE FETAL DEATH RATIO	10.0	0.0	7.7	11.4	0.0	0.0	0.0	0.0	14.2	0.0	9.5	17.5
TEENAGE INDUCED TERMINATIONS#	32	2	11	19	5	0	0	5	27	2	11	14
TEENAGE INDUCED TERMINATION RATIO	80.0	333.3	84.6	72.0	42.4	0.0	0.0	53.8	95.7	333.3	104.8	81.9
TEENAGE PREGNANCIES#	436	8	142	286	123	0	25	98	313	8	117	188
TEENAGE PREGNANCY RATE	36.8	1.4	70.5 (15-19)		24.1	0.0	48.4 (15-19)		46.4	2.5	86.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	9	0	3	6	1	0	0	1	8	0	3	5
INFANT MORTALITY RATE, TEEN MOMS	22.5	0.0	23.1	22.7	8.5	0.0	0.0	10.8	28.4	0.0	28.6	29.2

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY DISTRICT OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2010

DISTRICT: VIII

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	304,893	21,605	10,203	11,402	4,353
WHITE	200,559	12,685	6,048	6,637	2,655
NONWHITE	104,334	8,920	4,155	4,765	1,698

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	670	10	199	461	346	5	101	240	324	5	98	221
TEENAGE IMMATURE BIRTHS	95	3	26	66	37	2	12	23	58	1	14	43
TEENAGE PREMATURE BIRTHS	127	3	40	84	54	2	17	35	73	1	23	49
TEENAGE ILLEGITIMATE BIRTHS	585	10	186	389	263	5	88	170	322	5	98	219
TEENS WHO HAD PREVIOUS LIVE BIRTHS	131	0	21	110	61	0	14	47	70	0	7	63
TEENS WHO HAD PREVIOUS PREGNANCIES	156	0	24	132	76	0	17	59	80	0	7	73
TEENS WITH INADEQUATE* PRENATAL CARE	47	4	12	31	14	2	1	11	33	2	11	20
TEENAGE FERTILITY RATE	31.0	1.0	57.9 (15-19)		27.3	0.8	51.4 (15-19)		36.3	1.2	66.9 (15-19)	
TEENAGE FETAL DEATHS**	8	0	2	6	3	0	0	3	5	0	2	3
TEENAGE FETAL DEATH RATIO	11.9	0.0	10.0	13.0	8.7	0.0	0.0	12.5	15.4	0.0	20.4	13.6
TEENAGE INDUCED TERMINATIONS#	41	1	12	28	17	0	4	13	24	1	8	15
TEENAGE INDUCED TERMINATION RATIO	61.2	100.0	60.3	60.7	49.1	0.0	39.6	54.2	74.1	200.0	81.6	67.9
TEENAGE PREGNANCIES#	719	11	213	495	366	5	105	256	353	6	108	239
TEENAGE PREGNANCY RATE	33.3	1.1	62.1 (15-19)		28.8	0.8	54.4 (15-19)		39.6	1.4	72.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	8	0	0	8	5	0	0	5	3	0	0	3
INFANT MORTALITY RATE, TEEN MOMS	11.9	0.0	0.0	17.4	14.4	0.0	0.0	20.8	9.2	0.0	0.0	13.6

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY DISTRICT OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2010

DISTRICT: IX

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	466,900	31,784	15,433	16,351	6,158
WHITE	351,115	22,051	10,803	11,248	4,587
NONWHITE	115,785	9,733	4,630	5,103	1,571

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	892	13	249	630	606	5	161	440	286	8	88	190
TEENAGE IMMATURE BIRTHS	112	1	27	84	62	0	13	49	50	1	14	35
TEENAGE PREMATURE BIRTHS	127	1	31	95	68	1	14	53	59	0	17	42
TEENAGE ILLEGITIMATE BIRTHS	766	13	241	512	488	5	153	330	278	8	88	182
TEENS WHO HAD PREVIOUS LIVE BIRTHS	172	0	19	153	103	0	14	89	69	0	5	64
TEENS WHO HAD PREVIOUS PREGNANCIES	210	0	25	185	128	0	18	110	82	0	7	75
TEENS WITH INADEQUATE* PRENATAL CARE	52	2	19	31	22	0	11	11	30	2	8	20
TEENAGE FERTILITY RATE	28.1	0.8	53.8 (15-19)		27.5	0.5	53.4 (15-19)		29.4	1.7	54.5 (15-19)	
TEENAGE FETAL DEATHS**	9	0	1	8	6	0	1	5	3	0	0	3
TEENAGE FETAL DEATH RATIO	10.1	0.0	4.0	12.7	9.9	0.0	6.2	11.4	10.5	0.0	0.0	15.8
TEENAGE INDUCED TERMINATIONS#	47	5	10	32	29	2	6	21	18	3	4	11
TEENAGE INDUCED TERMINATION RATIO	52.7	384.6	40.2	50.8	47.8	400.0	37.3	47.7	62.9	375.0	45.4	57.9
TEENAGE PREGNANCIES#	948	18	260	670	641	7	168	466	307	11	92	204
TEENAGE PREGNANCY RATE	29.8	1.2	56.9 (15-19)		29.1	0.6	56.4 (15-19)		31.5	2.4	58.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	13	0	4	9	5	0	2	3	8	0	2	6
INFANT MORTALITY RATE, TEEN MOMS	14.6	0.0	16.1	14.3	8.2	0.0	12.4	6.8	28.0	0.0	22.7	31.6

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.