


General Health Fair or Poor




General Health Fair or Poor

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	19.8	18.8	18.2	20.2	13.8	20.6	26.1	23.8	19.6	19.1
Nonwhite	21.2	30.4	28.1	28.3	23.1	28.0	26.7	26.9	22.3	25.5
Total	20.2	21.2	24.5	23.3	18.0	23.1	26.4	24.6	20.1	21.4

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

No Health Care Coverage




No Health Care Coverage

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	17.5	12.9	17.2	12.6	12.1	14.4	18.2	17.0	15.7	15.1
Nonwhite	32.8	21.3	30.6	31.2	24.2	25.5	22.1	30.9	26.5	26.5
Total	22.9	14.6	25.5	19.8	17.6	18.1	19.9	21.0	17.8	19.3

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Physical Health Not Good For More Than 7 Days In Past Month




Physical Health Not Good For More than 7 Days in Past Month

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	17.2	15.5	13.5	14.4	10.7	16.3	19.9	18.8	16.6	15.4
Nonwhite	11.4	12.1	15.3	16.2	11.8	14.7	18.2	14.1	15.6	13.8
Total	15.3	14.8	14.6	15.1	11.2	15.7	19.1	17.4	16.4	14.8

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Mental Health Not Good For More than 7 Days In Past Month




Mental Health Not Good For More than 7 Days in Past Month

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	15.0	17.3	12.3	12.9	10.2	17.3	16.1	18.8	17.9	15.5
Nonwhite	16.2	22.4	15.6	15.2	15.4	18.5	18.4	12.4	30.5	17.8
Total	15.4	18.3	14.4	13.8	12.5	17.7	17.1	16.9	20.3	16.3

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Unable to See a Doctor in Past 12 Months Because of Cost




Unable to See a Doctor in Past 12 Months Because of Cost

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	15.8	16.6	13.7	17.6	10.9	12.3	9.7	16.6	17.4	14.6
Nonwhite	26.4	28.7	26.7	26.4	22.9	19.2	25.3	38.4	24.2	25.1
Total	19.4	19.1	21.7	21.0	16.4	14.6	16.7	22.9	18.7	18.4

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

No Exercise in Past 30 Days




No Exercise in Past 30 Days

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	29.7	29.3	32.2	25.5	24.2	33.5	29.1	33.2	29.3	29.3
Nonwhite	37.1	44.3	39.1	30.6	34.1	40.8	43.7	36.6	20.8	36.3
Total	32.2	32.3	36.5	27.5	28.7	35.9	35.7	34.1	27.7	31.8

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Overweight or Obese




At Risk Because of Being Overweight or Obese

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	67.9	62.9	63.6	68.5	60.6	69.6	63.9	66.0	66.8	64.9
Nonwhite	75.0	75.7	75.8	74.3	69.9	78.9	79.9	86.1	69.7	73.7
Total	70.3	65.4	71.1	70.8	64.9	72.9	71.0	71.5	67.3	68.1

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Obese




At Risk Because of Being Obese

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	32.8	27.4	25.7	28.5	22.2	23.9	34.3	26.2	29.5	27.5
Nonwhite	43.3	43.9	45.2	34.5	37.1	50.9	50.6	58.6	31.4	41.3
Total	36.5	30.7	37.8	30.8	29.0	33.4	41.5	35.2	29.9	32.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Current Smoker




Current Smoker

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	29.3	25.7	21.2	25.0	20.7	18.4	24.4	25.8	29.3	24.4
Nonwhite	25.0	15.5	21.1	17.0	23.4	21.8	22.4	22.7	32.9	23.3
Total	27.8	23.6	21.1	22.0	21.9	19.5	23.5	24.9	30.1	23.9

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Ever Had Asthma




Ever Had Asthma

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	12.6	12.5	11.1	8.8	8.6	6.7	9.4	12.0	13.0	11.0
Nonwhite	12.5	6.2	10.2	10.2	10.7	11.9	14.5	12.9	4.6	11.1
Total	12.5	11.3	10.6	9.4	9.6	8.5	11.7	12.3	11.3	11.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Presently Have Asthma




Presently Have Asthma

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	65.6	59.2	75.3	76.0	61.4	60.4	67.1	57.3	54.0	61.3
Nonwhite	70.6	88.4	68.2	55.0	63.0	71.6	65.3	30.6	35.5	61.9
Total	67.2	62.1	70.9	67.3	62.2	65.6	66.1	49.3	52.5	61.5

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Note: Denominator is those who have ever been diagnosed with asthma.

Ever Diagnosed With Diabetes




Ever Diagnosed With Diabetes

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	10.8	11.5	8.4	8.3	6.8	8.7	7.5	9.9	13.6	9.9
Nonwhite	14.3	12.0	13.7	9.2	12.2	18.4	15.8	13.6	13.1	13.3
Total	12.0	11.6	11.8	8.7	9.3	12.0	11.2	11.0	13.5	11.1

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Ever Diagnosed With A Heart Attack




Ever Diagnosed With A Heart Attack

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	5.4	5.7	5.8	4.6	5.2	4.2	5.5	5.3	5.4	5.3
Nonwhite	3.9	1.0	3.5	3.4	4.0	1.4	4.4	5.3	1.4	3.4
Total	4.9	4.8	4.4	4.2	4.7	3.3	5.0	5.3	4.6	4.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Ever Diagnosed With Coronary Heart Disease




Ever Diagnosed With Coronary Heart Disease

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	3.9	4.9	6.1	3.4	4.8	5.4	5.4	7.0	4.6	4.9
Nonwhite	3.0	2.8	3.3	2.3	2.6	3.2	3.6	1.8	0.9	2.7
Total	3.6	4.6	4.4	3.0	5.0	4.6	4.6	5.5	3.9	4.1

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Ever Diagnosed With a Stroke




Ever Diagnosed With A Stroke

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	2.8	2.7	4.8	2.8	3.0	3.5	5.0	3.2	3.8	3.3
Nonwhite	3.3	1.6	4.9	4.7	3.6	4.8	3.4	3.1	1.6	3.7
Total	2.9	2.5	4.9	3.6	3.3	3.9	4.3	3.1	3.3	3.4

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Ever Told That Blood Pressure is High




Ever Told Blood That Pressure is High

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	32.0	33.0	35.3	30.0	25.0	29.2	37.1	34.8	33.4	31.4
Nonwhite	33.0	38.3	38.9	35.6	35.3	39.4	42.0	43.0	42.7	37.8
Total	32.5	34.1	37.6	32.1	29.7	32.6	39.3	37.1	35.1	33.7

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Ever Had Cholesterol Checked




Ever Had Cholesterol Checked

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	78.9	80.1	78.8	80.3	85.4	79.0	79.0	73.3	78.4	79.5
Nonwhite	77.4	81.7	68.8	64.3	73.3	70.2	74.1	68.0	70.5	71.4
Total	78.5	80.5	72.6	74.2	79.8	76.1	76.8	71.5	76.8	76.5

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Cholesterol Checked in Past Five Years




Cholesterol Checked in Past Five Years

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	93.3	95.4	94.9	93.2	94.5	93.3	94.2	91.6	93.1	93.8
Nonwhite	95.7	95.1	94.1	95.7	98.0	95.2	94.8	97.9	93.7	96.2
Total	93.8	95.3	94.4	94.0	96.0	93.9	94.4	93.4	93.2	94.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Note: Denominator is those who have ever had cholesterol checked.

Ever Told That Cholesterol is High




Ever Told That Cholesterol is High

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	44.7	40.8	40.9	38.0	35.6	37.7	43.6	35.7	41.8	39.5
Nonwhite	27.7	29.9	38.8	36.9	36.6	33.1	37.6	43.6	39.2	36.2
Total	38.8	38.5	39.6	37.6	36.0	36.1	41.0	37.9	41.3	38.3

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Note: Denominator is those who have ever had cholesterol checked.

Flu Shot in Past 12 Months




Flu Shot in Past 12 Months

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	39.2	43.5	46.2	42.1	47.9	40.7	41.5	37.5	36.0	41.4
Nonwhite	21.9	36.3	29.5	31.0	27.9	31.1	35.7	34.9	27.4	30.3
Total	33.3	42.1	35.8	37.8	38.8	37.6	38.9	36.9	34.2	37.3

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Flu Shot in Past 12 Months (Age 65+)




Flu Shot in Past 12 Months (Age 65+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	71.8	72.3	78.9	77.8	78.2	78.8	70.3	72.9	67.2	74.3
Nonwhite	43.0	53.8	57.4	45.6	61.9	48.3	66.0	54.1	64.6	57.1
Total	64.4	70.0	68.6	69.3	72.8	70.9	68.9	69.1	67.0	69.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Ever Had Pneumonia Vaccination




Ever Had Pneumonia Vaccine

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	28.5	29.5	36.2	31.4	28.5	30.9	31.8	27.3	30.9	30.0
Nonwhite	18.4	21.4	17.8	18.3	17.0	23.8	21.1	17.9	21.4	19.4
Total	24.9	27.9	24.6	26.4	23.2	28.4	26.9	24.4	29.0	26.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Ever Diagnosed With Arthritis




Ever Diagnosed With Arthritis

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	28.5	32.1	34.8	34.2	28.9	33.8	40.3	31.5	35.0	32.0
Nonwhite	22.3	24.3	33.8	28.5	27.0	34.6	28.5	28.7	24.4	28.0
Total	26.5	30.7	34.3	32.0	28.0	33.9	35.0	30.6	32.8	30.5

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Activities Limited by Health Problems




Activities Limited by Health Problems

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	21.8	21.3	23.4	24.6	17.6	22.0	30.2	28.7	26.9	23.2
Nonwhite	21.5	17.7	23.5	28.3	19.1	25.1	23.4	21.7	17.2	21.3
Total	21.9	20.5	23.5	26.0	18.3	23.0	27.1	26.6	24.9	22.5

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Special Equipment Needed For Health Problems




Special Equipment Needed for Health Problems

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	6.3	5.4	7.1	5.4	6.3	8.8	9.0	8.6	7.8	7.3
Nonwhite	8.8	7.0	9.8	9.0	10.7	14.9	12.7	9.4	5.9	10.4
Total	7.2	5.7	8.8	6.8	8.3	10.8	10.6	8.8	7.4	8.4

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Eat Fruit and Vegetables at Least Five Times Per Day




Eat Fruits and Vegetables at Least Five Times Per Day

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	18.7	19.5	15.2	15.9	20.4	18.7	15.5	16.7	20.5	18.6
Nonwhite	21.9	15.7	13.6	17.4	15.1	18.7	18.8	17.0	21.3	17.0
Total	19.8	18.8	14.2	16.5	18.0	19.0	17.0	16.8	20.6	18.1

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

At Risk Because of Binge Drinking




At Risk Because of Binge Drinking

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	10.7	12.7	10.3	10.7	10.9	8.7	13.9	11.0	13.7	11.2
Nonwhite	8.7	9.2	9.2	10.3	10.1	5.8	11.2	12.9	15.2	10.9
Total	10.0	11.9	9.6	10.6	10.6	7.7	12.7	11.5	14.0	11.1

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

At Risk Because of Heavy Drinking




At Risk Because of Heavy Drinking

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	2.5	5.0	3.7	2.2	4.6	3.5	4.0	2.4	5.5	3.7
Nonwhite	2.9	1.2	2.2	2.8	2.8	2.7	5.0	2.3	2.8	3.1
Total	2.6	4.2	2.8	2.4	3.9	3.2	4.5	2.3	5.0	3.5

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Rarely or Never Get Emotional Support Needed




Rarely or Never Get Emotional Support Needed

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	7.3	6.5	5.2	5.9	4.1	6.3	5.7	8.8	6.9	6.4
Nonwhite	11.4	16.2	17.1	11.3	10.8	13.2	11.9	3.3	11.6	12.0
Total	8.7	8.4	12.4	8.0	7.1	8.6	8.4	7.2	8.0	8.4

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Dissatisfied or Very Dissatisfied With Life




Dissatisfied of Very Dissatisfied With Life

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	4.6	5.9	3.1	8.2	4.3	4.1	4.8	6.7	6.3	5.2
Nonwhite	6.6	9.4	6.5	12.2	9.0	7.7	7.6	10.2	11.3	8.6
Total	5.3	6.6	5.2	9.7	6.4	5.3	6.0	7.7	7.2	6.4

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Ever Tested For HIV (Age 18-64)




Ever Tested for HIV (Age 18-64)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	34.4	28.2	28.7	30.1	33.1	33.7	35.1	31.9	40.2	33.5
Nonwhite	42.6	46.9	41.9	44.2	43.6	42.0	50.2	57.3	45.0	44.8
Total	37.1	32.2	37.3	35.9	38.1	37.1	42.3	39.8	41.3	37.9

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007

Participated in High Risk Behavior (Age 18-64)



Participated in High Risk Behavior (Age 18-64)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	5.3	9.1	3.3	5.6	2.9	2.0	6.1	6.9	1.5	4.3
Nonwhite	9.7	4.4	13.2	9.6	13.8	3.9	11.6	2.5	16.1	11.2
Total	6.8	8.1	9.8	7.3	8.2	2.7	8.8	5.5	4.7	7.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2007