Mississippi Behavioral Risk Factor Surveillance System Trend Report, 1997-2006

<u>Note</u>: Unless otherwise indicated the denominator is the total sample population except that all respondents answering "unknown" or who failed to answer a question are excluded from the denominator.

Indicator	Rates	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
Health status											
Den ert that ann and baalth is fair an naar	Actual	21.9	21.0	20.9	20.2	23.0	25.2	23.1	23.0	23.7	27.5
Report that general health is fair or poor	Age Adjusted	22.1	21.1	20.9	20.3	23.1	24.8	23.2	23.1	23.7	22.4
Report that physical health was not good	Actual	11.4	14.1	13.1	12.6	15.8		15.3	16.9	15.9	15.6
for more than 7 days during past 30 days	Age Adjusted	11.6	14.3	13.4	13.0	16.1		15.6	17.2	16.1	15.7
Report that mental health was not	Actual	9.4	12.1	13.2	14.1	13.7		15.9	16.5	16.6	18.1
good for more than 7 days during past 30 days	Age Adjusted	9.6	11.7	13.2	13.3	13.8		15.9	16.3	16.6	18.0
Report poor physical/mental health prevented	Actual	5.5	7.4	8.3	7.9	9.5		10.1	10.8	11.1	11.0
usual activities for more than 7 days in past 30 days (<i>Denominator: Total Sample</i>)	Age Adjusted	5.5	7.5	8.1	8.0	9.6		10.2	10.9	11.2	11.0
Report poor physical/mental health prevented usual activities for more than 7 days in past 30	Actual	13.8	16.7	17.3	17.0	20.3		19.1	20.4	20.9	21.1
days (Denominator: Excludes those with zero days of poor physical/mental health)	Age Adjusted	14.3	14.2	17.9	18.1	20.9		19.6	21.0	21.5	21.6
Cigarette smoking	-	-	-	-	-	-	-	-	-	-	-
	Actual	23.1	24.2	23.4	23.5	25.4	27.4	25.6	24.6	23.7	25.1
Report they are current cigarette smokers	Age Adjusted	23.5	24.5	23.4	23.6	25.4	27.2	25.7	24.6	23.7	25.1
	Actual	29.5	30.1	30.3	32.2	31.2	36.3	34.7	31.4	28.8	35.5
High school education or less	Age Adjusted	36.7	36.2	37.1	37.1	35.8	41.2	38.9	32.5	32.2	41.7
Dista	Actual	17.7	21.2	18.3	18.3	20.3	24.7	22.2	20.7	19.5	24.8
Blacks	Age Adjusted	19.3	22.1	17.9	18.8	19.8	24.3	22.1	20.1	20.0	24.7

Indicator	Rates	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
Report that they are former cigarette smokers	Actual	21.3	21.9	20.6	20.5	20.9	20.0	20.7	19.3	20.8	21.1
Report that they are former eigarette shlokers	Age Adjusted	21.7	22.1	20.0	20.8	21.2	20.2	20.7	19.4	19.1	20.6
Daily smokers who report that they have quit	Actual	51.2	51.0	54.6	46.7	51.5	53.9	51.7	48.9	51.7	55.1
smoking for 1 day or more in the past 12 months	Age Adjusted	50.4	52.1	54.7	47.0	49.9	52.0	50.2	48.0	52.0	54.1
Quit ratio (Ever smokers who are former	Actual	47.9	47.5	46.9	46.5	45.1	42.2	44.6	44.0	46.7	45.7
smokers)	Age Adjusted	46.1	46.3	44.5	46.1	44.3	42.0	43.2	43.0	44.7	43.9
Alcohol use during the past month											
Report acute (binge) drinking	Actual	9.6		10.9		11.7	12.4	11.4	10.5	9.9	9.3
Report acute (binge) drinking	Age Adjusted	9.4		11.5		11.5	12.3	11.3	10.3	9.9	9.4
D (1) 1 1	Actual	2.5		3.3		4.5	4.6	4.7	4.1	3.7	4.0
Report chronic drinking	Age Adjusted	2.4		3.5		4.4	4.6	4.7	4.1	3.7	4.0
Physical activity/exercise											
Report no physical activity in the past 30 days	Actual		33.8		33.4	33.4		30.4	31.4	32.5	31.4
Report no physical activity in the past 50 days	Age Adjusted		34.1		33.6	33.6		30.4	31.4	32.5	31.3
65+ year olds (No age adjustment)	Actual		40.2		43.1	42.1		40.8	43.4	40.5	61.0
Lessons loss than \$20,000	Actual		44.0		42.3	45.3		44.6	48.5	43.6	42.1
Income less than \$20,000	Age Adjusted		45.0		43.7	46.1		44.4	48.5	43.7	42.3
Report that they meet do not moderate physical	Actual					61.7		71.0		70.7	
activity recommendations	Age Adjusted					62.4		70.1		70.7	
Report that they do not meet vigorous physical	Actual					81.4		79.7		79.1	
activity recommendations	Age Adjusted					81.7		80.0		79.3	

Indicator	Rates	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
Report that they do not meet recommendations	Actual					61.7		59.7		60.0	
for physical activity	Age Adjusted					62.4		60.0		60.2	
Income less that \$20,000	Actual					70.5		70.2		68.5	
nicome less that \$20,000	Age Adjusted					71.8		68.9		68.1	
Report using physical activity/exercise to lose	Actual		39.5		40.7			46.3			
weight or maintain weight (Denominator: Total Sample)	Age Adjusted		39.5		40.6			46.4			
Report using physical activity/exercise to lose	Actual		52.4		54.6			62.5			
or maintain weight. (Denominator: Those trying to lose or maintain weight)	Age Adjusted		52.3		54.2			62.2			
Body weight and weight control		-	-	-		-	-	_	-		_
Desman dente inhe ere energisht (DML > 25.0)	Actual	57.9	59.1	62.3	61.8	61.1	63.1	62.3	65.5	67.3	66.7
Respondents who are overweight ($BMI \ge 25.0$)	Age Adjusted	58.2	59.8	62.0	62.1	61.5	63.6	62.9	66.1	67.8	67.0
Respondents who are obese (BMI ≥ 30)	Actual	22.0	22.9	23.4	25.0	25.4	26.8	27.0	29.5	30.9	31.5
Respondents who are obese (<i>BMI 250</i>)	Age Adjusted	22.2	23.1	23.2	25.3	25.7	27.0	27.3	29.9	31.2	31.7
Report they are dieting to lose or maintain	Actual		54.5		55.6			51.5			
weight (Denominator : Total Sample)	Age Adjusted		55.0		55.8			51.9			
Report they are dieting to lose or maintain weight (<i>Denominator</i> : <i>Those trying to lose or</i>	Actual		71.5		74.1			69.9			
maintain weight)	Age Adjusted		71.7		74.3			70.0			
Report using physical activity/exercise to lose	Actual		39.5		40.7			46.3			
or maintain weight. (Denominator: Total sample)	Age Adjusted		39.5		40.6			46.4			
Report using physical activity/exercise to lose	Actual		52.4		54.6			62.5			
or maintain weight. (Denominator: Those trying to lose or maintain weight)	Age Adjusted		52.3		54.2			62.2			

Indicator	Rates	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
At risk of developing diabetes											
Those at risk of developing type 2 diabetes	Actual		24.4		26.1	24.3	24.5	23.8	24.6	25.8	27.1
because of weight or lack of exercise	Age Adjusted		25.3		26.8	24.7	24.4	23.8	24.5	25.4	26.4
Diet/Nutrition											
Report that they eat fruits/vegetables 5 or more	Actual		15.6		18.5		19.1	17.8		16.5	
times per day	Age Adjusted		15.6		18.5		19.1	17.7		16.5	
Cholesterol awareness			-	-	-	-	-	-	-	-	_
Report that they have ever had a blood	Actual	66.5		72.9		73.8		74.1		73.5	
cholesterol test	Age Adjusted	67.2		71.4		74.2		74.4		73.9	
Those tested who have had blood cholesterol	Actual	46.0		49.0		51.8		52.1		50.4	
checked within the past year	Age Adjusted	46.5		47.9		52.0		52.3		50.7	
Report blood cholesterol checked within the	Actual	55.1		60.9		62.4		61.7		60.7	
past 2 years	Age Adjusted	55.6		59.7		62.7		62.0		61.2	
Report blood cholesterol checked within the	Actual	62.5		67.0		69.2		68.0		67.5	
past 5 years	Age Adjusted	63.2		65.7		68.6		68.6		68.1	
Report being told by a health professional that	Actual	19.2		22.5		22.8		24.5		27.6	
they have high blood cholesterol	Age Adjusted	19.6		22.4		23.0		24.6		27.4	
Diabetes											
Report being told by a doctor	Actual	6.1	7.7	8.3	7.6	9.3	8.6	11.0	9.6	9.7	10.9
that they have diabetes	Age Adjusted	6.3	7.7	8.0	7.7	9.3	8.0	11.0	9.6	9.7	10.7
Those with diabetes who have had two or more	Actual	74.7	75.7		80.7		80.4		81.2		79.0
visits to a health professional for diabetes in the past year	Age Adjusted	72.2	68.6		79.6		81.0		75.0		69.6

Indicator	Rates	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
Those with diabetes who have had at least four	Actual	56.5	46.8		51.0		51.0		54.2		51.3
visits to a health professional for their diabetes in past year	Age Adjusted	51.0	43.1		49.8		42.9		49.9		46.4
Those with diabetes who have had two or more	Actual	43.5	38.4		38.6		55.4		48.4		50.8
foot exams by a health professional in past year	Age Adjusted	49.3	32.4		38.4		46.4		43.4		50.6
Those with diabetes who have had at least four	Actual	29.9	24.8		19.7		28.0		27.4		30.5
foot exams by a health professional in past year	Age Adjusted	24.5	19.6		21.4		25.4		20.3		32.6
Those with diabetes who have had	Actual	50.2	54.8		56.5		66.5		58.5		64.3
a dilated eye exam within the past year	Age Adjusted	45.3	53.3		47.6		62.8		54.6		62.3
Those with diabetes who have had	Actual	70.3	68.1		66.3		80.3		74.0		78.6
a dilated eye exam within the past 2 years	Age Adjusted	66.5	63.3		55.7		80.9		68.9		75.5
Mammography screening (Age Adjustment No	t Applicable)	_									_
Report that they have ever had a CBE and mammogram (<i>Women 40+</i>)	Actual	71.8	73.1	72.6	77.7	78.1	77.9	78.0	79.3	79.1	81.6
Income less than \$10,000	Actual	68.6	74.9	56.2	62.8	69.9	60.6	61.4	68.8	64.3	71.7
Less than a high school education	Actual	59.5	55.9	61.2	61.6	66.4	66.7	70.8	70.5	68.3	72.7
Women 70+ years of age	Actual	62.0	63.7	69.3	80.9	72.6	74.4	75.1	72.7	77.5	79.2
Black women	Actual	61.1	67.1	63.7	67.8	71.2	69.4	69.6	74.2	72.9	75.0
Report having a CBE and mammogram in past 2 years (<i>Women 50+</i>)	Actual	60.7	58.4	56.6	61.6	60.9	62.3	58.4	59.6	60.9	59.3
Income less than \$10,000	Actual	60.4	45.6	40.0	45.7	52.6	44.1	39.6	41.6	41.7	46.1
Less than a high school education	Actual	50.0	41.7	38.2	42.8	47.9	50.7	43.5	45.4	49.8	45.9
Women aged 70+ years of age	Actual	50.7	47.7	49.8	57.7	53.5	53.7	50.0	46.6	53.2	52.5
Black women	Actual	49.3	56.5	47.4	54.9	55.1	56.5	50.6	53.6	61.4	56.8
Report having a screening mammogram within the past year (<i>Women 50-59</i>)	Actual	52.8	53.5	51.1	58.5	60.9	55.8	58.7	56.9	53.4	52.1

Indicator	Rates	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
Report having a screening mammogram within the past 2 years (<i>Women 50-59</i>)	Actual	68.6	71.9	65.6	73.1	75.2	72.8	72.0	70.8	70.6	69.7
Report having screening mammogram within the past year (Women 60-69)	Actual	55.7	48.4	49.7	49.0	55.5	60.7	54.6	57.9	60.7	57.2
Report having a screening mammogram within the past 2 years (<i>Women 60-69</i>)	Actual	69.8	69.3	68.6	67.1	69.8	73.7	70.5	74.1	74.0	71.5
Pap smear screening											
Report that they have ever had a pap smear test	Actual	95.8	93.3	94.6	95.5	96.5	90.1	94.8	95.0	95.9	95.0
(Women 18+ years of age who have never had a hysterectomy)	Age Adjusted	95.8	93.7	95.1	95.2	96.7	90.7	94.8	95.4	96.1	95.4
	Actual	89.5	93.5	93.6	86.9	92.9	84.1	88.6	90.9	91.9	95.5
Income less than \$10,000	Age Adjusted	92.8	92.9	95.6	88.1	95.0	84.7	91.6	92.2	92.9	95.9
X	Actual	90.9	85.7	87.8	86.8	94.9	86.7	90.1	93.3	90.8	91.2
Less than a high school education	Age Adjusted	94.0	90.5	92.1	87.3	96.3	88.2	91.0	94.4	93.3	93.9
Women aged 70+ years of age (Age Adjustment not Applicable)	Actual	82.1	86.8	85.0	85.6	91.9	82.1	87.2	87.0	91.2	92.5
Report that they have had a pap smear test	Actual	85.8	83.4	83.0	87.0	86.3	82.7	84.4	82.5	82.7	82.4
in the past 3 years (Women 18+ years of age who have never had a hysterectomy)	Age Adjusted	83.6	82.4	80.9	84.3	84.2	80.3	82.4	80.7	80.7	80.5
	Actual	73.4	77.5	70.7	68.1	79.1	72.5	68.4	68.5	74.2	75.7
Income less than \$10,000	Age Adjusted	78.1	75.4	70.0	68.6	76.8	72.4	73.0	70.7	74.9	74.6
	Actual	74.3	62.3	66.4	71.6	70.0	69.5	73.1	69.8	68.3	72.2
Less than a high school education	Age Adjusted	71.3	69.3	74.9	69.5	72.2	74.0	75.5	70.5	71.3	74.9
Women aged 70+ years of age (Age Adjustment Not Applicable)	Actual	55.1	63.9	52.6	75.5	64.4	46.1	52.9	50.0	50.8	54.5
W. 10. <i>Cl</i>	Actual	89.5	86.5	87.4	89.5	89.3	86.4	85.1	86.3	85.7	85.5
Women age 18 to 64	Age Adjusted	87.9	86.4	86.2	87.2	88.5	85.2	85.6	85.9	85.1	85.0

Indicator	Rates	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006		
Colorectal cancer screening: Persons aged 50+ (Age Adjustment Not Applicable)	Colorectal cancer screening: Persons aged 50+ years of age (Age Adjustment Not Applicable)												
Report ever having had a sigmoidoscopy/proctoscopy exam	Actual	35.8		36.4		40.8	42.9	45.1	46.8		50.4		
Within the past year	Actual	10.0		12.5		13.4	13.4	13.1	13.4		14.5		
Within the past 2 years	Actual	17.7		18.9		21.6	21.9	22.7	23.2		24.2		
Within the past 5 years	Actual	25.1		27.0		31.9	33.4	35.6	36.5		40.0		
Hypertension awareness													
Report being told by a health professional that	Actual	34.3		35.0		31.4		33.4		33.3			
they have high blood pressure	Age Adjusted	34.6		33.8		31.7		33.6		33.5			
Report having blood pressure taken by a health	Actual	90.2		89.4									
professional in the past year	Age Adjusted	90.1		89.3									
Report having pressure taken by a health	Actual	95.6		96.0									
professional in the past 2 years	Age Adjusted	95.5		96.0									
Report having blood pressure taken by a health	Actual	97.9		98.3									
professional in the past 5 years	Age Adjusted	97.9		98.3									

Indicator	Rates	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
Immunization				-	-	-	-		-	-	
Report having had a flu vaccination	Actual	28.6		31.3		29.2	30.6	33.1	33.6	29.0	32.7
within the past 12 months	Age Adjusted	23.2		30.6		29.0	30.7	32.8	33.6	28.7	32.7
Persons 65+ years of age (Age adjustment not applicable)	Actual	61.1		62.9		61.8	63.0	69.0	66.9	61.7	65.8
Report ever having had a pneumonia	Actual	18.2		17.0		21.2	19.9	24.6	24.3	25.6	26.5
vaccination	Age Adjusted	17.6		16.5		20.6	19.8	24.0	24.0	24.9	25.7
Persons aged 65+ years of age (Age adjustment not applicable)	Actual	45.9		49.3		55.7	58.9	61.8	64.5	65.7	68.7
Health care access											
Report that they have no kind of health care	Actual	15.1	18.8	16.9	19.3	18.7	22.8	19.1	20.2	18.5	21.0
coverage	Age Adjusted	15.1	18.6	17.4	19.0	18.6	22.5	19.0	20.1	18.5	20.6
Report being unable to see doctor in past 12	Actual	15.3	15.6	14.4	16.2			18.5	20.0	18.5	19.0
months because of cost	Age Adjusted	15.3	15.6	14.5	16.2			18.6	20.1	18.7	19.0