

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT I, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>2,648</u>	<u>1,698</u>	<u>950</u>	<u>9.5</u>	<u>9.6</u>	<u>9.2</u>
HEART DISEASES	733	483	250	262.4	274.0	242.7
MALIGNANT NEOPLASMS	618	431	187	221.3	244.5	181.5
CEREBROVASCULAR DISEASE	184	114	70	65.9	64.7	68.0
ACCIDENTS	159	99	60	56.9	56.2	58.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	131	109	22	46.9	61.8	21.4
DIABETES MELLITUS	92	47	45	32.9	26.7	43.7
INFLUENZA AND PNEUMONIA	75	48	27	26.8	27.2	26.2
SEPTICEMIA	55	28	27	19.7	15.9	26.2
HYPERTENSION/HYPERTENSIVE RENAL DZ NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	53	32	21	19.0	18.2	20.4
CONDITIONS ORIGIN IN PERINATAL PERIOD	32	9	23	7.6	3.8	12.6
SUICIDE	32	28	4	11.4	15.9	3.9
ALZHEIMERS DISEASE	30	21	9	10.7	11.9	8.7
HOMICIDE	28	5	23	10.0	2.8	22.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	25	19	6	9.0	10.8	5.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	23	15	8	8.2	8.5	7.8
HIV DISEASE	14	4	10	5.0	2.3	9.7
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	11	6	5	3.9	3.4	4.8
AORTIC ANEURYSM AND DISSECTION	10	8	2	3.6	4.5	1.9
ANEMIAS	7	1	6	2.5	0.6	5.8
PARKINSONS DISEASE	7	6	1	2.5	3.4	1.0
PEPTIC ULCER	5	4	1	1.8	2.3	1.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	1	4	1.8	0.6	3.9
COMPLICATIONS MEDICAL/SURGICAL CARE	5	2	3	1.8	1.1	2.9
VIRAL HEPATITIS	3	3	0	1.1	1.7	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	1	2	1.1	0.6	1.9
ATHEROSCLEROSIS	2	2	0	0.7	1.1	-
HERNIA	2	2	0	0.7	1.1	-
CHOLELITHIASIS/GALLBLADDER DISORDER	2	1	1	0.7	0.6	1.0
TUBERCULOSIS	1	1	0	0.4	0.6	-
VIRAL ENCEPHALITIS	1	1	0	0.4	0.6	-
MENINGITIS	1	0	1	0.4	-	1.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.4	0.6	-
HYPERPLASIA OF PROSTATE	1	1	0	0.4	0.6	-
LEGAL INTERVENTION	1	0	1	0.4	-	1.0
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	21	10	11	7.5	5.7	10.7
ALL OTHER CAUSES	223	133	90	79.8	75.4	87.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 CENSUS FIGURES.

LESS THAN 0.06.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT I, 2002, CONTINUED

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,648</u>	<u>1,698</u>	<u>950</u>	<u>1,321</u>	<u>853</u>	<u>468</u>	<u>1,327</u>	<u>845</u>	<u>482</u>
UNDER 1	47	15	32	28	11	17	19	4	15
(NEONATAL)	39	13	26	26	10	16	13	3	10
(POSTNEONATAL)	8	2	6	2	1	1	6	1	5
1-4	7	2	5	3	0	3	4	2	2
5-9	5	0	5	1	0	1	4	0	4
10-14	10	2	8	6	2	4	4	0	4
15-24	52	22	30	42	17	25	10	5	5
25-34	67	35	32	40	21	19	27	14	13
35-44	141	77	64	88	49	39	53	28	25
45-54	254	146	108	142	87	55	112	59	53
55-64	326	212	114	205	146	59	121	66	55
65-74	476	335	141	271	186	85	205	149	56
75-84	688	485	203	321	230	91	367	255	112
85 AND OVER	575	367	208	174	104	70	401	263	138
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	11.2	6.3	17.5
NEONATAL	9.3	5.5	14.2
POSTNEONATAL	1.9	0.8	3.3

2002 POPULATION

TOTAL	279,299
WHITE	176,287
NONWHITE	103,012

** DEATHS PER 1,000 LIVE BIRTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT II, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>3,545</u>	<u>2,908</u>	<u>637</u>	<u>10.5</u>	<u>11.1</u>	<u>8.5</u>
HEART DISEASES	1,124	943	181	334.0	360.6	241.2
MALIGNANT NEOPLASMS	729	594	135	216.6	227.2	179.9
CEREBROVASCULAR DISEASE	279	225	54	82.9	86.0	72.0
ACCIDENTS	206	162	44	61.2	62.0	58.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	179	171	8	53.2	65.4	10.7
INFLUENZA AND PNEUMONIA	110	95	15	32.7	36.3	20.0
ALZHEIMERS DISEASE	96	87	9	28.5	33.3	12.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	78	59	19	23.2	22.6	25.3
DIABETES MELLITUS	68	48	20	20.2	18.4	26.6
SUICIDE	43	40	3	12.8	15.3	4.0
SEPTICEMIA	39	33	6	11.6	12.6	8.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	38	24	14	11.3	9.2	18.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	33	27	6	9.8	10.3	8.0
CONDITIONS ORIGIN IN PERINATAL PERIOD	31	15	16	6.7	4.4	13.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	24	18	6	7.1	6.9	8.0
PARKINSONS DISEASE	20	17	3	5.9	6.5	4.0
HOMICIDE	16	8	8	4.8	3.0	10.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	13	8	5	3.9	3.0	6.7
AORTIC ANEURYSM AND DISSECTION	12	11	1	3.6	4.2	1.3
ATHEROSCLEROSIS	10	10	0	3.0	3.8	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	8	7	1	2.4	2.7	1.3
VI RAL HEPATITIS	7	6	1	2.1	2.3	1.3
ANEMIAS	7	5	2	2.1	1.9	2.7
HIV DISEASE	6	1	5	1.8	0.4	6.7
MALNUTRITION/NUTRITIONAL DEFICIENCY	6	4	2	1.8	1.5	2.7
PEPTIC ULCER	5	5	0	1.5	1.9	-
CHOLELITHIASIS/GALLBLADDER DISORDER	3	2	1	0.9	0.8	1.3
SALMONELLA INFECTION	1	1	0	0.3	0.4	-
TUBERCULOSIS	1	1	0	0.3	0.4	-
VI RAL ENCEPHALITIS	1	1	0	0.3	0.4	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.3	0.4	-
DISEASES OF APPENDIX	1	1	0	0.3	0.4	-
INFECTIONS OF KIDNEY	1	1	0	0.3	0.4	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	39	30	9	11.6	11.5	12.0
ALL OTHER CAUSES	310	247	63	92.1	94.5	84.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 CENSUS FIGURES.

LESS THAN 0.06.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT II, 2002, CONTI NUED

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>3,545</u>	<u>2,908</u>	<u>637</u>	<u>1,764</u>	<u>1,433</u>	<u>331</u>	<u>1,781</u>	<u>1,475</u>	<u>306</u>
UNDER 1	60	35	25	35	20	15	25	15	10
(NEONATAL)	41	21	20	23	11	12	18	10	8
(POSTNEONATAL)	19	14	5	12	9	3	7	5	2
1-4	8	6	2	7	6	1	1	0	1
5-9	3	1	2	2	1	1	1	0	1
10-14	5	3	2	5	3	2	0	0	0
15-24	44	30	14	29	22	7	15	8	7
25-34	79	50	29	59	39	20	20	11	9
35-44	141	97	44	81	56	25	60	41	19
45-54	247	172	75	161	114	47	86	58	28
55-64	390	299	91	237	185	52	153	114	39
65-74	652	544	108	385	321	64	267	223	44
75-84	946	831	115	436	386	50	510	445	65
85 AND OVER	970	840	130	327	280	47	643	560	83
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	13.0	10.3	20.3
NEONATAL	8.9	6.2	16.2
POSTNEONATAL	4.1	4.1	4.0

2002 POPULATION

TOTAL	336,521
WHI TE	261,482
NONWHI TE	75,039

** DEATHS PER 1,000 LI VE BI RTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT III, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>2,766</u>	<u>1,195</u>	<u>1,571</u>	<u>11.2</u>	<u>13.9</u>	<u>9.8</u>
HEART DISEASES	930	424	506	376.8	493.6	314.5
MALIGNANT NEOPLASMS	569	249	320	230.6	289.9	198.9
CEREBROVASCULAR DISEASE	191	85	106	77.4	99.0	65.9
ACCIDENTS	150	58	92	60.8	67.5	57.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	103	70	33	41.7	81.5	20.5
INFLUENZA AND PNEUMONIA	96	50	46	38.9	58.2	28.6
DIABETES MELLITUS	66	22	44	26.7	25.6	27.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	62	14	48	25.1	16.3	29.8
HOMICIDE	53	7	46	21.5	8.1	28.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	45	9	36	18.2	10.5	22.4
SEPTICEMIA	38	13	25	15.4	15.1	15.5
ALZHEIMERS DISEASE	34	22	12	13.8	25.6	7.4
CONDITIONS ORIGIN PERINATAL PERIOD	28	4	24	7.5	4.3	8.6
SUICIDE	16	10	6	6.5	11.6	3.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	14	9	5	5.7	10.5	3.1
AORTIC ANEURYSM AND DISSECTION	12	6	6	4.9	7.0	3.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	11	7	4	4.4	8.1	2.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	10	0	10	4.0	-	6.2
HIV DISEASE	9	0	9	3.6	-	5.6
MALNUTRITION/NUTRITIONAL DEFICIENCY	6	1	5	2.4	1.2	3.1
PARKINSONS DISEASE	6	5	1	2.4	5.8	0.6
CHOLELITHIASIS/GALLBLADDER DISORDER	6	3	3	2.4	3.5	1.9
PEPTIC ULCER	5	2	3	2.0	2.3	1.9
COMPLICATIONS MEDICAL/SURGICAL CARE IN SITU, BENIGN & UNSPECIFIED	5	3	2	2.0	3.5	1.2
NEOPLASMS	4	2	2	1.6	2.3	1.2
VIRAL HEPATITIS	3	3	0	1.2	3.5	-
MATERNAL CAUSES	3	1	2	80.7	107.9	71.6
VIRAL ENCEPHALITIS	2	1	1	0.8	1.2	0.6
ANEMIAS	2	0	2	0.8	-	1.2
LEGAL INTERVENTION	2	2	0	0.8	2.3	-
TUBERCULOSIS	1	0	1	0.4	-	0.6
ATHEROSCLEROSIS	1	1	0	0.4	1.2	-
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	0	1	0.4	-	0.6
HERNIA	1	1	0	0.4	1.2	-
FEMALE PELVIC INFLAMMATORY DISEASE	1	1	0	0.4	1.2	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	40	11	29	16.2	12.8	18.0
ALL OTHER CAUSES	240	99	141	97.2	115.2	87.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 CENSUS FIGURES.

LESS THAN 0.06.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT III, 2002, CONTINUED

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,766</u>	<u>1,195</u>	<u>1,571</u>	<u>1,326</u>	<u>569</u>	<u>757</u>	<u>1,440</u>	<u>626</u>	<u>814</u>
UNDER 1	62	5	57	30	3	27	32	2	30
(NEONATAL)	38	4	34	19	3	16	19	1	18
(POSTNEONATAL)	24	1	23	11	0	11	13	1	12
1-4	9	0	9	4	0	4	5	0	5
5-9	13	1	12	7	1	6	6	0	6
10-14	10	2	8	7	1	6	3	1	2
15-24	50	12	38	33	7	26	17	5	12
25-34	67	11	56	42	7	35	25	4	21
35-44	125	35	90	75	20	55	50	15	35
45-54	255	78	177	159	51	108	96	27	69
55-64	337	124	213	203	84	119	134	40	94
65-74	452	219	233	236	119	117	216	100	116
75-84	669	338	331	306	163	143	363	175	188
85 AND OVER	717	370	347	224	113	111	493	257	236
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	16.7	5.4	20.4
NEONATAL	10.2	4.3	12.2
POSTNEONATAL	6.4	1.1	8.2

2002 POPULATION

TOTAL	246,782
WHITE	85,899
NONWHITE	160,883

** DEATHS PER 1,000 LIVE BIRTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IV, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>2,333</u>	<u>1,517</u>	<u>816</u>	<u>9.3</u>	<u>10.4</u>	<u>7.8</u>
HEART DISEASES	771	518	253	308.2	356.5	241.3
MALIGNANT NEOPLASMS	492	303	189	196.7	208.5	180.2
CEREBROVASCULAR DISEASE	152	104	48	60.8	71.6	45.8
ACCIDENTS	115	74	41	46.0	50.9	39.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	98	81	17	39.2	55.7	16.2
INFLUENZA AND PNEUMONIA	78	56	22	31.2	38.5	21.0
DIABETES MELLITUS	51	21	30	20.4	14.4	28.6
SEPTICEMIA	49	29	20	19.6	20.0	19.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	48	30	18	19.2	20.6	17.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	40	14	26	16.0	9.6	24.8
ALZHEIMERS DISEASE	37	31	6	14.8	21.3	5.7
SUICIDE	26	23	3	10.4	15.8	2.9
CONDITIONS ORIGIN IN PERINATAL PERIOD	21	6	15	6.1	3.5	8.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	19	14	5	7.6	9.6	4.8
HOMICIDE	18	8	10	7.2	5.5	9.5
HIV DISEASE	14	2	12	5.6	1.4	11.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	14	10	4	5.6	6.9	3.8
AORTIC ANEURYSM AND DISSECTION	13	10	3	5.2	6.9	2.9
PARKINSONS DISEASE	10	9	1	4.0	6.2	1.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	8	6	2	3.2	4.1	1.9
ANEMIAS	7	6	1	2.8	4.1	1.0
PEPTIC ULCER	6	2	4	2.4	1.4	3.8
ACUTE BRONCHITIS AND BRONCHIOLITIS	3	2	1	1.2	1.4	1.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	2	1	1.2	1.4	1.0
ATHEROSCLEROSIS	2	0	2	0.8	-	1.9
PNEUMOCONIOSES & CHEMICAL EFFECTS	2	2	0	0.8	1.4	-
CHOLELITHIASIS/GALLBLADDER DISORDER	2	0	2	0.8	-	1.9
INFECTIONS OF KIDNEY	2	2	0	0.8	1.4	-
FEMALE PELVIC INFLAMMATORY DISEASE	2	1	1	0.8	0.7	1.0
MENINGOCOCCAL INFECTION	1	1	0	0.4	0.7	-
VIRAL ENCEPHALITIS	1	1	0	0.4	0.7	-
VIRAL HEPATITIS	1	1	0	0.4	0.7	-
MENINGITIS	1	1	0	0.4	0.7	-
HERNIA	1	0	1	0.4	-	1.0
HYPERPLASIA OF PROSTATE	1	1	0	0.4	0.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	47	29	18	18.8	20.0	17.2
ALL OTHER CAUSES	177	117	60	70.8	80.5	57.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 CENSUS FIGURES.

LESS THAN 0.06.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IV, 2002, CONTI NUED

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>2,333</u>	<u>1,517</u>	<u>816</u>	<u>1,110</u>	<u>695</u>	<u>415</u>	<u>1,223</u>	<u>822</u>	<u>401</u>
UNDER 1	32	12	20	18	5	13	14	7	7
(NEONATAL)	27	9	18	16	4	12	11	5	6
(POSTNEONATAL)	5	3	2	2	1	1	3	2	1
1-4	4	2	2	3	2	1	1	0	1
5-9	4	1	3	1	1	0	3	0	3
10-14	5	3	2	4	2	2	1	1	0
15-24	30	13	17	23	10	13	7	3	4
25-34	51	19	32	24	13	11	27	6	21
35-44	90	37	53	58	26	32	32	11	21
45-54	171	86	85	109	55	54	62	31	31
55-64	272	153	119	174	102	72	98	51	47
65-74	423	288	135	232	156	76	191	132	59
75-84	588	412	176	273	186	87	315	226	89
85 AND OVER	663	491	172	191	137	54	472	354	118
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	9.4	6.9	11.9
NEONATAL	7.9	5.2	10.7
POSTNEONATAL	1.5	1.7	1.2

2002 POPULATION

TOTAL	250,164
WHI TE	145,301
NONWHI TE	104,863

** DEATHS PER 1,000 LI VE BI RTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT V, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>5,536</u>	<u>3,182</u>	<u>2,354</u>	<u>9.2</u>	<u>10.3</u>	<u>8.0</u>
HEART DISEASES	1,734	999	735	287.4	323.0	250.0
MALIGNANT NEOPLASMS	1,176	701	475	194.9	226.6	161.5
CEREBROVASCULAR DISEASE	372	210	162	61.6	67.9	55.1
ACCIDENTS	291	174	117	48.2	56.3	39.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	246	191	55	40.8	61.8	18.7
INFLUENZA AND PNEUMONIA	134	86	48	22.2	27.8	16.3
SEPTICEMIA	107	52	55	17.7	16.8	18.7
DIABETES MELLITUS	102	36	66	16.9	11.6	22.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	102	43	59	16.9	13.9	20.1
ALZHEIMERS DISEASE	101	86	15	16.7	27.8	5.1
HOMICIDE	85	17	68	14.1	5.5	23.1
HIV DISEASE	77	5	72	12.8	1.6	24.5
SUICIDE	56	42	14	9.3	13.6	4.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	45	35	10	7.4	11.3	3.4
CONDITIONS ORIGIN IN PERINATAL PERIOD	45	9	36	5.0	2.3	7.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	40	13	27	6.6	4.2	9.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	35	24	11	5.8	7.8	3.7
AORTIC ANEURYSM AND DISSECTION	30	21	9	5.0	6.8	3.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	29	13	16	4.8	4.2	5.4
PARKINSONS DISEASE	27	24	3	4.5	7.8	1.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	20	17	3	3.3	5.5	1.0
ATHEROSCLEROSIS	16	8	8	2.6	2.6	2.7
ANEMIAS	14	2	12	2.3	0.6	4.1
PEPTIC ULCER	11	8	3	1.8	2.6	1.0
CHOLELITHIASIS/GALLBLADDER DISORDER	10	7	3	1.6	2.3	1.0
COMPLICATIONS MEDICAL/SURGICAL CARE	10	7	3	1.6	2.3	1.0
VIRAL HEPATITIS	7	5	2	1.2	1.6	0.7
MALNUTRITION/NUTRITIONAL DEFICIENCY	7	5	2	1.2	1.6	0.7
INFECTIONS OF KIDNEY	3	3	0	0.5	1.0	-
MATERNAL CAUSES	3	0	3	33.7	-	59.4
LEGAL INTERVENTION	3	0	3	0.5	-	1.0
TUBERCULOSIS	2	1	1	0.3	0.3	0.3
VIRAL ENCEPHALITIS	2	2	0	0.3	0.6	-
HERNIA	2	1	1	0.3	0.3	0.3
MENINGOCOCCAL INFECTION	1	0	1	0.2	-	0.3
MENINGITIS	1	1	0	0.2	0.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	53	20	33	8.8	6.5	11.2
ALL OTHER CAUSES	537	314	223	89.0	101.5	75.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 CENSUS FIGURES.

LESS THAN 0.06.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT V, 2002, CONTI NUED

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>5, 536</u>	<u>3, 182</u>	<u>2, 354</u>	<u>2, 720</u>	<u>1, 528</u>	<u>1, 192</u>	<u>2, 816</u>	<u>1, 654</u>	<u>1, 162</u>
UNDER 1	91	17	74	53	12	41	38	5	33
(NEONATAL)	57	13	44	35	9	26	22	4	18
(POSTNEONATAL)	34	4	30	18	3	15	16	1	15
1-4	17	4	13	11	2	9	6	2	4
5-9	10	4	6	4	3	1	6	1	5
10-14	24	10	14	13	3	10	11	7	4
15-24	112	51	61	70	34	36	42	17	25
25-34	136	49	87	95	38	57	41	11	30
35-44	255	95	160	153	56	97	102	39	63
45-54	498	241	257	300	154	146	198	87	111
55-64	631	324	307	388	197	191	243	127	116
65-74	986	558	428	583	348	235	403	210	193
75-84	1, 441	964	477	666	446	220	775	518	257
85 AND OVER	1, 335	865	470	384	235	149	951	630	321
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	10. 2	4. 4	14. 7
NEONATAL	6. 4	3. 4	8. 7
POSTNEONATAL	3. 8	1. 0	5. 9

2002 POPULATI ON

TOTAL	603, 331
WHI TE	309, 281
NONWHI TE	294, 050

** DEATHS PER 1, 000 LI VE BI RTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VI, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>2,716</u>	<u>1,820</u>	<u>896</u>	<u>11.3</u>	<u>12.6</u>	<u>9.3</u>
HEART DISEASES	909	635	274	376.8	438.9	283.8
MALIGNANT NEOPLASMS	518	345	173	214.7	238.4	179.2
CEREBROVASCULAR DISEASE	178	122	56	73.8	84.3	58.0
ACCIDENTS	147	90	57	60.9	62.2	59.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	139	108	31	57.6	74.6	32.1
ALZHEIMERS DISEASE	89	73	16	36.9	50.4	16.6
INFLUENZA AND PNEUMONIA	74	45	29	30.7	31.1	30.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	73	33	40	30.3	22.8	41.4
DIABETES MELLITUS	50	25	25	20.7	17.3	25.9
SEPTICEMIA	45	24	21	18.6	16.6	21.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	29	19	10	12.0	13.1	10.4
SUICIDE	21	21	0	8.7	14.5	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	20	17	3	8.3	11.8	3.1
HOMICIDE	19	8	11	7.9	5.5	11.4
HIV DISEASE	18	4	14	7.5	2.8	14.5
ATHEROSCLEROSIS	14	11	3	5.8	7.6	3.1
CONDITIONS ORIGIN IN PERINATAL PERIOD	14	8	6	4.0	4.4	3.6
HYPERTENSION/HYPERTENSIVE RENAL DZ IN SITU, BENIGN & UNSPECIFIED	13	9	4	5.4	6.2	4.1
NEOPLASMS	11	8	3	4.6	5.5	3.1
PARKINSONS DISEASE	11	10	1	4.6	6.9	1.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	10	5	5	4.1	3.4	5.2
VI RAL HEPATITIS	7	6	1	2.9	4.1	1.0
ANEMIAS	7	4	3	2.9	2.8	3.1
MALNUTRITION/NUTRITIONAL DEFICIENCY	6	5	1	2.5	3.4	1.0
AORTIC ANEURYSM AND DISSECTION	6	6	0	2.5	4.1	-
COMPLICATIONS MEDICAL/SURGICAL CARE	6	4	2	2.5	2.8	2.1
TUBERCULOSIS	2	1	1	0.8	0.7	1.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	2	2	0	0.8	1.4	-
INFECTIONS OF KIDNEY	2	1	1	0.8	0.7	1.0
MENINGITIS	1	0	1	0.4	-	1.0
PEPTIC ULCER	1	1	0	0.4	0.7	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	0.4	-	1.0
MATERNAL CAUSES	1	0	1	28.9	-	60.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	49	33	16	20.3	22.8	16.6
ALL OTHER CAUSES	223	137	86	92.4	94.7	89.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 CENSUS FIGURES.

LESS THAN 0.06.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VI, 2002, CONTI NUED

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>2,716</u>	<u>1,820</u>	<u>896</u>	<u>1,323</u>	<u>879</u>	<u>444</u>	<u>1,393</u>	<u>941</u>	<u>452</u>
UNDER 1	32	16	16	16	8	8	16	8	8
(NEONATAL)	20	9	11	11	4	7	9	5	4
(POSTNEONATAL)	12	7	5	5	4	1	7	3	4
1-4	9	7	2	5	3	2	4	4	0
5-9	10	6	4	4	4	0	6	2	4
10-14	9	6	3	4	3	1	5	3	2
15-24	54	29	25	34	18	16	20	11	9
25-34	45	19	26	27	12	15	18	7	11
35-44	117	56	61	71	38	33	46	18	28
45-54	207	113	94	127	78	49	80	35	45
55-64	336	205	131	213	133	80	123	72	51
65-74	485	328	157	292	206	86	193	122	71
75-84	704	522	182	317	238	79	387	284	103
85 AND OVER	707	513	194	212	138	74	495	375	120
UNKNOWN	1	0	1	1	0	1	0	0	0

MORTALITY RATES**

I NFANT	9.2	8.8	9.7
NEONATAL	5.8	5.0	6.6
POSTNEONATAL	3.5	3.9	3.0

2002 POPULATION

TOTAL	241,214
WHI TE	144,681
NONWHI TE	96,533

** DEATHS PER 1,000 LI VE BI RTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VII, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>2,012</u>	<u>1,134</u>	<u>878</u>	<u>11.4</u>	<u>12.3</u>	<u>10.4</u>
HEART DISEASES	627	377	250	355.7	408.4	297.7
MALIGNANT NEOPLASMS	422	227	195	239.4	245.9	232.2
CEREBROVASCULAR DISEASE	114	56	58	64.7	60.6	69.1
ACCIDENTS	103	55	48	58.4	59.6	57.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	99	73	26	56.2	79.1	31.0
DIABETES MELLITUS	79	31	48	44.8	33.6	57.2
INFLUENZA AND PNEUMONIA	66	42	24	37.4	45.5	28.6
SEPTICEMIA	48	23	25	27.2	24.9	29.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	38	15	23	21.6	16.2	27.4
SUICIDE	31	19	12	17.6	20.6	14.3
ALZHEIMERS DISEASE	30	25	5	17.0	27.1	6.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	30	11	19	17.0	11.9	22.6
HOMICIDE	17	3	14	9.6	3.2	16.7
AORTIC ANEURYSM AND DISSECTION	14	7	7	7.9	7.6	8.3
HIV DISEASE	12	1	11	6.8	1.1	13.1
PARKINSONS DISEASE	11	8	3	6.2	8.7	3.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	11	10	1	6.2	10.8	1.2
CHRONIC LIVER DISEASE AND CIRRHOSIS IN SITU, BENIGN & UNSPECIFIED	11	9	2	6.2	9.7	2.4
NEOPLASMS	7	4	3	4.0	4.3	3.6
ANEMIAS	6	1	5	3.4	1.1	6.0
CONDITIONS ORIGIN IN PERINATAL PERIOD	6	3	3	2.4	2.8	2.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	1	4	2.8	1.1	4.8
VI RAL HEPATITIS	4	3	1	2.3	3.2	1.2
COMPLICATIONS MEDICAL/SURGICAL CARE	4	3	1	2.3	3.2	1.2
MENINGITIS	2	0	2	1.1	-	2.4
HERNIA	2	2	0	1.1	2.2	-
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	1.1	2.2	-
INFECTIONS OF KIDNEY	2	2	0	1.1	2.2	-
MENINGOCOCCAL INFECTION	1	0	1	0.6	-	1.2
VI RAL ENCEPHALITIS	1	1	0	0.6	1.1	-
ATHEROSCLEROSIS	1	1	0	0.6	1.1	-
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	0	1	0.6	-	1.2
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.6	1.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	42	21	21	23.8	22.7	25.0
ALL OTHER CAUSES	162	97	65	91.9	105.1	77.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 CENSUS FIGURES.

LESS THAN 0.06.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VII, 2002, CONTI NUED

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>2,012</u>	<u>1,134</u>	<u>878</u>	<u>1,001</u>	<u>551</u>	<u>450</u>	<u>1,011</u>	<u>583</u>	<u>428</u>
UNDER 1	17	6	11	8	4	4	9	2	7
(NEONATAL)	9	4	5	5	2	3	4	2	2
(POSTNEONATAL)	8	2	6	3	2	1	5	0	5
1-4	6	0	6	4	0	4	2	0	2
5-9	3	2	1	2	1	1	1	1	0
10-14	4	1	3	3	1	2	1	0	1
15-24	37	15	22	29	11	18	8	4	4
25-34	37	15	22	23	9	14	14	6	8
35-44	83	36	47	46	24	22	37	12	25
45-54	146	67	79	97	47	50	49	20	29
55-64	240	113	127	145	69	76	95	44	51
65-74	370	218	152	214	127	87	156	91	65
75-84	555	333	222	278	170	108	277	163	114
85 AND OVER	514	328	186	152	88	64	362	240	122
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	6.9	5.5	7.9
NEONATAL	3.6	3.7	3.6
POSTNEONATAL	3.2	1.8	4.3

2002 POPULATION

TOTAL	176,286
WHI TE	92,319
NONWHI TE	83,967

** DEATHS PER 1,000 LI VE BI RTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VIII, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>2,881</u>	<u>2,136</u>	<u>745</u>	<u>10.1</u>	<u>10.9</u>	<u>8.4</u>
HEART DISEASES	896	664	232	314.6	338.9	261.2
MALIGNANT NEOPLASMS	588	448	140	206.5	228.6	157.6
CEREBROVASCULAR DISEASE	192	139	53	67.4	70.9	59.7
ACCIDENTS	187	131	56	65.7	66.8	63.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	128	117	11	44.9	59.7	12.4
DIABETES MELLITUS	82	44	38	28.8	22.4	42.8
INFLUENZA AND PNEUMONIA	77	68	9	27.0	34.7	10.1
SEPTICEMIA	71	44	27	24.9	22.4	30.4
ALZHEIMERS DISEASE	69	58	11	24.2	29.6	12.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	52	38	14	18.3	19.4	15.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	33	22	11	11.6	11.2	12.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	26	22	4	9.1	11.2	4.5
SUICIDE	25	18	7	8.8	9.2	7.9
HOMICIDE	22	8	14	7.7	4.1	15.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	20	15	5	7.0	7.6	5.6
PARKINSONS DISEASE	15	12	3	5.3	6.1	3.4
CONDITIONS ORIGIN IN PERINATAL PERIOD	14	6	8	3.4	2.3	5.0
HIV DISEASE	13	5	8	4.6	2.6	9.0
AORTIC ANEURYSM AND DISSECTION	13	12	1	4.6	6.1	1.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	10	6	4	3.5	3.1	4.5
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	9	4	5	3.2	2.0	5.6
MALNUTRITION/NUTRITIONAL DEFICIENCY	6	6	0	2.1	3.1	-
PEPTIC ULCER	6	5	1	2.1	2.6	1.1
COMPLICATIONS MEDICAL/SURGICAL CARE	6	5	1	2.1	2.6	1.1
ANEMIAS	4	3	1	1.4	1.5	1.1
ATHEROSCLEROSIS	4	3	1	1.4	1.5	1.1
VIRAL HEPATITIS	3	3	0	1.0	1.5	-
CHOLELITHIASIS/GALLBLADDER DISORDER	3	2	1	1.0	1.0	1.1
TUBERCULOSIS	2	0	2	0.7	-	2.2
PNEUMOCONIOSES & CHEMICAL EFFECTS	2	2	0	0.7	1.0	-
HERNIA	2	2	0	0.7	1.0	-
INFECTIONS OF KIDNEY	2	2	0	0.7	1.0	-
MATERNAL CAUSES	1	0	1	24.0	-	63.0
OPERATIONS OF WAR & THEIR SEQUELAE	1	0	1	0.4	-	1.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	31	24	7	10.9	12.2	7.9
ALL OTHER CAUSES	266	198	68	93.4	101.0	76.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 CENSUS FIGURES.

LESS THAN 0.06.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VIII, 2002, CONTI NUED

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>2,881</u>	<u>2,136</u>	<u>745</u>	<u>1,414</u>	<u>1,046</u>	<u>368</u>	<u>1,467</u>	<u>1,090</u>	<u>377</u>
UNDER 1	34	18	16	22	13	9	12	5	7
(NEONATAL)	18	9	9	11	6	5	7	3	4
(POSTNEONATAL)	16	9	7	11	7	4	5	2	3
1-4	6	3	3	2	0	2	4	3	1
5-9	11	3	8	8	2	6	3	1	2
10-14	4	2	2	1	1	0	3	1	2
15-24	52	40	12	41	35	6	11	5	6
25-34	61	38	23	36	20	16	25	18	7
35-44	106	62	44	78	43	35	28	19	9
45-54	214	137	77	125	84	41	89	53	36
55-64	340	224	116	200	132	68	140	92	48
65-74	547	412	135	307	236	71	240	176	64
75-84	816	640	176	374	300	74	442	340	102
85 AND OVER	690	557	133	220	180	40	470	377	93
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

I NFANT	8.2	7.0	10.1
NEONATAL	4.3	3.5	5.7
POSTNEONATAL	3.8	3.5	4.4

2002 POPULATION

TOTAL	284,767
WHI TE	195,937
NONWHI TE	88,830

** DEATHS PER 1,000 LI VE BI RTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IX, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>4,328</u>	<u>3,578</u>	<u>750</u>	<u>9.5</u>	<u>10.2</u>	<u>7.4</u>
HEART DISEASES	1,296	1,072	224	285.8	304.9	220.0
MALIGNANT NEOPLASMS	938	789	149	206.9	224.4	146.3
ACCIDENTS	274	225	49	60.4	64.0	48.1
CEREBROVASCULAR DISEASE	256	206	50	56.5	58.6	49.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	249	226	23	54.9	64.3	22.6
SUICIDE	91	83	8	20.1	23.6	7.8
INFLUENZA AND PNEUMONIA	88	78	10	19.4	22.2	9.8
ALZHEIMERS DISEASE	80	75	5	17.6	21.3	4.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	76	60	16	16.8	17.1	15.7
SEPTICEMIA	74	58	16	16.3	16.5	15.7
DIABETES MELLITUS	74	50	24	16.3	14.2	23.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	48	46	2	10.6	13.1	2.0
HOMICIDE	46	25	21	10.1	7.1	20.6
AORTIC ANEURYSM AND DISSECTION	27	23	4	6.0	6.5	3.9
CONDITIONS ORIGIN IN PERINATAL PERIOD	27	15	12	4.1	3.1	7.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	22	22	0	4.8	6.2	-
HIV DISEASE	21	7	14	4.6	2.0	13.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	21	14	7	4.6	4.0	6.9
ATHEROSCLEROSIS	20	17	3	4.4	4.8	2.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	18	11	7	4.0	3.1	6.9
PARKINSONS DISEASE	17	17	0	3.7	4.8	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	11	8	3	2.4	2.3	2.9
COMPLICATIONS MEDICAL/SURGICAL CARE	9	6	3	2.0	1.7	2.9
PNEUMOCONIOSES & CHEMICAL EFFECTS	6	6	0	1.3	1.7	-
CHOLELITHIASIS/GALLBLADDER DISORDER	5	5	0	1.1	1.4	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	4	4	0	0.9	1.1	-
VIRAL HEPATITIS	3	2	1	0.7	0.6	1.0
ANEMIAS	3	1	2	0.7	0.3	2.0
HERNIA	3	1	2	0.7	0.3	2.0
MENINGITIS	2	1	1	0.4	0.3	1.0
PEPTIC ULCER	2	1	1	0.4	0.3	1.0
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	0.2	0.3	-
INFECTIONS OF KIDNEY	1	1	0	0.2	0.3	-
MATERNAL CAUSES	1	1	0	15.3	20.6	-
LEGAL INTERVENTION	1	1	0	0.2	0.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	53	40	13	11.7	11.4	12.8
<u>ALL OTHER CAUSES</u>	<u>460</u>	<u>380</u>	<u>80</u>	<u>101.4</u>	<u>108.1</u>	<u>78.6</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 CENSUS FIGURES.

LESS THAN 0.06.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IX, 2002, CONTI NUED

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>4,328</u>	<u>3,578</u>	<u>750</u>	<u>2,250</u>	<u>1,859</u>	<u>391</u>	<u>2,078</u>	<u>1,719</u>	<u>359</u>
UNDER 1	53	31	22	32	16	16	21	15	6
(NEONATAL)	32	18	14	20	9	11	12	9	3
(POSTNEONATAL)	21	13	8	12	7	5	9	6	3
1-4	6	6	0	2	2	0	4	4	0
5-9	6	1	5	3	1	2	3	0	3
10-14	10	6	4	6	5	1	4	1	3
15-24	81	58	23	54	38	16	27	20	7
25-34	118	87	31	73	52	21	45	35	10
35-44	219	158	61	137	98	39	82	60	22
45-54	344	264	80	211	162	49	133	102	31
55-64	599	478	121	356	288	68	243	190	53
65-74	891	760	131	541	473	68	350	287	63
75-84	1,198	1,042	156	589	514	75	609	528	81
85 AND OVER	800	684	116	244	208	36	556	476	80
UNKNOWN	3	3	0	2	2	0	1	1	0

MORTALITY RATES**

INFANT	8.1	6.4	13.1
NEONATAL	4.9	3.7	8.3
POSTNEONATAL	3.2	2.7	4.8

2002 POPULATION

TOTAL	453,418
WHI TE	351,598
NONWHI TE	101,820

** DEATHS PER 1,000 LI VE BI RTHS.