

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: ADAMS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	34,225	2,573	1,234	1,339	534
WHITE	16,713	992	500	492	198
NONWHITE	17,512	1,581	734	847	336

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	109	3	37	69	29	0	6	23	80	3	31	46
TEENAGE IMMATURE BIRTHS	17	1	5	11	2	0	1	1	15	1	4	10
TEENAGE PREMATURE BIRTHS	27	1	8	18	5	0	2	3	22	1	6	15
TEENAGE ILLEGITIMATE BIRTHS	94	3	36	55	14	0	5	9	80	3	31	46
TEENS WHO HAD PREVIOUS LIVE BIRTHS	23	0	5	18	5	0	1	4	18	0	4	14
TEENS WHO HAD PREVIOUS PREGNANCIES	32	0	7	25	8	0	1	7	24	0	6	18
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	2	0	0	2	3	0	2	1
TEENAGE FERTILITY RATE	42.4	2.4	79.2 (15-19)		29.2	-	58.9 (15-19)		50.6	4.1	90.9 (15-19)	
TEENAGE FETAL DEATHS**	3	0	3	0	0	0	0	0	3	0	3	0
TEENAGE FETAL DEATH RATIO	27.5	-	81.1	-	-	-	-	-	37.5	-	96.8	-
TEENAGE INDUCED TERMINATIONS#	16	2	5	9	4	0	1	3	12	2	4	6
TEENAGE INDUCED TERMINATION RATIO	146.8	666.7	135.1	130.4	137.9	-	166.7	130.4	150.0	666.7	129.0	130.4
TEENAGE PREGNANCIES#	128	5	45	78	33	0	7	26	95	5	38	52
TEENAGE PREGNANCY RATE	49.7	4.0	91.9 (15-19)		33.3	-	67.1 (15-19)		60.1	6.8	106.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: ALCORN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	32,716	2,300	1,130	1,170	460
WHITE	28,607	1,901	938	963	388
NONWHITE	4,109	399	192	207	72

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	93	3	28	62	74	3	21	50	19	0	7	12
TEENAGE IMMATURE BIRTHS	13	1	4	8	6	1	1	4	7	0	3	4
TEENAGE PREMATURE BIRTHS	13	1	6	6	8	1	4	3	5	0	2	3
TEENAGE ILLEGITIMATE BIRTHS	46	3	15	28	28	3	9	16	18	0	6	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	29	0	4	25	20	0	3	17	9	0	1	8
TEENS WHO HAD PREVIOUS PREGNANCIES	31	0	4	27	22	0	3	19	9	0	1	8
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FERTILITY RATE	40.4	2.6	76.9 (15-19)		38.9	3.2	73.7 (15-19)		47.6	-	91.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	93	3	28	62	74	3	21	50	19	0	7	12
TEENAGE PREGNANCY RATE	40.4	2.6	76.9 (15-19)		38.9	3.2	73.7 (15-19)		47.6	-	91.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: AMITE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,752	1,071	559	512	165
WHITE	7,200	428	222	206	79
NONWHITE	6,552	643	337	306	86

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	30	0	8	22	4	0	0	4	26	0	8	18
TEENAGE IMMATURE BIRTHS	8	0	1	7	1	0	0	1	7	0	1	6
TEENAGE PREMATURE BIRTHS	6	0	2	4	1	0	0	1	5	0	2	3
TEENAGE ILLEGITIMATE BIRTHS	27	0	8	19	2	0	0	2	25	0	8	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	0	5	0	0	0	0	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	28.0	-	58.6 (15-19)		9.3	-	19.4 (15-19)		40.4	-	85.0 (15-19)	
TEENAGE FETAL DEATHS**	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FETAL DEATH RATIO	66.7	-	-	90.9	-	-	-	-	76.9	-	-	111.1
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	100.0	-	125.0	90.9	-	-	-	-	115.4	-	125.0	111.1
TEENAGE PREGNANCIES#	35	0	9	26	4	0	0	4	31	0	9	22
TEENAGE PREGNANCY RATE	32.7	-	68.4 (15-19)		9.3	-	19.4 (15-19)		48.2	-	101.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: ATTALA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,404	1,378	647	731	259
WHITE	10,642	656	322	334	144
NONWHITE	7,762	722	325	397	115

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	48	1	18	29	23	0	9	14	25	1	9	15
TEENAGE IMMATURE BIRTHS	10	1	5	4	2	0	1	1	8	1	4	3
TEENAGE PREMATURE BIRTHS	5	1	2	2	2	0	1	1	3	1	1	1
TEENAGE ILLEGITIMATE BIRTHS	35	1	13	21	10	0	4	6	25	1	9	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	0	6	4	0	0	4	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	0	8	4	0	0	4	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	3	1	0	2	0	0	0	0	3	1	0	2
TEENAGE FERTILITY RATE	34.8	1.5	64.3 (15-19)	35.1	-	68.9 (15-19)	34.6	3.1	60.4 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	9	0	4	5	5	0	2	3	4	0	2	2
TEENAGE INDUCED TERMINATION RATIO	187.5	-	222.2	172.4	217.4	-	222.2	214.3	160.0	-	222.2	133.3
TEENAGE PREGNANCIES#	57	1	22	34	28	0	11	17	29	1	11	17
TEENAGE PREGNANCY RATE	41.4	1.5	76.6 (15-19)	42.7	-	83.8 (15-19)	40.2	3.1	70.5 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: BENTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,140	680	346	334	108
WHITE	4,779	317	152	165	60
NONWHITE	3,361	363	194	169	48

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	14	0	5	9	6	0	2	4	8	0	3	5
TEENAGE IMMATURE BIRTHS	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE PREMATURE BIRTHS	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE ILLEGITIMATE BIRTHS	11	0	4	7	3	0	1	2	8	0	3	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	1	2	2	0	0	2	1	0	1	0
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	1	3	3	0	0	3	1	0	1	0
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	20.6	-	41.9 (15-19)	18.9	-	36.4 (15-19)	22.0	-	47.3 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	71.4	-	-	111.1	-	-	-	-	125.0	-	-	200.0
TEENAGE PREGNANCIES#	15	0	5	10	6	0	2	4	9	0	3	6
TEENAGE PREGNANCY RATE	22.0	-	44.9 (15-19)	18.9	-	36.4 (15-19)	24.8	-	53.2 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: BOLIVAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	40,318	3,909	1,689	2,220	689
WHITE	14,045	1,108	460	648	161
NONWHITE	26,273	2,801	1,229	1,572	528

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	206	10	83	113	25	0	8	17	181	10	75	96
TEENAGE IMMATURE BIRTHS	29	2	9	18	3	0	1	2	26	2	8	16
TEENAGE PREMATURE BIRTHS	41	2	8	31	3	0	0	3	38	2	8	28
TEENAGE ILLEGITIMATE BIRTHS	192	10	82	100	14	0	7	7	178	10	75	93
TEENS WHO HAD PREVIOUS LIVE BIRTHS	54	0	10	44	4	0	1	3	50	0	9	41
TEENS WHO HAD PREVIOUS PREGNANCIES	67	0	14	53	6	0	1	5	61	0	13	48
TEENS WITH INADEQUATE* PRENATAL CARE	13	2	4	7	0	0	0	0	13	2	4	7
TEENAGE FERTILITY RATE	52.7	5.9	88.3 (15-19)		22.6	-	38.6 (15-19)		64.6	8.1	108.8 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	9.7	-	12.0	8.8	-	-	-	-	11.0	-	13.3	10.4
TEENAGE INDUCED TERMINATIONS#	16	3	5	8	7	0	3	4	9	3	2	4
TEENAGE INDUCED TERMINATION RATIO	77.7	300.0	60.2	70.8	280.0	-	375.0	235.3	49.7	300.0	26.7	41.7
TEENAGE PREGNANCIES#	224	13	89	122	32	0	11	21	192	13	78	101
TEENAGE PREGNANCY RATE	57.3	7.7	95.0 (15-19)		28.9	-	49.4 (15-19)		68.5	10.6	113.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	4	0	1	3	2	0	1	1	2	0	0	2

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: CALHOUN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,822	1,023	489	534	202
WHITE	10,541	617	310	307	133
NONWHITE	4,281	406	179	227	69

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	43	3	17	23	23	1	6	16	20	2	11	7
TEENAGE IMMATURE BIRTHS	6	1	3	2	0	0	0	0	6	1	3	2
TEENAGE PREMATURE BIRTHS	6	1	3	2	1	0	0	1	5	1	3	1
TEENAGE ILLEGITIMATE BIRTHS	35	3	16	16	15	1	5	9	20	2	11	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	3	8	5	0	0	5	6	0	3	3
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	4	9	6	0	0	6	7	0	4	3
TEENS WITH INADEQUATE* PRENATAL CARE	5	1	0	4	2	0	0	2	3	1	0	2
TEENAGE FERTILITY RATE	42.0	6.1	74.9 (15-19)	37.3	3.2	71.7 (15-19)	49.3	11.2	79.3 (15-19)			
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	23.2	-	58.8	-	43.5	-	166.7	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	44	3	18	23	24	1	7	16	20	2	11	7
TEENAGE PREGNANCY RATE	43.0	6.1	76.8 (15-19)	38.9	3.2	74.9 (15-19)	49.3	11.2	79.3 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: CARROLL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,995	798	409	389	107
WHITE	5,775	386	205	181	62
NONWHITE	4,220	412	204	208	45

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	25	1	9	15	13	0	5	8	12	1	4	7
TEENAGE IMMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	17	1	8	8	6	0	4	2	11	1	4	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	1	3	0	0	0	0	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	1	3	0	0	0	0	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	31.3	2.4	61.7 (15-19)		33.7	-	71.8 (15-19)		29.1	4.9	52.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	25	1	9	15	13	0	5	8	12	1	4	7
TEENAGE PREGNANCY RATE	31.3	2.4	61.7 (15-19)		33.7	-	71.8 (15-19)		29.1	4.9	52.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: CHICKASAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,013	1,377	681	696	310
WHITE	10,588	677	337	340	186
NONWHITE	7,425	700	344	356	124

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	71	1	31	39	36	0	14	22	35	1	17	17
TEENAGE IMMATURE BIRTHS	3	0	1	2	2	0	1	1	1	0	0	1
TEENAGE PREMATURE BIRTHS	10	1	5	4	4	0	3	1	6	1	2	3
TEENAGE ILLEGITIMATE BIRTHS	50	1	26	23	16	0	9	7	34	1	17	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	7	13	8	0	3	5	12	0	4	8
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	7	16	10	0	3	7	13	0	4	9
TEENS WITH INADEQUATE* PRENATAL CARE	8	1	2	5	2	0	0	2	6	1	2	3
TEENAGE FERTILITY RATE	51.6	1.5	100.6 (15-19)	53.2	-	105.9 (15-19)	50.0	2.9	95.5 (15-19)			
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	14.1	-	32.2	-	-	-	-	-	28.6	-	58.8	-
TEENAGE INDUCED TERMINATIONS#	4	0	0	4	1	0	0	1	3	0	0	3
TEENAGE INDUCED TERMINATION RATIO	56.3	-	-	102.6	27.8	-	-	45.4	85.7	-	-	176.5
TEENAGE PREGNANCIES#	76	1	32	43	37	0	14	23	39	1	18	20
TEENAGE PREGNANCY RATE	55.2	1.5	107.8 (15-19)	54.6	-	108.8 (15-19)	55.7	2.9	106.7 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: CHOCTAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,385	791	409	382	129
WHITE	6,355	491	251	240	83
NONWHITE	3,030	300	158	142	46

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	26	1	8	17	13	1	1	11	13	0	7	6
TEENAGE IMMATURE BIRTHS	3	0	1	2	2	0	0	2	1	0	1	0
TEENAGE PREMATURE BIRTHS	6	0	4	2	2	0	0	2	4	0	4	0
TEENAGE ILLEGITIMATE BIRTHS	18	1	7	10	5	1	0	4	13	0	7	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	0	4	2	0	0	2	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	0	6	3	0	0	3	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	32.9	2.4	65.4 (15-19)		26.5	4.0	50.0 (15-19)		43.3	-	91.5 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	38.5	-	-	58.8	76.9	-	-	90.9	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	4	0	2	2	3	0	1	2	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	153.8	-	250.0	117.6	230.8	-	1000.0	181.8	76.9	-	142.8	-
TEENAGE PREGNANCIES#	31	1	10	20	17	1	2	14	14	0	8	6
TEENAGE PREGNANCY RATE	39.2	2.4	78.5 (15-19)		34.6	4.0	66.7 (15-19)		46.7	-	98.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: CLAIBORNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,662	1,481	461	1,020	163
WHITE	1,988	109	57	52	13
NONWHITE	9,674	1,372	404	968	150

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	39	3	14	22	1	0	0	1	38	3	14	21
TEENAGE IMMATURE BIRTHS	6	2	1	3	0	0	0	0	6	2	1	3
TEENAGE PREMATURE BIRTHS	7	2	1	4	0	0	0	0	7	2	1	4
TEENAGE ILLEGITIMATE BIRTHS	37	3	14	20	0	0	0	0	37	3	14	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	1	1	11	0	0	0	0	13	1	1	11
TEENS WHO HAD PREVIOUS PREGNANCIES	16	1	1	14	1	0	0	1	15	1	1	13
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	26.3	6.5	35.3 (15-19)		9.2	-	19.2 (15-19)		27.7	7.4	36.2 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	8	1	1	6	0	0	0	0	8	1	1	6
TEENAGE INDUCED TERMINATION RATIO	205.1	333.3	71.4	272.7	-	-	-	-	210.5	333.3	71.4	285.7
TEENAGE PREGNANCIES#	47	4	15	28	1	0	0	1	46	4	15	27
TEENAGE PREGNANCY RATE	31.7	8.7	42.2 (15-19)		9.2	-	19.2 (15-19)		33.5	9.9	43.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: CLARKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,231	1,362	684	678	223
WHITE	11,535	724	369	355	123
NONWHITE	6,696	638	315	323	100

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	43	3	15	25	22	1	9	12	21	2	6	13
TEENAGE IMMATURE BIRTHS	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE PREMATURE BIRTHS	5	2	1	2	1	0	1	0	4	2	0	2
TEENAGE ILLEGITIMATE BIRTHS	29	3	11	15	9	1	5	3	20	2	6	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	2	8	3	0	1	2	7	0	1	6
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	5	9	7	0	4	3	7	0	1	6
TEENS WITH INADEQUATE* PRENATAL CARE	5	1	1	3	2	1	1	0	3	0	0	3
TEENAGE FERTILITY RATE	31.6	4.4	59.0 (15-19)		30.4	2.7	59.2 (15-19)		32.9	6.3	58.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	5	0	1	4	2	0	0	2	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	116.3	-	66.7	160.0	90.9	-	-	166.7	142.8	-	166.7	153.8
TEENAGE PREGNANCIES#	48	3	16	29	24	1	9	14	24	2	7	15
TEENAGE PREGNANCY RATE	35.2	4.4	66.4 (15-19)		33.1	2.7	64.8 (15-19)		37.6	6.3	68.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: CLAY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,637	1,856	868	988	355
WHITE	9,581	608	304	304	106
NONWHITE	12,056	1,248	564	684	249

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	76	4	28	44	13	0	3	10	63	4	25	34
TEENAGE IMMATURE BIRTHS	10	0	3	7	0	0	0	0	10	0	3	7
TEENAGE PREMATURE BIRTHS	14	2	6	6	0	0	0	0	14	2	6	6
TEENAGE ILLEGITIMATE BIRTHS	69	4	27	38	7	0	2	5	62	4	25	33
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	2	13	4	0	0	4	11	0	2	9
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	4	15	5	0	1	4	14	0	3	11
TEENS WITH INADEQUATE* PRENATAL CARE	13	1	4	8	0	0	0	0	13	1	4	8
TEENAGE FERTILITY RATE	40.9	4.6	72.9 (15-19)		21.4	-	42.8 (15-19)		50.5	7.1	86.2 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	13.2	-	35.7	-	-	-	-	-	15.9	-	40.0	-
TEENAGE INDUCED TERMINATIONS#	12	0	3	9	1	0	0	1	11	0	3	8
TEENAGE INDUCED TERMINATION RATIO	157.9	-	107.1	204.5	76.9	-	-	100.0	174.6	-	120.0	235.3
TEENAGE PREGNANCIES#	89	4	32	53	14	0	3	11	75	4	29	42
TEENAGE PREGNANCY RATE	48.0	4.6	86.0 (15-19)		23.0	-	46.0 (15-19)		60.1	7.1	103.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: COAHOMA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	31,089	2,805	1,363	1,442	629
WHITE	10,344	590	305	285	115
NONWHITE	20,745	2,215	1,058	1,157	514

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	204	9	86	109	15	0	11	4	189	9	75	105
TEENAGE IMMATURE BIRTHS	23	0	12	11	0	0	0	0	23	0	12	11
TEENAGE PREMATURE BIRTHS	41	2	15	24	2	0	0	2	39	2	15	22
TEENAGE ILLEGITIMATE BIRTHS	198	9	84	105	12	0	9	3	186	9	75	102
TEENS WHO HAD PREVIOUS LIVE BIRTHS	74	0	17	57	2	0	1	1	72	0	16	56
TEENS WHO HAD PREVIOUS PREGNANCIES	79	0	19	60	2	0	1	1	77	0	18	59
TEENS WITH INADEQUATE* PRENATAL CARE	11	0	5	6	0	0	0	0	11	0	5	6
TEENAGE FERTILITY RATE	72.7	6.6	135.2 (15-19)		25.4	-	52.6 (15-19)		85.3	8.5	155.6 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	4.9	-	-	9.2	-	-	-	-	5.3	-	-	9.5
TEENAGE INDUCED TERMINATIONS#	3	1	2	0	0	0	0	0	3	1	2	0
TEENAGE INDUCED TERMINATION RATIO	14.7	111.1	23.2	-	-	-	-	-	15.9	111.1	26.7	-
TEENAGE PREGNANCIES#	208	10	88	110	15	0	11	4	193	10	77	106
TEENAGE PREGNANCY RATE	74.2	7.3	137.3 (15-19)		25.4	-	52.6 (15-19)		87.1	9.4	158.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	2	1	0	0	0	0	3	0	2	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: COPIAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,944	2,529	1,068	1,461	435
WHITE	13,658	910	411	499	177
NONWHITE	15,286	1,619	657	962	258

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	99	9	33	57	28	1	6	21	71	8	27	36
TEENAGE IMMATURE BIRTHS	7	3	3	1	0	0	0	0	7	3	3	1
TEENAGE PREMATURE BIRTHS	14	5	4	5	1	0	0	1	13	5	4	4
TEENAGE ILLEGITIMATE BIRTHS	85	9	32	44	17	1	5	11	68	8	27	33
TEENS WHO HAD PREVIOUS LIVE BIRTHS	21	0	5	16	4	0	1	3	17	0	4	13
TEENS WHO HAD PREVIOUS PREGNANCIES	28	0	5	23	6	0	1	5	22	0	4	18
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	1	2	1	0	0	1	3	1	1	1
TEENAGE FERTILITY RATE	39.1	8.4	61.6 (15-19)		30.8	2.4	54.1 (15-19)		43.8	12.2	65.5 (15-19)	
TEENAGE FETAL DEATHS**	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FETAL DEATH RATIO	20.2	-	-	35.1	-	-	-	-	28.2	-	-	55.6
TEENAGE INDUCED TERMINATIONS#	21	0	7	14	5	0	2	3	16	0	5	11
TEENAGE INDUCED TERMINATION RATIO	212.1	-	212.1	245.6	178.6	-	333.3	142.8	225.4	-	185.2	305.6
TEENAGE PREGNANCIES#	122	9	40	73	33	1	8	24	89	8	32	49
TEENAGE PREGNANCY RATE	48.2	8.4	77.3 (15-19)		36.3	2.4	64.1 (15-19)		55.0	12.2	84.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	1	0	0	0	0	0	0	1	1	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: COVINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,802	1,457	721	736	320
WHITE	11,116	735	365	370	177
NONWHITE	6,686	722	356	366	143

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	77	0	35	42	38	0	17	21	39	0	18	21
TEENAGE IMMATURE BIRTHS	7	0	2	5	3	0	0	3	4	0	2	2
TEENAGE PREMATURE BIRTHS	10	0	5	5	5	0	1	4	5	0	4	1
TEENAGE ILLEGITIMATE BIRTHS	59	0	29	30	22	0	11	11	37	0	18	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	3	12	4	0	1	3	11	0	2	9
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	5	14	8	0	3	5	11	0	2	9
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	3	4	2	0	1	1	5	0	2	3
TEENAGE FERTILITY RATE	52.8	-	104.6 (15-19)		51.7	-	102.7 (15-19)		54.0	-	106.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	13	0	3	10	5	0	1	4	8	0	2	6
TEENAGE INDUCED TERMINATION RATIO	168.8	-	85.7	238.1	131.6	-	58.8	190.5	205.1	-	111.1	285.7
TEENAGE PREGNANCIES#	90	0	38	52	43	0	18	25	47	0	20	27
TEENAGE PREGNANCY RATE	61.8	-	122.3 (15-19)		58.5	-	116.2 (15-19)		65.1	-	128.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: DESOTO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	96,897	7,162	3,540	3,622	1,570
WHITE	82,754	5,876	2,886	2,990	1,356
NONWHITE	14,143	1,286	654	632	214

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	212	3	82	127	162	0	61	101	50	3	21	26
TEENAGE IMMATURE BIRTHS	20	0	7	13	11	0	3	8	9	0	4	5
TEENAGE PREMATURE BIRTHS	29	0	13	16	19	0	8	11	10	0	5	5
TEENAGE ILLEGITIMATE BIRTHS	144	3	69	72	97	0	49	48	47	3	20	24
TEENS WHO HAD PREVIOUS LIVE BIRTHS	44	0	9	35	29	0	5	24	15	0	4	11
TEENS WHO HAD PREVIOUS PREGNANCIES	59	0	14	45	40	0	9	31	19	0	5	14
TEENS WITH INADEQUATE* PRENATAL CARE	14	0	4	10	10	0	4	6	4	0	0	4
TEENAGE FERTILITY RATE	29.6	0.8	57.7 (15-19)		27.6	-	54.2 (15-19)		38.9	4.6	74.4 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	4.7	-	-	7.9	6.2	-	-	9.9	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	6	1	2	3	4	0	2	2	2	1	0	1
TEENAGE INDUCED TERMINATION RATIO	28.3	333.3	24.4	23.6	24.7	-	32.8	19.8	40.0	333.3	-	38.5
TEENAGE PREGNANCIES#	219	4	84	131	167	0	63	104	52	4	21	27
TEENAGE PREGNANCY RATE	30.6	1.1	59.4 (15-19)		28.4	-	55.8 (15-19)		40.4	6.1	75.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	1	2	2	0	1	1	1	0	0	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: FORREST

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	74,364	6,008	2,382	3,626	1,076
WHITE	49,062	3,474	1,307	2,167	579
NONWHITE	25,302	2,534	1,075	1,459	497

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	190	1	76	113	67	0	25	42	123	1	51	71
TEENAGE IMMATURE BIRTHS	28	0	11	17	7	0	2	5	21	0	9	12
TEENAGE PREMATURE BIRTHS	41	0	17	24	6	0	2	4	35	0	15	20
TEENAGE ILLEGITIMATE BIRTHS	153	1	67	85	37	0	17	20	116	1	50	65
TEENS WHO HAD PREVIOUS LIVE BIRTHS	45	0	9	36	14	0	4	10	31	0	5	26
TEENS WHO HAD PREVIOUS PREGNANCIES	49	0	9	40	16	0	4	12	33	0	5	28
TEENS WITH INADEQUATE* PRENATAL CARE	20	0	7	13	2	0	0	2	18	0	7	11
TEENAGE FERTILITY RATE	31.6	0.4	52.1 (15-19)		19.3	-	30.9 (15-19)		48.5	0.9	83.6 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	5.3	-	-	8.8	-	-	-	-	8.1	-	-	14.1
TEENAGE INDUCED TERMINATIONS#	71	2	16	53	48	0	12	36	23	2	4	17
TEENAGE INDUCED TERMINATION RATIO	373.7	2000.0	210.5	469.0	716.4	-	480.0	857.1	187.0	2000.0	78.4	239.4
TEENAGE PREGNANCIES#	262	3	92	167	115	0	37	78	147	3	55	89
TEENAGE PREGNANCY RATE	43.6	1.2	71.4 (15-19)		33.1	-	53.1 (15-19)		58.0	2.8	98.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: FRANKLIN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,319	620	312	308	132
WHITE	5,095	319	164	155	77
NONWHITE	3,224	301	148	153	55

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	27	1	9	17	12	0	4	8	15	1	5	9
TEENAGE IMMATURE BIRTHS	3	0	2	1	1	0	1	0	2	0	1	1
TEENAGE PREMATURE BIRTHS	5	0	4	1	2	0	1	1	3	0	3	0
TEENAGE ILLEGITIMATE BIRTHS	18	1	6	11	3	0	1	2	15	1	5	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	0	3	1	0	0	1	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	43.5	3.2	84.4 (15-19)	37.6	-	77.4 (15-19)	49.8	6.8	91.5 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	74.1	-	111.1	58.8	166.7	-	250.0	125.0	-	-	-	-
TEENAGE PREGNANCIES#	29	1	10	18	14	0	5	9	15	1	5	9
TEENAGE PREGNANCY RATE	46.8	3.2	90.9 (15-19)	43.9	-	90.3 (15-19)	49.8	6.8	91.5 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: GEORGE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,645	1,601	767	834	365
WHITE	17,531	1,386	662	724	319
NONWHITE	2,114	215	105	110	46

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	73	0	25	48	57	0	18	39	16	0	7	9
TEENAGE IMMATURE BIRTHS	7	0	1	6	5	0	0	5	2	0	1	1
TEENAGE PREMATURE BIRTHS	16	0	6	10	11	0	4	7	5	0	2	3
TEENAGE ILLEGITIMATE BIRTHS	41	0	20	21	25	0	13	12	16	0	7	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	4	13	15	0	4	11	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	4	19	20	0	4	16	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	3	1	2	0	1	1	2	0	2	0
TEENAGE FERTILITY RATE	45.6	-	87.5 (15-19)		41.1	-	78.7 (15-19)		74.4	-	145.4 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	27.4	-	40.0	20.8	35.1	-	55.6	25.6	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	13.7	-	-	20.8	17.5	-	-	25.6	-	-	-	-
TEENAGE PREGNANCIES#	76	0	26	50	60	0	19	41	16	0	7	9
TEENAGE PREGNANCY RATE	47.5	-	91.1 (15-19)		43.3	-	82.9 (15-19)		74.4	-	145.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	1	0	0	1	1	0	1	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: GREENE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,766	942	478	464	159
WHITE	8,869	665	343	322	124
NONWHITE	2,897	277	135	142	35

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	27	0	9	18	19	0	6	13	8	0	3	5
TEENAGE IMMATURE BIRTHS	6	0	4	2	4	0	3	1	2	0	1	1
TEENAGE PREMATURE BIRTHS	8	0	4	4	6	0	3	3	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	15	0	5	10	8	0	2	6	7	0	3	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	1	5	3	0	0	3	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	2	5	4	0	1	3	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	28.7	-	58.2 (15-19)		28.6	-	59.0 (15-19)		28.9	-	56.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	74.1	-	111.1	55.6	52.6	-	166.7	-	125.0	-	-	200.0
TEENAGE PREGNANCIES#	29	0	10	19	20	0	7	13	9	0	3	6
TEENAGE PREGNANCY RATE	30.8	-	62.5 (15-19)		30.1	-	62.1 (15-19)		32.5	-	63.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

34
TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: GRENADA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,427	1,727	854	873	343
WHITE	12,524	816	416	400	174
NONWHITE	9,903	911	438	473	169

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	67	3	29	35	27	0	11	16	40	3	18	19
TEENAGE IMMATURE BIRTHS	15	0	6	9	4	0	2	2	11	0	4	7
TEENAGE PREMATURE BIRTHS	16	0	9	7	5	0	4	1	11	0	5	6
TEENAGE ILLEGITIMATE BIRTHS	54	3	24	27	14	0	6	8	40	3	18	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	2	12	3	0	1	2	11	0	1	10
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	3	14	5	0	1	4	12	0	2	10
TEENS WITH INADEQUATE* PRENATAL CARE	9	1	2	6	1	0	1	0	8	1	1	6
TEENAGE FERTILITY RATE	38.8	3.5	73.3 (15-19)		33.1	-	67.5 (15-19)		43.9	6.8	78.2 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	14.9	-	-	28.6	-	-	-	-	25.0	-	-	52.6
TEENAGE INDUCED TERMINATIONS#	5	0	1	4	2	0	0	2	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	74.6	-	34.5	114.3	74.1	-	-	125.0	75.0	-	55.6	105.3
TEENAGE PREGNANCIES#	73	3	30	40	29	0	11	18	44	3	19	22
TEENAGE PREGNANCY RATE	42.3	3.5	80.2 (15-19)		35.5	-	72.5 (15-19)		48.3	6.8	86.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: HANCOCK

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	40,327	2,744	1,416	1,328	458
WHITE	35,988	2,341	1,218	1,123	419
NONWHITE	4,339	403	198	205	39

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	78	0	29	49	72	0	26	46	6	0	3	3
TEENAGE IMMATURE BIRTHS	6	0	0	6	6	0	0	6	0	0	0	0
TEENAGE PREMATURE BIRTHS	6	0	0	6	6	0	0	6	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	51	0	19	32	46	0	16	30	5	0	3	2
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	1	11	11	0	1	10	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	3	12	14	0	3	11	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	4	6	8	0	3	5	2	0	1	1
TEENAGE FERTILITY RATE	28.4	-	58.7 (15-19)		30.8	-	64.1 (15-19)		14.9	-	29.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	4	1	1	2	4	1	1	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	51.3	-	34.5	40.8	55.6	-	38.5	43.5	-	-	-	-
TEENAGE PREGNANCIES#	82	1	30	51	76	1	27	48	6	0	3	3
TEENAGE PREGNANCY RATE	29.9	0.7	61.0 (15-19)		32.5	0.8	66.8 (15-19)		14.9	-	29.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: HARRISON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	177,981	12,365	6,055	6,310	2,866
WHITE	133,624	8,284	4,077	4,207	1,994
NONWHITE	44,357	4,081	1,978	2,103	872

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	498	7	148	343	323	1	89	233	175	6	59	110
TEENAGE IMMATURE BIRTHS	33	0	12	21	14	0	6	8	19	0	6	13
TEENAGE PREMATURE BIRTHS	64	3	27	34	36	0	16	20	28	3	11	14
TEENAGE ILLEGITIMATE BIRTHS	374	7	127	240	214	1	71	142	160	6	56	98
TEENS WHO HAD PREVIOUS LIVE BIRTHS	123	0	19	104	72	0	9	63	51	0	10	41
TEENS WHO HAD PREVIOUS PREGNANCIES	158	0	25	133	95	0	12	83	63	0	13	50
TEENS WITH INADEQUATE* PRENATAL CARE	76	1	24	51	33	0	7	26	43	1	17	25
TEENAGE FERTILITY RATE	40.3	1.2	77.8 (15-19)		39.0	0.2	76.5 (15-19)		42.9	3.0	80.4 (15-19)	
TEENAGE FETAL DEATHS**	5	0	2	3	1	0	0	1	4	0	2	2
TEENAGE FETAL DEATH RATIO	10.0	-	13.5	8.7	3.1	-	-	4.3	22.8	-	33.9	18.2
TEENAGE INDUCED TERMINATIONS#	70	2	24	44	45	2	15	28	25	0	9	16
TEENAGE INDUCED TERMINATION RATIO	140.6	285.7	162.2	128.3	139.3	2000	168.5	120.2	142.8	-	152.5	145.4
TEENAGE PREGNANCIES#	573	9	174	390	369	3	104	262	204	6	70	128
TEENAGE PREGNANCY RATE	46.3	1.5	89.4 (15-19)		44.5	0.7	87.0 (15-19)		50.0	3.0	94.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	5	0	1	4	2	0	0	2	3	0	1	2

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: HINDS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	247,144	18,787	8,459	10,328	4,027
WHITE	113,778	6,581	2,992	3,589	1,130
NONWHITE	133,366	12,206	5,467	6,739	2,897

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	799	38	307	454	108	2	40	66	691	36	267	388
TEENAGE IMMATURE BIRTHS	126	9	46	71	9	0	6	3	117	9	40	68
TEENAGE PREMATURE BIRTHS	169	14	61	94	15	0	5	10	154	14	56	84
TEENAGE ILLEGITIMATE BIRTHS	750	38	296	416	72	2	31	39	678	36	265	377
TEENS WHO HAD PREVIOUS LIVE BIRTHS	222	1	63	158	16	0	4	12	206	1	59	146
TEENS WHO HAD PREVIOUS PREGNANCIES	280	1	77	202	26	0	5	21	254	1	72	181
TEENS WITH INADEQUATE* PRENATAL CARE	94	9	34	51	4	0	1	3	90	9	33	48
TEENAGE FERTILITY RATE	42.5	4.5	73.7 (15-19)		16.4	0.7	29.5 (15-19)		56.6	6.6	97.2 (15-19)	
TEENAGE FETAL DEATHS**	4	1	2	1	0	0	0	0	4	1	2	1
TEENAGE FETAL DEATH RATIO	5.0	26.3	6.5	2.2	-	-	-	-	5.8	27.8	7.5	2.6
TEENAGE INDUCED TERMINATIONS#	255	10	70	175	54	1	11	42	201	9	59	133
TEENAGE INDUCED TERMINATION RATIO	319.1	263.2	228.0	385.5	500.0	500.0	275.0	636.4	290.9	250.0	221.0	342.8
TEENAGE PREGNANCIES#	1,058	49	379	630	162	3	51	108	896	46	328	522
TEENAGE PREGNANCY RATE	56.3	5.8	97.7 (15-19)		24.6	1.0	44.3 (15-19)		73.4	8.4	126.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	8	0	4	4	1	0	1	0	7	0	3	4

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: HOLMES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,522	2,032	921	1,111	409
WHITE	4,909	350	134	216	49
NONWHITE	16,613	1,682	787	895	360

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	100	3	38	59	3	0	2	1	97	3	36	58
TEENAGE IMMATURE BIRTHS	12	0	4	8	0	0	0	0	12	0	4	8
TEENAGE PREMATURE BIRTHS	19	1	7	11	0	0	0	0	19	1	7	11
TEENAGE ILLEGITIMATE BIRTHS	98	3	36	59	2	0	1	1	96	3	35	58
TEENS WHO HAD PREVIOUS LIVE BIRTHS	26	1	6	19	0	0	0	0	26	1	6	19
TEENS WHO HAD PREVIOUS PREGNANCIES	32	1	6	25	0	0	0	0	32	1	6	25
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	5	1	0	0	0	0	6	0	5	1
TEENAGE FERTILITY RATE	49.2	3.2	87.3 (15-19)		8.6	-	13.9 (15-19)		57.7	3.8	105.0 (15-19)	
TEENAGE FETAL DEATHS**	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FETAL DEATH RATIO	30.0	-	52.6	16.9	-	-	-	-	30.9	-	55.6	17.2
TEENAGE INDUCED TERMINATIONS#	9	0	6	3	0	0	0	0	9	0	6	3
TEENAGE INDUCED TERMINATION RATIO	90.0	-	157.9	50.8	-	-	-	-	92.8	-	166.7	51.7
TEENAGE PREGNANCIES#	112	3	46	63	3	0	2	1	109	3	44	62
TEENAGE PREGNANCY RATE	55.1	3.2	98.1 (15-19)		8.6	-	13.9 (15-19)		64.8	3.8	118.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	3	0	0	0	0	0	3	0	3	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: HUMPHREYS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,344	1,013	491	522	210
WHITE	3,416	203	92	111	48
NONWHITE	7,928	810	399	411	162

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	60	6	25	29	3	0	1	2	57	6	24	27
TEENAGE IMMATURE BIRTHS	10	2	4	4	0	0	0	0	10	2	4	4
TEENAGE PREMATURE BIRTHS	8	1	3	4	0	0	0	0	8	1	3	4
TEENAGE ILLEGITIMATE BIRTHS	59	6	25	28	2	0	1	1	57	6	24	27
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	2	11	1	0	0	1	12	0	2	10
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	3	14	1	0	0	1	16	0	3	13
TEENS WITH INADEQUATE* PRENATAL CARE	10	1	5	4	0	0	0	0	10	1	5	4
TEENAGE FERTILITY RATE		59.2	12.2	103.4 (15-19)	14.8	-	27.0 (15-19)		70.4	15.0	124.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	5	0	2	3	4	0	2	2	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	83.3	-	80.0	103.4	1333.3	-	2000.0	1000.0	17.5	-	-	37.0
TEENAGE PREGNANCIES#	65	6	27	32	7	0	3	4	58	6	24	28
TEENAGE PREGNANCY RATE	64.2	12.2	113.0 (15-19)		34.5	-	63.1 (15-19)		71.6	15.0	126.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	1	0	0	0	0	0	0	1	1	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: ISSAQUENA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	1,629	144	78	66	24
WHITE	665	50	23	27	4
NONWHITE	964	94	55	39	20

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	7	0	4	3	0	0	0	0	7	0	4	3
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	7	0	4	3	0	0	0	0	7	0	4	3
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	1	1	0	0	0	0	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	2	0	1	1	0	0	0	0	2	0	1	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE		48.6	-	106.1 (15-19)		-	-	(15-19)	74.5	-	179.5 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	142.8	-	-	333.3	-	-	-	-	142.8	-	-	333.3
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	142.8	-	250.0	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	9	0	5	4	1	0	1	0	8	0	4	4
TEENAGE PREGNANCY RATE	62.5	-	136.4 (15-19)		20.0	-	37.0 (15-19)		85.1	-	205.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: ITAWAMBA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,072	1,615	652	963	242
WHITE	19,400	1,429	579	850	225
NONWHITE	1,672	186	73	113	17

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	39	1	10	28	35	1	9	25	4	0	1	3
TEENAGE IMMATURE BIRTHS	3	0	1	2	3	0	1	2	0	0	0	0
TEENAGE PREMATURE BIRTHS	4	0	1	3	3	0	1	2	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	15	1	6	8	11	1	5	5	4	0	1	3
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	1	10	9	0	1	8	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	2	13	13	0	2	11	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	24.1	1.5	39.5 (15-19)	24.5	1.7	40.0 (15-19)	21.5	-	35.4 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	4	0	1	3	3	0	1	2	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	102.6	-	100.0	107.1	85.7	-	111.1	80.0	250.0	-	-	333.3
TEENAGE PREGNANCIES#	43	1	11	31	38	1	10	27	5	0	1	4
TEENAGE PREGNANCY RATE	26.6	1.5	43.6 (15-19)	26.6	1.7	43.5 (15-19)	26.9	-	44.2 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: JACKSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	130,910	10,232	5,073	5,159	1,862
WHITE	99,974	7,026	3,477	3,549	1,308
NONWHITE	30,936	3,206	1,596	1,610	554

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	351	6	111	234	212	2	66	144	139	4	45	90
TEENAGE IMMATURE BIRTHS	28	1	6	21	13	0	3	10	15	1	3	11
TEENAGE PREMATURE BIRTHS	45	1	11	33	25	0	4	21	20	1	7	12
TEENAGE ILLEGITIMATE BIRTHS	263	6	97	160	132	2	53	77	131	4	44	83
TEENS WHO HAD PREVIOUS LIVE BIRTHS	81	0	12	69	46	0	7	39	35	0	5	30
TEENS WHO HAD PREVIOUS PREGNANCIES	100	1	13	86	58	0	7	51	42	1	6	35
TEENS WITH INADEQUATE* PRENATAL CARE	35	2	12	21	14	0	7	7	21	2	5	14
TEENAGE FERTILITY RATE	34.3	1.2	66.9 (15-19)		30.2	0.6	59.2 (15-19)		43.4	2.5	83.8 (15-19)	
TEENAGE FETAL DEATHS**	4	0	1	3	3	0	1	2	1	0	0	1
TEENAGE FETAL DEATH RATIO	11.4	-	9.0	12.8	14.2	-	15.2	13.9	7.2	-	-	11.1
TEENAGE INDUCED TERMINATIONS#	86	2	35	49	45	1	21	23	41	1	14	26
TEENAGE INDUCED TERMINATION RATIO	245.0	333.3	315.3	209.4	212.3	500.0	318.2	159.7	295.0	250.0	311.1	288.9
TEENAGE PREGNANCIES#	441	8	147	286	260	3	88	169	181	5	59	117
TEENAGE PREGNANCY RATE	43.1	1.6	83.9 (15-19)		37.0	0.9	72.4 (15-19)		56.4	3.1	109.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	0	3	2	0	0	2	1	0	0	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: JASPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,672	1,462	744	718	309
WHITE	8,269	495	237	258	106
NONWHITE	9,403	967	507	460	203

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	61	0	17	44	17	0	2	15	44	0	15	29
TEENAGE IMMATURE BIRTHS	12	0	3	9	1	0	0	1	11	0	3	8
TEENAGE PREMATURE BIRTHS	7	0	3	4	2	0	0	2	5	0	3	2
TEENAGE ILLEGITIMATE BIRTHS	48	0	17	31	6	0	2	4	42	0	15	27
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	1	12	2	0	0	2	11	0	1	10
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	1	15	2	0	0	2	14	0	1	13
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE FERTILITY RATE	41.7	-	85.0 (15-19)		34.3	-	65.9 (15-19)		45.5	-	95.6 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	32.8	-	58.8	22.7	-	-	-	-	45.4	-	66.7	34.5
TEENAGE INDUCED TERMINATIONS#	6	0	3	3	1	0	0	1	5	0	3	2
TEENAGE INDUCED TERMINATION RATIO	98.4	-	176.5	68.2	58.8	-	-	66.7	113.6	-	200.0	69.0
TEENAGE PREGNANCIES#	69	0	21	48	18	0	2	16	51	0	19	32
TEENAGE PREGNANCY RATE	47.2	-	96.1 (15-19)		36.4	-	69.8 (15-19)		52.7	-	110.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: JEFFERSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,427	749	373	376	114
WHITE	1,104	57	27	30	12
NONWHITE	7,323	692	346	346	102

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	21	0	11	10	0	0	0	0	21	0	11	10
TEENAGE IMMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	5	0	1	4	0	0	0	0	5	0	1	4
TEENAGE ILLEGITIMATE BIRTHS	21	0	11	10	0	0	0	0	21	0	11	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	2	4	0	0	0	0	6	0	2	4
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	3	6	0	0	0	0	9	0	3	6
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FERTILITY RATE	28.0	-	55.8 (15-19)	-	-	-	(15-19)	-	30.3	-	60.7 (15-19)	-
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	8	0	3	5	0	0	0	0	8	0	3	5
TEENAGE INDUCED TERMINATION RATIO	381.0	-	272.7	500.0	-	-	-	-	381.0	-	272.7	500.0
TEENAGE PREGNANCIES#	29	0	14	15	0	0	0	0	29	0	14	15
TEENAGE PREGNANCY RATE	38.7	-	77.1 (15-19)	-	-	-	(15-19)	-	41.9	-	83.8 (15-19)	-
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: JEFF DAVIS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,860	1,169	573	596	223
WHITE	5,944	367	164	203	69
NONWHITE	7,916	802	409	393	154

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	77	2	30	45	17	0	7	10	60	2	23	35
TEENAGE IMMATURE BIRTHS	7	0	3	4	2	0	0	2	5	0	3	2
TEENAGE PREMATURE BIRTHS	10	0	6	4	1	0	0	1	9	0	6	3
TEENAGE ILLEGITIMATE BIRTHS	63	2	28	33	7	0	5	2	56	2	23	31
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	4	12	3	0	0	3	13	0	4	9
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	6	13	4	0	1	3	15	0	5	10
TEENS WITH INADEQUATE* PRENATAL CARE	6	1	3	2	1	0	1	0	5	1	2	2
TEENAGE FERTILITY RATE	65.9	3.5	125.8 (15-19)	46.3	-	83.7 (15-19)	74.8	4.9	147.6 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	4	0	2	2	1	0	1	0	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	51.9	-	66.7	44.4	58.8	-	142.8	-	50.0	-	43.5	57.1
TEENAGE PREGNANCIES#	81	2	32	47	18	0	8	10	63	2	24	37
TEENAGE PREGNANCY RATE	69.3	3.5	132.6 (15-19)	49.0	-	88.7 (15-19)	78.6	4.9	155.2 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: JONES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	63,461	4,852	2,292	2,560	904
WHITE	46,151	3,118	1,468	1,650	538
NONWHITE	17,310	1,734	824	910	366

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	217	4	69	144	100	2	29	69	117	2	40	75
TEENAGE IMMATURE BIRTHS	29	0	9	20	11	0	5	6	18	0	4	14
TEENAGE PREMATURE BIRTHS	37	0	11	26	14	0	4	10	23	0	7	16
TEENAGE ILLEGITIMATE BIRTHS	156	3	54	99	40	1	14	25	116	2	40	74
TEENS WHO HAD PREVIOUS LIVE BIRTHS	57	0	11	46	21	0	2	19	36	0	9	27
TEENS WHO HAD PREVIOUS PREGNANCIES	72	0	16	56	29	0	5	24	43	0	11	32
TEENS WITH INADEQUATE* PRENATAL CARE	17	0	4	13	4	0	0	4	13	0	4	9
TEENAGE FERTILITY RATE	44.7	1.7	83.2 (15-19)		32.1	1.4	59.4 (15-19)		67.5	2.4	126.4 (15-19)	
TEENAGE FETAL DEATHS**	4	0	2	2	1	0	0	1	3	0	2	1
TEENAGE FETAL DEATH RATIO	18.4	-	29.0	13.9	10.0	-	-	14.5	25.6	-	50.0	13.3
TEENAGE INDUCED TERMINATIONS#	20	2	9	9	8	0	5	3	12	2	4	6
TEENAGE INDUCED TERMINATION RATIO	92.2	500.0	130.4	62.5	80.0	-	172.4	43.5	102.6	1000.0	100.0	80.0
TEENAGE PREGNANCIES#	241	6	80	155	109	2	34	73	132	4	46	82
TEENAGE PREGNANCY RATE	49.7	2.6	91.8 (15-19)		35.0	1.4	64.8 (15-19)		76.1	4.8	140.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: KEMPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,575	951	392	559	149
WHITE	4,271	252	116	136	32
NONWHITE	6,304	699	276	423	117

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	32	3	10	19	5	1	0	4	27	2	10	15
TEENAGE IMMATURE BIRTHS	5	1	1	3	1	0	0	1	4	1	1	2
TEENAGE PREMATURE BIRTHS	7	1	1	5	0	0	0	0	7	1	1	5
TEENAGE ILLEGITIMATE BIRTHS	30	3	10	17	3	1	0	2	27	2	10	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	1	8	2	0	0	2	7	0	1	6
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	2	8	2	0	0	2	8	0	2	6
TEENS WITH INADEQUATE* PRENATAL CARE	3	1	0	2	0	0	0	0	3	1	0	2
TEENAGE FERTILITY RATE	33.6	7.6	51.9 (15-19)	19.8	8.6	29.4 (15-19)	38.6	7.2	59.1 (15-19)			
TEENAGE FETAL DEATHS**	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE FETAL DEATH RATIO	31.2	333.3	-	-	-	-	-	-	37.0	500.0	-	-
TEENAGE INDUCED TERMINATIONS#	8	0	3	5	3	0	2	1	5	0	1	4
TEENAGE INDUCED TERMINATION RATIO	250.0	-	300.0	263.2	600.0	-	-	250.0	185.2	-	100.0	266.7
TEENAGE PREGNANCIES#	41	4	13	24	8	1	2	5	33	3	11	19
TEENAGE PREGNANCY RATE	43.1	10.2	66.2 (15-19)	31.7	8.6	51.5 (15-19)	47.2	10.9	70.9 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: LAFAYETTE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	34,555	3,021	956	2,065	419
WHITE	24,097	2,062	553	1,509	240
NONWHITE	10,458	959	403	556	179

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	68	4	24	40	24	0	6	18	44	4	18	22
TEENAGE IMMATURE BIRTHS	4	0	4	0	0	0	0	0	4	0	4	0
TEENAGE PREMATURE BIRTHS	10	1	5	4	0	0	0	0	10	1	5	4
TEENAGE ILLEGITIMATE BIRTHS	57	4	23	30	14	0	5	9	43	4	18	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	3	11	6	0	1	5	8	0	2	6
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	4	12	7	0	1	6	9	0	3	6
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	22.5	4.2	31.0 (15-19)		11.6	-	15.9 (15-19)		45.9	9.9	71.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	4	0	2	2	4	0	2	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	58.8	-	83.3	50.0	166.7	-	333.3	111.1	-	-	-	-
TEENAGE PREGNANCIES#	72	4	26	42	28	0	8	20	44	4	18	22
TEENAGE PREGNANCY RATE	23.8	4.2	32.9 (15-19)		13.6	-	18.6 (15-19)		45.9	9.9	71.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: LAMAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	36,888	2,788	1,419	1,369	635
WHITE	31,809	2,323	1,188	1,135	540
NONWHITE	5,079	465	231	234	95

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	67	1	25	41	58	1	21	36	9	0	4	5
TEENAGE IMMATURE BIRTHS	3	0	1	2	2	0	1	1	1	0	0	1
TEENAGE PREMATURE BIRTHS	7	1	5	1	7	1	5	1	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	36	1	17	18	27	1	13	13	9	0	4	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	3	13	12	0	3	9	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	4	18	18	0	4	14	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	1	4	3	0	0	3	2	0	1	1
TEENAGE FERTILITY RATE	24.0	0.7	48.2 (15-19)		25.0	0.8	50.2 (15-19)		19.4	-	38.5 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	9	1	5	3	7	0	4	3	2	1	1	0
TEENAGE INDUCED TERMINATION RATIO	134.3	1000.0	200.0	73.2	120.7	-	190.5	83.3	222.2	-	250.0	-
TEENAGE PREGNANCIES#	76	2	30	44	65	1	25	39	11	1	5	5
TEENAGE PREGNANCY RATE	27.3	1.4	54.0 (15-19)		28.0	0.8	56.4 (15-19)		23.6	4.3	42.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: LAUDERDALE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	76,143	5,674	2,617	3,057	1,187
WHITE	47,452	2,974	1,415	1,559	617
NONWHITE	28,691	2,700	1,202	1,498	570

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	210	16	79	115	59	0	19	40	151	16	60	75
TEENAGE IMMATURE BIRTHS	26	2	8	16	6	0	2	4	20	2	6	12
TEENAGE PREMATURE BIRTHS	47	4	21	22	11	0	4	7	36	4	17	15
TEENAGE ILLEGITIMATE BIRTHS	186	16	72	98	41	0	12	29	145	16	60	69
TEENS WHO HAD PREVIOUS LIVE BIRTHS	56	0	17	39	11	0	1	10	45	0	16	29
TEENS WHO HAD PREVIOUS PREGNANCIES	67	0	21	46	17	0	3	14	50	0	18	32
TEENS WITH INADEQUATE* PRENATAL CARE	15	1	8	6	2	0	2	0	13	1	6	6
TEENAGE FERTILITY RATE	37.0	6.1	63.5 (15-19)	19.8	-	37.8 (15-19)	55.9	13.3	90.1 (15-19)			
TEENAGE FETAL DEATHS**	8	0	5	3	0	0	0	8	0	5	3	
TEENAGE FETAL DEATH RATIO	38.1	-	63.3	26.1	-	-	-	53.0	-	83.3	40.0	
TEENAGE INDUCED TERMINATIONS#	42	4	17	21	18	1	10	7	24	3	7	14
TEENAGE INDUCED TERMINATION RATIO	200.0	250.0	215.2	182.6	305.1	-	526.3	175.0	158.9	187.5	116.7	186.7
TEENAGE PREGNANCIES#	260	20	101	139	77	1	29	47	183	19	72	92
TEENAGE PREGNANCY RATE	45.8	7.6	78.5 (15-19)	25.9	0.7	48.7 (15-19)	67.8	15.8	109.5 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	5	1	4	0	0	0	0	5	1	4	0	

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: LAWRENCE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,053	1,053	516	537	185
WHITE	8,412	574	284	290	115
NONWHITE	4,641	479	232	247	70

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	39	0	10	29	20	0	5	15	19	0	5	14
TEENAGE IMMATURE BIRTHS	3	0	2	1	1	0	1	0	2	0	1	1
TEENAGE PREMATURE BIRTHS	7	0	2	5	2	0	1	1	5	0	1	4
TEENAGE ILLEGITIMATE BIRTHS	23	0	8	15	6	0	3	3	17	0	5	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	1	10	4	0	0	4	7	0	1	6
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	1	14	7	0	0	7	8	0	1	7
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FERTILITY RATE	37.0	-	72.6 (15-19)		34.8	-	69.0 (15-19)		39.7	-	76.9 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	51.3	-	100.0	34.5	-	-	-	-	105.3	-	200.0	71.4
TEENAGE INDUCED TERMINATIONS#	6	0	3	3	3	0	1	2	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	153.8	-	300.0	103.4	150.0	-	200.0	133.3	157.9	-	400.0	71.4
TEENAGE PREGNANCIES#	47	0	14	33	23	0	6	17	24	0	8	16
TEENAGE PREGNANCY RATE	44.6	-	87.5 (15-19)		40.1	-	79.3 (15-19)		50.1	-	97.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: LEAKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,372	1,457	692	765	344
WHITE	11,185	646	318	328	157
NONWHITE	8,187	811	374	437	187

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	74	0	32	42	28	0	16	12	46	0	16	30
TEENAGE IMMATURE BIRTHS	13	0	6	7	4	0	3	1	9	0	3	6
TEENAGE PREMATURE BIRTHS	10	0	4	6	4	0	2	2	6	0	2	4
TEENAGE ILLEGITIMATE BIRTHS	58	0	24	34	14	0	8	6	44	0	16	28
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	7	9	6	0	2	4	10	0	5	5
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	7	13	8	0	2	6	12	0	5	7
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE FERTILITY RATE	50.8	-	96.7 (15-19)		43.3	-	85.4 (15-19)		56.7	-	105.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	13	1	6	6	4	0	3	1	9	1	3	5
TEENAGE INDUCED TERMINATION RATIO	175.7	-	187.5	142.8	142.8	-	187.5	83.3	195.6	-	187.5	166.7
TEENAGE PREGNANCIES#	87	1	38	48	32	0	19	13	55	1	19	35
TEENAGE PREGNANCY RATE	59.7	1.4	112.4 (15-19)		49.5	-	97.6 (15-19)		67.8	2.7	123.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: LEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	74,637	5,238	2,593	2,645	1,199
WHITE	57,008	3,676	1,813	1,863	815
NONWHITE	17,629	1,562	780	782	384

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	212	2	79	131	119	1	35	83	93	1	44	48
TEENAGE IMMATURE BIRTHS	23	0	10	13	9	0	4	5	14	0	6	8
TEENAGE PREMATURE BIRTHS	34	0	21	13	12	0	7	5	22	0	14	8
TEENAGE ILLEGITIMATE BIRTHS	148	2	71	75	64	1	28	35	84	1	43	40
TEENS WHO HAD PREVIOUS LIVE BIRTHS	57	0	15	42	18	0	4	14	39	0	11	28
TEENS WHO HAD PREVIOUS PREGNANCIES	64	0	16	48	25	0	5	20	39	0	11	28
TEENS WITH INADEQUATE* PRENATAL CARE	18	1	9	8	6	0	1	5	12	1	8	3
TEENAGE FERTILITY RATE	40.5	0.8	79.4 (15-19)		32.4	0.6	63.3 (15-19)		59.5	1.3	117.6 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	9.4	-	12.6	7.6	-	-	-	-	21.5	-	22.7	20.8
TEENAGE INDUCED TERMINATIONS#	8	1	4	3	7	0	4	3	1	1	0	0
TEENAGE INDUCED TERMINATION RATIO	37.7	500.0	50.6	22.9	58.8	-	114.3	36.1	10.8	1000.0	-	-
TEENAGE PREGNANCIES#	222	3	84	135	126	1	39	86	96	2	45	49
TEENAGE PREGNANCY RATE	42.4	1.2	82.8 (15-19)		34.3	0.6	67.1 (15-19)		61.5	2.6	120.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	1	0	1	0	1	0	1	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: LEFLORE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	36,951	3,127	1,512	1,615	645
WHITE	13,530	778	420	358	151
NONWHITE	23,421	2,349	1,092	1,257	494

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	190	9	76	105	23	0	7	16	167	9	69	89
TEENAGE IMMATURE BIRTHS	17	1	11	5	1	0	0	1	16	1	11	4
TEENAGE PREMATURE BIRTHS	31	2	14	15	3	0	0	3	28	2	14	12
TEENAGE ILLEGITIMATE BIRTHS	180	9	75	96	16	0	7	9	164	9	68	87
TEENS WHO HAD PREVIOUS LIVE BIRTHS	56	0	16	40	4	0	0	4	52	0	16	36
TEENS WHO HAD PREVIOUS PREGNANCIES	64	0	20	44	4	0	0	4	60	0	20	40
TEENS WITH INADEQUATE* PRENATAL CARE	38	1	17	20	2	0	1	1	36	1	16	19
TEENAGE FERTILITY RATE	60.8	6.0	112.1 (15-19)		29.6	-	64.2 (15-19)		71.1	8.2	125.7 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	5.3	-	-	9.5	-	-	-	-	6.0	-	-	11.2
TEENAGE INDUCED TERMINATIONS#	21	2	7	12	4	0	1	3	17	2	6	9
TEENAGE INDUCED TERMINATION RATIO	110.5	222.2	92.1	114.3	173.9	-	142.8	187.5	101.8	222.2	87.0	101.1
TEENAGE PREGNANCIES#	212	11	83	118	27	0	8	19	185	11	75	99
TEENAGE PREGNANCY RATE	67.8	7.3	124.4 (15-19)		34.7	-	75.4 (15-19)		78.8	10.1	138.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: LINCOLN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	31,771	2,535	1,212	1,323	510
WHITE	21,467	1,464	716	748	309
NONWHITE	10,304	1,071	496	575	201

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	115	4	33	78	50	1	14	35	65	3	19	43
TEENAGE IMMATURE BIRTHS	8	0	1	7	3	0	1	2	5	0	0	5
TEENAGE PREMATURE BIRTHS	20	1	5	14	5	0	1	4	15	1	4	10
TEENAGE ILLEGITIMATE BIRTHS	85	4	27	54	22	1	8	13	63	3	19	41
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	2	15	6	0	0	6	11	0	2	9
TEENS WHO HAD PREVIOUS PREGNANCIES	26	0	4	22	11	0	2	9	15	0	2	13
TEENS WITH INADEQUATE* PRENATAL CARE	9	1	3	5	1	0	0	1	8	1	3	4
TEENAGE FERTILITY RATE	45.4	3.3	83.9 (15-19)		34.2	1.4	65.5 (15-19)		60.7	6.0	107.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	12	1	4	7	7	0	2	5	5	1	2	2
TEENAGE INDUCED TERMINATION RATIO	104.3	250.0	121.2	89.7	140.0	-	142.8	142.8	76.9	333.3	105.3	46.5
TEENAGE PREGNANCIES#	127	5	37	85	57	1	16	40	70	4	21	45
TEENAGE PREGNANCY RATE	50.1	4.1	92.2 (15-19)		38.9	1.4	74.9 (15-19)		65.4	8.1	114.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: LOWNDES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	61,208	4,766	2,188	2,578	983
WHITE	36,591	2,393	1,082	1,311	497
NONWHITE	24,617	2,373	1,106	1,267	486

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	173	6	62	105	50	0	15	35	123	6	47	70
TEENAGE IMMATURE BIRTHS	25	1	11	13	4	0	2	2	21	1	9	11
TEENAGE PREMATURE BIRTHS	26	2	7	17	2	0	1	1	24	2	6	16
TEENAGE ILLEGITIMATE BIRTHS	141	6	57	78	26	0	12	14	115	6	45	64
TEENS WHO HAD PREVIOUS LIVE BIRTHS	43	0	6	37	10	0	3	7	33	0	3	30
TEENS WHO HAD PREVIOUS PREGNANCIES	50	0	8	42	15	0	4	11	35	0	4	31
TEENS WITH INADEQUATE* PRENATAL CARE	17	0	3	14	2	0	0	2	15	0	3	12
TEENAGE FERTILITY RATE	36.3	2.7	64.8 (15-19)		20.9	-	38.1 (15-19)		51.8	5.4	92.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	46	2	18	26	17	0	4	13	29	2	14	13
TEENAGE INDUCED TERMINATION RATIO	265.9	333.3	290.3	247.6	340.0	-	266.7	371.4	235.8	333.3	297.9	185.7
TEENAGE PREGNANCIES#	219	8	80	131	67	0	19	48	152	8	61	83
TEENAGE PREGNANCY RATE	46.0	3.6	81.8 (15-19)		28.0	-	51.1 (15-19)		64.0	7.2	113.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	4	0	2	2	1	0	1	0	3	0	1	2

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: MADISON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	72,857	5,337	2,606	2,731	1,243
WHITE	38,452	1,919	1,046	873	661
NONWHITE	34,405	3,418	1,560	1,858	582

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	170	15	61	94	21	0	6	15	149	15	55	79
TEENAGE IMMATURE BIRTHS	24	3	4	17	1	0	0	1	23	3	4	16
TEENAGE PREMATURE BIRTHS	37	3	12	22	1	0	0	1	36	3	12	21
TEENAGE ILLEGITIMATE BIRTHS	156	15	59	82	12	0	4	8	144	15	55	74
TEENS WHO HAD PREVIOUS LIVE BIRTHS	46	0	6	40	3	0	0	3	43	0	6	37
TEENS WHO HAD PREVIOUS PREGNANCIES	55	0	9	46	6	0	0	6	49	0	9	40
TEENS WITH INADEQUATE* PRENATAL CARE	21	3	7	11	1	0	0	1	20	3	7	10
TEENAGE FERTILITY RATE	31.8	5.8	56.8 (15-19)		10.9	-	24.0 (15-19)		43.6	9.6	72.1 (15-19)	
TEENAGE FETAL DEATHS**	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE FETAL DEATH RATIO	17.6	-	-	31.9	47.6	-	-	66.7	13.4	-	-	25.3
TEENAGE INDUCED TERMINATIONS#	51	1	15	35	24	0	10	14	27	1	5	21
TEENAGE INDUCED TERMINATION RATIO	300.0	66.7	245.9	372.3	1142.8	-	1666.7	933.3	181.2	66.7	90.9	265.8
TEENAGE PREGNANCIES#	224	16	76	132	46	0	16	30	178	16	60	102
TEENAGE PREGNANCY RATE	42.0	6.1	76.2 (15-19)		24.0	-	52.7 (15-19)		52.1	10.2	87.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: MARION

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	26,386	2,087	1,033	1,054	374
WHITE	17,734	1,177	602	575	229
NONWHITE	8,652	910	431	479	145

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	82	2	30	50	46	0	13	33	36	2	17	17
TEENAGE IMMATURE BIRTHS	8	1	5	2	4	0	3	1	4	1	2	1
TEENAGE PREMATURE BIRTHS	10	1	3	6	4	0	1	3	6	1	2	3
TEENAGE ILLEGITIMATE BIRTHS	67	2	27	38	31	0	10	21	36	2	17	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	21	0	3	18	11	0	0	11	10	0	3	7
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	3	20	12	0	0	12	11	0	3	8
TEENS WITH INADEQUATE* PRENATAL CARE	3	1	1	1	2	0	1	1	1	1	0	0
TEENAGE FERTILITY RATE	39.3	1.9	75.9 (15-19)		39.1	-	80.0 (15-19)		39.6	4.6	71.0 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	12.2	-	-	20.0	-	-	-	-	27.8	-	-	58.8
TEENAGE INDUCED TERMINATIONS#	7	1	2	4	4	1	0	3	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	85.4	500.0	66.7	80.0	87.0	-	-	90.9	83.3	-	117.6	58.8
TEENAGE PREGNANCIES#	90	3	32	55	50	1	13	36	40	2	19	19
TEENAGE PREGNANCY RATE	43.1	2.9	82.5 (15-19)		42.5	1.7	85.2 (15-19)		44.0	4.6	79.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	1	0	0	0	0	0	0	1	1	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: MARSHALL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	32,296	2,639	1,249	1,390	500
WHITE	15,124	933	467	466	228
NONWHITE	17,172	1,706	782	924	272

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	102	3	32	67	36	0	12	24	66	3	20	43
TEENAGE IMMATURE BIRTHS	17	0	3	14	6	0	1	5	11	0	2	9
TEENAGE PREMATURE BIRTHS	20	1	5	14	7	0	1	6	13	1	4	8
TEENAGE ILLEGITIMATE BIRTHS	85	3	29	53	20	0	9	11	65	3	20	42
TEENS WHO HAD PREVIOUS LIVE BIRTHS	23	0	2	21	10	0	2	8	13	0	0	13
TEENS WHO HAD PREVIOUS PREGNANCIES	30	0	3	27	12	0	2	10	18	0	1	17
TEENS WITH INADEQUATE* PRENATAL CARE	8	1	2	5	3	0	2	1	5	1	0	4
TEENAGE FERTILITY RATE	38.6	2.4	71.2 (15-19)		38.6	-	77.2 (15-19)		38.7	3.8	68.2 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	9.8	-	-	14.9	-	-	-	-	15.2	-	-	23.2
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	19.6	-	31.2	14.9	27.8	-	83.3	-	15.2	-	-	23.2
TEENAGE PREGNANCIES#	105	3	33	69	37	0	13	24	68	3	20	45
TEENAGE PREGNANCY RATE	39.8	2.4	73.4 (15-19)		39.6	-	79.4 (15-19)		39.8	3.8	70.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: MONROE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	38,263	2,940	1,370	1,570	545
WHITE	25,754	1,717	815	902	338
NONWHITE	12,509	1,223	555	668	207

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	106	0	40	66	51	0	18	33	55	0	22	33
TEENAGE IMMATURE BIRTHS	10	0	5	5	2	0	1	1	8	0	4	4
TEENAGE PREMATURE BIRTHS	21	0	10	11	6	0	3	3	15	0	7	8
TEENAGE ILLEGITIMATE BIRTHS	80	0	34	46	29	0	15	14	51	0	19	32
TEENS WHO HAD PREVIOUS LIVE BIRTHS	24	0	4	20	12	0	1	11	12	0	3	9
TEENS WHO HAD PREVIOUS PREGNANCIES	29	0	4	25	16	0	1	15	13	0	3	10
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	5	1	2	0	2	0	4	0	3	1
TEENAGE FERTILITY RATE	36.0	-	67.5 (15-19)		29.7	-	56.5 (15-19)		45.0	-	82.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	13	0	5	8	6	0	3	3	7	0	2	5
TEENAGE INDUCED TERMINATION RATIO	122.6	-	125.0	121.2	117.6	-	166.7	90.9	127.3	-	90.9	151.5
TEENAGE PREGNANCIES#	119	0	45	74	57	0	21	36	62	0	24	38
TEENAGE PREGNANCY RATE	40.5	-	75.8 (15-19)		33.2	-	63.2 (15-19)		50.7	-	92.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: MONTGOMERY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,425	955	446	509	191
WHITE	6,670	371	175	196	72
NONWHITE	5,755	584	271	313	119

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	58	3	18	37	14	0	2	12	44	3	16	25
TEENAGE IMMATURE BIRTHS	8	0	4	4	1	0	0	1	7	0	4	3
TEENAGE PREMATURE BIRTHS	9	1	5	3	0	0	0	0	9	1	5	3
TEENAGE ILLEGITIMATE BIRTHS	53	3	18	32	9	0	2	7	44	3	16	25
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	5	15	2	0	0	2	18	0	5	13
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	5	17	3	0	0	3	19	0	5	14
TEENS WITH INADEQUATE* PRENATAL CARE	8	2	2	4	1	0	0	1	7	2	2	3
TEENAGE FERTILITY RATE	60.7	6.7	108.0 (15-19)	37.7	-	71.4 (15-19)	75.3	11.1	131.0 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	17.2	-	-	27.0	-	-	-	-	22.7	-	-	40.0
TEENAGE PREGNANCIES#	59	3	18	38	14	0	2	12	45	3	16	26
TEENAGE PREGNANCY RATE	61.8	6.7	110.0 (15-19)	37.7	-	71.4 (15-19)	77.0	11.1	134.2 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	0	0	0	0	2	0	2	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: NESHOPA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	27,653	2,282	1,103	1,179	447
WHITE	18,278	1,293	636	657	220
NONWHITE	9,375	989	467	522	227

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	107	2	46	59	46	0	14	32	61	2	32	27
TEENAGE IMMATURE BIRTHS	13	1	6	6	6	0	2	4	7	1	4	2
TEENAGE PREMATURE BIRTHS	15	1	9	5	6	0	2	4	9	1	7	1
TEENAGE ILLEGITIMATE BIRTHS	71	2	36	33	18	0	7	11	53	2	29	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	7	9	5	0	2	3	11	0	5	6
TEENS WHO HAD PREVIOUS PREGNANCIES	26	0	8	18	10	0	2	8	16	0	6	10
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	1	2	0	0	0	0	4	1	1	2
TEENAGE FERTILITY RATE	46.9	1.8	89.0 (15-19)		35.6	-	70.0 (15-19)		61.7	4.3	113.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	6	1	1	4	3	1	1	1	3	0	0	3
TEENAGE INDUCED TERMINATION RATIO	56.1	500.0	21.7	67.8	65.2	-	71.4	31.2	49.2	-	-	111.1
TEENAGE PREGNANCIES#	113	3	47	63	49	1	15	33	64	2	32	30
TEENAGE PREGNANCY RATE	49.5	2.7	93.3 (15-19)		37.9	1.6	73.0 (15-19)		64.7	4.3	118.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: NEWTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,516	1,784	814	970	346
WHITE	14,026	1,025	452	573	190
NONWHITE	7,490	759	362	397	156

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	69	3	23	43	40	1	15	24	29	2	8	19
TEENAGE IMMATURE BIRTHS	6	0	2	4	2	0	1	1	4	0	1	3
TEENAGE PREMATURE BIRTHS	11	1	6	4	4	0	3	1	7	1	3	3
TEENAGE ILLEGITIMATE BIRTHS	43	3	17	23	15	1	9	5	28	2	8	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	1	10	8	0	1	7	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	1	15	9	0	1	8	7	0	0	7
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE FERTILITY RATE	38.7	3.7	68.0 (15-19)		39.0	2.2	68.1 (15-19)		38.2	5.5	68.0 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	14.5	-	43.5	-	-	-	-	-	34.5	-	125.0	-
TEENAGE INDUCED TERMINATIONS#	8	0	3	5	5	0	3	2	3	0	0	3
TEENAGE INDUCED TERMINATION RATIO	115.9	-	130.4	116.3	125.0	-	200.0	83.3	103.4	-	-	157.9
TEENAGE PREGNANCIES#	78	3	27	48	45	1	18	26	33	2	9	22
TEENAGE PREGNANCY RATE	43.7	3.7	77.3 (15-19)		43.9	2.2	76.8 (15-19)		43.5	5.5	78.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: NOXUBEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,366	1,104	544	560	207
WHITE	3,674	205	114	91	52
NONWHITE	8,692	899	430	469	155

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	38	0	14	24	3	0	0	3	35	0	14	21
TEENAGE IMMATURE BIRTHS	5	0	3	2	0	0	0	0	5	0	3	2
TEENAGE PREMATURE BIRTHS	7	0	2	5	0	0	0	0	7	0	2	5
TEENAGE ILLEGITIMATE BIRTHS	35	0	14	21	0	0	0	0	35	0	14	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	2	7	1	0	0	1	8	0	2	6
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	2	9	1	0	0	1	10	0	2	8
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FERTILITY RATE	34.4	-	67.8 (15-19)		14.6	-	33.0 (15-19)		38.9	-	74.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	9	3	2	4	1	0	0	1	8	3	2	3
TEENAGE INDUCED TERMINATION RATIO	236.8	-	142.8	166.7	333.3	-	-	333.3	228.6	-	142.8	142.8
TEENAGE PREGNANCIES#	47	3	16	28	4	0	0	4	43	3	16	24
TEENAGE PREGNANCY RATE	42.6	5.5	78.6 (15-19)		19.5	-	44.0 (15-19)		47.8	7.0	85.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	0	3	0	0	0	0	3	0	0	3

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: OKTIBBEHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	39,291	3,363	1,054	2,309	502
WHITE	23,439	1,830	446	1,384	232
NONWHITE	15,852	1,533	608	925	270

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	69	4	20	45	9	0	3	6	60	4	17	39
TEENAGE IMMATURE BIRTHS	8	1	2	5	0	0	0	0	8	1	2	5
TEENAGE PREMATURE BIRTHS	7	0	1	6	1	0	0	1	6	0	1	5
TEENAGE ILLEGITIMATE BIRTHS	58	4	19	35	3	0	2	1	55	4	17	34
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	1	13	0	0	0	0	14	0	1	13
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	2	17	1	0	0	1	18	0	2	16
TEENS WITH INADEQUATE* PRENATAL CARE	9	1	1	7	1	0	1	0	8	1	0	7
TEENAGE FERTILITY RATE	20.5	3.8	28.2 (15-19)	4.9	-	6.5 (15-19)	39.1	6.6	60.5 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	21	1	4	16	13	0	2	11	8	1	2	5
TEENAGE INDUCED TERMINATION RATIO	304.3	250.0	200.0	355.6	1444.4	-	666.7	1833.3	133.3	250.0	117.6	128.2
TEENAGE PREGNANCIES#	90	5	24	61	22	0	5	17	68	5	19	44
TEENAGE PREGNANCY RATE	26.8	4.7	36.8 (15-19)	12.0	-	15.9 (15-19)	44.4	8.2	68.1 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: PANOLA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	33,400	2,809	1,370	1,439	553
WHITE	16,394	1,012	519	493	219
NONWHITE	17,006	1,797	851	946	334

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	134	8	50	76	34	1	12	21	100	7	38	55
TEENAGE IMMATURE BIRTHS	16	3	5	8	3	0	1	2	13	3	4	6
TEENAGE PREMATURE BIRTHS	27	4	10	13	3	1	2	0	24	3	8	13
TEENAGE ILLEGITIMATE BIRTHS	116	8	47	61	20	1	9	10	96	7	38	51
TEENS WHO HAD PREVIOUS LIVE BIRTHS	34	0	7	27	5	0	1	4	29	0	6	23
TEENS WHO HAD PREVIOUS PREGNANCIES	42	0	7	35	7	0	1	6	35	0	6	29
TEENS WITH INADEQUATE* PRENATAL CARE	12	0	5	7	2	0	1	1	10	0	4	6
TEENAGE FERTILITY RATE	47.7	5.8	87.6 (15-19)		33.6	1.9	66.9 (15-19)		55.6	8.2	98.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	3	0	0	3	2	0	0	2	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	22.4	-	-	39.5	58.8	-	-	95.2	10.0	-	-	18.2
TEENAGE PREGNANCIES#	137	8	50	79	36	1	12	23	101	7	38	56
TEENAGE PREGNANCY RATE	48.8	5.8	89.6 (15-19)		35.6	1.9	71.0 (15-19)		56.2	8.2	99.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	2	0	1	0	0	0	0	3	2	0	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: PEARL RIVER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	46,862	3,618	1,753	1,865	635
WHITE	39,236	2,856	1,401	1,455	521
NONWHITE	7,626	762	352	410	114

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	122	1	45	76	94	0	36	58	28	1	9	18
TEENAGE IMMATURE BIRTHS	12	1	3	8	5	0	2	3	7	1	1	5
TEENAGE PREMATURE BIRTHS	12	1	6	5	7	0	5	2	5	1	1	3
TEENAGE ILLEGITIMATE BIRTHS	86	1	36	49	58	0	27	31	28	1	9	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	26	0	6	20	18	0	5	13	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	36	0	8	28	24	0	6	18	12	0	2	10
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FERTILITY RATE	33.7	0.6	64.9 (15-19)		32.9	-	64.6 (15-19)		36.7	2.8	65.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	3	0	1	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	24.6	-	22.2	26.3	31.9	-	27.8	34.5	-	-	-	-
TEENAGE PREGNANCIES#	125	1	46	78	97	0	37	60	28	1	9	18
TEENAGE PREGNANCY RATE	34.5	0.6	66.5 (15-19)		34.0	-	66.7 (15-19)		36.7	2.8	65.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: PERRY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,798	985	479	506	197
WHITE	8,822	671	331	340	142
NONWHITE	2,976	314	148	166	55

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	47	1	23	23	29	0	13	16	18	1	10	7
TEENAGE IMMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE PREMATURE BIRTHS	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	33	1	16	16	16	0	7	9	17	1	9	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	6	4	5	0	2	3	5	0	4	1
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	6	6	7	0	2	5	5	0	4	1
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	1	0	0	1	2	0	2	0
TEENAGE FERTILITY RATE	47.7	2.1	90.9 (15-19)		43.2	-	85.3 (15-19)		57.3	6.8	102.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	1	0	0	1	1	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	21.3	1000.0	-	-	34.5	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	48	2	23	23	30	1	13	16	18	1	10	7
TEENAGE PREGNANCY RATE	48.7	4.2	90.9 (15-19)		44.7	3.0	85.3 (15-19)		57.3	6.8	102.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: PIKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	37,920	3,203	1,546	1,657	631
WHITE	19,616	1,357	637	720	246
NONWHITE	18,304	1,846	909	937	385

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	143	8	58	77	26	0	9	17	117	8	49	60
TEENAGE IMMATURE BIRTHS	18	0	9	9	2	0	1	1	16	0	8	8
TEENAGE PREMATURE BIRTHS	22	1	9	12	3	0	1	2	19	1	8	10
TEENAGE ILLEGITIMATE BIRTHS	120	8	51	61	12	0	5	7	108	8	46	54
TEENS WHO HAD PREVIOUS LIVE BIRTHS	32	0	6	26	5	0	1	4	27	0	5	22
TEENS WHO HAD PREVIOUS PREGNANCIES	39	0	9	30	7	0	2	5	32	0	7	25
TEENS WITH INADEQUATE* PRENATAL CARE	16	2	7	7	0	0	0	0	16	2	7	7
TEENAGE FERTILITY RATE	44.6	5.2	81.5 (15-19)		19.2	-	36.1 (15-19)		63.4	8.8	116.3 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	7.0	-	-	13.0	-	-	-	-	8.5	-	-	16.7
TEENAGE INDUCED TERMINATIONS#	17	1	4	12	4	0	0	4	13	1	4	8
TEENAGE INDUCED TERMINATION RATIO	118.9	125.0	69.0	155.8	153.8	-	-	235.3	111.1	125.0	81.6	133.3
TEENAGE PREGNANCIES#	161	9	62	90	30	0	9	21	131	9	53	69
TEENAGE PREGNANCY RATE	50.3	5.8	91.7 (15-19)		22.1	-	41.7 (15-19)		71.0	9.9	130.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: PONTOTOC

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,397	1,848	890	958	372
WHITE	21,185	1,399	664	735	322
NONWHITE	4,212	449	226	223	50

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	62	2	23	37	48	1	19	28	14	1	4	9
TEENAGE IMMATURE BIRTHS	3	0	0	3	3	0	0	3	0	0	0	0
TEENAGE PREMATURE BIRTHS	9	0	5	4	7	0	4	3	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	38	2	16	20	24	1	12	11	14	1	4	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	2	7	6	0	2	4	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	2	8	7	0	2	5	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	2	2	3	0	1	2	1	0	1	0
TEENAGE FERTILITY RATE	33.6	2.2	62.6 (15-19)	34.3	1.5	63.9 (15-19)	31.2	4.4	58.3 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	16.1	-	-	27.0	20.8	-	-	35.7	-	-	-	-
TEENAGE PREGNANCIES#	63	2	23	38	49	1	19	29	14	1	4	9
TEENAGE PREGNANCY RATE	34.1	2.2	63.7 (15-19)	35.0	1.5	65.3 (15-19)	31.2	4.4	58.3 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: PRENTISS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	24,295	1,947	826	1,121	352
WHITE	21,056	1,600	680	920	308
NONWHITE	3,239	347	146	201	44

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	73	0	22	51	66	0	19	47	7	0	3	4
TEENAGE IMMATURE BIRTHS	6	0	3	3	5	0	2	3	1	0	1	0
TEENAGE PREMATURE BIRTHS	15	0	4	11	13	0	3	10	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	39	0	18	21	32	0	15	17	7	0	3	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	0	16	14	0	0	14	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	1	18	17	0	1	16	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	4	0	3	0	3	0	1	0	1	0
TEENAGE FERTILITY RATE	37.5	-	65.1 (15-19)		41.2	-	71.7 (15-19)		20.2	-	34.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	27.4	-	45.4	19.6	15.2	-	-	21.3	142.8	-	333.3	-
TEENAGE PREGNANCIES#	75	0	23	52	67	0	19	48	8	0	4	4
TEENAGE PREGNANCY RATE	38.5	-	66.9 (15-19)		41.9	-	72.8 (15-19)		23.0	-	39.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: QUITMAN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,914	933	437	496	176
WHITE	3,813	230	111	119	29
NONWHITE	6,101	703	326	377	147

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	48	3	16	29	1	0	1	0	47	3	15	29
TEENAGE IMMATURE BIRTHS	8	0	1	7	0	0	0	0	8	0	1	7
TEENAGE PREMATURE BIRTHS	9	0	1	8	0	0	0	0	9	0	1	8
TEENAGE ILLEGITIMATE BIRTHS	45	3	14	28	0	0	0	0	45	3	14	28
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	4	10	1	0	1	0	13	0	3	10
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	4	12	1	0	1	0	15	0	3	12
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	1	2	0	0	0	0	4	1	1	2
TEENAGE FERTILITY RATE	51.4	6.9	90.7 (15-19)		4.3	-	8.4 (15-19)		66.8	9.2	116.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	20.8	-	62.5	-	-	-	-	-	21.3	-	66.7	-
TEENAGE PREGNANCIES#	49	3	17	29	1	0	1	0	48	3	16	29
TEENAGE PREGNANCY RATE	52.5	6.9	92.7 (15-19)		4.3	-	8.4 (15-19)		68.3	9.2	119.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: RANKIN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	109,613	7,704	3,914	3,790	1,569
WHITE	88,440	6,089	3,097	2,992	1,255
NONWHITE	21,173	1,615	817	798	314

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	209	5	76	128	146	1	56	89	63	4	20	39
TEENAGE IMMATURE BIRTHS	33	1	17	15	17	0	10	7	16	1	7	8
TEENAGE PREMATURE BIRTHS	42	1	15	26	28	0	11	17	14	1	4	9
TEENAGE ILLEGITIMATE BIRTHS	158	5	64	89	98	1	45	52	60	4	19	37
TEENS WHO HAD PREVIOUS LIVE BIRTHS	37	0	6	31	22	0	4	18	15	0	2	13
TEENS WHO HAD PREVIOUS PREGNANCIES	52	0	9	43	31	0	6	25	21	0	3	18
TEENS WITH INADEQUATE* PRENATAL CARE	17	0	7	10	8	0	4	4	9	0	3	6
TEENAGE FERTILITY RATE	27.1	1.3	53.8 (15-19)		24.0	0.3	48.5 (15-19)		39.0	4.9	73.9 (15-19)	
TEENAGE FETAL DEATHS**	1	1	0	0	1	1	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	4.8	200.0	-	-	6.8	1000.0	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	60	1	20	39	46	1	16	29	14	0	4	10
TEENAGE INDUCED TERMINATION RATIO	287.1	200.0	263.2	304.7	315.1	1000.0	285.7	325.8	222.2	-	200.0	256.4
TEENAGE PREGNANCIES#	270	7	96	167	193	3	72	118	77	4	24	49
TEENAGE PREGNANCY RATE	35.0	1.8	69.4 (15-19)		31.7	1.0	63.5 (15-19)		47.7	4.9	91.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: SCOTT

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,001	1,929	931	998	439
WHITE	14,865	915	460	455	236
NONWHITE	10,136	1,014	471	543	203

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	85	2	26	57	33	0	10	23	52	2	16	34
TEENAGE IMMATURE BIRTHS	8	0	2	6	2	0	1	1	6	0	1	5
TEENAGE PREMATURE BIRTHS	18	0	3	15	5	0	1	4	13	0	2	11
TEENAGE ILLEGITIMATE BIRTHS	70	2	24	44	18	0	8	10	52	2	16	34
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	0	16	8	0	0	8	8	0	0	8
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	1	21	9	0	0	9	13	0	1	12
TEENS WITH INADEQUATE* PRENATAL CARE	7	1	1	5	2	0	1	1	5	1	0	4
TEENAGE FERTILITY RATE	44.1	2.1	83.2	(15-19)	36.1	-	72.5	(15-19)	51.3	4.2	92.1	(15-19)
TEENAGE FETAL DEATHS**	1	1	0	0	1	1	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	11.8	500.0	-	-	30.3	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	15	0	6	9	6	0	5	1	9	0	1	8
TEENAGE INDUCED TERMINATION RATIO	176.5	-	230.8	157.9	181.8	-	500.0	43.5	173.1	-	62.5	235.3
TEENAGE PREGNANCIES#	101	3	32	66	40	1	15	24	61	2	17	42
TEENAGE PREGNANCY RATE	52.4	3.2	98.2	(15-19)	43.7	2.2	85.7	(15-19)	60.2	4.2	108.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: SHARKEY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	6,650	672	340	332	126
WHITE	2,071	137	76	61	24
NONWHITE	4,579	535	264	271	102

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	32	1	15	16	0	0	0	0	32	1	15	16
TEENAGE IMMATURE BIRTHS	4	1	1	2	0	0	0	0	4	1	1	2
TEENAGE PREMATURE BIRTHS	3	1	2	0	0	0	0	0	3	1	2	0
TEENAGE ILLEGITIMATE BIRTHS	32	1	15	16	0	0	0	0	32	1	15	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	3	5	0	0	0	0	8	0	3	5
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	4	6	0	0	0	0	10	0	4	6
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	4	2	0	0	0	0	6	0	4	2
TEENAGE FERTILITY RATE	47.6	2.9	93.4	(15-19)	-	-	-	(15-19)	59.8	3.8	114.4	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	31.2	-	-	62.5	-	-	-	-	31.2	-	-	62.5
TEENAGE INDUCED TERMINATIONS#	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	93.8	-	133.3	62.5	-	-	-	-	93.8	-	133.3	62.5
TEENAGE PREGNANCIES#	36	1	17	18	0	0	0	0	36	1	17	18
TEENAGE PREGNANCY RATE	53.6	2.9	105.4	(15-19)	-	-	-	(15-19)	67.3	3.8	129.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: SIMPSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,338	1,931	981	950	424
WHITE	16,533	1,101	586	515	227
NONWHITE	8,805	830	395	435	197

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	95	7	34	54	39	2	11	26	56	5	23	28
TEENAGE IMMATURE BIRTHS	10	0	5	5	2	0	1	1	8	0	4	4
TEENAGE PREMATURE BIRTHS	20	0	8	12	6	0	3	3	14	0	5	9
TEENAGE ILLEGITIMATE BIRTHS	76	7	31	38	21	2	8	11	55	5	23	27
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	6	13	8	0	3	5	11	0	3	8
TEENS WHO HAD PREVIOUS PREGNANCIES	25	0	7	18	12	0	3	9	13	0	4	9
TEENS WITH INADEQUATE* PRENATAL CARE	7	1	5	1	3	0	2	1	4	1	3	0
TEENAGE FERTILITY RATE	49.2	7.1	92.6 (15-19)		35.4	3.4	71.8 (15-19)		67.5	12.6	117.2 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	13	0	2	11	9	0	2	7	4	0	0	4
TEENAGE INDUCED TERMINATION RATIO	136.8	-	58.8	203.7	230.8	-	181.8	269.2	71.4	-	-	142.8
TEENAGE PREGNANCIES#	108	7	36	65	48	2	13	33	60	5	23	32
TEENAGE PREGNANCY RATE	55.9	7.1	106.3 (15-19)		43.6	3.4	89.3 (15-19)		72.3	12.6	126.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: SMITH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	15,296	1,133	542	591	241
WHITE	11,622	772	380	392	163
NONWHITE	3,674	361	162	199	78

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	54	1	20	33	30	0	11	19	24	1	9	14
TEENAGE IMMATURE BIRTHS	5	0	3	2	3	0	2	1	2	0	1	1
TEENAGE PREMATURE BIRTHS	8	0	2	6	6	0	2	4	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	34	1	14	19	12	0	5	7	22	1	9	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	2	11	8	0	1	7	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	4	13	11	0	3	8	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	3	2	3	0	2	1	2	0	1	1
TEENAGE FERTILITY RATE	47.7	1.8	89.7 (15-19)		38.9	-	76.5 (15-19)		66.5	6.2	115.6 (15-19)	
TEENAGE FETAL DEATHS**	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE FETAL DEATH RATIO	18.5	1000.0	-	-	-	-	-	-	41.7	1000.0	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	37.0	-	-	60.6	66.7	-	-	105.3	-	-	-	-
TEENAGE PREGNANCIES#	57	2	20	35	32	0	11	21	25	2	9	14
TEENAGE PREGNANCY RATE	50.3	3.7	93.1 (15-19)		41.4	-	81.6 (15-19)		69.2	12.3	115.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: STONE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,166	1,144	480	664	185
WHITE	9,980	790	343	447	128
NONWHITE	3,186	354	137	217	57

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	23	1	8	14	12	1	4	7	11	0	4	7
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	16	1	7	8	5	1	3	1	11	0	4	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	2	7	6	0	2	4	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	2	7	6	0	2	4	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	20.1	2.1	33.1 (15-19)	15.2	2.9	24.6 (15-19)	31.1	-	50.7 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	2	0	0	2	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	130.4	-	125.0	142.8	166.7	-	-	285.7	90.9	-	250.0	-
TEENAGE PREGNANCIES#	26	1	9	16	14	1	4	9	12	0	5	7
TEENAGE PREGNANCY RATE	22.7	2.1	37.6 (15-19)	17.7	2.9	29.1 (15-19)	33.9	-	55.3 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: SUNFLOWER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	34,577	2,810	1,358	1,452	528
WHITE	11,273	693	325	368	113
NONWHITE	23,304	2,117	1,033	1,084	415

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	161	9	64	88	14	0	5	9	147	9	59	79
TEENAGE IMMATURE BIRTHS	19	1	10	8	3	0	1	2	16	1	9	6
TEENAGE PREMATURE BIRTHS	27	1	14	12	3	0	2	1	24	1	12	11
TEENAGE ILLEGITIMATE BIRTHS	147	9	60	78	4	0	1	3	143	9	59	75
TEENS WHO HAD PREVIOUS LIVE BIRTHS	45	0	13	32	4	0	1	3	41	0	12	29
TEENS WHO HAD PREVIOUS PREGNANCIES	50	0	15	35	4	0	1	3	46	0	14	32
TEENS WITH INADEQUATE* PRENATAL CARE	15	2	8	5	0	0	0	0	15	2	8	5
TEENAGE FERTILITY RATE	57.3	6.6	104.7 (15-19)		20.2	-	38.0 (15-19)		69.4	8.7	127.3 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	6.2	-	15.6	-	-	-	-	-	6.8	-	16.9	-
TEENAGE INDUCED TERMINATIONS#	15	0	3	12	4	0	0	4	11	0	3	8
TEENAGE INDUCED TERMINATION RATIO	93.2	-	46.9	136.4	285.7	-	-	444.4	74.8	-	50.8	101.3
TEENAGE PREGNANCIES#	177	9	68	100	18	0	5	13	159	9	63	87
TEENAGE PREGNANCY RATE	63.0	6.6	115.7 (15-19)		26.0	-	48.9 (15-19)		75.1	8.7	138.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	4	0	3	1	0	0	0	0	4	0	3	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: TALLAHATCHIE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,893	1,310	636	674	219
WHITE	5,802	350	167	183	74
NONWHITE	9,091	960	469	491	145

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	61	3	23	35	11	0	6	5	50	3	17	30
TEENAGE IMMATURE BIRTHS	7	0	2	5	0	0	0	0	7	0	2	5
TEENAGE PREMATURE BIRTHS	12	1	4	7	0	0	0	0	12	1	4	7
TEENAGE ILLEGITIMATE BIRTHS	56	3	20	33	6	0	3	3	50	3	17	30
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	2	14	1	0	0	1	15	0	2	13
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	3	14	2	0	1	1	15	0	2	13
TEENS WITH INADEQUATE* PRENATAL CARE	5	1	4	0	0	0	0	0	5	1	4	0
TEENAGE FERTILITY RATE	46.6	4.7	86.0 (15-19)		31.4	-	60.1 (15-19)		52.1	6.4	95.7 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	16.4	-	-	28.6	-	-	-	-	20.0	-	-	33.3
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	32.8	-	43.5	28.6	90.9	-	-	200.0	20.0	-	58.8	-
TEENAGE PREGNANCIES#	64	3	24	37	12	0	6	6	52	3	18	31
TEENAGE PREGNANCY RATE	48.8	4.7	90.5 (15-19)		34.3	-	65.6 (15-19)		54.2	6.4	99.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: TATE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	23,923	2,064	890	1,174	385
WHITE	15,051	1,153	494	659	232
NONWHITE	8,872	911	396	515	153

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	68	0	31	37	26	0	11	15	42	0	20	22
TEENAGE IMMATURE BIRTHS	9	0	4	5	1	0	0	1	8	0	4	4
TEENAGE PREMATURE BIRTHS	9	0	4	5	2	0	1	1	7	0	3	4
TEENAGE ILLEGITIMATE BIRTHS	56	0	29	27	15	0	9	6	41	0	20	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	4	14	6	0	1	5	12	0	3	9
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	5	15	6	0	1	5	14	0	4	10
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE FERTILITY RATE	32.9	-	57.9 (15-19)		22.6	-	39.4 (15-19)		46.1	-	81.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	68	0	31	37	26	0	11	15	42	0	20	22
TEENAGE PREGNANCY RATE	32.9	-	57.9 (15-19)		22.6	-	39.4 (15-19)		46.1	-	81.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: TIPPAAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,031	1,554	738	816	316
WHITE	17,207	1,193	560	633	264
NONWHITE	3,824	361	178	183	52

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	65	0	25	40	51	0	18	33	14	0	7	7
TEENAGE IMMATURE BIRTHS	8	0	4	4	6	0	4	2	2	0	0	2
TEENAGE PREMATURE BIRTHS	13	0	4	9	10	0	4	6	3	0	0	3
TEENAGE ILLEGITIMATE BIRTHS	36	0	15	21	24	0	9	15	12	0	6	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	4	13	12	0	3	9	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	5	17	16	0	4	12	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE FERTILITY RATE	41.8	-	79.6 (15-19)		42.7	-	80.6 (15-19)		38.8	-	76.5 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	15.4	-	40.0	-	19.6	-	55.6	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	66	0	26	40	52	0	19	33	14	0	7	7
TEENAGE PREGNANCY RATE	42.5	-	80.9 (15-19)		43.6	-	82.1 (15-19)		38.8	-	76.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: TISHOMINGO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,654	1,191	589	602	246
WHITE	17,846	1,127	560	567	240
NONWHITE	808	64	29	35	6

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	31	0	11	20	30	0	11	19	1	0	0	1
TEENAGE IMMATURE BIRTHS	3	0	2	1	3	0	2	1	0	0	0	0
TEENAGE PREMATURE BIRTHS	4	0	4	0	4	0	4	0	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	16	0	5	11	15	0	5	10	1	0	0	1
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	0	2	2	0	0	2	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	1	4	5	0	1	4	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	26.0	-	51.5 (15-19)		26.6	-	52.9 (15-19)		15.6	-	28.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	32.2	-	-	50.0	33.3	-	-	52.6	-	-	-	-
TEENAGE PREGNANCIES#	32	0	11	21	31	0	11	20	1	0	0	1
TEENAGE PREGNANCY RATE	26.9	-	53.2 (15-19)		27.5	-	54.7 (15-19)		15.6	-	28.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: TUNICA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,039	814	395	419	173
WHITE	1,860	117	59	58	28
NONWHITE	6,179	697	336	361	145

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	52	1	20	31	3	0	0	3	49	1	20	28
TEENAGE IMMATURE BIRTHS	9	0	5	4	0	0	0	0	9	0	5	4
TEENAGE PREMATURE BIRTHS	5	0	3	2	0	0	0	0	5	0	3	2
TEENAGE ILLEGITIMATE BIRTHS	49	1	20	28	1	0	0	1	48	1	20	27
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	3	12	0	0	0	0	15	0	3	12
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	3	12	0	0	0	0	15	0	3	12
TEENS WITH INADEQUATE* PRENATAL CARE	12	0	9	3	0	0	0	0	12	0	9	3
TEENAGE FERTILITY RATE	63.9	2.5	121.7	(15-19)	25.6	-	51.7	(15-19)	70.3	3.0	133.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	52	1	20	31	3	0	0	3	49	1	20	28
TEENAGE PREGNANCY RATE	63.9	2.5	121.7	(15-19)	25.6	-	51.7	(15-19)	70.3	3.0	133.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: UNION

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	23,828	1,774	876	898	358
WHITE	19,946	1,412	701	711	271
NONWHITE	3,882	362	175	187	87

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	60	0	21	39	39	0	14	25	21	0	7	14
TEENAGE IMMATURE BIRTHS	10	0	2	8	7	0	1	6	3	0	1	2
TEENAGE PREMATURE BIRTHS	17	0	3	14	11	0	2	9	6	0	1	5
TEENAGE ILLEGITIMATE BIRTHS	45	0	17	28	25	0	10	15	20	0	7	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	3	10	7	0	1	6	6	0	2	4
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	4	11	9	0	2	7	6	0	2	4
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	33.8	-	66.8 (15-19)		27.6	-	54.8 (15-19)		58.0	-	112.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	1	1	0	2	1	1	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	33.3	-	47.6	-	51.3	-	71.4	-	-	-	-	-
TEENAGE PREGNANCIES#	62	1	22	39	41	1	15	25	21	0	7	14
TEENAGE PREGNANCY RATE	34.9	1.1	67.9 (15-19)		29.0	1.4	56.2 (15-19)		58.0	-	112.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: WALTHALL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,369	1,233	633	600	227
WHITE	7,924	547	289	258	99
NONWHITE	6,445	686	344	342	128

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	45	2	22	21	10	0	5	5	35	2	17	16
TEENAGE IMMATURE BIRTHS	7	1	3	3	0	0	0	0	7	1	3	3
TEENAGE PREMATURE BIRTHS	7	1	2	4	0	0	0	0	7	1	2	4
TEENAGE ILLEGITIMATE BIRTHS	41	2	21	18	6	0	4	2	35	2	17	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	1	8	1	0	0	1	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	2	11	3	0	1	2	10	0	1	9
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	1	0	1	0	2	0	1	1
TEENAGE FERTILITY RATE	36.5	3.2	71.7 (15-19)		18.3	-	38.8 (15-19)		51.0	5.8	96.5 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	22.2	-	-	47.6	-	-	-	-	28.6	-	-	62.5
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	22.2	-	-	47.6	100.0	-	-	200.0	-	-	-	-
TEENAGE PREGNANCIES#	47	2	22	23	11	0	5	6	36	2	17	17
TEENAGE PREGNANCY RATE	38.1	3.2	75.0 (15-19)		20.1	-	42.6 (15-19)		52.5	5.8	99.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: WARREN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	49,404	3,946	2,009	1,937	781
WHITE	28,668	1,887	980	907	371
NONWHITE	20,736	2,059	1,029	1,030	410

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	169	3	82	84	55	0	29	26	114	3	53	58
TEENAGE IMMATURE BIRTHS	24	2	10	12	7	0	2	5	17	2	8	7
TEENAGE PREMATURE BIRTHS	23	0	12	11	6	0	2	4	17	0	10	7
TEENAGE ILLEGITIMATE BIRTHS	146	3	76	67	34	0	24	10	112	3	52	57
TEENS WHO HAD PREVIOUS LIVE BIRTHS	41	0	8	33	9	0	2	7	32	0	6	26
TEENS WHO HAD PREVIOUS PREGNANCIES	48	0	12	36	11	0	4	7	37	0	8	29
TEENS WITH INADEQUATE* PRENATAL CARE	23	2	13	8	6	0	5	1	17	2	8	7
TEENAGE FERTILITY RATE	42.8	1.5	85.7 (15-19)		29.1	-	60.6 (15-19)		55.4	2.9	107.8 (15-19)	
TEENAGE FETAL DEATHS**	4	0	1	3	1	0	0	1	3	0	1	2
TEENAGE FETAL DEATH RATIO	23.7	-	12.2	35.7	18.2	-	-	38.5	26.3	-	18.9	34.5
TEENAGE INDUCED TERMINATIONS#	42	5	16	21	14	0	7	7	28	5	9	14
TEENAGE INDUCED TERMINATION RATIO	248.5	1666.7	195.1	250.0	254.5	-	241.4	269.2	245.6	1666.7	169.8	241.4
TEENAGE PREGNANCIES#	215	8	99	108	70	0	36	34	145	8	63	74
TEENAGE PREGNANCY RATE	54.5	4.0	106.9 (15-19)		37.1	-	77.2 (15-19)		70.4	7.8	133.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: WASHINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	65,264	5,744	2,823	2,921	1,222
WHITE	25,782	1,666	870	796	321
NONWHITE	39,482	4,078	1,953	2,125	901

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	328	7	137	184	40	0	16	24	288	7	121	160
TEENAGE IMMATURE BIRTHS	35	1	21	13	3	0	1	2	32	1	20	11
TEENAGE PREMATURE BIRTHS	57	2	28	27	7	0	3	4	50	2	25	23
TEENAGE ILLEGITIMATE BIRTHS	319	7	137	175	33	0	16	17	286	7	121	158
TEENS WHO HAD PREVIOUS LIVE BIRTHS	101	0	24	77	8	0	2	6	93	0	22	71
TEENS WHO HAD PREVIOUS PREGNANCIES	111	0	24	87	9	0	2	7	102	0	22	80
TEENS WITH INADEQUATE* PRENATAL CARE	40	2	16	22	1	0	0	1	39	2	16	21
TEENAGE FERTILITY RATE	57.1	2.5	109.9 (15-19)		24.0	-	50.2 (15-19)		70.6	3.6	132.2 (15-19)	
TEENAGE FETAL DEATHS**	5	0	3	2	0	0	0	0	5	0	3	2
TEENAGE FETAL DEATH RATIO	15.2	-	21.9	10.9	-	-	-	-	17.4	-	24.8	12.5
TEENAGE INDUCED TERMINATIONS#	20	2	8	10	2	0	0	2	18	2	8	8
TEENAGE INDUCED TERMINATION RATIO	61.0	285.7	58.4	54.3	50.0	-	-	83.3	62.5	285.7	66.1	50.0
TEENAGE PREGNANCIES#	353	9	148	196	42	0	16	26	311	9	132	170
TEENAGE PREGNANCY RATE	61.4	3.2	117.8 (15-19)		25.2	-	52.8 (15-19)		76.3	4.6	142.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	1	0	1	0	0	0	0	2	1	0	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: WAYNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,368	1,659	800	859	368
WHITE	12,543	871	436	435	185
NONWHITE	7,825	788	364	424	183

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	76	4	30	42	30	1	11	18	46	3	19	24
TEENAGE IMMATURE BIRTHS	8	1	1	6	4	0	0	4	4	1	1	2
TEENAGE PREMATURE BIRTHS	11	0	1	10	4	0	0	4	7	0	1	6
TEENAGE ILLEGITIMATE BIRTHS	56	4	25	27	13	1	7	5	43	3	18	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	22	1	3	18	7	0	0	7	15	1	3	11
TEENS WHO HAD PREVIOUS PREGNANCIES	28	1	6	21	11	0	2	9	17	1	4	12
TEENS WITH INADEQUATE* PRENATAL CARE	8	1	4	3	1	0	1	0	7	1	3	3
TEENAGE FERTILITY RATE	45.8	5.0	83.8 (15-19)		34.4	2.3	66.7 (15-19)		58.4	8.2	101.4 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	26.3	-	33.3	23.8	-	-	-	-	43.5	-	52.6	41.7
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	26.3	-	33.3	23.8	-	-	-	-	43.5	-	52.6	41.7
TEENAGE PREGNANCIES#	80	4	32	44	30	1	11	18	50	3	21	26
TEENAGE PREGNANCY RATE	48.2	5.0	88.5 (15-19)		34.4	2.3	66.7 (15-19)		63.4	8.2	110.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: WEBSTER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,547	772	359	413	132
WHITE	8,044	537	254	283	90
NONWHITE	2,503	235	105	130	42

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	28	1	10	17	16	0	6	10	12	1	4	7
TEENAGE IMMATURE BIRTHS	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE PREMATURE BIRTHS	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	18	1	8	9	7	0	5	2	11	1	3	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	1	6	2	0	0	2	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	1	6	2	0	0	2	5	0	1	4
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	1	0	0	1	4	0	2	2
TEENAGE FERTILITY RATE	36.3	2.8	65.4 (15-19)		29.8	-	56.5 (15-19)		51.1	9.5	84.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	107.1	-	100.0	117.6	62.5	-	-	100.0	166.7	-	250.0	142.8
TEENAGE PREGNANCIES#	31	1	11	19	17	0	6	11	14	1	5	8
TEENAGE PREGNANCY RATE	40.2	2.8	72.6 (15-19)		31.6	-	60.1 (15-19)		59.6	9.5	100.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: WILKINSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,174	673	348	325	144
WHITE	2,811	162	89	73	36
NONWHITE	6,363	511	259	252	108

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	31	0	13	18	3	0	1	2	28	0	12	16
TEENAGE IMMATURE BIRTHS	5	0	1	4	0	0	0	0	5	0	1	4
TEENAGE PREMATURE BIRTHS	8	0	0	8	2	0	0	2	6	0	0	6
TEENAGE ILLEGITIMATE BIRTHS	28	0	13	15	1	0	1	0	27	0	12	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	2	5	2	0	0	2	5	0	2	3
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	2	6	2	0	0	2	6	0	2	4
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	1	0	0	1	4	0	2	2
TEENAGE FERTILITY RATE	46.1	-	95.4 (15-19)	18.5	-	41.1 (15-19)	54.8	-	111.1 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	32.2	-	76.9	-	333.3	-	1000.0	-	-	-	-	-
TEENAGE PREGNANCIES#	32	0	14	18	4	0	2	2	28	0	12	16
TEENAGE PREGNANCY RATE	47.5	-	98.5 (15-19)	24.7	-	54.8 (15-19)	54.8	-	111.1 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: WINSTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,387	1,540	728	812	245
WHITE	10,740	683	336	347	96
NONWHITE	8,647	857	392	465	149

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	59	2	28	29	9	0	4	5	50	2	24	24
TEENAGE IMMATURE BIRTHS	12	1	8	3	1	0	0	1	11	1	8	2
TEENAGE PREMATURE BIRTHS	16	2	11	3	0	0	0	0	16	2	11	3
TEENAGE ILLEGITIMATE BIRTHS	51	2	24	25	4	0	2	2	47	2	22	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	3	8	1	0	0	1	10	0	3	7
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	4	10	1	0	0	1	13	0	4	9
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	0	4	0	0	0	0	4	0	0	4
TEENAGE FERTILITY RATE	38.3	2.7	70.2 (15-19)	13.2	-	25.9 (15-19)	58.3	5.1	103.2 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	7	3	0	4	0	0	0	0	7	3	0	4
TEENAGE INDUCED TERMINATION RATIO	118.6	1500.0	-	137.9	-	-	-	-	140.0	1500.0	-	166.7
TEENAGE PREGNANCIES#	66	5	28	33	9	0	4	5	57	5	24	28
TEENAGE PREGNANCY RATE	42.8	6.9	75.1 (15-19)	13.2	-	25.9 (15-19)	66.5	12.8	111.8 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: YALOBUSHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,366	910	410	500	192
WHITE	7,409	428	203	225	101
NONWHITE	4,957	482	207	275	91

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	33	1	10	22	14	0	1	13	19	1	9	9
TEENAGE IMMATURE BIRTHS	3	0	2	1	1	0	1	0	2	0	1	1
TEENAGE PREMATURE BIRTHS	8	1	2	5	4	0	1	3	4	1	1	2
TEENAGE ILLEGITIMATE BIRTHS	25	1	10	14	6	0	1	5	19	1	9	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	1	5	2	0	0	2	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	1	6	3	0	0	3	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	36.3	2.4	64.0 (15-19)		32.7	-	62.2 (15-19)		39.4	4.8	65.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	90.9	-	100.0	90.9	71.4	-	-	76.9	105.3	-	111.1	111.1
TEENAGE PREGNANCIES#	36	1	11	24	15	0	1	14	21	1	10	10
TEENAGE PREGNANCY RATE	39.6	2.4	70.0 (15-19)		35.0	-	66.7 (15-19)		43.6	4.8	72.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 1998

COUNTY: YAZOO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,510	2,099	1,078	1,021	489
WHITE	11,447	707	385	322	178
NONWHITE	14,063	1,392	693	699	311

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	116	9	42	65	27	1	10	16	89	8	32	49
TEENAGE IMMATURE BIRTHS	18	3	7	8	3	0	2	1	15	3	5	7
TEENAGE PREMATURE BIRTHS	16	1	8	7	3	0	2	1	13	1	6	6
TEENAGE ILLEGITIMATE BIRTHS	102	9	37	56	14	1	5	8	88	8	32	48
TEENS WHO HAD PREVIOUS LIVE BIRTHS	29	0	7	22	3	0	1	2	26	0	6	20
TEENS WHO HAD PREVIOUS PREGNANCIES	37	0	8	29	5	0	1	4	32	0	7	25
TEENS WITH INADEQUATE* PRENATAL CARE	9	2	1	6	1	0	0	1	8	2	1	5
TEENAGE FERTILITY RATE	55.3	8.3	104.8 (15-19)		38.2	2.6	80.7 (15-19)		63.9	11.5	115.9 (15-19)	
TEENAGE FETAL DEATHS**	4	1	0	3	0	0	0	0	4	1	0	3
TEENAGE FETAL DEATH RATIO	34.5	111.1	-	46.2	-	-	-	-	44.9	125.0	-	61.2
TEENAGE INDUCED TERMINATIONS#	23	0	8	15	5	0	3	2	18	0	5	13
TEENAGE INDUCED TERMINATION RATIO	198.3	-	190.5	230.8	185.2	-	300.0	125.0	202.2	-	156.2	265.3
TEENAGE PREGNANCIES#	143	10	50	83	32	1	13	18	111	9	37	65
TEENAGE PREGNANCY RATE	68.1	9.3	130.3 (15-19)		45.3	2.6	96.3 (15-19)		79.7	13.0	145.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0

* ACCORDING TO THE KESSNER INDEX

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE