

TABLE OF CONTENTS

	Page
INTRODUCTION	
Description of Bulletin	1
Definitions of Live Birth, Fetal Death, Induced Termination, and Death	1
Occurrence and Residence Allocation	2
Population	2
Race	2
Rates	3
Classification of Cause of Death	3
 SUMMARY TABLES, 2000	
POPULATION	
Table P1. 2000 Census Population, by Age, Race, and Sex, Residents of Mississippi	7
 LIVE BIRTHS	
Table A1. Live Births and Average per Day, by Month	8
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-2000	8
Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	9
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age and Race of Mother	10
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Mother and Race of Mother	10
Table A6. Live Births to Unmarried Mothers and Percent of Total Live Births in Specified Group, by Age and Race of Mother	11
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race of Mother	11
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race of Mother	12
Table A9. Live Births and Percentage Distribution, by Maturity and Race of Mother	12
Table A10. Congenital Anomalies Reported on Live Birth Certificates, by Anomaly and Race of Mother	13
Table A11. Medical Risk Factors Reported on Live Birth Certificates, by Risk Factor and Race of Mother	14
Table A12. Other Risk Factors Reported on Live Birth Certificates and Percentage Distribution, by Risk Factor and Race of Mother	15
Table A13. Complications of Labor and Delivery Reported on Live Birth Certificates, by Complication and Race of Mother	16
Table A14. Methods of Delivery Reported on Live Birth Certificates, by Method and Race of Mother	16
Table A15. Obstetric Procedures Reported on Live Birth Certificates, by Procedure and Race of Mother	17
Table A16. Abnormal Conditions of Newborn Reported on Live Birth Certificates, by Condition and Race of Mother	17
 FETAL DEATHS	
Table B1. Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	18

SUMMARY TABLES, 2000

FETAL DEATHS (continued)

Table B2.	Reportable Fetal Deaths and Fetal Death Ratios, by Age and Race of Mother	19
Table B3.	Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race of Mother	19
Table B4.	Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race of Mother, 1998-2000	20

DEATHS

Table C1.	Deaths and Average per Day, by Month	21
Table C2.	Deaths, Percentage Distribution, and Rates, by Age and Race	21
Table C3A.	Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race	22
Table C3B.	Death Rates, by Age, Race, and Sex	22
Table C4.	Deaths, Mortality Rates, and Percent of Total Deaths from Ten Leading Causes, by Cause and Race	23
Table C5.	Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause	24
Table C6.	Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race	25
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1975, 1980, 1985, 1990, 1995, 2000	25
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race	26
Table C9.	Deaths from Selected Types of Accidents, by Sex, also by Age	27
Table C10.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-2000	28
Table C11.	Infant Deaths, Percentage Distribution, and Mortality Rates by Age and Race	29
Table C12.	Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race	30
Table C13A.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death	31
Table C13B.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death, White Males and Females	32
Table C13C.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death, Nonwhite Males and Females	33

MARRIAGES

Table D1.	Marriages and Average per Day, by Month	34
Table D2.	Brides and Grooms and Percentage Distribution, by Age and Race	35
Table D3.	Median Age of Bride and Groom, for All Marriages and First Marriages, by Race	36
Table D4.	Brides and Grooms and Percentage Distribution, by Marriage Order and Race	37
Table D5.	Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race	38
Table D6.	Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride	39

SUMMARY TABLES, 2000

Page

DIVORCES

Table E1.	Divorces and Percentage Distribution, by Cause and Race	40
Table E2.	Divorces and Percentage Distribution, by Number of Minor Children and Race	40
Table E3.	Divorces and Percentage Distribution, by Number of Years Married and Race	41

INDUCED TERMINATIONS OF PREGNANCY

Table F1.	Reported Induced Terminations of Pregnancy, Percentage Distribution, and Induced Termination Ratios, by Age and Race of Patient, Procedures Performed in Mississippi	42
Table F2.	Reported Induced Terminations of Pregnancy and Percentage Distribution, by Characteristics of Patient and Race, Procedures Performed in Mississippi	43
Table F3.	Reported Induced Terminations of Pregnancy and Percentage Distribution, by Medical Characteristics and Race, Procedures Performed in Mississippi	44

MAJOR TABLES, 2000

POPULATION

Table i.	2000 Census Population and Percent Change From 1990 Census Population, Mississippi	47
----------	--	----

LIVE BIRTHS

Table 1A.	Live Births, by Place of Occurrence and Race of Mother, also Live Births and Rates, by Place of Residence and Race of Mother, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2000	49
Table 1B.	Fertility Rates, by County of Residence and Race of Mother, Mississippi, 2000	52
Table 2.	Live Births, by County of Residence, Race of Mother, and Attendant, also by County of Residence and Sex, Mississippi, 2000	53
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 2000	56
Table 3B.	Live Births to White Mothers, by County of Residence and Age of Mother, Mississippi, 2000	58
Table 3C.	Live Births to Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2000	60
Table 4.	Live Births to Unmarried Mothers and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2000 ...	62
Table 5A.	Total Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 2000	64
Table 5B.	Live Births to Unmarried White Mothers, by County of Residence and Age of Mother, Mississippi, 2000	66
Table 5C.	Live Births to Unmarried Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2000	68
Table 6A.	Live Births Weighing Less Than 2,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2000	70

MAJOR TABLES, 2000

LIVE BIRTHS (continued)

Table 6B.	Live Births Weighing Less Than 1,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2000	72
Table 7.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2000	74

FETAL DEATHS

Table 8.	Reportable Fetal Deaths, by County of Occurrence and Race of Mother, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race of Mother, Mississippi, 2000	76
----------	--	----

DEATHS

Table 9.	Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2000	78
Table 10A.	Deaths, by Cause and Race, (Cause Groupings Based on NCHS List of 358 Selected Causes), Mississippi Residents, 2000	81
Table 10B.	Deaths, by Cause and Race, Mississippi Residents, 2000	91
Table 11.	Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 2000	114
Table 12A.	Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 2000	121
Table 12B.	Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1996-2000 (5-Year Average)	123
Table 13.	Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 2000	125
Table 14.	Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 2000	128

MARRIAGES

Table 15.	Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 2000	130
-----------	--	-----

DIVORCES

Table 16.	Divorces, by County of Occurrence and Race, Mississippi, 2000	132
-----------	--	-----

INDUCED TERMINATIONS

Table 17.	Reported Induced Terminations of Pregnancy Performed in Mississippi on Mississippi Residents, by County of Residence and Race, 2000	133
-----------	---	-----

TEENAGE PREGNANCY

Table 18A.	Teenage Pregnancies, by County of Residence, Race, and Age Group of Mother, Mississippi, 2000	134
Table 18B.	Teenage Pregnancy Rates, by County of Residence, Race, and Age Group of Mother, Mississippi Residents, 2000	136

MAJOR TABLES, 2000

Page

DEATHS (COUNTY AND STATE SUMMARIES)

Table 19.	Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents The Counties (in alphabetical order)	139
	The State	159

TIME SERIES TABLES

Page

Table 20.	Live Births and Rates, by Year and Race, Mississippi, 1913-2000, (Occurrence Data 1913-1943, Residence Data 1944-2000)	163
Table 21.	Deaths and Rates, by Year and Race, Mississippi, 1913-2000, (Occurrence Data 1913-1943, Residence Data 1944-2000)	165
Table 22.	Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-2000, (Occurrence Data 1913-1943, Residence Data 1944-2000)	167
Table 23.	Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-2000, (Occurrence Data 1917-1943, Residence Data 1944-2000)	169
Table 24.	Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2000, (Occurrence Data 1924-1944, Residence Data 1945-2000)	171
Table 25.	Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2000, (Occurrence Data 1924-1943, Residence Data 1944-2000)	173
Table 26.	Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-2000	175
Table 27.	Reported Induced Terminations of Pregnancy and Induced Termination Ratios, by Year and Race, Procedures Performed in Mississippi, 1976-2000	177
Table 28.	Teenage Pregnancies and Pregnancy Rates, by Year and Race, Residence Data, Mississippi, 1979-2000	178

APPENDICES

Appendix A.	List of 358 Selected Causes of Death Used for Tabulating Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included	181
Appendix B.	List of 50 Selected Categories of Causes of Death Used for Ranking Leading Causes, Showing Group Numbers, Causes of Death, and ICD-10 Codes Included in Each Category	195
Appendix C.	List of 130 Selected Causes of Infant Death Used for Tabulating Infant Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included	197

VITAL STATISTICS MISSISSIPPI, 2000

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, induced terminations of pregnancy, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Reports of induced terminations of pregnancy were prepared by hospitals, clinic staff, and physicians. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, medical examiners, and medical examiner investigators. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 2000; the second part contains major statistical tables for 2000. Time series tables numbered 20 through 28 are presented in the third part.

Definitions of Live Birth, Fetal Death, Induced Termination, and Death

The definitions of live birth, fetal death, and induced termination of pregnancy adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. The definition of death was adopted by the Mississippi Legislature in 1982, statute number 41-36-3.

Live Birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal Death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Induced Termination of Pregnancy - the intentional termination of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus.

Death - an individual who has sustained either (a) irreversible cessation of circulatory and respiratory functions or (b) irreversible cessation of all functions of the entire brain, including the brain stem, is dead. A determination of death must be made in accordance with accepted medical standards.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Figures on induced terminations of pregnancy in Tables F1, F2, F3, and 17 refer only to procedures performed in Mississippi, and do not include transcripts of records of events that occurred in other states to Mississippi residents. Residence assignment was determined by the usual residence of the patient. However, the teenage pregnancy figures in Tables 18A, 18B, and 28, which include induced termination figures, refer to induced terminations of all Mississippi resident teens, regardless of where the induced termination was actually performed.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

Figures from the U.S. Census of April 1, 2000, were used in this bulletin, with the exception of the figures for ages under 1 and 1-4, by race and race/sex groups, in Table P1 on page 7. Because population counts by single years of age were not available at the time of publication of this book, those figures were calculated as explained in the footnote at the bottom of that table.

Race

The two categories for race used in this publication are white and nonwhite. White includes such groups as Caucasian, Anglo-American, Canadian, Cuban, French, Greek, Hispanic, Latin American, Mexican, Puerto Rican, Swedish, etc. Nonwhite includes such groups as Black, Afro-American, American Indian, Chinese, Japanese, Hawaiian, Filipino, and all other groups not considered as white.

Prior to 1989, all statistics regarding live births and fetal deaths were broken down by race of the child or fetus; however, beginning with 1989 and continuing with subsequent years all statistics on live births and fetal deaths will be reported by race of the mother. This includes any rates or ratios that involve figures for live births or fetal deaths. For example, the infant mortality rate for white infants will now be calculated using the number of live births to white mothers as the denominator.

Rates

Population-based rates for the state include those for live births, total deaths, and deaths from specific causes, except maternal deaths and deaths from certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Tenth Revision International Statistical Classification of Diseases and Related Health Problems (ICD-10). The Tenth Revision was used for the first time in 1999, and is markedly different from the Ninth Revision. Because of this, and also because periodic changes in the classification system occurring throughout the years have resulted in an unavoidable lack of comparability for some causes, caution should be used in analyzing trends which span classification revisions.

With the exception of Table 10B, all tables which show cause of death are based on the National Center for Health Statistics' List of 358 Selected Causes of Death (see Appendix A), and appear with group numbers instead of the actual ICD-10 codes. These groupings were developed to preserve traditional categories of causes of death not found in continuous ranges of codes in ICD-10 as they were in ICD-9, to maintain continuity with prior coding revisions to facilitate trend analysis, and to separately identify causes of death that are of public health and medical importance. In Table 10B, however, the cause-of-death titles shown do follow the actual coding structure of the Tenth revision, and the causes are shown with their corresponding ICD-10 codes.

Internet site

The tables contained in this book can also be found on the Internet at:

www.msdh.state.ms.us/phs

SUMMARY TABLES, 2000

In this section, all tables on live births, fetal deaths, and deaths represent residence data unless otherwise specified; all information on induced terminations of pregnancy, marriages, and divorces is occurrence data.

**TABLE P1. 2000 CENSUS POPULATION, BY AGE, RACE, AND SEX
RESIDENTS OF MISSISSIPPI**

AGE	TOTAL			WHI TE			NONWHI TE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL	2,844,658	1,373,554	1,471,104	1,746,099	855,944	890,155	1,098,559	517,610	580,949
0-4	204,364	104,520	99,844	106,859	55,060	51,799	97,505	49,460	48,045
(UNDER 1)	41,217	21,144	20,073	21,552*	11,138*	10,414*	19,665*	10,006*	9,659*
(1-4)	163,147	83,376	79,771	85,307*	43,922*	41,385*	77,840*	39,454*	38,386*
5-9	216,920	110,509	106,411	111,256	57,260	53,996	105,664	53,249	52,415
10-14	218,742	111,599	107,143	115,789	59,571	56,218	102,953	52,028	50,925
15-19	233,188	118,728	114,460	123,895	63,837	60,058	109,293	54,891	54,402
20-24	212,947	106,793	106,154	117,345	60,424	56,921	95,602	46,369	49,233
25-29	192,526	94,043	98,483	113,466	57,415	56,051	79,060	36,628	42,432
30-34	189,272	92,364	96,908	115,466	58,718	56,748	73,806	33,646	40,160
35-39	212,309	103,065	109,244	132,781	66,907	65,874	79,528	36,158	43,370
40-44	213,063	103,430	109,633	133,272	67,022	66,250	79,791	36,408	43,383
45-49	192,111	93,039	99,072	123,840	61,384	62,456	68,271	31,655	36,616
50-54	169,870	82,974	86,896	118,206	58,876	59,330	51,664	24,098	27,566
55-59	132,202	63,298	68,904	96,395	46,969	49,426	35,807	16,329	19,478
60-64	113,621	53,302	60,319	83,145	40,066	43,079	30,476	13,236	17,240
65-69	98,179	44,174	54,005	73,040	33,833	39,207	25,139	10,341	14,798
70-74	87,531	37,356	50,175	65,589	28,802	36,787	21,942	8,554	13,388
75-79	68,558	26,611	41,947	51,512	20,363	31,149	17,046	6,248	10,798
80-84	46,364	15,970	30,394	34,397	11,802	22,595	11,967	4,168	7,799
85 AND OVER	42,891	11,779	31,112	29,846	7,635	22,211	13,045	4,144	8,901
UNDER 15	640,026	326,628	313,398	333,904	171,891	162,013	306,122	154,737	151,385
15-64	1,861,109	911,036	950,073	1,157,811	581,618	576,193	703,298	329,418	373,880
65 AND OVER	343,523	135,890	207,633	254,384	102,435	151,949	89,139	33,455	55,684
MEDIAN AGE	33.8	32.2	35.3	37.6	36.2	39.0	27.4	25.4	29.2

* THESE FIGURES WERE CALCULATED BY APPLYING THE DI STRIBUTION OF AGE GROUPS UNDER 1 AND 1-4 FROM THE TOTAL MALE AND TOTAL FEMALE GROUPS.

LIVE BIRTHS

**TABLE A1. LIVE BIRTHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2000**

MONTH	BIRTHS	AVERAGE PER DAY	MONTH	BIRTHS	AVERAGE PER DAY
TOTAL	44,075	121			
JANUARY	3,526	114	JULY	3,852	124
FEBRUARY	3,577	123	AUGUST	4,087	132
MARCH	3,756	121	SEPTEMBER	3,741	125
APRIL	3,223	107	OCTOBER	3,837	124
MAY	3,389	109	NOVEMBER	3,685	123
JUNE	3,764	125	DECEMBER	3,638	117

**TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,
BY YEAR AND RACE*
MISSISSIPPI, 1940, 1950, 1960, 1970-2000**

YEAR	TOTAL	WHITE	NON- WHITE	YEAR	TOTAL	WHITE	NON- WHITE
1940	14.1	27.1	3.9				
1950	46.1	83.3	18.9				
1960	73.2	99.0	51.3				
1970#	90.0	99.7	79.7	1990#	99.6	99.6	99.6
1971#	92.2	99.6	84.2	1991#	99.6	99.6	99.6
1972#	95.2	99.8	90.4	1992#	99.7	99.7	99.7
1973#	96.4	99.7	92.8	1993#	99.7	99.7	99.6
1974#	97.4	99.7	94.8	1994#	99.7	99.7	99.7
1975#	97.9	99.6	96.0	1995#	99.7	99.7	99.6
1976#	98.5	99.7	97.3	1996#	99.7	99.7	99.7
1977#	98.9	99.7	98.1	1997#	99.7	99.8	99.7
1978#	99.1	99.7	98.4	1998#	99.6	99.7	99.6
1979#	99.3	99.7	98.9	1999#	99.7	99.7	99.7
1980#	99.4	99.7	99.1	2000#	99.7	99.7	99.7
1981#	99.3	99.6	99.0				
1982#	99.4	99.6	99.2				
1983#	99.5	99.6	99.4				
1984#	99.5	99.6	99.4				
1985#	99.6	99.7	99.4				
1986#	99.6	99.7	99.5				
1987#	99.6	99.8	99.5				
1988#	99.6	99.7	99.6				
1989#	99.6	99.8	99.5				

* FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD;
BEGINNING IN 1989 FIGURES SHOWN ARE BY RACE OF MOTHER.

INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL
CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING
INPATIENT CARE WERE INCLUDED.

**TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 2000**

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI - CIAN	CERTI - FIED NURSE MI DWI FE	GRANNY MI DWI FE	OTHER NAMED PERSON	UN- KNOWN	TOTAL	PHYSI - CIAN	CERTI - FIED NURSE MI DWI FE	GRANNY MI DWI FE	OTHER NAMED PERSON	UN- KNOWN
<u>TOTAL</u>	<u>44,075</u>	<u>43,017</u>	<u>904</u>	<u>28</u>	<u>106</u>	<u>20</u>	<u>100.0</u>	<u>97.6</u>	<u>2.0</u>	<u>0.1</u>	<u>0.2</u>	<u>*</u>
HOSPI TAL CLINI C/DOCTOR' S OFFI CE	43,950	43,005	898	0	39	8	99.7	97.6	2.0	-	0.1	*
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	110	10	6	28	57	9	0.2	*	*	0.1	0.1	*
UNKNOWN PLACE	12	1	0	0	10	1	*	*	-	-	*	*
	3	1	0	0	0	2	*	*	-	-	-	*
<u>WHI TE</u>	<u>23,540</u>	<u>23,034</u>	<u>434</u>	<u>25</u>	<u>40</u>	<u>7</u>	<u>100.0</u>	<u>97.8</u>	<u>1.8</u>	<u>0.1</u>	<u>0.2</u>	<u>*</u>
HOSPI TAL CLINI C/DOCTOR' S OFFI CE	23,478	23,031	429	0	16	2	99.7	97.8	1.8	-	0.1	*
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	53	2	5	25	18	3	0.2	*	*	0.1	0.1	*
UNKNOWN PLACE	6	0	0	0	6	0	*	-	-	-	*	-
	3	1	0	0	0	2	*	*	-	-	-	*
<u>NONWHI TE</u>	<u>20,535</u>	<u>19,983</u>	<u>470</u>	<u>3</u>	<u>66</u>	<u>13</u>	<u>100.0</u>	<u>97.3</u>	<u>2.3</u>	<u>*</u>	<u>0.3</u>	<u>0.1</u>
HOSPI TAL CLINI C/DOCTOR' S OFFI CE	20,472	19,974	469	0	23	6	99.7	97.3	2.3	-	0.1	*
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	57	8	1	3	39	6	0.3	*	*	*	0.2	*
UNKNOWN PLACE	6	1	0	0	4	1	*	*	-	-	*	*
	0	0	0	0	0	0	-	-	-	-	-	-

* LESS THAN 0.06 PERCENT.

**TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2000**

AGE OF MOTHER	NUMBER			PERCENT			FERTILITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>44,075</u>	<u>23,540</u>	<u>20,535</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>69.4</u>	<u>65.0</u>	<u>75.2</u>
UNDER 15	236	30	206	0.5	0.1	1.0	2.2	0.5	4.0
15-19	8,030	3,159	4,871	18.2	13.4	23.7	70.2	52.6	89.5
20-24	14,900	7,131	7,769	33.8	30.3	37.8	140.4	125.3	157.8
25-29	11,229	6,914	4,315	25.5	29.4	21.0	114.0	123.4	101.7
30-34	6,400	4,236	2,164	14.5	18.0	10.5	66.0	74.6	53.9
35-39	2,711	1,746	965	6.2	7.4	4.7	24.8	26.5	22.2
40-44	551	312	239	1.2	1.3	1.2	5.0	4.7	5.5
45-49	16	12	4	**	**	**	0.2	0.2	0.1
UNKNOWN	2	0	2	**	-	**			

* FOR TOTAL GROUP - LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY YEARS OF SCHOOL COMPLETED BY MOTHER AND RACE OF MOTHER
MISSISSIPPI, 2000**

COMPLETED BY MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL BIRTHS</u>	<u>44,075</u>	<u>23,540</u>	<u>20,535</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>			
0-6 YEARS	305	205	100	0.7	0.9	0.5	0.7	0.9	0.5
7-9 YEARS	3,672	1,855	1,817	8.4	7.9	8.9	9.0	8.8	9.3
10, 11 YEARS	7,348	2,871	4,477	16.7	12.2	21.8	25.8	21.0	31.2
12 YEARS	14,190	6,614	7,576	32.3	28.2	36.9	58.0	49.2	68.1
1-3 YEARS COLLEGE	11,078	6,249	4,829	25.2	26.6	23.6	83.2	75.9	91.7
4 OR MORE YEARS									
OF COLLEGE	7,360	5,654	1,706	16.7	24.1	8.3	100.0	100.0	100.0
UNKNOWN	122	92	30						
<u>MEDIAN YEARS COMPLETED*</u>	<u>12.8</u>	<u>13.1</u>	<u>12.5</u>						

* CALCULATIONS EXCLUDE BIRTHS TO MOTHERS WITH EDUCATION UNKNOWN.

**TABLE A6. LIVE BIRTHS TO UNMARRIED MOTHERS
AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2000**

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>20,272</u>	<u>5,102</u>	<u>15,170</u>	<u>46.0</u>	<u>21.7</u>	<u>73.9</u>
UNDER 15	233	30	203	98.7	100.0	98.5
15-19	6,554	1,823	4,731	81.6	57.7	97.1
20-24	8,295	1,969	6,326	55.7	27.6	81.4
25-29	3,197	743	2,454	28.5	10.7	56.9
30-34	1,272	336	936	19.9	7.9	43.2
35-39	590	170	420	21.8	9.7	43.5
40-44	129	30	99	23.4	9.6	41.4
45-49	1	1	0	6.2	8.3	-
UNKNOWN	1	0	1			

**TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES, AND
MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE OF MOTHER
MISSISSIPPI, 2000**

TOTAL-BIRTH ORDER*	NUMBER			PERCENT			FERTILITY RATE**			MEDIAN AGE OF MOTHER		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>44,075</u>	<u>23,540</u>	<u>20,535</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>69.4</u>	<u>65.0</u>	<u>75.2</u>	<u>24.6</u>	<u>26.0</u>	<u>23.0</u>
FIRST	15,003	8,486	6,517	34.0	36.0	31.7	23.6	23.4	23.9	21.3	23.0	19.8
SECOND	13,429	7,511	5,918	30.5	31.9	28.8	21.2	20.8	21.7	24.6	26.3	22.8
THIRD	8,519	4,342	4,177	19.3	18.4	20.3	13.4	12.0	15.3	26.4	28.1	24.8
FOURTH	3,950	1,839	2,111	9.0	7.8	10.3	6.2	5.1	7.7	27.6	29.3	26.0
FIFTH	1,747	772	975	4.0	3.3	4.7	2.8	2.1	3.6	28.8	30.6	27.6
SIXTH	744	320	424	1.7	1.4	2.1	1.2	0.9	1.6	29.8	31.8	28.7
SEVENTH	331	130	201	0.8	0.6	1.0	0.5	0.4	0.7	31.0	33.5	30.2
EIGHTH	153	57	96	0.3	0.2	0.5	0.2	0.2	0.4	32.0	32.4	31.7
NINTH	75	28	47	0.2	0.1	0.2	0.1	0.1	0.2	34.7	35.6	34.3
TENTH & OVER	79	37	42	0.2	0.2	0.2	0.1	0.1	0.2	36.8	36.5	37.4
UNKNOWN	45	18	27	0.1	0.1	0.1	0.1	#	0.1			

* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

** LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE.

LESS THAN 0.06.

**TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY WHETHER MOTHER RECEIVED PRENATAL CARE,
TIME DURING PREGNANCY CARE BEGAN, AND RACE OF MOTHER
MISSISSIPPI, 2000**

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>44,075</u>	<u>23,540</u>	<u>20,535</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO PRENATAL CARE	500	111	389	1.1	0.5	1.9
<u>SOME PRENATAL CARE</u>	<u>43,414</u>	<u>23,363</u>	<u>20,051</u>	<u>98.5</u>	<u>99.2</u>	<u>97.6</u>
FIRST TRIMESTER	35,634	20,809	14,825	80.8	88.4	72.2
SECOND TRIMESTER	6,441	2,125	4,316	14.6	9.0	21.0
THI RD TRIMESTER	1,160	374	786	2.6	1.6	3.8
UNKNOWN MONTH	179	55	124	0.4	0.2	0.6
UNKNOWN WHETHER ANY PRENATAL CARE	161	66	95	0.4	0.3	0.5

**TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY MATURITY AND RACE OF MOTHER
MISSISSIPPI, 2000**

MATURI TY*	NUMBER			PERCENT		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>44,075</u>	<u>23,540</u>	<u>20,535</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IMMATURE ONLY**	1,867	730	1,137	4.2	3.1	5.5
PREMATURE ONLY**	4,127	1,852	2,275	9.4	7.9	11.1
BOTH IMMATURE AND PREMATURE	2,834	1,139	1,695	6.4	4.8	8.2
TOTAL IMMATURE	4,701	1,869	2,832	10.7	7.9	13.8
TOTAL PREMATURE	6,961	2,991	3,970	15.8	12.7	19.3
TOTAL IMMATURE AND/OR PREMATURE	8,828	3,721	5,107	20.0	15.8	24.9
NEI THER IMMATURE NOR PREMATURE**	35,247	19,819	15,428	80.0	84.2	75.1

* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2,500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

** BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEI THER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

**TABLE A10. CONGENITAL ANOMALIES REPORTED ON LIVE BIRTH CERTIFICATES,
BY ANOMALY AND RACE OF MOTHER
MISSISSIPPI, 2000**

CONGENITAL ANOMALY	TOTAL	WHITE	NON- WHITE
<u>TOTAL ANOMALIES REPORTED</u>	<u>564</u>	<u>285</u>	<u>279</u>
ANENCEPHALUS	7	3	4
SPI NA BI FI DA/MENI NGOCELE	16	11	5
HYDROCEPHALUS	20	7	13
MI CROCEPHALUS	6	4	2
OTHER CENTRAL NERVOUS SYSTEM ANOMALIES	9	6	3
HEART MALFORMATIONS	53	34	19
OTHER CI RCULATORY/RESPI RATORY ANOMALIES	41	27	14
RECTAL ATRESIA/STENOSIS	5	5	0
TRACHEO-ESOPHAGEAL FI STULA/ESOPHAGEAL ATRESIA	3	1	2
OMPHALOCELE/GASTROSCHISI S	25	10	15
OTHER GASTROI NTESTI NAL ANOMALIES	10	5	5
MALFORMED GENI TALIA	43	25	18
RENAL AGENESI S	4	1	3
OTHER UROGENI TAL ANOMALIES	24	12	12
CLEFT LI P/PALATE	43	26	17
POLYDACTYLY/SYNDACTYLY/ADACTYLY	83	15	68
CLUB FOOT	28	16	12
DI APHRAGMATI C HERNIA	6	3	3
OTHER MUSCULOSKELETAL/I NTEGUMENTAL ANOMALIES	70	35	35
DOWNS SYNDROME	23	18	5
OTHER CHROMOSOMAL ANOMALIES	5	2	3
<u>OTHER</u>	<u>40</u>	<u>19</u>	<u>21</u>

**TABLE A11. MEDICAL RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES,
BY RISK FACTOR AND RACE OF MOTHER
MISSISSIPPI, 2000**

<u>MEDICAL RISK FACTOR</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL RISK FACTORS REPORTED</u>	<u>12,669</u>	<u>5,825</u>	<u>6,844</u>
ANEMIA (HCT. < 30/HGB. < 10)	1,151	449	702
CARDIAC DISEASE	209	164	45
ACUTE OR CHRONIC LUNG DISEASE	391	205	186
DIABETES	1,128	628	500
GENITAL HERPES	240	144	96
HYDRAMNIOS/OLIGOHYDRAMNIOS	455	210	245
HEMOGLOBINOPATHY	225	5	220
HYPERTENSION, CHRONIC	658	249	409
HYPERTENSION, PREGNANCY-ASSOCIATED	2,454	1,304	1,150
ECLAMPSIA	235	110	125
INCOMPETENT CERVIX	95	34	61
PREVIOUS INFANT 4000+ GRAMS	211	150	61
PREVIOUS PRETERM OR SMALL-FOR-GESTATIONAL-AGE INFANT	581	263	318
RENAL DISEASE	71	50	21
RH SENSITIZATION	265	195	70
UTERINE BLEEDING	197	117	80
OTHER	4,103	1,548	2,555

TABLE A12. OTHER RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES AND PERCENTAGE DISTRIBUTION, BY RISK FACTOR AND RACE OF MOTHER, MISSISSIPPI, 2000

RISK FACTOR	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL LIVE BIRTHS</u>	<u>44,075</u>	<u>23,540</u>	<u>20,535</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
TOBACCO USE DURING PREGNANCY						
NONE	38,565	19,304	19,261	87.5	82.0	93.8
<u>SOME</u>	<u>5,392</u>	<u>4,189</u>	<u>1,203</u>	<u>12.2</u>	<u>17.8</u>	<u>5.8</u>
1-9 CIGARETTES PER DAY	1,839	1,247	592	4.2	5.3	2.9
10-19 CIGARETTES PER DAY	2,055	1,708	347	4.7	7.2	1.7
20-29 CIGARETTES PER DAY	1,183	1,006	177	2.7	4.3	0.9
30-39 CIGARETTES PER DAY	108	98	10	0.2	0.4	*
40-49 CIGARETTES PER DAY	40	34	6	0.1	0.1	*
50-59 CIGARETTES PER DAY	2	1	1	*	*	*
60 OR MORE PER DAY	1	1	0	*	*	-
UNKNOWN AMOUNT	164	94	70	0.4	0.4	0.3
NOT STATED	118	47	71	0.3	0.2	0.3
ALCOHOL USE DURING PREGNANCY						
NONE	43,654	23,378	20,276	99.0	99.3	98.7
<u>SOME</u>	<u>294</u>	<u>110</u>	<u>184</u>	<u>0.7</u>	<u>0.5</u>	<u>0.9</u>
1 DRINK PER WEEK	96	39	57	0.2	0.2	0.3
2 DRINKS PER WEEK	53	24	29	0.1	0.1	0.1
3 DRINKS PER WEEK	24	7	17	*	*	0.1
4 DRINKS PER WEEK	12	3	9	*	*	*
5 DRINKS PER WEEK	6	2	4	*	*	*
6 OR MORE PER WEEK	25	5	20	*	*	0.1
UNKNOWN AMOUNT	78	30	48	0.2	0.1	0.2
NOT STATED	127	52	75	0.3	0.2	0.4
WEIGHT GAINED DURING PREGNANCY						
NONE OR LOST WEIGHT	946	347	599	2.1	1.5	2.9
1-4 POUNDS	369	150	219	0.8	0.6	1.1
5-9 POUNDS	1,134	472	662	2.6	2.0	3.2
10-14 POUNDS	2,512	1,018	1,494	5.7	4.3	7.3
15-19 POUNDS	3,162	1,434	1,728	7.2	6.1	8.4
20-24 POUNDS	5,910	2,903	3,007	13.4	12.3	14.6
25-29 POUNDS	5,178	2,957	2,221	11.7	12.6	10.8
30-34 POUNDS	6,914	3,928	2,986	15.7	16.7	14.5
35-39 POUNDS	4,214	2,565	1,649	9.6	10.9	8.0
40-44 POUNDS	4,371	2,634	1,737	9.9	11.2	8.4
45 OR MORE POUNDS	6,579	3,990	2,589	14.9	17.0	12.6
UNKNOWN AMOUNT	2,786	1,142	1,644	6.3	4.8	8.0
<u>MEDIAN WEIGHT GAIN (LBS)**</u>	<u>31.0</u>	<u>32.4</u>	<u>28.9</u>			

* LESS THAN 0.06 PERCENT.

** EXCLUDES MOTHERS WHOSE WEIGHT GAIN WAS UNKNOWN.

**TABLE A13. COMPLICATIONS OF LABOR AND DELIVERY
REPORTED ON LIVE BIRTH CERTIFICATES,
BY COMPLICATION AND RACE OF MOTHER
MISSISSIPPI, 2000**

COMPLICATION	TOTAL	WHITE	NON- WHITE
<u>TOTAL COMPLICATIONS REPORTED</u>	<u>13,056</u>	<u>6,756</u>	<u>6,300</u>
FEBRILE (> 100 DEGREES F. OR 38 DEGREES C.)	417	236	181
MECONIUM, MODERATE/HEAVY	1,874	788	1,086
PREMATURE RUPTURE OF MEMBRANE (> 12 HOURS)	1,656	551	1,105
ABRUPTIO PLACENTA	254	126	128
PLACENTA PREVIA	119	66	53
OTHER EXCESSIVE BLEEDING	110	66	44
SEIZURES DURING LABOR	20	5	15
PRECIPITOUS LABOR (< 3 HOURS)	550	254	296
PROLONGED LABOR (> 20 HOURS)	190	111	79
DYSFUNCTIONAL LABOR	1,125	651	474
BREECH/MALPRESENTATION	1,586	952	634
CEPHALOPELVIC DISPROPORTION	1,184	742	442
CORD PROLAPSE	45	20	25
ANESTHETIC COMPLICATIONS	27	18	9
FETAL DISTRESS	1,830	912	918
OTHER	2,069	1,258	811

**TABLE A14. METHOD OF DELIVERY REPORTED ON LIVE BIRTH CERTIFICATES,
BY METHOD AND RACE OF MOTHER
MISSISSIPPI, 2000**

METHOD OF DELIVERY	TOTAL	WHITE	NON- WHITE
<u>TOTAL METHODS OF DELIVERY REPORTED</u>	<u>47,479</u>	<u>25,540</u>	<u>21,939</u>
VAGINAL	30,851	16,248	14,603
VAGINAL BIRTH AFTER PREVIOUS C-SECTION	646	319	327
PRIMARY C-SECTION	7,365	4,129	3,236
REPEAT C-SECTION	5,193	2,830	2,363
FORCEPS	1,540	949	591
VACUUM	1,884	1,065	819

**TABLE A15. OBSTETRIC PROCEDURES REPORTED ON LIVE BIRTH CERTIFICATES,
BY PROCEDURE AND RACE OF MOTHER
MISSISSIPPI, 2000**

OBSTETRIC PROCEDURE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OBSTETRIC PROCEDURES REPORTED</u>	<u>78,257</u>	<u>44,865</u>	<u>33,392</u>
AMNIOCENTESIS	353	232	121
ELECTRONIC FETAL MONITORING	37,241	20,721	16,520
INDUCTION OF LABOR	7,524	5,007	2,517
STIMULATION OF LABOR	6,741	3,839	2,902
TOCOLYSIS	836	415	421
ULTRASOUND	25,016	14,397	10,619
OTHER	546	254	292

**TABLE A16. ABNORMAL CONDITIONS OF NEWBORN
REPORTED ON LIVE BIRTH CERTIFICATES,
BY CONDITION AND RACE OF MOTHER
MISSISSIPPI, 2000**

ABNORMAL CONDITION OF NEWBORN	TOTAL	WHITE	NON- WHITE
<u>TOTAL ABNORMAL CONDITIONS REPORTED</u>	<u>2,556</u>	<u>1,241</u>	<u>1,315</u>
ANEMIA (HCT. < 39/HGB. < 13)	36	12	24
BIRTH INJURY	91	57	34
FETAL ALCOHOL SYNDROME	0	0	0
HYALINE MEMBRANE DISEASE/RDS	463	259	204
MECONIUM ASPIRATION SYNDROME	63	20	43
ASSISTED VENTILATION < 30 MINUTES	612	304	308
ASSISTED VENTILATION 30 MINUTES OR MORE	498	191	307
SEIZURES	18	9	9
OTHER	775	389	386

**TABLE B1. REPORTABLE* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,
BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 2000**

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI - CIAN	CERTI - FIED NURSE MI DWI FE	GRANNY MI DWI FE	OTHER NAMED PERSON	UN- KNOWN	TOTAL	PHYSI - CIAN	CERTI - FIED NURSE MI DWI FE	GRANNY MI DWI FE	OTHER NAMED PERSON	UN- KNOWN
<u>TOTAL</u>	<u>465</u>	<u>454</u>	<u>4</u>	<u>0</u>	<u>2</u>	<u>5</u>	<u>100.0</u>	<u>97.6</u>	<u>0.9</u>	<u>-</u>	<u>0.4</u>	<u>1.1</u>
HOSPI TAL CLINI C/DOCTOR' S OFFI CE	460	452	4	0	1	3	98.9	97.2	0.9	-	0.2	0.6
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	5	2	0	0	1	2	1.1	0.4	-	-	0.2	0.4
UNKNOWN PLACE	0	0	0	0	0	0	-	-	-	-	-	-
<u>WHITE</u>	<u>141</u>	<u>139</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>100.0</u>	<u>98.6</u>	<u>-</u>	<u>-</u>	<u>0.7</u>	<u>0.7</u>
HOSPI TAL CLINI C/DOCTOR' S OFFI CE	140	139	0	0	0	1	99.3	98.6	-	-	-	0.7
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	1	0	0	0	1	0	0.7	-	-	-	0.7	-
UNKNOWN PLACE	0	0	0	0	0	0	-	-	-	-	-	-
<u>NONWHI TE</u>	<u>324</u>	<u>315</u>	<u>4</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>100.0</u>	<u>97.2</u>	<u>1.2</u>	<u>-</u>	<u>0.3</u>	<u>1.2</u>
HOSPI TAL CLINI C/DOCTOR' S OFFI CE	320	313	4	0	1	2	98.8	96.6	1.2	-	0.3	0.6
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	4	2	0	0	0	2	1.2	0.6	-	-	-	0.6
UNKNOWN PLACE	0	0	0	0	0	0	-	-	-	-	-	-

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B2. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2000**

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>465</u>	<u>141</u>	<u>324</u>	<u>10.6</u>	<u>6.0</u>	<u>15.8</u>
UNDER 15	6	1	5	25.4	#	24.3
15-19	97	28	69	12.1	8.9	14.2
20-24	158	45	113	10.6	6.3	14.5
25-29	108	33	75	9.6	4.8	17.4
30-34	55	20	35	8.6	4.7	16.2
35-39	33	11	22	12.2	6.3	22.8
40-44	5	1	4	9.1	3.2	16.7
45-49	1	1	0	#	#	#
UNKNOWN	2	1	1	#	#	#

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

**TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS
AND REPORTABLE* FETAL DEATHS,
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE OF MOTHER
MISSISSIPPI, 2000**

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO CARE	1.1	0.5	1.9	10.1	4.2	12.6
SOME CARE	98.1	99.0	97.0	82.8	88.6	80.2
UNKNOWN WHETHER ANY CARE	0.8	0.5	1.1	7.1	7.1	7.1

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B4. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COMPLETED WEEKS OF GESTATION AND RACE OF MOTHER,
MISSISSIPPI, 1998-2000**

COMPLETED WEEKS OF GESTATION**	TOTAL			WHITE			NONWHITE		
	1998	1999	2000	1998	1999	2000	1998	1999	2000
REPORTABLE* FETAL DEATHS									
<u>TOTAL</u>	<u>427</u>	<u>440</u>	<u>465</u>	<u>147</u>	<u>149</u>	<u>141</u>	<u>280</u>	<u>291</u>	<u>324</u>
UNDER 20	33	22	23	12	7	5	21	15	18
<u>20 AND OVER</u>	<u>331</u>	<u>353</u>	<u>347</u>	<u>120</u>	<u>124</u>	<u>110</u>	<u>211</u>	<u>229</u>	<u>237</u>
20-22	83	100	94	21	23	26	62	77	68
23-27	80	81	79	26	27	27	54	54	52
28-36	104	124	109	44	52	31	60	72	78
37 AND OVER	64	48	65	29	22	26	35	26	39
UNKNOWN	63	65	95	15	18	26	48	47	69
FETAL DEATH RATIOS#									
<u>TOTAL</u>	<u>9.9</u>	<u>10.3</u>	<u>10.6</u>	<u>6.4</u>	<u>6.6</u>	<u>6.0</u>	<u>14.0</u>	<u>14.5</u>	<u>15.8</u>
UNDER 20	0.8	0.5	0.5	0.5	0.3	0.2	1.0	0.7	0.9
<u>20 AND OVER</u>	<u>7.7</u>	<u>8.3</u>	<u>7.9</u>	<u>5.2</u>	<u>5.5</u>	<u>4.7</u>	<u>10.6</u>	<u>11.4</u>	<u>11.5</u>
20-22	1.9	2.3	2.1	0.9	1.0	1.1	3.1	3.8	3.3
23-27	1.9	1.9	1.8	1.1	1.2	1.1	2.7	2.7	2.5
28-36	2.4	2.9	2.5	1.9	2.3	1.3	3.0	3.6	3.8
37 AND OVER	1.5	1.1	1.5	1.3	1.0	1.1	1.8	1.3	1.9
UNKNOWN	1.5	1.5	2.2	0.6	0.8	1.1	2.4	2.3	3.4

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

DEATHS

**TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2000**

MONTH	DEATHS	AVERAGE PER DAY	MONTH	DEATHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>28,529</u>	<u>78</u>			
JANUARY	2,972	96	JULY	2,303	74
FEBRUARY	2,434	84	AUGUST	2,206	71
MARCH	2,417	78	SEPTEMBER	2,181	73
APRIL	2,242	75	OCTOBER	2,447	79
MAY	2,310	74	NOVEMBER	2,248	75
JUNE	2,145	72	DECEMBER	2,624	85

**TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE
MISSISSIPPI, 2000**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>28,529</u>	<u>19,189</u>	<u>9,340</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>10.0</u>	<u>11.0</u>	<u>8.5</u>
UNDER 1	468	157	311	1.6	0.8	3.3	11.4	7.3	15.8
1-4	100	49	51	0.4	0.2	0.5	0.6	0.6	0.6
5-9	45	22	23	0.2	0.1	0.2	0.2	0.2	0.2
10-14	73	38	35	0.2	0.2	0.4	0.3	0.3	0.3
15-24	537	277	260	1.9	1.4	2.8	1.2	1.1	1.3
25-34	640	313	327	2.2	1.6	3.5	1.7	1.4	2.1
35-44	1,291	684	607	4.5	3.6	6.5	3.0	2.6	3.8
45-54	2,162	1,154	1,008	7.6	6.0	10.8	6.0	4.8	8.4
55-64	3,291	2,129	1,162	11.5	11.1	12.4	13.4	11.8	17.5
65-74	5,540	3,859	1,681	19.4	20.1	18.0	29.8	27.8	35.7
75 & OVER	14,377	10,507	3,870	50.4	54.8	41.4	91.1	90.8	92.0
UNKNOWN	5	0	5	**	-	**			

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE C3A. DEATHS BY AGE, RACE, AND SEX,
AND MALE/FEMALE RATIOS BY AGE AND RACE
MISSISSIPPI, 2000**

AGE	TOTAL			WHI TE			NONWHI TE		
	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE
<u>TOTAL</u>	<u>14,104</u>	<u>14,425</u>	<u>0.98</u>	<u>9,437</u>	<u>9,752</u>	<u>0.97</u>	<u>4,667</u>	<u>4,673</u>	<u>1.00</u>
UNDER 1	259	209	1.24	95	62	1.53	164	147	1.12
1-4	60	40	1.50	31	18	1.72	29	22	1.32
5-9	24	21	1.14	12	10	1.20	12	11	1.09
10-14	44	29	1.52	28	10	2.80	16	19	0.84
15-24	374	163	2.29	200	77	2.60	174	86	2.02
25-34	425	215	1.98	215	98	2.19	210	117	1.79
35-44	777	514	1.51	436	248	1.76	341	266	1.28
45-54	1,332	830	1.60	741	413	1.79	591	417	1.42
55-64	1,987	1,304	1.52	1,279	850	1.50	708	454	1.56
65-74	3,164	2,376	1.33	2,283	1,576	1.45	881	800	1.10
75-84	3,550	3,908	0.91	2,657	2,844	0.93	893	1,064	0.84
85 & OVER	2,103	4,816	0.44	1,460	3,546	0.41	643	1,270	0.51
UNKNOWN	5	0		0	0		5	0	
MEDI AN AGE	70.6	78.9		72.4	80.3		66.0	75.0	

**TABLE C3B. DEATH RATES*, BY AGE, RACE, AND SEX
MISSISSIPPI, 2000**

AGE	TOTAL		WHI TE		NONWHI TE	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
<u>TOTAL</u>	<u>10.3</u>	<u>9.8</u>	<u>11.0</u>	<u>11.0</u>	<u>9.0</u>	<u>8.0</u>
UNDER 1	12.2	10.4	8.5	6.0	16.4	15.2
1-4	0.7	0.5	0.7	0.4	0.7	0.6
5-9	0.2	0.2	0.2	0.2	0.2	0.2
10-14	0.4	0.3	0.5	0.2	0.3	0.4
15-24	1.6	0.7	1.6	0.6	1.7	0.8
25-34	2.3	1.1	1.8	0.9	3.0	1.4
35-44	3.8	2.3	3.2	1.9	4.7	3.1
45-54	7.6	4.5	6.2	3.4	10.6	6.5
55-64	17.0	10.1	14.7	9.2	23.9	12.4
65-74	38.8	22.8	36.4	20.7	46.6	28.4
75 AND OVER	104.0	84.3	103.4	84.1	105.5	84.9

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

TABLE C4. DEATHS, MORTALITY RATES, AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES, BY CAUSE AND RACE MISSISSIPPI, 2000

CAUSE AND GROUP NUMBER**	NUMBER			RATE*			PERCENT		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF TEN LEADING CAUSES</u>	<u>23, 220</u>	<u>15, 943</u>	<u>7, 277</u>	<u>8. 2</u>	<u>9. 1</u>	<u>6. 6</u>	<u>81. 4</u>	<u>83. 1</u>	<u>77. 9</u>
1. HEART DISEASES (156-160, 162, 164-181)	9, 228	6, 278	2, 950	324. 4	359. 5	268. 5	32. 3	32. 7	31. 6
2. MALIGNANT NEOPLASMS (056-108)	6, 060	4, 186	1, 874	213. 0	239. 7	170. 6	21. 2	21. 8	20. 1
3. CEREBROVASCULAR DISEASE (182-186)	1, 980	1, 328	652	69. 6	76. 0	59. 4	6. 9	6. 9	7. 0
4. ACCIDENTS (295-330)	1, 653	1, 119	534	58. 1	64. 1	48. 6	5. 8	5. 8	5. 7
5. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1, 250	1, 049	201	43. 9	60. 1	18. 3	4. 4	5. 5	2. 2
6. INFLUENZA AND PNEUMONIA (195-198)	804	583	221	28. 3	33. 4	20. 1	2. 8	3. 0	2. 4
7. DIABETES MELLITUS (124)	670	372	298	23. 6	21. 3	27. 1	2. 3	1. 9	3. 2
8. NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (247-249, 251, 253)	612	338	274	21. 5	19. 4	24. 9	2. 1	1. 8	2. 9
9. SEPTICEMIA (018)	532	338	194	18. 7	19. 4	17. 6	1. 9	1. 8	2. 1
10. ALZHEIMER'S DISEASE (148)	431	352	79	15. 2	20. 2	7. 2	1. 5	1. 8	0. 8

* TOTAL DEATHS ARE PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION.

** SEE APPENDIX B FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

**TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES
FOR FIVE LEADING CAUSES, BY AGE AND CAUSE
MISSISSIPPI, 2000**

AGE	CAUSE AND GROUP NUMBER*	NUMBER	PERCENT	RATE**
1-4	<u>ALL CAUSES</u>	<u>100</u>	<u>100.0</u>	<u>0.6</u>
	1. ACCIDENTS (295-330)	50	50.0	30.6
	2T. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290)	9	9.0	5.5
	2T. HOMICIDE (338-346)	9	9.0	5.5
	4. INFLUENZA AND PNEUMONIA (195-198)	5	5.0	3.1
	5. ANEMIAS (116-119)	2	2.0	1.2
5-14	<u>ALL CAUSES</u>	<u>118</u>	<u>100.0</u>	<u>0.3</u>
	1. ACCIDENTS (295-330)	62	52.5	14.2
	2. MALIGNANT NEOPLASMS (056-108)	9	7.6	2.1
	3. HEART DISEASES (156-160, 162, 164-181)	6	5.1	1.4
	4. HOMICIDE (338-346)	5	4.2	1.1
	5T. ANEMIAS (116-119) 5T. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290)	3	2.5	0.7
15-24	<u>ALL CAUSES</u>	<u>537</u>	<u>100.0</u>	<u>1.2</u>
	1. ACCIDENTS (295-330)	274	51.0	61.4
	2. HOMICIDE (338-346)	87	16.2	19.5
	3. SUICIDE (331-337)	52	9.7	11.6
	4. HEART DISEASES (156-160, 162, 164-181)	24	4.5	5.4
	5. MALIGNANT NEOPLASMS (056-108)	15	2.8	3.4
25-44	<u>ALL CAUSES</u>	<u>1,931</u>	<u>100.0</u>	<u>2.4</u>
	1. ACCIDENTS (295-330)	444	23.0	55.0
	2. HEART DISEASES (156-160, 162, 164-181)	303	15.7	37.5
	3. MALIGNANT NEOPLASMS (056-108)	255	13.2	31.6
	4. HOMICIDE (338-346)	138	7.1	17.1
	5. SUICIDE (331-337)	119	6.2	14.7
45-64	<u>ALL CAUSES</u>	<u>5,453</u>	<u>100.0</u>	<u>9.0</u>
	1. MALIGNANT NEOPLASMS (056-108)	1,663	30.5	273.6
	2. HEART DISEASES (156-160, 162, 164-181)	1,608	29.5	264.6
	3. ACCIDENTS (295-330)	346	6.3	56.9
	4. CEREBROVASCULAR DISEASE (182-186)	286	5.2	47.0
	5. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	174	3.2	28.6
65 & OVER	<u>ALL CAUSES</u>	<u>19,917</u>	<u>100.0</u>	<u>58.0</u>
	1. HEART DISEASES (156-160, 162, 164-181)	7,270	36.5	2,116.3
	2. MALIGNANT NEOPLASMS (056-108)	4,116	20.7	1,198.2
	3. CEREBROVASCULAR DISEASE (182-186)	1,611	8.1	469.0
	4. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,055	5.3	307.1
	5. INFLUENZA AND PNEUMONIA (195-198)	695	3.5	202.3

* SEE APPENDIX B FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

** DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS,
BY PRIMARY SITE, SEX, AND RACE
MISSISSIPPI, 2000**

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND GROUP NUMBER*	NUMBER				RATE**			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE
TOTAL	<u>2,275</u>	<u>1,045</u>	<u>1,911</u>	<u>829</u>	<u>265.8</u>	<u>201.9</u>	<u>214.7</u>	<u>142.7</u>
1. RESPIRATORY AND INTRA-THORACIC ORGANS (071-075)	943	363	526	146	110.2	70.1	59.1	25.1
2. DIGESTIVE ORGANS (060-070)	496	266	437	227	57.9	51.4	49.1	39.1
3. GENITAL ORGANS (083-091)	195	208	171	96	22.8	40.2	19.2	16.5
4. LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE (100-108)	207	63	190	58	24.2	12.2	21.3	10.0
5. BREAST (082)	3	2	296	166	0.4	0.4	33.3	28.6
6. URINARY TRACT (092-094)	91	27	63	33	10.6	5.2	7.1	5.7
7. BRAIN (096)	71	17	47	21	8.3	3.3	5.3	3.6
8. LIP, ORAL CAVITY, AND PHARYNX (056-059)	48	27	19	9	5.6	5.2	2.1	1.5
9. SKIN (077, 078)	51	7	32	4	6.0	1.4	3.6	0.7
10. BONE AND ARTICULAR CARTILAGE (076)	11	3	8	4	1.3	0.6	0.9	0.7
- OTHER AND UNSPECIFIED SITES (079-081, 095, 097-99)	159	62	122	65	18.6	12.0	13.7	11.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** DEATHS PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES,
1975, 1980, 1985, 1990, 1995, 2000**

DISEASE*	1975	1980	1985	1990	1995	2000
TUBERCULOSIS OF RESPIRATORY SYSTEM	26	26	20	27	14	12
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	950	1,202	1,416	1,639	1,766	1,978
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG	898	1,151	1,355	1,602	1,710	1,930
CHRONIC AND UNQUALIFIED BRONCHITIS	38	15	17	37	45	15
EMPHYSEMA	181	130	90	126	143	136
ASTHMA	15	45	51	49	50	60

* PERIODIC CHANGES IN THE CLASSIFICATION SYSTEM WHICH HAVE OCCURRED THROUGH THE YEARS HAVE RESULTED IN AN UNAVOIDABLE LACK OF COMPARABILITY FOR SOME CAUSES, AND CAUTION SHOULD BE USED WHEN ANALYZING LONG-TERM TRENDS.

TABLE C8. DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE MISSISSIPPI, 2000

TYPE OF ACCIDENT AND GROUP NUMBER*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF FIVE LEADING CAUSES</u>	<u>1,368</u>	<u>931</u>	<u>437</u>	<u>82.8</u>	<u>83.2</u>	<u>81.8</u>
1. MOTOR VEHICLE (296-306)	935	613	322	56.6	54.8	60.3
2. FALLS (312-314)	165	140	25	10.0	12.5	4.7
3. EXPOSURE TO SMOKE, FIRE AND FLAMES (322)	96	47	49	5.8	4.2	9.2
4. INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUCTION OF RESPIRATORY TRACT (318)	89	55	34	5.4	4.9	6.4
5. POISONING AND EXPO- SURE TO NOXIOUS SUBSTANCES (327-329)	83	76	7	5.0	6.8	1.3

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE
MISSISSIPPI RESIDENTS, 2000**

TYPE OF ACCIDENT AND GROUP NUMBER*	TOTAL	SEX		AGE							
		MALE	FEMALE	UNDER 1	1-4	5-14	15- 24	25- 34	35- 44	45- 64	65 & OVER
<u>ALL ACCIDENTS</u>	<u>1,653</u>	<u>1,090</u>	<u>563</u>	<u>16</u>	<u>50</u>	<u>62</u>	<u>274</u>	<u>217</u>	<u>227</u>	<u>346</u>	<u>461</u>
MOTOR VEHICLE (296-306)	935	647	288	5	19	34	226	160	134	204	153
OTHER LAND TRANSPORT (295, 307-308)	5	3	2	0	0	1	1	1	0	1	1
WATER TRANSPORT (309)	22	20	2	0	0	1	6	6	3	3	3
AIR AND SPACE TRANSPORT (310)	3	3	0	0	0	0	1	1	1	0	0
FALLS (312-314)	165	78	87	0	0	0	0	3	6	22	134
DISCHARGE OF FIREARMS (315)	24	21	3	0	1	7	8	1	3	3	1
EXPLOSION (316)	6	5	1	0	1	0	1	0	1	2	1
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (317)	56	50	6	1	12	10	11	5	3	9	5
INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUC- TION OF RESPIRATORY TRACT (318)	89	39	50	3	3	1	0	4	3	14	61
OTHER AND UNSPECIFIED THREATS TO BREATHING (319)	20	16	4	5	2	1	2	2	5	2	1
EXPOSURE TO ELECTRIC CURRENT (320)	12	12	0	0	0	1	3	3	1	4	0
EXPOSURE TO SMOKE, FIRE AND FLAMES (322)	96	57	39	1	11	3	4	5	15	22	35
CONTACT WITH HEAT AND HOT SUBSTANCES (323)	3	2	1	0	0	1	0	0	0	1	1
<u>POISONING (327-329)</u>	<u>83</u>	<u>46</u>	<u>37</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>5</u>	<u>19</u>	<u>32</u>	<u>20</u>	<u>7</u>
BY DRUGS AND OTHER BIOLOGICAL SUBSTANCES (327)	75	39	36	0	0	0	4	15	32	19	5
BY OTHER SOLID AND LIQUID SUB- STANCES, GASES AND VAPORS (328, 329)	8	7	1	0	0	0	1	4	0	1	2
ALL OTHER ACCIDENTS (311, 321, 324- 326, 330)	134	91	43	1	1	2	6	7	20	39	58

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950, 1955, 1960, 1965, 1970-2000

YEAR	OCCURRENCE DATA		RESIDENCE DATA	
	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6
1983	744	4.2	725	28.0
1984	707	3.8	697	26.9
1985	691	4.0	683	25.7
1986	785	5.7	782	29.4
1987	802	4.0	804	29.6
1988	791	3.6	776	28.2
1989	806	3.5	797	28.7
1990	863	3.5	854	33.2
1991	811	3.3	810	31.5
1992	838	3.2	826	32.1
1993	897	3.3	868	33.7
1994	854	3.0	844	32.8
1995	904	3.0	898	33.3
1996	851	2.8	868	32.2
1997	896	2.9	868	32.2
1998	983	2.9	957	34.8
1999	943	2.7	954	34.4
2000	948	2.7	935	32.9

* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

** NOT AVAILABLE.

**TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES
BY AGE AND RACE
MISSISSIPPI, 2000**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL UNDER 1 YEAR</u>	<u>468</u>	<u>157</u>	<u>311</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>10.6</u>	<u>6.7</u>	<u>15.1</u>
<u>NEONATAL (UNDER 28 DAYS)</u>	<u>289</u>	<u>91</u>	<u>198</u>	<u>61.8</u>	<u>58.0</u>	<u>63.7</u>	<u>6.6</u>	<u>3.9</u>	<u>9.6</u>
<u>HEBDOMADAL (UNDER 7 DAYS)</u>	<u>231</u>	<u>72</u>	<u>159</u>	<u>49.4</u>	<u>45.9</u>	<u>51.1</u>	<u>5.2</u>	<u>3.0</u>	<u>7.7</u>
UNDER 1 DAY	170	49	121	36.3	31.2	38.9	3.8	2.1	5.9
1-6 DAYS	61	23	38	13.0	14.6	12.2	1.4	1.0	1.8
7-27 DAYS	58	19	39	12.4	12.1	12.5	1.3	0.8	1.9
<u>POSTNEONATAL (28 DAYS TO 1 YEAR)</u>	<u>179</u>	<u>66</u>	<u>113</u>	<u>38.2</u>	<u>42.0</u>	<u>36.3</u>	<u>4.1</u>	<u>2.8</u>	<u>5.5</u>

* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES
OF INFANT DEATHS, BY CAUSE AND RACE
MISSISSIPPI, 2000**

CAUSE AND GROUP NUMBER**	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>ALL CAUSES</u>	<u>468</u>	<u>157</u>	<u>311</u>	<u>10.6</u>	<u>6.7</u>	<u>15.1</u>
1. DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071,072)	88	19	69	2.0	0.8	3.4
2. CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES (096-110)	84	43	41	1.9	1.8	2.0
3. SUDDEN INFANT DEATH SYNDROME (111)	64	23	41	1.4	1.0	2.0
4. BACTERIAL SEPSIS OF NEWBORN (085)	19	4	15	0.4	0.2	0.7
5. RESPIRATORY DISTRESS OF NEWBORN (077)	17	5	12	0.4	0.2	0.6
6. ACCIDENTS (114-124)	16	8	8	0.4	0.3	0.4
7. NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	12	2	10	0.3	0.1	0.5
8T. INFLUENZA AND PNEUMONIA (046,047)	11	3	8	0.2	0.1	0.4
8T. PULMONARY HEMORRHAGE ORIGINATING IN THE PERINATAL PERIOD (081)	11	2	9	0.2	0.1	0.4
10. DISEASES OF THE CIRCULATORY SYSTEM (039-044)	10	3	7	0.2	0.1	0.3

* DEATHS PER 1,000 LIVE BIRTHS.

** SEE APPENDIX C FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

**TABLE C13A. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH,
MISSISSIPPI, 2000**

CAUSE AND GROUP NUMBER*	YEARS	RATE**
<u>ALL RACES - ALL CAUSES</u>	<u>285,585</u>	<u>10,629.0</u>
HEART DISEASES (156-160, 162, 164-181)	51,909	1,932.0
ISCHEMIC HEART DISEASE (165-168)	32,433	1,207.1
CEREBROVASCULAR DISEASES (182-186)	10,161	378.2
MALIGNANT NEOPLASMS (056-108)	50,532	1,880.7
RESPIRATORY SYSTEM (071-075)	16,144	600.8
COLORECTAL (063, 064)	4,960	184.6
PROSTATE (089)#	1,081	81.9
BREAST (082)##	5,732	419.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	5,420	201.7
PNEUMONIA AND INFLUENZA (195-198)	4,055	150.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4,436	165.1
DIABETES MELLITUS (124)	5,170	192.4
HIV INFECTION (039-043)	5,397	200.9
UNINTENTIONAL INJURIES (295-330)	50,565	1,881.9
MOTOR VEHICLE CRASHES (296-306)	33,643	1,252.1
SUICIDE (331-337)	9,482	352.9
HOMICIDE AND LEGAL INTERVENTION (338-346, 353, 354)	13,322	495.8

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

MALES ONLY.

FEMALES ONLY.

**TABLE C13B. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH,
WHITE MALES AND FEMALES
MISSISSIPPI, 2000**

CAUSE AND GROUP NUMBER*	YEARS	RATE**
<u>WHITE MALES - ALL CAUSES</u>	<u>97,601</u>	<u>11,958.8</u>
HEART DISEASES (156-160, 162, 164-181)	19,751	2,420.0
ISCHEMIC HEART DISEASE (165-168)	14,330	1,755.8
CEREBROVASCULAR DISEASES (182-186)	2,604	319.1
MALIGNANT NEOPLASMS (056-108)	17,301	2,119.8
RESPIRATORY SYSTEM (071-075)	7,146	875.6
COLORECTAL (063, 064)	1,910	234.0
PROSTATE (089)	388	47.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	2,273	278.5
PNEMONIA AND INFLUENZA (195-198)	1,173	143.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2,033	249.1
DIABETES MELLITUS (124)	1,382	169.3
HIV INFECTION (039-043)	997	122.2
UNINTENTIONAL INJURIES (295-330)	23,218	2,844.8
MOTOR VEHICLE CRASHES (296-306)	15,135	1,854.4
SUICIDE (331-337)	5,971	731.6
HOMICIDE AND LEGAL INTERVENTION (338-346, 353, 354)	2,061	252.5
<u>WHITE FEMALES - ALL CAUSES</u>	<u>55,222</u>	<u>6,782.4</u>
HEART DISEASES (156-160, 162, 164-181)	8,508	1,045.0
ISCHEMIC HEART DISEASE (165-168)	5,518	677.7
CEREBROVASCULAR DISEASES (182-186)	2,079	255.3
MALIGNANT NEOPLASMS (056-108)	14,131	1,735.6
RESPIRATORY SYSTEM (071-075)	3,922	481.7
COLORECTAL (063, 064)	1,217	149.5
BREAST (082)	2,954	362.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	1,724	211.7
PNEMONIA AND INFLUENZA (195-198)	957	117.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	999	122.7
DIABETES MELLITUS (124)	1,063	130.6
HIV INFECTION (039-043)	191	23.4
UNINTENTIONAL INJURIES (295-330)	9,145	1,123.2
MOTOR VEHICLE CRASHES (296-306)	6,357	780.8
SUICIDE (331-337)	1,319	162.0
HOMICIDE AND LEGAL INTERVENTION (338-346, 353, 354)	1,642	201.7

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

**TABLE C13C. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH,
NONWHITE MALES AND FEMALES
MISSISSIPPI, 2000**

CAUSE AND GROUP NUMBER*	YEARS	RATE**
<u>NONWHITE MALES - ALL CAUSES</u>	<u>77,705</u>	<u>15,446.8</u>
HEART DISEASES (156-160, 162, 164-181)	14,068	2,796.5
ISCHEMIC HEART DISEASE (165-168)	7,564	1,503.6
CEREBROVASCULAR DISEASES (182-186)	2,922	580.8
MALIGNANT NEOPLASMS (056-108)	10,338	2,055.1
RESPIRATORY SYSTEM (071-075)	3,883	771.9
COLORECTAL (063, 064)	939	186.7
PROSTATE (089)	693	137.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	759	150.9
PNEMONIA AND INFLUENZA (195-198)	1,229	244.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	927	184.3
DIABETES MELLITUS (124)	1,103	219.3
HIV INFECTION (039-043)	2,739	544.5
UNINTENTIONAL INJURIES (295-330)	13,127	2,609.5
MOTOR VEHICLE CRASHES (296-306)	8,455	1,680.7
SUICIDE (331-337)	1,913	380.3
HOMICIDE AND LEGAL INTERVENTION (338-346, 353, 354)	7,465	1,483.9
<u>NONWHITE FEMALES - ALL CAUSES</u>	<u>55,057</u>	<u>9,947.9</u>
HEART DISEASES (156-160, 162, 164-181)	9,582	1,731.3
ISCHEMIC HEART DISEASE (165-168)	5,021	907.2
CEREBROVASCULAR DISEASES (182-186)	2,556	461.8
MALIGNANT NEOPLASMS (056-108)	8,762	1,583.2
RESPIRATORY SYSTEM (071-075)	1,193	215.6
COLORECTAL (063, 064)	894	161.5
BREAST (082)	2,687	485.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	664	120.0
PNEMONIA AND INFLUENZA (195-198)	696	125.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	477	86.2
DIABETES MELLITUS (124)	1,622	293.1
HIV INFECTION (039-043)	1,470	265.6
UNINTENTIONAL INJURIES (295-330)	5,075	917.0
MOTOR VEHICLE CRASHES (296-306)	3,696	667.8
SUICIDE (331-337)	279	50.4
HOMICIDE AND LEGAL INTERVENTION (338-346, 353, 354)	2,154	389.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

MARRIAGES

**TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2000**

MONTH	MARRIAGES	AVERAGE PER DAY	MONTH	MARRIAGES	AVERAGE PER DAY
<u>TOTAL</u>	<u>19,879</u>	<u>54</u>			
JANUARY	1,083	35	JULY	2,021	65
FEBRUARY	1,453	50	AUGUST	1,628	52
MARCH	1,656	53	SEPTEMBER	1,699	57
APRI L	1,720	57	OCTOBER	1,355	44
MAY	1,950	63	NOVEMBER	1,369	46
JUNE	2,311	77	DECEMBER	1,634	53

**TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE
MISSISSIPPI, 2000**

AGE	NUMBER						PERCENT					
	BRI DE			GROOM			BRI DE			GROOM		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>19, 879</u>	<u>13, 232</u>	<u>6, 647</u>	<u>19, 879</u>	<u>13, 168</u>	<u>6, 711</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>
<u>UNDER 20</u>	<u>2, 198</u>	<u>1, 921</u>	<u>277</u>	<u>798</u>	<u>702</u>	<u>96</u>	<u>11. 0</u>	<u>14. 5</u>	<u>4. 2</u>	<u>4. 0</u>	<u>5. 3</u>	<u>1. 4</u>
14	5	5	0	1	1	0	*	*	-	*	*	-
15	71	65	6	0	0	0	0. 4	0. 5	0. 1	-	-	-
16	148	138	10	5	5	0	0. 7	1. 0	0. 2	*	*	-
17	308	289	19	85	79	6	1. 5	2. 2	0. 3	0. 4	0. 6	0. 1
18	702	633	69	253	233	20	3. 5	4. 8	1. 0	1. 3	1. 8	0. 3
19	964	791	173	454	384	70	4. 8	6. 0	2. 6	2. 3	2. 9	1. 0
20-24	5, 460	3, 882	1, 578	4, 851	3, 557	1, 294	27. 5	29. 3	23. 7	24. 4	27. 0	19. 3
25-34	6, 433	3, 732	2, 701	7, 288	4, 483	2, 805	32. 4	28. 2	40. 6	36. 7	34. 0	41. 8
35-44	3, 440	2, 050	1, 390	3, 746	2, 254	1, 492	17. 3	15. 5	20. 9	18. 8	17. 1	22. 2
45-54	1, 553	1, 014	539	1, 937	1, 252	685	7. 8	7. 7	8. 1	9. 7	9. 5	10. 2
55-64	505	391	114	721	504	217	2. 5	3. 0	1. 7	3. 6	3. 8	3. 2
65-74	215	172	43	379	285	94	1. 1	1. 3	0. 6	1. 9	2. 2	1. 4
75 & OVER	75	70	5	159	131	28	0. 4	0. 5	0. 1	0. 8	1. 0	0. 4

* LESS THAN 0. 06 PERCENT.

**TABLE D3. MEDIAN AGE OF BRIDE AND GROOM
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE
MISSISSIPPI, 2000**

ALL AND FIRST MARRIAGES	BRI DE			GROOM		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
ALL MARRIAGES	28.5	27.2	30.4	30.9	30.2	32.0
FIRST MARRIAGES	23.8	22.6	27.3	26.0	24.4	28.8

**TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY MARRIAGE ORDER AND RACE
MISSISSIPPI, 2000**

MARRIAGE ORDER	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>19,879</u>	<u>13,232</u>	<u>6,647</u>	<u>19,879</u>	<u>13,168</u>	<u>6,711</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
FIRST	11,837	7,245	4,592	11,852	7,336	4,516	59.5	54.8	69.1	59.6	55.7	67.3
<u>REMARRIAGE</u>	<u>8,039</u>	<u>5,987</u>	<u>2,052</u>	<u>8,025</u>	<u>5,832</u>	<u>2,193</u>	<u>40.4</u>	<u>45.2</u>	<u>30.9</u>	<u>40.4</u>	<u>44.3</u>	<u>32.7</u>
SECOND	5,345	3,700	1,645	5,401	3,699	1,702	26.9	28.0	24.7	27.2	28.1	25.4
<u>OVER TWO</u>	<u>2,694</u>	<u>2,287</u>	<u>407</u>	<u>2,623</u>	<u>2,132</u>	<u>491</u>	<u>13.6</u>	<u>17.3</u>	<u>6.1</u>	<u>13.2</u>	<u>16.2</u>	<u>7.3</u>
THIRD	1,931	1,572	359	1,904	1,500	404	9.7	11.9	5.4	9.6	11.4	6.0
FOURTH	561	522	39	568	492	76	2.8	3.9	0.6	2.8	3.7	1.1
FIFTH	144	135	9	114	105	9	0.7	1.0	0.1	0.6	0.8	0.1
SIXTH	38	38	0	27	27	0	0.2	0.3	-	0.1	0.2	-
SEVENTH	13	13	0	8	6	2	0.1	0.1	-	#	#	#
EIGHTH	4	4	0	1	1	0	#	#	-	#	#	-
NINTH	2	2	0	1	1	0	#	#	-	#	#	-
TENTH	1	1	0	0	0	0	#	#	-	-	-	-
UNKNOWN*	0	0	0	1	1	0	-	-	-	#	#	-
UNKNOWN**	3	0	3	2	0	2	#	-	#	#	-	#

* PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.

** UNKNOWN WHETHER PREVIOUSLY MARRIED.

LESS THAN 0.06 PERCENT.

**TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY PREVIOUS MARITAL STATUS AND RACE
MISSISSIPPI, 2000**

PREVIOUS MARI TAL STATUS	BRI DE			GROOM		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
NUMBER						
<u>TOTAL</u>	<u>19,879</u>	<u>13,232</u>	<u>6,647</u>	<u>19,879</u>	<u>13,168</u>	<u>6,711</u>
NOT PREVIOUSLY MARRIED	11,837	7,245	4,592	11,852	7,336	4,516
<u>REMARRI AGES</u>	<u>8,039</u>	<u>5,987</u>	<u>2,052</u>	<u>8,025</u>	<u>5,832</u>	<u>2,193</u>
WI DOWED	860	636	224	712	537	175
DI VORCED*	7,170	5,346	1,824	7,307	5,293	2,014
UNKNOWN**	9	5	4	6	2	4
UNKNOWN#	3	0	3	2	0	2
PERCENT						
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NOT PREVIOUSLY MARRIED	59.5	54.8	69.1	59.6	55.7	67.3
<u>REMARRI AGES</u>	<u>40.4</u>	<u>45.2</u>	<u>30.9</u>	<u>40.4</u>	<u>44.3</u>	<u>32.7</u>
WI DOWED	4.3	4.8	3.4	3.6	4.1	2.6
DI VORCED*	36.1	40.4	27.4	36.8	40.2	30.0
UNKNOWN**	##	##	0.1	##	##	0.1
UNKNOWN#	##	-	##	##	-	##

* INCLUDES THOSE WHOSE LAST MARRI AGE WAS ANNULLED.

** UNKNOWN WHETHER WI DOWED OR DI VORCED.

UNKNOWN WHETHER ANY PREVIOUS MARRI AGE.

LESS THAN 0.06 PERCENT.

**TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE
MISSISSIPPI, 2000**

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE								
	TOTAL			WHI TE			NONWHI TE		
	TOTAL	MI SSI S- SI PPI	OTHER	TOTAL	MI SSI S- SI PPI	OTHER	TOTAL	MI SSI S- SI PPI	OTHER
NUMBER									
TOTAL	19,879	18,694	1,185	13,232	12,365	867	6,647	6,329	318
MI SSI SSI PPI	18,258	17,976	282	12,028	11,833	195	6,230	6,143	87
OTHER	1,620	718	902	1,204	532	672	416	186	230
UNKNOWN	1	0	1	0	0	0	1	0	1
PERCENT									
TOTAL	100.0	94.0	6.0	100.0	93.4	6.6	100.0	95.2	4.8
MI SSI SSI PPI	91.8	90.4	1.4	90.9	89.4	1.5	93.7	92.4	1.3
OTHER	8.1	3.6	4.5	9.1	4.0	5.1	6.2	2.8	3.5
UNKNOWN	*	-	*	-	-	-	*	-	*

* LESS THAN 0.06 PERCENT.

DIVORCES

**TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE*
MISSISSIPPI, 2000**

CAUSE	NUMBER				PERCENT			
	TOTAL	WHI TE	NON- WHI TE	UN- KNOWN	TOTAL	WHI TE	NON- WHI TE	UN- KNOWN
<u>TOTAL</u>	<u>14,177</u>	<u>10,666</u>	<u>3,312</u>	<u>199</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IRRECONCILABLE DIFFERENCES	12,478	9,668	2,643	167	88.0	90.6	79.8	83.9
CRUEL AND INHUMAN TREATMENT	873	556	303	14	6.2	5.2	9.1	7.0
DESERTION	389	147	232	10	2.7	1.4	7.0	5.0
ADULTERY	290	204	82	4	2.0	1.9	2.5	2.0
DRUNKENNESS	58	31	27	0	0.4	0.3	0.8	-
PENITENTIARY	51	31	20	0	0.4	0.3	0.6	-
ANNULMENT	32	26	2	4	0.2	0.2	0.1	2.0
BIGAMY	3	1	2	0	**	**	0.1	-
MISCELLANEOUS & OTHER	1	1	0	0	**	**	-	-
UNKNOWN	2	1	1	0	**	**	**	-

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

** LESS THAN 0.06 PERCENT.

**TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF MINOR CHILDREN AND RACE*
MISSISSIPPI, 2000**

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHI TE	NON- WHI TE	UN- KNOWN	TOTAL	WHI TE	NON- WHI TE	UN- KNOWN
<u>TOTAL DIVORCES</u>	<u>14,177</u>	<u>10,666</u>	<u>3,312</u>	<u>199</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NONE	7,352	5,573	1,659	120	51.8	52.2	50.1	60.3
ONE	3,505	2,622	844	39	24.7	24.6	25.5	19.6
TWO	2,492	1,922	542	28	17.6	18.0	16.4	14.1
THREE OR MORE	824	546	267	11	5.8	5.1	8.1	5.5
UNKNOWN	4	3	0	1	**	**	-	0.5

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

** LESS THAN 0.06 PERCENT.

**TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF YEARS MARRIED AND RACE*
MISSISSIPPI, 2000**

NUMBER OF YEARS MARRIED	NUMBER				PERCENT			
	TOTAL	WHI TE	NON- WHI TE	UN- KNOWN	TOTAL	WHI TE	NON- WHI TE	UN- KNOWN
<u>TOTAL DIVORCES</u>	<u>14,177</u>	<u>10,666</u>	<u>3,312</u>	<u>199</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>UNDER FIVE</u>	<u>5,463</u>	<u>4,378</u>	<u>1,014</u>	<u>71</u>	<u>38.5</u>	<u>41.0</u>	<u>30.6</u>	<u>35.7</u>
<u>UNDER ONE</u>	<u>576</u>	<u>488</u>	<u>77</u>	<u>11</u>	<u>4.1</u>	<u>4.6</u>	<u>2.3</u>	<u>5.5</u>
<u>ONE</u>	<u>1,288</u>	<u>1,058</u>	<u>213</u>	<u>17</u>	<u>9.1</u>	<u>9.9</u>	<u>6.4</u>	<u>8.5</u>
<u>TWO</u>	<u>1,300</u>	<u>1,037</u>	<u>249</u>	<u>14</u>	<u>9.2</u>	<u>9.7</u>	<u>7.5</u>	<u>7.0</u>
<u>THREE</u>	<u>1,239</u>	<u>978</u>	<u>248</u>	<u>13</u>	<u>8.7</u>	<u>9.2</u>	<u>7.5</u>	<u>6.5</u>
<u>FOUR</u>	<u>1,060</u>	<u>817</u>	<u>227</u>	<u>16</u>	<u>7.5</u>	<u>7.7</u>	<u>6.8</u>	<u>8.0</u>
<u>FIVE-NINE</u>	<u>3,725</u>	<u>2,742</u>	<u>944</u>	<u>39</u>	<u>26.3</u>	<u>25.7</u>	<u>28.5</u>	<u>19.6</u>
<u>TEN-NINETEEN</u>	<u>3,198</u>	<u>2,319</u>	<u>840</u>	<u>39</u>	<u>22.6</u>	<u>21.7</u>	<u>25.4</u>	<u>19.6</u>
<u>TWENTY AND OVER</u>	<u>1,700</u>	<u>1,169</u>	<u>497</u>	<u>34</u>	<u>12.0</u>	<u>11.0</u>	<u>15.0</u>	<u>17.1</u>
<u>UNKNOWN</u>	<u>91</u>	<u>58</u>	<u>17</u>	<u>16</u>	<u>0.6</u>	<u>0.5</u>	<u>0.5</u>	<u>8.0</u>

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

INDUCED TERMINATIONS OF PREGNANCY

**TABLE F1. REPORTED INDUCED TERMINATIONS OF PREGNANCY,
PERCENTAGE DISTRIBUTION, AND INDUCED TERMINATION RATIOS,
BY AGE AND RACE OF PATIENT
PROCEDURES PERFORMED IN MISSISSIPPI, 2000**

AGE OF PATIENT	NUMBER				PERCENT			INDUCED TERMINATION RATIO*		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>3,758</u>	<u>1,039</u>	<u>2,711</u>	<u>8</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>85.3</u>	<u>44.1</u>	<u>132.0</u>
UNDER 15	49	6	43	0	1.3	0.6	1.6	207.6	200.0	208.7
15-19	756	229	527	0	20.1	22.0	19.4	94.1	72.5	108.2
20-24	1,400	345	1,053	2	37.2	33.2	38.8	94.0	48.4	135.5
25-29	811	191	619	1	21.6	18.4	22.8	72.2	27.6	143.4
30-34	407	139	267	1	10.8	13.4	9.8	63.6	32.8	123.4
35-39	245	93	151	1	6.5	9.0	5.6	90.4	53.3	156.5
40-44	79	33	46	0	2.1	3.2	1.7	143.4	105.8	192.5
45-49	3	1	2	0	0.1	0.1	0.1	187.5	83.3	500.0
50 & OVER	1	1	0	0	**	0.1	-	#	#	-
UNKNOWN	7	1	3	3	0.2	0.1	0.1			

* INDUCED TERMINATIONS PER 1,000 LIVE BIRTHS IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

NO LIVE BIRTHS TO WOMEN IN THIS AGE/RACE GROUP.

**TABLE F2. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION,
BY CHARACTERISTICS OF PATIENT AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 2000**

CHARACTERISTICS OF PATIENT	NUMBER				PERCENT		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>3,758</u>	<u>1,039</u>	<u>2,711</u>	<u>8</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
MISSISSIPPI RESIDENT	3,578	945	2,625	8	95.2	91.0	96.8
<u>NONRESIDENT</u>	<u>180</u>	<u>94</u>	<u>86</u>	<u>0</u>	<u>4.8</u>	<u>9.0</u>	<u>3.2</u>
BORDER STATE	164	88	76	0	4.4	8.5	2.8
OTHER STATE	16	6	10	0	0.4	0.6	0.4
<u>MARITAL STATUS</u>							
MARRIED	476	234	241	1	12.7	22.5	8.9
NOT MARRIED	3,227	799	2,425	3	85.9	76.9	89.4
UNKNOWN	54	6	44	4	1.4	0.6	1.6
<u>EDUCATION (COMPLETED YEARS)</u>							
0-6 YEARS	27	10	17	0	0.7	1.0	0.6
7-9 YEARS	172	60	112	0	4.6	5.8	4.1
10, 11 YEARS	400	129	271	0	10.6	12.4	10.0
12 YEARS	1,022	280	741	1	27.2	26.9	27.3
1-3 YEARS COLLEGE	1,515	381	1,133	1	40.3	36.7	41.8
4 OR MORE YEARS COLLEGE	511	149	361	1	13.6	14.3	13.3
UNKNOWN	111	30	76	5	3.0	2.9	2.8
<u>NUMBER OF LIVING CHILDREN</u>							
NONE	1,347	453	891	3	35.8	43.6	32.9
ONE	1,209	322	887	0	32.2	31.0	32.7
TWO	778	190	587	1	20.7	18.3	21.6
THREE	288	53	234	1	7.7	5.1	8.6
FOUR	91	15	76	0	2.4	1.4	2.8
FIVE OR MORE	40	5	35	0	1.1	0.5	1.3
UNKNOWN	5	1	1	3	0.1	0.1	*
<u>NUMBER OF PREVIOUS INDUCED TERMINATIONS</u>							
NONE	2,594	741	1,852	1	69.0	71.3	68.3
ONE	865	216	647	2	23.0	20.8	23.9
TWO	231	71	159	1	6.1	6.8	5.9
THREE OR MORE	62	10	51	1	1.6	1.0	1.9
UNKNOWN	6	1	2	3	0.2	0.1	0.1

* LESS THAN 0.06 PERCENT.

**TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION,
BY MEDICAL CHARACTERISTICS AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 2000**

MEDICAL CHARACTERISTICS	NUMBER				PERCENT		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>3,758</u>	<u>1,039</u>	<u>2,711</u>	<u>8</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	1,951	585	1,363	3	51.9	56.3	50.3
9, 10	837	210	625	2	22.3	20.2	23.0
11, 12	533	122	411	0	14.2	11.7	15.2
13-15	356	95	261	0	9.5	9.1	9.6
16-20	44	16	28	0	1.2	1.5	1.0
21 OR MORE	7	4	3	0	0.2	0.4	0.1
UNKNOWN	30	7	20	3	0.8	0.7	0.7
<u>PRIMARY PROCEDURE</u>							
SUCTION CURETTAGE	3,653	1,004	2,641	8	97.2	96.6	97.4
MEDICAL (NONSURGICAL)	0	0	0	0	-	-	-
DILATION AND EVACUATION	68	20	48	0	1.8	1.9	1.8
INTRA-UTERINE INSTILLATION	14	6	8	0	0.4	0.6	0.3
SHARP CURETTAGE	1	0	1	0	**	-	**
HYSTEROTOMY OR HYSTERECTOMY	1	1	0	0	**	0.1	-
OTHER	21	8	13	0	0.6	0.8	0.5

* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

** LESS THAN 0.06 PERCENT.

MAJOR TABLES

2000

TABLE i
2000 CENSUS POPULATION AND PERCENT CHANGE FROM 1990 CENSUS POPULATION
MISSISSIPPI

COUNTY	POPULATION			PERCENT CHANGE SINCE 1990		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>STATE TOTAL</u>	<u>2, 844, 658</u>	<u>1, 746, 099</u>	<u>1, 098, 559</u>	<u>10. 5</u>	<u>6. 9</u>	<u>16. 9</u>
ADAMS	34, 340	15, 809	18, 531	-2. 9	-12. 3	6. 9
ALCORN	34, 558	30, 193	4, 365	8. 9	7. 5	20. 0
AMI TE	13, 599	7, 673	5, 926	2. 0	5. 5	-2. 1
ATTALA	19, 661	11, 470	8, 191	6. 4	3. 2	11. 2
BENTON	8, 026	4, 954	3, 072	-0. 2	1. 7	-3. 3
BOLI VAR	40, 633	13, 507	27, 126	-3. 0	-11. 5	1. 9
CALHOUN	15, 069	10, 460	4, 609	1. 1	-3. 4	13. 0
CARROLL	10, 769	6, 749	4, 020	16. 6	21. 4	9. 3
CHI CKASAW	19, 440	11, 060	8, 380	7. 5	0. 0	19. 3
CHOCTAW	9, 758	6, 638	3, 120	7. 6	5. 0	13. 4
CLAI BORNE	11, 831	1, 796	10, 035	4. 0	-9. 9	7. 0
CLARKE	17, 955	11, 580	6, 375	3. 7	2. 4	6. 2
CLAY	21, 979	9, 411	12, 568	4. 1	-3. 9	10. 9
COAHOMA	30, 622	8, 965	21, 657	-3. 3	-18. 5	4. 8
COPI AH	28, 757	13, 747	15, 010	4. 2	1. 1	7. 3
COVI NGTON	19, 407	12, 307	7, 100	17. 4	15. 0	21. 8
DESOTO	107, 199	91, 950	15, 249	57. 8	56. 2	68. 5
FORREST	72, 604	46, 717	25, 887	6. 3	0. 1	19. 6
FRANKLI N	8, 448	5, 305	3, 143	0. 8	0. 3	1. 8
GEORGE	19, 144	17, 110	2, 034	14. 8	13. 9	23. 4
GREENE	13, 299	9, 681	3, 618	30. 1	21. 0	62. 9
GRENADA	23, 263	13, 474	9, 789	7. 9	7. 2	8. 9
HANCOCK	42, 967	38, 752	4, 215	35. 3	35. 4	34. 4
HARRI SON	189, 601	138, 692	50, 909	14. 6	8. 7	34. 9
HI NDS	250, 800	93, 584	157, 216	-1. 4	-24. 0	19. 8
HOLMES	21, 609	4, 424	17, 185	*	-14. 5	4. 6
HUMPHREYS	11, 206	3, 045	8, 161	-7. 6	-21. 0	-1. 4
I SSAQUENA	2, 274	826	1, 448	19. 1	-0. 8	34. 6
I TAWAMBA	22, 770	21, 055	1, 715	13. 8	13. 2	20. 7
JACKSON	131, 420	99, 026	32, 394	14. 0	9. 9	28. 9
JASPER	18, 149	8, 433	9, 716	6. 0	0. 3	11. 6
JEFFERSON	9, 740	1, 272	8, 468	12. 6	7. 3	13. 4
JEFF DAVI S	13, 962	5, 816	8, 146	-0. 6	-8. 1	5. 5
JONES	64, 958	46, 192	18, 766	4. 7	*	18. 5
KEMPER	10, 453	4, 080	6, 373	0. 9	-7. 4	7. 1
LAFAYETTE	38, 744	27, 838	10, 906	21. 7	20. 2	25. 7
LAMAR	39, 070	33, 342	5, 728	28. 4	25. 4	49. 8
LAUDERDALE	78, 161	47, 013	31, 148	3. 4	-3. 5	16. 0
LAWRENCE	13, 258	8, 875	4, 383	6. 4	6. 9	5. 4
LEAKE	20, 940	11, 755	9, 185	13. 6	6. 0	25. 0
LEE	75, 755	55, 800	19, 955	15. 5	8. 8	39. 3
LEFLORE	37, 947	11, 384	26, 563	1. 6	-21. 6	16. 4

TABLE i - PAGE 2
 2000 CENSUS POPULATION - MISSISSIPPI

COUNTY	POPULATION			PERCENT CHANGE SINCE 1990		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	33,166	23,010	10,156	9.5	8.7	11.4
LOWNDES	61,586	34,775	26,811	3.8	-5.3	18.8
MADISON	74,674	45,021	29,653	38.8	51.1	23.5
MARION	25,595	17,138	8,457	0.2	-3.4	8.3
MARSHALL	34,993	16,925	18,068	15.2	14.0	16.4
MONROE	38,014	25,991	12,023	3.9	2.4	7.5
MONTGOMERY	12,189	6,613	5,576	-1.6	-4.4	1.9
NESHOBA	28,684	18,788	9,896	15.7	10.9	26.0
NEWTON	21,838	14,197	7,641	7.6	3.6	15.9
NOXUBEE	12,548	3,700	8,848	-0.4	-6.5	2.3
OKTIBBEHA	42,902	25,167	17,735	11.8	4.6	23.9
PANOLA	34,274	17,302	16,972	14.3	12.5	16.1
PEARL RIVER	48,621	41,596	7,025	25.6	26.5	20.6
PERRY	12,138	9,245	2,893	11.7	10.9	14.2
PIKE	38,940	19,955	18,985	5.6	0.1	12.0
PONTOTOC	26,726	22,557	4,169	20.2	19.2	25.6
PRENTISS	25,556	21,940	3,616	9.8	7.1	29.1
QUITMAN	10,117	3,083	7,034	-3.6	-27.5	12.7
RANKIN	115,327	93,450	21,877	32.3	29.7	44.6
SCOTT	28,423	16,258	12,165	17.8	9.6	30.7
SHARKEY	6,580	1,932	4,648	-6.9	-17.4	-1.7
SIMPSON	27,639	17,796	9,843	15.4	10.4	25.7
SMITH	16,182	12,316	3,866	9.4	6.9	17.8
STONE	13,622	10,818	2,804	26.7	29.4	17.4
SUNFLOWER	34,369	9,927	24,442	4.6	-14.5	15.0
TALLAHATCHIE	14,903	5,904	8,999	-2.0	-5.6	0.5
TATE	25,370	17,211	8,159	18.4	23.4	9.0
TIPPACH	20,826	17,046	3,780	6.7	4.9	15.5
TISHOMINGO	19,163	18,192	971	8.4	6.9	44.3
TUNICA	9,227	2,541	6,686	13.0	27.6	8.3
UNION	25,362	21,156	4,206	14.8	12.5	28.2
WALTHALL	15,156	8,277	6,879	5.6	0.3	12.8
WARREN	49,644	27,288	22,356	3.7	-5.5	17.6
WASHINGTON	62,977	21,393	41,584	-7.3	-24.5	5.0
WAYNE	21,216	13,004	8,212	8.7	4.0	17.1
WEBSTER	10,294	7,983	2,311	0.7	0.4	1.8
WILKINSON	10,312	3,219	7,093	6.6	3.1	8.2
WINSTON	20,160	11,141	9,019	3.7	-0.1	8.9
YALOBUSHA	13,051	7,891	5,160	8.5	5.5	13.3
YAZOO	28,149	12,593	15,556	10.4	5.3	14.8

* LESS THAN 0.06 PERCENT CHANGE.

TABLE 1A
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE OF MOTHER,
ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE OF MOTHER,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 2000

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	42,980	22,320	20,660	44,075	23,540	20,535	15.5	13.5	18.7
ADAMS	1,018	364	654	489	167	322	14.2	10.6	17.4
ALCORN	611	519	92	454	379	75	13.1	12.6	17.2
AMITE	1	0	1	173	91	82	12.7	11.9	13.8
ATTALA	211	90	121	288	137	151	14.6	11.9	18.4
BENTON	0	0	0	133	76	57	16.6	15.3	18.6
BOLIVAR	704	148	556	670	157	513	16.5	11.6	18.9
CALHOUN	2	1	1	220	137	83	14.6	13.1	18.0
CARROLL	0	0	0	118	78	40	11.0	11.6	10.0
CHICKASAW	2	1	1	314	159	155	16.2	14.4	18.5
CHOCTAW	1	1	0	121	68	53	12.4	10.2	17.0
CLABORNE	2	0	2	195	14	181	16.5	7.8	18.0
CLARKE	1	0	1	259	146	113	14.4	12.6	17.7
CLAY	423	137	286	325	91	234	14.8	9.7	18.6
COAHOMA	1,081	185	896	654	107	547	21.4	11.9	25.2
COPIAH	190	46	144	461	194	267	16.0	14.1	17.8
COVINGTON	171	53	118	305	168	137	15.7	13.6	19.3
DESOTO	1,317	768	549	1,815	1,581	234	16.9	17.2	15.3
FORREST	2,944	2,028	916	1,092	614	478	15.0	13.1	18.5
FRANKLIN	0	0	0	110	62	48	13.0	11.7	15.3
GEORGE	188	158	30	337	301	36	17.6	17.6	17.7
GREENE	0	0	0	153	124	29	11.5	12.8	8.0
GRENADA	749	370	379	331	166	165	14.2	12.3	16.8
HANCOCK	392	349	43	578	519	59	13.4	13.4	14.0
HARRISON	3,622	2,623	999	2,988	2,095	893	15.8	15.1	17.5
HINDS	6,611	2,017	4,594	4,014	1,044	2,970	16.0	11.2	18.9
HOLMES	7	0	7	419	49	370	19.4	11.1	21.5
HUMPHREYS	2	0	2	201	35	166	17.9	11.5	20.3
ISSAQUENA	0	0	0	30	8	22	13.2	9.7	15.2
ITAWAMBA	0	0	0	282	262	20	12.4	12.4	11.7
JACKSON	1,367	884	483	1,930	1,337	593	14.7	13.5	18.3
JASPER	1	1	0	288	101	187	15.9	12.0	19.2
JEFFERSON	1	0	1	148	9	139	15.2	7.1	16.4
JEFFERSON	0	0	0	203	76	127	14.5	13.1	15.6
JONES	1,081	476	605	1,047	642	405	16.1	13.9	21.6
KEMPER	0	0	0	133	36	97	12.7	8.8	15.2
LAFAYETTE	777	471	306	425	244	181	11.0	8.8	16.6
LAMAR	708	496	212	600	489	111	15.4	14.7	19.4
LAUDERDALE	2,548	1,401	1,147	1,149	613	536	14.7	13.0	17.2
LAWRENCE	0	0	0	189	114	75	14.2	12.8	17.1
LEAKE	5	4	1	375	190	185	17.9	16.2	20.1
LEE	2,613	1,977	636	1,289	865	424	17.0	15.5	21.2
LEFLORE	834	136	698	635	126	509	16.7	11.1	19.2

TABLE 1A - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 2000

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
LINCOLN	576	365	211	462	283	179	13.9	12.3	17.6
LOWNDES	992	432	560	945	443	502	15.3	12.7	18.7
MADISON	377	4	373	1,290	668	622	17.3	14.8	21.0
MARION	2	1	1	387	224	163	15.1	13.1	19.3
MARSHALL	0	0	0	558	237	321	15.9	14.0	17.8
MONROE	736	498	238	509	318	191	13.4	12.2	15.9
MONTGOMERY	24	3	21	164	70	94	13.4	10.6	16.8
NESHOPA	2	0	2	479	253	226	16.7	13.5	22.8
NEWTON	3	1	2	365	199	166	16.7	14.0	21.7
NOXUBEE	1	0	1	218	49	169	17.4	13.2	19.1
OKTIBBEHA	1,220	561	659	568	264	304	13.2	10.5	17.1
PANOLA	307	77	230	583	218	365	17.0	12.6	21.5
PEARL RIVER	335	249	86	662	555	107	13.6	13.3	15.2
PERRY	1	1	0	178	135	43	14.7	14.6	14.9
PIKE	877	394	483	634	255	379	16.3	12.8	20.0
PONTOTOC	7	7	0	402	348	54	15.0	15.4	13.0
PRENTISS	127	116	11	346	288	58	13.5	13.1	16.0
QUITMAN	0	0	0	166	27	139	16.4	8.8	19.8
RANKIN	3,133	2,378	755	1,698	1,373	325	14.7	14.7	14.8
SCOTT	3	1	2	460	240	220	16.2	14.8	18.1
SHARKEY	5	0	5	107	13	94	16.3	6.7	20.2
SIMPSON	23	8	15	388	218	170	14.0	12.2	17.3
SMITH	0	0	0	179	126	53	11.1	10.2	13.7
STONE	1	1	0	216	161	55	15.8	14.9	19.6
SUNFLOWER	378	76	302	557	106	451	16.2	10.7	18.4
TALLAHATCHIE	0	0	0	213	61	152	14.3	10.3	16.9
TATE	4	2	2	415	256	159	16.4	14.9	19.5
TIPPAH	1	1	0	349	280	69	16.8	16.4	18.2
TISHOMINGO	0	0	0	240	234	6	12.5	12.9	6.2
TUNICA	1	0	1	181	26	155	19.6	10.2	23.2
UNION	933	657	276	426	349	77	16.8	16.5	18.3
WALTHALL	2	1	1	222	95	127	14.6	11.5	18.5
WARREN	1,136	318	818	817	329	488	16.4	12.0	21.8
WASHINGTON	1,185	315	870	1,137	276	861	18.0	12.9	20.7
WAYNE	298	129	169	317	153	164	14.9	11.8	20.0
WEBSTER	0	0	0	162	114	48	15.7	14.3	20.8
WILKINSON	84	15	69	137	23	114	13.3	7.1	16.1
WINSTON	3	3	0	312	132	180	15.5	11.8	20.0
YALOBUSHA	1	1	0	197	106	91	15.1	13.4	17.6
YAZOO	17	1	16	489	164	325	17.4	13.0	20.9
OUT OF STATE	2,538	2,121	417	1,443	901	542			

* LIVE BIRTHS PER 1,000 POPULATION.

TABLE 1A - PAGE 3
 LIVE BIRTHS - MISSISSIPPI - 2000

TOWN**	RESIDENCE DATA		
	NUMBER		
	TOTAL	WHITE	NON- WHITE
BILOXI	910	623	287
BRANDON	349	295	54
CANTON	280	25	255
CLARKSDALE	472	78	394
CLEVELAND	232	79	153
CLINTON	301	204	97
COLUMBUS	440	134	306
CORINTH	182	124	58
GAUTIER	251	154	97
GREENVILLE	794	162	632
GREENWOOD	424	83	341
GRENADA	233	94	139
GULFPORT	1,141	667	474
HATTIESBURG	701	262	439
HORN LAKE	296	256	40
INDIANOLA	216	37	179
JACKSON	3,104	547	2,557
LAUREL	381	112	269
LONG BEACH	222	191	31
MADISON	238	222	16
MCCOMB	248	67	181
MERIDIAN	610	208	402
MOSS POINT	331	138	193
NATCHEZ	311	82	229
OCEAN SPRINGS	311	271	40
OLIVE BRANCH	381	320	61
OXFORD	144	79	65
PASCAGOULA	381	204	177
PEARL	355	275	80
PI CAYUNE	198	127	71
RI DGELAND	337	249	88
SOUTHAVEN	484	454	30
STARKVILLE	333	153	180
TUPELO	619	372	247
VICKSBURG	503	125	378
WEST POINT	184	44	140
YAZOO CITY	296	52	244

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 1B
FERTILITY RATES*, BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2000

COUNTY	TOTAL	WHITE	NON- WHITE	COUNTY	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>69.4</u>	<u>65.0</u>	<u>75.2</u>				
ADAMS	67.7	57.8	74.4	LINCOLN	65.9	62.4	72.3
ALCORN	64.5	63.3	71.7	LOWNDES	65.2	59.4	71.5
AMITE	63.1	65.4	60.6	MADISON	71.8	65.2	80.5
ATTALA	73.1	66.7	80.1	MARION	71.9	64.5	85.3
BENTON	81.1	82.2	79.6	MARSHALL	73.3	71.8	74.4
BOLIVAR	68.6	52.3	75.8	MONROE	63.2	62.3	64.8
CALHOUN	72.6	71.3	74.7	MONTGOMERY	64.9	58.5	70.6
CARROLL	55.1	59.1	48.7	NESHOBA	79.4	69.3	94.8
CHICKASAW	77.2	75.8	78.6	NEWTON	78.9	71.4	90.4
CHOCTAW	62.1	55.7	72.9	NOXUBEE	79.2	76.6	80.0
CLABORNE	61.0	52.2	61.8	OKTIBBEHA	47.2	38.9	57.8
CLARKE	69.9	67.1	73.9	PANOLA	76.7	64.9	86.1
CLAY	67.1	51.6	76.0	PEARLRIVER	64.8	65.1	63.4
COAHOMA	95.3	68.2	103.3	PERRY	65.8	67.5	60.9
COPIAH	71.2	71.7	70.9	PIKE	75.4	66.8	82.6
COVINGTON	74.2	69.3	81.2	PONTOTOC	69.9	74.0	51.4
DESOTO	75.4	77.7	62.5	PRENTISS	63.2	64.0	59.4
FORREST	57.8	53.2	65.1	QUITMAN	75.4	55.6	81.1
FRANKLIN	61.1	60.4	62.1	RANKIN	63.3	64.7	58.1
GEORGE	84.3	84.2	84.9	SCOTT	76.5	75.1	78.1
GREENE	63.7	65.0	58.6	SHARKEY	73.6	37.5	84.9
GRENADA	66.6	64.1	69.2	SIMPSON	66.7	61.8	74.4
HANCOCK	67.6	68.0	64.1	SMITH	54.4	52.8	58.6
HARRISON	70.2	70.0	70.7	STONE	72.6	72.2	73.6
HINDS	66.7	55.6	71.8	SUNFLOWER	78.8	63.5	83.5
HOLMES	83.6	61.2	87.8	TALLAHATCHIE	66.0	59.0	69.3
HUMPHREYS	78.1	61.5	82.9	TATE	73.8	72.5	76.0
ISSAQUENA	68.2	55.2	74.6	TIPPAAH	78.4	79.4	74.2
I TAWAMBA	59.1	60.5	45.0	TISHOMINGO	64.1	66.1	29.4
JACKSON	67.3	64.4	74.9	TUNICA	85.3	57.0	93.1
JASPER	74.4	63.3	82.3	UNION	79.3	79.8	77.3
JEFFERSON	70.4	47.9	72.7	WALTHALL	70.8	61.3	80.0
JEFF DAVIS	68.4	73.7	65.5	WARREN	73.3	59.6	86.7
JONES	75.7	68.7	90.2	WASHINGTON	79.8	68.8	84.2
KEMPER	58.6	49.5	62.9	WAYNE	67.5	58.3	79.3
LAFAYETTE	38.8	31.5	56.8	WEBSTER	76.6	73.8	84.2
LAMAR	64.4	63.2	70.8	WILKINSON	69.3	45.8	77.3
LAUDERDALE	67.8	66.3	69.7	WINSTON	77.6	67.5	87.2
LAWRENCE	66.8	64.7	70.2	YALOBUSHA	73.8	76.0	71.4
LEAKE	89.0	87.0	91.1	YAZOO	86.1	77.1	91.5
LEE	75.9	73.0	82.8				
LEFLORE	74.1	61.9	77.9				

* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE (2000 CENSUS POPULATION).

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE OF MOTHER, AND ATTENDANT,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 2000

COUNTY	TOTAL	WHI TE				NONWHI TE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	MALE	FEMALE
<u>STATE</u>	<u>44,075</u>	<u>23,540</u>	<u>23,478</u>	<u>3</u>	<u>59</u>	<u>20,535</u>	<u>20,472</u>	<u>9</u>	<u>54</u>	<u>22,574</u>	<u>21,501</u>
ADAMS	489	167	167	0	0	322	322	0	0	264	225
ALCORN	454	379	379	0	0	75	75	0	0	244	210
AMI TE	173	91	91	0	0	82	81	0	1	100	73
ATTALA	288	137	137	0	0	151	148	0	3	129	159
BENTON	133	76	76	0	0	57	57	0	0	74	59
BOLI VAR	670	157	157	0	0	513	512	0	1	336	334
CALHOUN	220	137	137	0	0	83	82	0	1	118	102
CARROLL	118	78	78	0	0	40	40	0	0	62	56
CHI CKASAW	314	159	158	0	1	155	155	0	0	151	163
CHOCTAW	121	68	67	0	1	53	53	0	0	63	58
CLAI BORNE	195	14	14	0	0	181	181	0	0	99	96
CLARKE	259	146	146	0	0	113	112	1	0	132	127
CLAY	325	91	91	0	0	234	233	0	1	165	160
COAHOMA	654	107	107	0	0	547	547	0	0	321	333
COPI AH	461	194	194	0	0	267	267	0	0	241	220
COVI NGTON	305	168	167	0	1	137	135	1	1	157	148
DESOTO	1,815	1,581	1,576	0	5	234	233	0	1	943	872
FORREST	1,092	614	611	0	3	478	477	1	0	584	508
FRANKLI N	110	62	62	0	0	48	48	0	0	51	59
GEORGE	337	301	301	0	0	36	35	0	1	171	166
GREENE	153	124	124	0	0	29	29	0	0	78	75
GRENADA	331	166	166	0	0	165	164	0	1	181	150
HANCOCK	578	519	518	0	1	59	59	0	0	276	302
HARRI SON	2,988	2,095	2,089	0	6	893	890	0	3	1,558	1,430

TABLE 2 - PAGE 2
 LIVE BIRTHS - MISSISSIPPI - 2000

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	MALE	FEMALE
HI NDS	4,014	1,044	1,040	1	3	2,970	2,962	0	8	2,076	1,938
HOLMES	419	49	49	0	0	370	370	0	0	220	199
HUMPHREYS	201	35	35	0	0	166	165	1	0	113	88
ISSAQUENA	30	8	8	0	0	22	22	0	0	16	14
I TAWAMBA	282	262	262	0	0	20	20	0	0	149	133
JACKSON	1,930	1,337	1,336	0	1	593	592	0	1	966	964
JASPER	288	101	100	0	1	187	186	0	1	143	145
JEFFERSON	148	9	9	0	0	139	139	0	0	88	60
JEFF DAVIS	203	76	76	0	0	127	127	0	0	99	104
JONES	1,047	642	641	0	1	405	403	0	2	570	477
KEMPER	133	36	36	0	0	97	97	0	0	67	66
LAFAYETTE	425	244	243	0	1	181	179	0	2	212	213
LAMAR	600	489	486	0	3	111	111	0	0	308	292
LAUDERDALE	1,149	613	613	0	0	536	534	1	1	584	565
LAWRENCE	189	114	114	0	0	75	75	0	0	103	86
LEAKE	375	190	189	0	1	185	184	0	1	219	156
LEE	1,289	865	863	0	2	424	423	0	1	674	615
LEFLORE	635	126	126	0	0	509	507	0	2	339	296
LI NCOLN	462	283	283	0	0	179	179	0	0	244	218
LOWNDES	945	443	442	0	1	502	502	0	0	482	463
MADI SON	1,290	668	666	0	2	622	622	0	0	663	627
MARI ON	387	224	223	0	1	163	163	0	0	195	192
MARSHALL	558	237	236	0	1	321	320	0	1	263	295
MONROE	509	318	318	0	0	191	191	0	0	253	256
MONTGOMERY	164	70	70	0	0	94	94	0	0	78	86
NESHOBA	479	253	253	0	0	226	225	1	0	223	256
NEWTON	365	199	199	0	0	166	165	0	1	186	179
NOXUBEE	218	49	49	0	0	169	168	0	1	116	102
OKTI BBEHA	568	264	262	0	2	304	304	0	0	292	276
PANOLA	583	218	218	0	0	365	365	0	0	310	273

TABLE 2 - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 2000

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
PEARL RIVER	662	555	555	0	0	107	107	0	0	344	318
PERRY	178	135	134	1	0	43	43	0	0	82	96
PIKE	634	255	255	0	0	379	379	0	0	316	318
PONTOTOC	402	348	341	0	7	54	54	0	0	198	204
PRENTISS	346	288	288	0	0	58	58	0	0	175	171
QUITMAN	166	27	27	0	0	139	139	0	0	78	88
RANKIN	1,698	1,373	1,371	0	2	325	324	0	1	853	845
SCOTT	460	240	239	0	1	220	219	0	1	206	254
SHARKEY	107	13	13	0	0	94	93	0	1	42	65
SIMPSON	388	218	218	0	0	170	167	0	3	204	184
SMITH	179	126	126	0	0	53	53	0	0	79	100
STONE	216	161	159	0	2	55	55	0	0	120	96
SUNFLOWER	557	106	106	0	0	451	451	0	0	280	277
TALLAHATCHIE	213	61	61	0	0	152	152	0	0	99	114
TATE	415	256	254	0	2	159	157	2	0	217	198
TIPPAH	349	280	280	0	0	69	69	0	0	159	190
TISHOMINGO	240	234	234	0	0	6	6	0	0	114	126
TUNICA	181	26	26	0	0	155	154	0	1	97	84
UNION	426	349	349	0	0	77	77	0	0	209	217
WALTHALL	222	95	93	0	2	127	126	0	1	127	95
WARREN	817	329	329	0	0	488	486	0	2	400	417
WASHINGTON	1,137	276	275	1	0	861	858	0	3	581	556
WAYNE	317	153	153	0	0	164	164	0	0	161	156
WEBSTER	162	114	114	0	0	48	48	0	0	88	74
WILKINSON	137	23	22	0	1	114	111	0	3	68	69
WINSTON	312	132	129	0	3	180	180	0	0	167	145
YALOBUSHA	197	106	105	0	1	91	91	0	0	104	93
YAZOO	489	164	164	0	0	325	322	1	2	257	232

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2000

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	44,075	236	8,030	14,900	11,229	6,400	2,711	551	16	2
ADAMS	489	2	104	173	114	61	30	5	0	0
ALCORN	454	2	74	175	113	65	25	0	0	0
AMITE	173	1	20	59	45	27	19	2	0	0
ATTALA	288	1	41	105	74	46	16	5	0	0
BENTON	133	0	31	51	28	15	8	0	0	0
BOLIVAR	670	6	167	251	146	67	26	7	0	0
CALHOUN	220	2	51	80	45	31	9	2	0	0
CARROLL	118	0	14	43	36	16	8	1	0	0
CHICKASAW	314	1	67	118	72	35	16	5	0	0
CHOCTAW	121	2	27	45	27	10	9	1	0	0
CLAIBORNE	195	1	44	76	46	16	11	1	0	0
CLARKE	259	1	50	89	71	38	7	3	0	0
CLAY	325	3	62	118	79	40	17	6	0	0
COAHOMA	654	6	197	256	114	46	29	6	0	0
COPIAH	461	4	90	165	114	61	25	2	0	0
COVINGTON	305	4	73	106	71	37	13	1	0	0
DESOTO	1,815	5	202	536	576	331	137	27	1	0
FORREST	1,092	7	199	364	284	159	68	11	0	0
FRANKLIN	110	0	29	38	22	12	7	2	0	0
GEORGE	337	0	77	106	92	45	15	2	0	0
GREENE	153	0	38	59	33	15	7	1	0	0
GRENADA	331	2	57	97	97	50	25	3	0	0
HANCOCK	578	1	90	189	143	86	54	13	2	0
HARRISON	2,988	6	507	1,029	705	468	237	34	2	0
HINDS	4,014	34	705	1,277	1,006	642	273	75	2	0
HOLMES	419	8	98	153	92	47	18	3	0	0
HUMPHREYS	201	2	51	81	31	26	8	2	0	0
ISSAQUENA	30	0	5	6	9	3	6	1	0	0
ITAWAMBA	282	0	44	94	86	43	12	3	0	0
JACKSON	1,930	0	335	619	510	303	138	24	1	0
JASPER	288	0	49	122	68	38	6	5	0	0
JEFFERSON	148	2	35	50	34	20	5	2	0	0
JEFF DAVIS	203	1	38	96	42	13	8	5	0	0
JONES	1,047	10	188	370	269	142	54	13	1	0
KEMPER	133	1	20	52	39	16	3	2	0	0
LAFAYETTE	425	1	57	132	126	70	33	6	0	0
LAMAR	600	2	68	161	193	123	44	9	0	0
LAUDERDALE	1,149	6	180	392	300	190	71	10	0	0
LAWRENCE	189	0	36	73	46	22	9	3	0	0
LEAKE	375	3	65	134	92	59	17	5	0	0
LEE	1,289	4	236	412	318	207	95	16	1	0
LEFLORE	635	7	153	234	132	77	24	8	0	0

TABLE 3A - PAGE 2
TOTAL LIVE BIRTHS - MISSISSIPPI - 2000

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LI NCOLN	462	4	75	164	129	66	23	1	0	0
LOWNDES	945	6	157	285	260	168	59	10	0	0
MADI SON	1,290	1	146	270	372	308	167	26	0	0
MARI ON	387	1	73	157	90	47	17	2	0	0
MARSHALL	558	4	104	220	122	65	32	11	0	0
MONROE	509	3	108	159	130	80	24	5	0	0
MONTGOMERY	164	0	28	61	47	19	8	1	0	0
NESHOBA	479	5	79	176	138	53	21	7	0	0
NEWTON	365	1	60	130	102	50	17	5	0	0
NOXUBEE	218	3	37	92	59	18	7	2	0	0
OKTI BBEHA	568	4	77	185	156	86	46	14	0	0
PANOLA	583	4	136	209	156	49	28	1	0	0
PEARL RIVER	662	1	139	251	158	81	28	4	0	0
PERRY	178	0	42	57	47	21	10	1	0	0
PI KE	634	2	127	227	165	74	31	8	0	0
PONTOTOC	402	1	79	142	103	57	15	5	0	0
PRENTI SS	346	2	62	118	98	48	12	6	0	0
QUI TMAN	166	0	41	66	30	20	7	2	0	0
RANKI N	1,698	2	203	444	528	355	136	29	0	1
SCOTT	460	5	95	171	117	47	20	3	2	0
SHARKEY	107	1	24	38	24	13	6	1	0	0
SIM PSON	388	0	82	131	99	42	27	7	0	0
SMI TH	179	2	39	55	45	27	10	1	0	0
STONE	216	1	40	88	42	24	19	2	0	0
SUNFLOWER	557	8	154	214	104	58	15	4	0	0
TALLAHATCHI E	213	1	63	82	42	19	6	0	0	0
TATE	415	4	70	162	87	59	23	9	1	0
TI PPAH	349	2	69	132	88	40	14	4	0	0
TI SHOMI NGO	240	0	42	63	74	43	16	2	0	0
TUNI CA	181	2	43	80	30	22	4	0	0	0
UNI ON	426	1	66	161	123	47	19	8	1	0
WALTHALL	222	1	51	83	55	24	7	1	0	0
WARREN	817	1	157	230	257	95	63	12	1	1
WASHI NGTON	1,137	7	247	451	242	134	53	3	0	0
WAYNE	317	3	71	105	75	40	18	5	0	0
WEBSTER	162	2	24	56	37	30	12	1	0	0
WI LKI NSON	137	0	27	47	29	23	7	4	0	0
WI NSTON	312	7	60	102	71	49	19	4	0	0
YALOBUSHA	197	3	43	71	52	19	6	2	1	0
YAZOO	489	3	116	179	106	62	17	6	0	0

**TABLE 3B
LIVE BIRTHS TO WHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2000**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	23,540	30	3,159	7,131	6,914	4,236	1,746	312	12	0
ADAMS	167	0	21	50	53	28	14	1	0	0
ALCORN	379	1	59	141	98	57	23	0	0	0
AMITE	91	0	6	31	24	16	13	1	0	0
ATTALA	137	1	18	41	41	27	7	2	0	0
BENTON	76	0	11	29	20	12	4	0	0	0
BOLIVAR	157	2	9	49	56	30	10	1	0	0
CALHOUN	137	1	24	49	31	24	7	1	0	0
CARROLL	78	0	6	26	27	13	6	0	0	0
CHICKASAW	159	0	22	60	44	21	12	0	0	0
CHOCTAW	68	1	8	23	20	7	8	1	0	0
CLAIBORNE	14	0	0	3	8	2	1	0	0	0
CLARKE	146	0	28	47	43	23	3	2	0	0
CLAY	91	0	10	29	32	15	4	1	0	0
COAHOMA	107	0	15	29	23	24	13	3	0	0
COPIAH	194	0	26	60	63	34	11	0	0	0
COVINGTON	168	0	26	64	50	24	4	0	0	0
DESOTO	1,581	3	157	447	523	303	124	23	1	0
FORREST	614	1	90	172	190	109	46	6	0	0
FRANKLIN	62	0	13	19	16	9	5	0	0	0
GEORGE	301	0	63	94	90	40	12	2	0	0
GREENE	124	0	26	51	26	14	6	1	0	0
GRENADA	166	0	18	47	58	31	12	0	0	0
HANCOCK	519	0	78	164	131	82	51	11	2	0
HARRISON	2,095	2	304	698	522	357	185	25	2	0
HINDS	1,044	0	88	217	332	265	111	31	0	0
HOLMES	49	0	8	13	16	7	5	0	0	0
HUMPHREYS	35	0	5	14	9	7	0	0	0	0
ISSAQUENA	8	0	1	1	5	1	0	0	0	0
ITAWAMBA	262	0	41	83	83	43	10	2	0	0
JACKSON	1,337	0	194	401	369	243	111	19	0	0
JASPER	101	0	13	44	24	16	2	2	0	0
JEFFERSON	9	0	0	3	3	2	1	0	0	0
JEFF DAVIS	76	0	14	28	19	7	6	2	0	0
JONES	642	3	87	207	192	108	34	10	1	0
KEMPER	36	0	4	12	13	4	2	1	0	0
LAFAYETTE	244	0	21	58	85	51	24	5	0	0
LAMAR	489	0	51	123	165	102	40	8	0	0
LAUDERDALE	613	1	61	173	193	131	49	5	0	0
LAWRENCE	114	0	17	44	30	19	3	1	0	0
LEAKE	190	1	28	62	50	35	11	3	0	0
LEE	865	0	136	244	244	152	74	14	1	0
LEFLORE	126	0	11	35	39	31	9	1	0	0

TABLE 3B - PAGE 2
LIVE BIRTHS TO WHITE MOTHERS - MISSISSIPPI - 2000

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LI NCOLN	283	0	36	88	96	48	14	1	0	0
LOWNDES	443	0	46	116	141	101	33	6	0	0
MADI SON	668	0	22	74	214	221	124	13	0	0
MARI ON	224	0	42	85	54	28	13	2	0	0
MARSHALL	237	1	39	87	61	33	11	5	0	0
MONROE	318	0	65	97	87	56	10	3	0	0
MONTGOMERY	70	0	7	23	28	8	4	0	0	0
NESHOBA	253	0	35	92	80	27	12	7	0	0
NEWTON	199	0	30	66	57	31	12	3	0	0
NOXUBEE	49	0	1	22	13	9	2	2	0	0
OKTI BBEHA	264	0	13	78	89	55	27	2	0	0
PANOLA	218	1	38	69	71	20	18	1	0	0
PEARL RIVER	555	0	112	207	133	76	23	4	0	0
PERRY	135	0	30	43	36	16	10	0	0	0
PI KE	255	0	37	84	88	27	14	5	0	0
PONTOTOC	348	0	67	120	92	52	13	4	0	0
PRENTI SS	288	2	49	102	81	41	9	4	0	0
QUI TMAN	27	0	7	6	8	5	0	1	0	0
RANKI N	1,373	1	143	343	443	308	112	23	0	0
SCOTT	240	1	43	85	70	30	8	1	2	0
SHARKEY	13	0	3	5	2	3	0	0	0	0
SIM PSON	218	0	36	69	61	28	20	4	0	0
SMI TH	126	0	24	32	36	26	8	0	0	0
STONE	161	0	26	65	34	19	15	2	0	0
SUNFLOWER	106	0	15	32	31	16	9	3	0	0
TALLAHATCHI E	61	0	12	22	17	9	1	0	0	0
TATE	256	1	39	91	53	44	21	6	1	0
TI PPAH	280	2	52	109	69	32	13	3	0	0
TI SHOMI NGO	234	0	40	61	73	42	16	2	0	0
TUNI CA	26	0	2	11	5	8	0	0	0	0
UNI ON	349	1	52	124	103	44	16	8	1	0
WALTHALL	95	0	18	28	30	16	3	0	0	0
WARREN	329	0	43	78	124	56	25	3	0	0
WASHI NGTON	276	0	29	92	88	50	16	1	0	0
WAYNE	153	0	24	51	44	23	10	1	0	0
WEBSTER	114	2	9	44	26	25	7	1	0	0
WI LKI NSON	23	0	2	7	6	7	1	0	0	0
WI NSTON	132	0	15	39	32	33	11	2	0	0
YALOBUSHA	106	1	18	44	26	13	2	1	1	0
YAZOO	164	0	20	55	52	24	10	3	0	0

TABLE 3C
LIVE BIRTHS TO NONWHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2000

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>20,535</u>	<u>206</u>	<u>4,871</u>	<u>7,769</u>	<u>4,315</u>	<u>2,164</u>	<u>965</u>	<u>239</u>	<u>4</u>	<u>2</u>
ADAMS	322	2	83	123	61	33	16	4	0	0
ALCORN	75	1	15	34	15	8	2	0	0	0
AMITE	82	1	14	28	21	11	6	1	0	0
ATTALA	151	0	23	64	33	19	9	3	0	0
BENTON	57	0	20	22	8	3	4	0	0	0
BOLIVAR	513	4	158	202	90	37	16	6	0	0
CALHOUN	83	1	27	31	14	7	2	1	0	0
CARROLL	40	0	8	17	9	3	2	1	0	0
CHICKASAW	155	1	45	58	28	14	4	5	0	0
CHOCTAW	53	1	19	22	7	3	1	0	0	0
CLAIBORNE	181	1	44	73	38	14	10	1	0	0
CLARKE	113	1	22	42	28	15	4	1	0	0
CLAY	234	3	52	89	47	25	13	5	0	0
COAHOMA	547	6	182	227	91	22	16	3	0	0
COPIAH	267	4	64	105	51	27	14	2	0	0
COVINGTON	137	4	47	42	21	13	9	1	0	0
DESOTO	234	2	45	89	53	28	13	4	0	0
FORREST	478	6	109	192	94	50	22	5	0	0
FRANKLIN	48	0	16	19	6	3	2	2	0	0
GEORGE	36	0	14	12	2	5	3	0	0	0
GREENE	29	0	12	8	7	1	1	0	0	0
GRENADA	165	2	39	50	39	19	13	3	0	0
HANCOCK	59	1	12	25	12	4	3	2	0	0
HARRISON	893	4	203	331	183	111	52	9	0	0
HINDS	2,970	34	617	1,060	674	377	162	44	2	0
HOLMES	370	8	90	140	76	40	13	3	0	0
HUMPHREYS	166	2	46	67	22	19	8	2	0	0
ISSAQUENA	22	0	4	5	4	2	6	1	0	0
ITAWAMBA	20	0	3	11	3	0	2	1	0	0
JACKSON	593	0	141	218	141	60	27	5	1	0
JASPER	187	0	36	78	44	22	4	3	0	0
JEFFERSON	139	2	35	47	31	18	4	2	0	0
JEFF DAVIS	127	1	24	68	23	6	2	3	0	0
JONES	405	7	101	163	77	34	20	3	0	0
KEMPER	97	1	16	40	26	12	1	1	0	0
LAFAYETTE	181	1	36	74	41	19	9	1	0	0
LAMAR	111	2	17	38	28	21	4	1	0	0
LAUDERDALE	536	5	119	219	107	59	22	5	0	0
LAWRENCE	75	0	19	29	16	3	6	2	0	0
LEAKE	185	2	37	72	42	24	6	2	0	0
LEE	424	4	100	168	74	55	21	2	0	0
LEFLORE	509	7	142	199	93	46	15	7	0	0

TABLE 3C - PAGE 2
LIVE BIRTHS TO NONWHITE MOTHERS - MISSISSIPPI - 2000

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LI NCOLN	179	4	39	76	33	18	9	0	0	0
LOWNDES	502	6	111	169	119	67	26	4	0	0
MADI SON	622	1	124	196	158	87	43	13	0	0
MARI ON	163	1	31	72	36	19	4	0	0	0
MARSHALL	321	3	65	133	61	32	21	6	0	0
MONROE	191	3	43	62	43	24	14	2	0	0
MONTGOMERY	94	0	21	38	19	11	4	1	0	0
NESHOBA	226	5	44	84	58	26	9	0	0	0
NEWTON	166	1	30	64	45	19	5	2	0	0
NOXUBEE	169	3	36	70	46	9	5	0	0	0
OKTI BBEHA	304	4	64	107	67	31	19	12	0	0
PANOLA	365	3	98	140	85	29	10	0	0	0
PEARL RIVER	107	1	27	44	25	5	5	0	0	0
PERRY	43	0	12	14	11	5	0	1	0	0
PI KE	379	2	90	143	77	47	17	3	0	0
PONTOTOC	54	1	12	22	11	5	2	1	0	0
PRENTI SS	58	0	13	16	17	7	3	2	0	0
QUI TMAN	139	0	34	60	22	15	7	1	0	0
RANKI N	325	1	60	101	85	47	24	6	0	1
SCOTT	220	4	52	86	47	17	12	2	0	0
SHARKEY	94	1	21	33	22	10	6	1	0	0
SIM PSON	170	0	46	62	38	14	7	3	0	0
SMI TH	53	2	15	23	9	1	2	1	0	0
STONE	55	1	14	23	8	5	4	0	0	0
SUNFLOWER	451	8	139	182	73	42	6	1	0	0
TALLAHATCHI E	152	1	51	60	25	10	5	0	0	0
TATE	159	3	31	71	34	15	2	3	0	0
TI PPAH	69	0	17	23	19	8	1	1	0	0
TI SHOMI NGO	6	0	2	2	1	1	0	0	0	0
TUNI CA	155	2	41	69	25	14	4	0	0	0
UNI ON	77	0	14	37	20	3	3	0	0	0
WALTHALL	127	1	33	55	25	8	4	1	0	0
WARREN	488	1	114	152	133	39	38	9	1	1
WASHI NGTON	861	7	218	359	154	84	37	2	0	0
WAYNE	164	3	47	54	31	17	8	4	0	0
WEBSTER	48	0	15	12	11	5	5	0	0	0
WI LKI NSON	114	0	25	40	23	16	6	4	0	0
WI NSTON	180	7	45	63	39	16	8	2	0	0
YALOBUSHA	91	2	25	27	26	6	4	1	0	0
YAZOO	325	3	96	124	54	38	7	3	0	0

TABLE 4
LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2000

COUNTY	NUMBER			PERCENT		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>STATE</u>	<u>20, 272</u>	<u>5, 102</u>	<u>15, 170</u>	<u>46. 0</u>	<u>21. 7</u>	<u>73. 9</u>
ADAMS	293	39	254	59. 9	23. 4	78. 9
ALCORN	135	85	50	29. 7	22. 4	66. 7
AMI TE	74	17	57	42. 8	18. 7	69. 5
ATTALA	127	31	96	44. 1	22. 6	63. 6
BENTON	52	10	42	39. 1	13. 2	73. 7
BOLI VAR	454	24	430	67. 8	15. 3	83. 8
CALHOUN	97	30	67	44. 1	21. 9	80. 7
CARROLL	41	10	31	34. 7	12. 8	77. 5
CHI CKASAW	153	47	106	48. 7	29. 6	68. 4
CHOCTAW	53	13	40	43. 8	19. 1	75. 5
CLAI BORNE	147	2	145	75. 4	14. 3	80. 1
CLARKE	116	34	82	44. 8	23. 3	72. 6
CLAY	182	16	166	56. 0	17. 6	70. 9
COAHOMA	490	18	472	74. 9	16. 8	86. 3
COPI AH	221	31	190	47. 9	16. 0	71. 2
COVI NGTON	136	28	108	44. 6	16. 7	78. 8
DESOTO	498	352	146	27. 4	22. 3	62. 4
FORREST	488	144	344	44. 7	23. 4	72. 0
FRANKLI N	46	11	35	41. 8	17. 7	72. 9
GEORGE	87	62	25	25. 8	20. 6	69. 4
GREENE	43	23	20	28. 1	18. 5	69. 0
GRENADA	164	41	123	49. 5	24. 7	74. 5
HANCOCK	214	176	38	37. 0	33. 9	64. 4
HARRI SON	1, 247	658	589	41. 7	31. 4	66. 0
HI NDS	2, 304	172	2, 132	57. 4	16. 5	71. 8
HOLMES	298	7	291	71. 1	14. 3	78. 6
HUMPHREYS	148	7	141	73. 6	20. 0	84. 9
I SSAQUENA	16	0	16	53. 3	-	72. 7
I TAWAMBA	72	59	13	25. 5	22. 5	65. 0
JACKSON	755	335	420	39. 1	25. 0	70. 8
JASPER	139	13	126	48. 3	12. 9	67. 4
JEFFERSON	107	1	106	72. 3	11. 1	76. 2
JEFF DAVI S	118	12	106	58. 1	15. 8	83. 5
JONES	480	148	332	45. 8	23. 0	82. 0
KEMPER	70	5	65	52. 6	13. 9	67. 0
LAFAYETTE	146	25	121	34. 4	10. 2	66. 8
LAMAR	128	62	66	21. 3	12. 7	59. 4
LAUDERDALE	527	121	406	45. 9	19. 7	75. 7
LAWRENCE	64	15	49	33. 9	13. 2	65. 3
LEAKE	165	45	120	44. 0	23. 7	64. 9
LEE	491	195	296	38. 1	22. 5	69. 8
LEFLORE	448	18	430	70. 6	14. 3	84. 5

TABLE 4 - PAGE 2
LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2000

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	155	41	114	33.6	14.5	63.7
LOWNDES	426	84	342	45.1	19.0	68.1
MADISON	471	55	416	36.5	8.2	66.9
MARION	170	57	113	43.9	25.4	69.3
MARSHALL	297	61	236	53.2	25.7	73.5
MONROE	220	75	145	43.2	23.6	75.9
MONTGOMERY	86	17	69	52.4	24.3	73.4
NESHOBA	208	55	153	43.4	21.7	67.7
NEWTON	147	27	120	40.3	13.6	72.3
NOXUBEE	139	3	136	63.8	6.1	80.5
OKTIBBEHA	235	29	206	41.4	11.0	67.8
PANOLA	344	65	279	59.0	29.8	76.4
PEARL RIVER	235	154	81	35.5	27.7	75.7
PERRY	68	37	31	38.2	27.4	72.1
PIKE	305	47	258	48.1	18.4	68.1
PONTOTOC	116	79	37	28.8	22.7	68.5
PRENTISS	101	69	32	29.2	24.0	55.2
QUITMAN	119	5	114	71.7	18.5	82.0
RANKIN	418	228	190	24.6	16.6	58.5
SCOTT	233	67	166	50.6	27.9	75.4
SHARKEY	85	4	81	79.4	30.8	86.2
SIMPSON	165	47	118	42.5	21.6	69.4
SMITH	55	17	38	30.7	13.5	71.7
STONE	73	29	44	33.8	18.0	80.0
SUNFLOWER	397	20	377	71.3	18.9	83.6
TALLAHATCHIE	148	14	134	69.5	23.0	88.2
TATE	174	58	116	41.9	22.6	73.0
TIPPAH	100	62	38	28.6	22.1	55.1
TISHOMINGO	55	50	5	22.9	21.4	83.3
TUNICA	145	14	131	80.1	53.8	84.5
UNION	136	84	52	31.9	24.1	67.5
WALTHALL	106	15	91	47.7	15.8	71.6
WARREN	461	81	380	56.4	24.6	77.9
WASHINGTON	780	62	718	68.6	22.5	83.4
WAYNE	140	27	113	44.2	17.6	68.9
WEBSTER	54	24	30	33.3	21.0	62.5
WILKINSON	96	4	92	70.1	17.4	80.7
WINSTON	157	22	135	50.3	16.7	75.0
YALOBUSHA	99	28	71	50.2	26.4	78.0
YAZOO	319	43	276	65.2	26.2	84.9

**TABLE 5A
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2000**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>20,272</u>	<u>233</u>	<u>6,554</u>	<u>8,295</u>	<u>3,197</u>	<u>1,272</u>	<u>590</u>	<u>129</u>	<u>1</u>	<u>1</u>
ADAMS	293	2	93	123	51	15	6	3	0	0
ALCORN	135	1	48	54	16	10	6	0	0	0
AMITE	74	1	16	33	15	7	2	0	0	0
ATTALA	127	1	32	60	22	8	3	1	0	0
BENTON	52	0	23	20	5	4	0	0	0	0
BOLIVAR	454	6	164	186	59	22	13	4	0	0
CALHOUN	97	2	38	39	12	6	0	0	0	0
CARROLL	41	0	11	20	6	0	3	1	0	0
CHICKASAW	153	1	57	63	20	6	5	1	0	0
CHOCTAW	53	2	25	18	7	0	1	0	0	0
CLAIBORNE	147	1	42	67	25	7	4	1	0	0
CLARKE	116	1	35	46	19	11	2	2	0	0
CLAY	182	3	56	72	35	8	6	2	0	0
COAHOMA	490	6	186	208	64	12	14	0	0	0
COPIAH	221	4	69	98	31	10	8	1	0	0
COVINGTON	136	4	63	40	16	9	3	1	0	0
DESOTO	498	5	152	189	85	39	22	6	0	0
FORREST	488	7	157	199	78	29	12	6	0	0
FRANKLIN	46	0	20	19	3	1	3	0	0	0
GEORGE	87	0	40	28	10	5	3	1	0	0
GREENE	43	0	19	17	4	2	1	0	0	0
GRENADA	164	2	48	57	39	11	7	0	0	0
HANCOCK	214	1	74	89	28	8	11	3	0	0
HARRISON	1,247	6	396	491	198	105	41	10	0	0
HINDS	2,304	34	655	948	401	168	76	22	0	0
HOLMES	298	8	92	115	52	22	7	2	0	0
HUMPHREYS	148	2	49	66	15	13	1	2	0	0
ISSAQUENA	16	0	4	5	2	2	3	0	0	0
I TAWAMBA	72	0	23	29	14	5	1	0	0	0
JACKSON	755	0	264	301	120	48	19	3	0	0
JASPER	139	0	40	63	24	10	2	0	0	0
JEFFERSON	107	2	34	37	23	7	3	1	0	0
JEFF DAVIS	118	1	30	62	17	4	2	2	0	0
JONES	480	10	143	192	82	31	17	5	0	0
KEMPER	70	1	17	35	11	5	1	0	0	0
LAFAYETTE	146	1	41	69	26	5	4	0	0	0
LAMAR	128	2	36	59	16	14	0	1	0	0
LAUDERDALE	527	6	157	224	79	45	14	2	0	0
LAWRENCE	64	0	24	27	8	1	4	0	0	0
LEAKE	165	3	46	69	31	13	3	0	0	0
LEE	491	4	180	207	55	28	17	0	0	0
LEFLORE	448	7	144	188	75	22	8	4	0	0

TABLE 5A - PAGE 2
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2000

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LI NCOLN	155	4	55	67	17	7	5	0	0	0
LOWNDES	426	4	138	167	66	38	11	2	0	0
MADI SON	471	1	135	181	101	33	18	2	0	0
MARI ON	170	1	55	76	22	13	3	0	0	0
MARSHALL	297	4	88	134	41	11	16	3	0	0
MONROE	220	3	87	74	30	12	12	2	0	0
MONTGOMERY	86	0	24	43	13	3	2	1	0	0
NESHOBA	208	5	52	85	48	15	3	0	0	0
NEWTON	147	1	40	67	23	12	3	1	0	0
NOXUBEE	139	3	36	63	32	2	3	0	0	0
OKTI BBEHA	235	4	69	107	34	12	6	3	0	0
PANOLA	344	4	119	134	68	14	5	0	0	0
PEARL RIVER	235	1	88	91	38	11	6	0	0	0
PERRY	68	0	27	21	12	6	2	0	0	0
PI KE	305	2	104	125	43	19	11	1	0	0
PONTOTOC	116	1	47	48	11	7	0	2	0	0
PRENTI SS	101	2	35	35	20	3	3	3	0	0
QUI TMAN	119	0	36	55	16	8	3	1	0	0
RANKI N	418	2	151	148	68	29	16	4	0	0
SCOTT	233	5	73	96	30	18	10	1	0	0
SHARKEY	85	1	22	32	18	8	3	1	0	0
SI MPSON	165	0	66	57	29	9	4	0	0	0
SMI TH	55	2	22	18	7	4	2	0	0	0
STONE	73	1	25	35	9	2	1	0	0	0
SUNFLOWER	397	8	148	168	50	20	3	0	0	0
TALLAHATCHI E	148	1	55	64	18	6	4	0	0	0
TATE	174	4	52	84	22	8	2	2	0	0
TI PPAH	100	2	39	41	13	4	0	1	0	0
TI SHOMI NGO	55	0	22	19	9	3	2	0	0	0
TUNI CA	145	2	43	66	21	11	2	0	0	0
UNI ON	136	1	46	64	17	4	3	0	1	0
WALTHALL	106	1	39	42	19	4	1	0	0	0
WARREN	461	1	145	161	98	29	20	6	0	1
WASHI NGTON	780	7	234	357	108	49	24	1	0	0
WAYNE	140	3	58	52	15	8	4	0	0	0
WEBSTER	54	2	19	19	10	1	2	1	0	0
WI LKI NSON	96	0	26	38	17	11	3	1	0	0
WI NSTON	157	7	49	63	22	10	5	1	0	0
YALOBUSHA	99	3	33	34	21	5	3	0	0	0
YAZOO	319	3	109	132	42	25	6	2	0	0

**TABLE 5B
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2000**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>5,102</u>	<u>30</u>	<u>1,823</u>	<u>1,969</u>	<u>743</u>	<u>336</u>	<u>170</u>	<u>30</u>	<u>1</u>	<u>0</u>
ADAMS	39	0	13	19	6	1	0	0	0	0
ALCORN	85	1	35	27	10	7	5	0	0	0
AMITE	17	0	3	10	2	2	0	0	0	0
ATTALA	31	1	11	10	7	1	0	1	0	0
BENTON	10	0	3	5	1	1	0	0	0	0
BOLIVAR	24	2	8	9	2	1	1	1	0	0
CALHOUN	30	1	11	14	3	1	0	0	0	0
CARROLL	10	0	3	5	1	0	1	0	0	0
CHICKASAW	47	0	14	22	8	1	2	0	0	0
CHOCTAW	13	1	6	3	2	0	1	0	0	0
CLAIBORNE	2	0	0	1	1	0	0	0	0	0
CLARKE	34	0	13	13	3	3	1	1	0	0
CLAY	16	0	6	8	1	0	1	0	0	0
COAHOMA	18	0	8	9	1	0	0	0	0	0
COPIAH	31	0	8	15	5	1	2	0	0	0
COVINGTON	28	0	17	8	2	1	0	0	0	0
DESOTO	352	3	110	127	57	33	18	4	0	0
FORREST	144	1	53	46	30	9	4	1	0	0
FRANKLIN	11	0	5	3	1	1	1	0	0	0
GEORGE	62	0	26	19	9	5	2	1	0	0
GREENE	23	0	9	11	1	1	1	0	0	0
GRENADA	41	0	9	15	13	3	1	0	0	0
HANCOCK	176	0	62	69	26	7	10	2	0	0
HARRISON	658	2	208	252	111	61	20	4	0	0
HINDS	172	0	56	68	19	20	9	0	0	0
HOLMES	7	0	4	2	0	0	1	0	0	0
HUMPHREYS	7	0	4	2	1	0	0	0	0	0
ISSAQUENA	0	0	0	0	0	0	0	0	0	0
I TAWAMBA	59	0	20	20	14	5	0	0	0	0
JACKSON	335	0	125	131	47	18	12	2	0	0
JASPER	13	0	4	4	3	2	0	0	0	0
JEFFERSON	1	0	0	1	0	0	0	0	0	0
JEFF DAVIS	12	0	6	5	1	0	0	0	0	0
JONES	148	3	44	51	29	14	5	2	0	0
KEMPER	5	0	2	3	0	0	0	0	0	0
LAFAYETTE	25	0	9	9	6	0	1	0	0	0
LAMAR	62	0	20	27	5	10	0	0	0	0
LAUDERDALE	121	1	39	47	21	8	5	0	0	0
LAWRENCE	15	0	5	8	1	0	1	0	0	0
LEAKE	45	1	11	19	11	2	1	0	0	0
LEE	195	0	81	84	17	4	9	0	0	0
LEFLORE	18	0	4	8	3	2	1	0	0	0

TABLE 5B - PAGE 2
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS - MISSISSIPPI - 2000

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LI NCOLN	41	0	19	13	5	2	2	0	0	0
LOWNDES	84	0	29	32	14	7	1	1	0	0
MADI SON	55	0	17	19	10	4	4	1	0	0
MARI ON	57	0	27	20	4	5	1	0	0	0
MARSHALL	61	1	24	22	11	2	1	0	0	0
MONROE	75	0	44	21	7	1	1	1	0	0
MONTGOMERY	17	0	5	9	2	1	0	0	0	0
NESHOBA	55	0	11	26	13	4	1	0	0	0
NEWTON	27	0	11	12	2	1	1	0	0	0
NOXUBEE	3	0	0	3	0	0	0	0	0	0
OKTI BBEHA	29	0	6	18	4	0	1	0	0	0
PANOLA	65	1	25	24	10	3	2	0	0	0
PEARL RIVER	154	0	61	57	23	10	3	0	0	0
PERRY	37	0	16	9	6	4	2	0	0	0
PI KE	47	0	19	16	7	2	3	0	0	0
PONTOTOC	79	0	35	30	7	6	0	1	0	0
PRENTI SS	69	2	24	27	12	1	1	2	0	0
QUI TMAN	5	0	2	2	1	0	0	0	0	0
RANKI N	228	1	91	77	31	17	9	2	0	0
SCOTT	67	1	22	27	8	6	3	0	0	0
SHARKEY	4	0	1	2	1	0	0	0	0	0
SI MPSON	47	0	21	14	8	2	2	0	0	0
SMI TH	17	0	7	2	3	4	1	0	0	0
STONE	29	0	11	14	3	1	0	0	0	0
SUNFLOWER	20	0	10	7	1	0	2	0	0	0
TALLAHATCHI E	14	0	4	8	2	0	0	0	0	0
TATE	58	1	23	28	2	3	1	0	0	0
TI PPAH	62	2	24	25	8	2	0	1	0	0
TI SHOMI NGO	50	0	20	17	8	3	2	0	0	0
TUNI CA	14	0	2	7	3	2	0	0	0	0
UNI ON	84	1	32	38	8	2	2	0	1	0
WALTHALL	15	0	8	3	4	0	0	0	0	0
WARREN	81	0	31	30	8	8	3	1	0	0
WASHI NGTON	62	0	20	34	7	1	0	0	0	0
WAYNE	27	0	13	8	4	1	1	0	0	0
WEBSTER	24	2	5	10	4	1	1	1	0	0
WI LKI NSON	4	0	1	3	0	0	0	0	0	0
WI NSTON	22	0	6	12	2	1	1	0	0	0
YALOBUSHA	28	1	8	15	2	1	1	0	0	0
YAZOO	43	0	13	19	7	3	1	0	0	0

**TABLE 5C
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2000**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	14,944	201	4,669	6,232	2,420	917	409	95	0	1
ADAMS	253	2	80	104	45	14	5	3	0	0
ALCORN	50	0	13	27	6	3	1	0	0	0
AMITE	57	1	13	23	13	5	2	0	0	0
ATTALA	95	0	21	50	14	7	3	0	0	0
BENTON	42	0	20	15	4	3	0	0	0	0
BOLIVAR	430	4	156	177	57	21	12	3	0	0
CALHOUN	67	1	27	25	9	5	0	0	0	0
CARROLL	31	0	8	15	5	0	2	1	0	0
CHICKASAW	106	1	43	41	12	5	3	1	0	0
CHOCTAW	40	1	19	15	5	0	0	0	0	0
CLAIBORNE	145	1	42	66	24	7	4	1	0	0
CLARKE	82	1	22	33	16	8	1	1	0	0
CLAY	166	3	50	64	34	8	5	2	0	0
COAHOMA	472	6	178	199	63	12	14	0	0	0
COPIAH	189	4	61	83	26	9	5	1	0	0
COVINGTON	108	4	46	32	14	8	3	1	0	0
DESOTO	142	2	42	61	26	6	4	1	0	0
FORREST	344	6	104	153	48	20	8	5	0	0
FRANKLIN	35	0	15	16	2	0	2	0	0	0
GEORGE	25	0	14	9	1	0	1	0	0	0
GREENE	20	0	10	6	3	1	0	0	0	0
GRENADA	121	2	39	41	25	8	6	0	0	0
HANCOCK	34	1	11	17	2	1	1	1	0	0
HARRISON	547	4	174	227	79	43	16	4	0	0
HINDS	2,128	34	599	878	380	148	67	22	0	0
HOLMES	291	8	88	113	52	22	6	2	0	0
HUMPHREYS	141	2	45	64	14	13	1	2	0	0
ISSAQUENA	16	0	4	5	2	2	3	0	0	0
I TAWAMBA	13	0	3	9	0	0	1	0	0	0
JACKSON	408	0	135	165	72	28	7	1	0	0
JASPER	126	0	36	59	21	8	2	0	0	0
JEFFERSON	106	2	34	36	23	7	3	1	0	0
JEFF DAVIS	106	1	24	57	16	4	2	2	0	0
JONES	324	7	96	138	53	15	12	3	0	0
KEMPER	64	1	14	32	11	5	1	0	0	0
LAFAYETTE	121	1	32	60	20	5	3	0	0	0
LAMAR	66	2	16	32	11	4	0	1	0	0
LAUDERDALE	404	5	118	176	57	37	9	2	0	0
LAWRENCE	49	0	19	19	7	1	3	0	0	0
LEAKE	99	2	27	39	19	10	2	0	0	0
LEE	292	4	98	121	38	23	8	0	0	0
LEFLORE	429	7	140	179	72	20	7	4	0	0

TABLE 5C - PAGE 2
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS - MISSISSIPPI - 2000

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LI NCOLN	114	4	36	54	12	5	3	0	0	0
LOWNDES	340	4	109	134	51	31	10	1	0	0
MADI SON	416	1	118	162	91	29	14	1	0	0
MARI ON	112	1	27	56	18	8	2	0	0	0
MARSHALL	236	3	64	112	30	9	15	3	0	0
MONROE	144	3	42	53	23	11	11	1	0	0
MONTGOMERY	69	0	19	34	11	2	2	1	0	0
NESHOBA	76	3	21	23	23	5	1	0	0	0
NEWTON	94	1	22	44	17	8	1	1	0	0
NOXUBEE	136	3	36	60	32	2	3	0	0	0
OKTI BBEHA	206	4	63	89	30	12	5	3	0	0
PANOLA	279	3	94	110	58	11	3	0	0	0
PEARL RIVER	80	1	27	33	15	1	3	0	0	0
PERRY	31	0	11	12	6	2	0	0	0	0
PI KE	258	2	85	109	36	17	8	1	0	0
PONTOTOC	37	1	12	18	4	1	0	1	0	0
PRENTI SS	32	0	11	8	8	2	2	1	0	0
QUI TMAN	114	0	34	53	15	8	3	1	0	0
RANKI N	189	1	60	70	37	12	7	2	0	0
SCOTT	163	4	50	69	22	11	6	1	0	0
SHARKEY	81	1	21	30	17	8	3	1	0	0
SIM PSON	118	0	45	43	21	7	2	0	0	0
SMI TH	38	2	15	16	4	0	1	0	0	0
STONE	44	1	14	21	6	1	1	0	0	0
SUNFLOWER	377	8	138	161	49	20	1	0	0	0
TALLAHATCHI E	134	1	51	56	16	6	4	0	0	0
TATE	116	3	29	56	20	5	1	2	0	0
TI PPAH	38	0	15	16	5	2	0	0	0	0
TI SHOMI NGO	5	0	2	2	1	0	0	0	0	0
TUNI CA	131	2	41	59	18	9	2	0	0	0
UNI ON	51	0	14	25	9	2	1	0	0	0
WALTHALL	91	1	31	39	15	4	1	0	0	0
WARREN	380	1	114	131	90	21	17	5	0	1
WASHI NGTON	717	7	214	323	101	47	24	1	0	0
WAYNE	113	3	45	44	11	7	3	0	0	0
WEBSTER	29	0	14	8	6	0	1	0	0	0
WI LKI NSON	92	0	25	35	17	11	3	1	0	0
WI NSTON	132	7	43	51	20	8	3	0	0	0
YALOBUSHA	71	2	25	19	19	4	2	0	0	0
YAZOO	276	3	96	113	35	22	5	2	0	0

TABLE 6A
LIVE BIRTHS WEIGHING LESS THAN 2,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2000

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>4,701</u>	<u>1,869</u>	<u>2,832</u>	<u>10.7</u>	<u>7.9</u>	<u>13.8</u>
ADAMS	58	14	44	11.9	8.4	13.7
ALCORN	58	43	15	12.8	11.3	20.0
AMITE	18	9	9	10.4	9.9	11.0
ATTALA	32	12	20	11.1	8.8	13.2
BENTON	23	14	9	17.3	18.4	15.8
BOLIVAR	71	13	58	10.6	8.3	11.3
CALHOUN	13	7	6	5.9	5.1	7.2
CARROLL	7	7	0	5.9	9.0	-
CHICKASAW	46	17	29	14.6	10.7	18.7
CHOCTAW	11	6	5	9.1	8.8	9.4
CLAIBORNE	19	2	17	9.7	14.3	9.4
CLARKE	37	10	27	14.3	6.8	23.9
CLAY	49	8	41	15.1	8.8	17.5
COAHOMA	80	5	75	12.2	4.7	13.7
COPIAH	62	20	42	13.4	10.3	15.7
COVINGTON	41	26	15	13.4	15.5	10.9
DESOTO	125	94	31	6.9	5.9	13.2
FORREST	113	45	68	10.3	7.3	14.2
FRANKLIN	14	2	12	12.7	3.2	25.0
GEORGE	38	30	8	11.3	10.0	22.2
GREENE	11	9	2	7.2	7.2	6.9
GRENADA	43	13	30	13.0	7.8	18.2
HANCOCK	53	48	5	9.2	9.2	8.5
HARRISON	269	162	107	9.0	7.7	12.0
HINDS	525	72	453	13.1	6.9	15.2
HOLMES	42	5	37	10.0	10.2	10.0
HUMPHREYS	30	5	25	14.9	14.3	15.1
ISSAQUENA	4	0	4	13.3	-	18.2
IATAWAMBA	27	20	7	9.6	7.6	35.0
JACKSON	164	103	61	8.5	7.7	10.3
JASPER	30	6	24	10.4	5.9	12.8
JEFFERSON	15	1	14	10.1	11.1	10.1
JEFF DAVIS	27	5	22	13.3	6.6	17.3
JONES	112	40	72	10.7	6.2	17.8
KEMPER	20	3	17	15.0	8.3	17.5
LAFAYETTE	43	19	24	10.1	7.8	13.3
LAMAR	59	40	19	9.8	8.2	17.1
LAUDERDALE	121	50	71	10.5	8.2	13.2
LAWRENCE	16	8	8	8.5	7.0	10.7
LEAKE	41	17	24	10.9	8.9	13.0
LEE	124	59	65	9.6	6.8	15.3
LEFLORE	75	8	67	11.8	6.3	13.2

TABLE 6A - PAGE 2
LIVE BIRTHS LESS THAN 2,500 GRAMS - MISSISSIPPI - 2000

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	39	21	18	8.4	7.4	10.0
LOWNDES	96	29	67	10.2	6.5	13.3
MADISON	148	64	84	11.5	9.6	13.5
MARION	48	28	20	12.4	12.5	12.3
MARSHALL	73	22	51	13.1	9.3	15.9
MONROE	68	33	35	13.4	10.4	18.3
MONTGOMERY	28	11	17	17.1	15.7	18.1
NESHOBA	47	13	34	9.8	5.1	15.0
NEWTON	29	17	12	7.9	8.5	7.2
NOXUBEE	27	2	25	12.4	4.1	14.8
OKTIBBEHA	55	18	37	9.7	6.8	12.2
PANOLA	60	21	39	10.3	9.6	10.7
PEARL RIVER	39	28	11	5.9	5.0	10.3
PERRY	15	8	7	8.4	5.9	16.3
PIKE	65	16	49	10.2	6.3	12.9
PONTOTOC	35	27	8	8.7	7.8	14.8
PRENTISS	34	26	8	9.8	9.0	13.8
QUITMAN	19	1	18	11.4	3.7	13.0
RANKIN	148	103	45	8.7	7.5	13.8
SCOTT	44	19	25	9.6	7.9	11.4
SHARKEY	13	0	13	12.2	-	13.8
SIMPSON	47	23	24	12.1	10.6	14.1
SMITH	28	18	10	15.6	14.3	18.9
STONE	13	8	5	6.0	5.0	9.1
SUNFLOWER	79	18	61	14.2	17.0	13.5
TALLAHATCHIE	30	4	26	14.1	6.6	17.1
TATE	43	23	20	10.4	9.0	12.6
TIPPAH	45	28	17	12.9	10.0	24.6
TISHOMINGO	25	25	0	10.4	10.7	-
TUNICA	18	1	17	9.9	3.8	11.0
UNION	40	29	11	9.4	8.3	14.3
WALTHALL	29	11	18	13.1	11.6	14.2
WARREN	91	24	67	11.1	7.3	13.7
WASHINGTON	128	22	106	11.2	8.0	12.3
WAYNE	22	8	14	6.9	5.2	8.5
WEBSTER	21	11	10	13.0	9.6	20.8
WILKINSON	22	1	21	16.0	4.3	18.4
WINSTON	34	9	25	10.9	6.8	13.9
YALOBUSHA	23	7	16	11.7	6.6	17.6
YAZOO	67	15	52	13.7	9.1	16.0

TABLE 6B
LIVE BIRTHS WEIGHING LESS THAN 1,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2000

COUNTY	NUMBER			PERCENT		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>STATE</u>	<u>971</u>	<u>319</u>	<u>652</u>	<u>2.2</u>	<u>1.4</u>	<u>3.2</u>
ADAMS	11	2	9	2.2	1.2	2.8
ALCORN	10	6	4	2.2	1.6	5.3
AMI TE	3	3	0	1.7	3.3	-
ATTALA	3	1	2	1.0	0.7	1.3
BENTON	2	0	2	1.5	-	3.5
BOLI VAR	13	1	12	1.9	0.6	2.3
CALHOUN	2	2	0	0.9	1.5	-
CARROLL	1	1	0	0.8	1.3	-
CHI CKASAW	13	7	6	4.1	4.4	3.9
CHOCTAW	2	0	2	1.6	-	3.8
CLAI BORNE	5	0	5	2.6	-	2.8
CLARKE	8	3	5	3.1	2.0	4.4
CLAY	9	1	8	2.8	1.1	3.4
COAHOMA	15	0	15	2.3	-	2.7
COPI AH	12	4	8	2.6	2.1	3.0
COVI NGTON	5	4	1	1.6	2.4	0.7
DESOTO	27	16	11	1.5	1.0	4.7
FORREST	23	4	19	2.1	0.6	4.0
FRANKLI N	1	0	1	0.9	-	2.1
GEORGE	7	7	0	2.1	2.3	-
GREENE	1	0	1	0.6	-	3.4
GRENADA	12	2	10	3.6	1.2	6.1
HANCOCK	5	3	2	0.9	0.6	3.4
HARRI SON	66	39	27	2.2	1.9	3.0
HI NDS	111	12	99	2.8	1.1	3.3
HOLMES	12	0	12	2.9	-	3.2
HUMPHREYS	5	1	4	2.5	2.8	2.4
I SSAQUENA	0	0	0	-	-	-
I TAWAMBA	7	5	2	2.5	1.9	10.0
JACKSON	33	21	12	1.7	1.6	2.0
JASPER	5	0	5	1.7	-	2.7
JEFFERSON	6	0	6	4.0	-	4.3
JEFF DAVI S	7	1	6	3.4	1.3	4.7
JONES	15	3	12	1.4	0.5	3.0
KEMPER	5	0	5	3.8	-	5.2
LAFAYETTE	12	4	8	2.8	1.6	4.4
LAMAR	15	11	4	2.5	2.2	3.6
LAUDERDALE	20	2	18	1.7	0.3	3.4
LAWRENCE	1	1	0	0.5	0.9	-
LEAKE	6	2	4	1.6	1.0	2.2
LEE	30	13	17	2.3	1.5	4.0
LEFLORE	21	2	19	3.3	1.6	3.7

TABLE 6B - PAGE 2
LIVE BIRTHS LESS THAN 1,500 GRAMS - MISSISSIPPI - 2000

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	9	3	6	1.9	1.1	3.4
LOWNDES	22	7	15	2.3	1.6	3.0
MADISON	30	13	17	2.3	1.9	2.7
MARION	8	4	4	2.1	1.8	2.4
MARSHALL	15	5	10	2.7	2.1	3.1
MONROE	18	8	10	3.5	2.5	5.2
MONTGOMERY	7	2	5	4.3	2.8	5.3
NESHOBA	10	3	7	2.1	1.2	3.1
NEWTON	5	1	4	1.4	0.5	2.4
NOXUBEE	10	1	9	4.6	2.0	5.3
OKTIBBEHA	9	1	8	1.6	0.4	2.6
PANOLA	17	5	12	2.9	2.3	3.3
PEARL RIVER	5	5	0	0.8	0.9	-
PERRY	5	2	3	2.8	1.5	7.0
PIKE	10	1	9	1.6	0.4	2.4
PONTOTOC	5	5	0	1.2	1.4	-
PRENTISS	9	7	2	2.6	2.4	3.4
QUITMAN	3	0	3	1.8	-	2.2
RANKIN	30	17	13	1.8	1.2	4.0
SCOTT	5	3	2	1.1	1.2	0.9
SHARKEY	1	0	1	0.9	-	1.1
SIMPSON	5	2	3	1.3	0.9	1.8
SMITH	5	5	0	2.8	4.0	-
STONE	2	0	2	0.9	-	3.6
SUNFLOWER	23	2	21	4.1	1.9	4.6
TALLAHATCHIE	4	0	4	1.9	-	2.6
TATE	12	4	8	2.9	1.6	5.0
TIPPACH	5	3	2	1.4	1.1	2.9
TISHOMINGO	1	1	0	0.4	0.4	-
TUNICA	3	0	3	1.6	-	1.9
UNION	2	0	2	0.5	-	2.6
WALTHALL	7	2	5	3.2	2.1	3.9
WARREN	27	7	20	3.3	2.1	4.1
WASHINGTON	30	3	27	2.6	1.1	3.1
WAYNE	8	4	4	2.5	2.6	2.4
WEBSTER	4	2	2	2.5	1.8	4.2
WILKINSON	4	0	4	2.9	-	3.5
WINSTON	6	2	4	1.9	1.5	2.2
YALOBUSHA	6	1	5	3.0	0.9	5.5
YAZOO	17	4	13	3.5	2.4	4.0

TABLE 7
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2000

COUNTY	NUMBER			PERCENT		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>STATE</u>	<u>6, 961</u>	<u>2, 991</u>	<u>3, 970</u>	<u>15. 8</u>	<u>12. 7</u>	<u>19. 3</u>
ADAMS	102	27	75	20. 8	16. 2	23. 3
ALCORN	75	56	19	16. 5	14. 8	25. 3
AMI TE	24	7	17	13. 9	7. 7	20. 7
ATTALA	39	14	25	13. 5	10. 2	16. 6
BENTON	25	9	16	18. 8	11. 8	28. 1
BOLI VAR	115	18	97	17. 2	11. 5	18. 9
CALHOUN	31	19	12	14. 1	13. 9	14. 4
CARROLL	8	6	2	6. 8	7. 7	5. 0
CHI CKASAW	60	21	39	19. 1	13. 2	25. 2
CHOCTAW	12	6	6	9. 9	8. 8	11. 3
CLAI BORNE	28	2	26	14. 4	14. 3	14. 4
CLARKE	55	24	31	21. 2	16. 4	27. 4
CLAY	67	15	52	20. 6	16. 5	22. 2
COAHOMA	123	13	110	18. 8	12. 2	20. 1
COPI AH	84	27	57	18. 2	13. 9	21. 3
COVI NGTON	54	28	26	17. 7	16. 7	19. 0
DESOTO	193	155	38	10. 6	9. 8	16. 2
FORREST	172	74	98	15. 8	12. 0	20. 5
FRANKLI N	16	4	12	14. 5	6. 4	25. 0
GEORGE	59	48	11	17. 5	15. 9	30. 6
GREENE	22	20	2	14. 4	16. 1	6. 9
GRENADA	45	16	29	13. 6	9. 6	17. 6
HANCOCK	91	80	11	15. 7	15. 4	18. 6
HARRI SON	397	255	142	13. 3	12. 2	15. 9
HI NDS	754	140	614	18. 8	13. 4	20. 7
HOLMES	87	6	81	20. 8	12. 2	21. 9
HUMPHREYS	42	7	35	20. 9	20. 0	21. 1
I SSAQUENA	4	0	4	13. 3	-	18. 2
I TAWAMBA	38	33	5	13. 5	12. 6	25. 0
JACKSON	251	168	83	13. 0	12. 6	14. 0
JASPER	29	8	21	10. 1	7. 9	11. 2
JEFFERSON	26	0	26	17. 6	-	18. 7
JEFF DAVI S	33	8	25	16. 2	10. 5	19. 7
JONES	141	65	76	13. 5	10. 1	18. 8
KEMPER	27	3	24	20. 3	8. 3	24. 7
LAFAYETTE	48	27	21	11. 3	11. 1	11. 6
LAMAR	104	76	28	17. 3	15. 5	25. 2
LAUDERDALE	181	75	106	15. 8	12. 2	19. 8
LAWRENCE	28	14	14	14. 8	12. 3	18. 7
LEAKE	62	26	36	16. 5	13. 7	19. 4
LEE	183	100	83	14. 2	11. 6	19. 6
LEFLORE	103	14	89	16. 2	11. 1	17. 5

TABLE 7 - PAGE 2
 PREMATURE LIVE BIRTHS - MISSISSIPPI - 2000

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	66	34	32	14.3	12.0	17.9
LOWNDES	170	58	112	18.0	13.1	22.3
MADISON	272	108	164	21.1	16.2	26.4
MARION	47	24	23	12.1	10.7	14.1
MARSHALL	87	34	53	15.6	14.3	16.5
MONROE	89	45	44	17.5	14.2	23.0
MONTGOMERY	30	10	20	18.3	14.3	21.3
NESHOBA	77	33	44	16.1	13.0	19.5
NEWTON	56	22	34	15.3	11.0	20.5
NOXUBEE	39	1	38	17.9	2.0	22.5
OKTIBBEHA	87	27	60	15.3	10.2	19.7
PANOLA	90	29	61	15.4	13.3	16.7
PEARL RIVER	57	42	15	8.6	7.6	14.0
PERRY	30	19	11	16.8	14.1	25.6
PIKE	103	30	73	16.2	11.8	19.3
PONTOTOC	55	44	11	13.7	12.6	20.4
PRENTISS	53	40	13	15.3	13.9	22.4
QUITMAN	32	7	25	19.3	25.9	18.0
RANKIN	276	205	71	16.2	14.9	21.8
SCOTT	78	36	42	17.0	15.0	19.1
SHARKEY	19	1	18	17.8	7.7	19.1
SIMPSON	60	29	31	15.5	13.3	18.2
SMITH	30	23	7	16.8	18.2	13.2
STONE	26	17	9	12.0	10.6	16.4
SUNFLOWER	131	24	107	23.5	22.6	23.7
TALLAHATCHIE	33	4	29	15.5	6.6	19.1
TATE	63	38	25	15.2	14.8	15.7
TIPPAH	60	43	17	17.2	15.4	24.6
TISHOMINGO	46	44	2	19.2	18.8	33.3
TUNICA	23	2	21	12.7	7.7	13.5
UNION	48	38	10	11.3	10.9	13.0
WALTHALL	39	16	23	17.6	16.8	18.1
WARREN	110	33	77	13.5	10.0	15.8
WASHINGTON	194	37	157	17.1	13.4	18.2
WAYNE	41	12	29	12.9	7.8	17.7
WEBSTER	25	15	10	15.4	13.2	20.8
WILKINSON	22	4	18	16.0	17.4	15.8
WINSTON	43	17	26	13.8	12.9	14.4
YALOBUSHA	22	11	11	11.2	10.4	12.1
YAZOO	94	21	73	19.2	12.8	22.5

* GESTATION LESS THAN 37 WEEKS.

TABLE 8
REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE OF MOTHER,
ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2000

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>474</u>	<u>141</u>	<u>333</u>	<u>465</u>	<u>141</u>	<u>324</u>	<u>10.6</u>	<u>6.0</u>	<u>15.8</u>
ADAMS	16	4	12	10	3	7	20.4	18.0	21.7
ALCORN	7	6	1	4	3	1	8.8	7.9	13.3
AMITE	0	0	0	0	0	0	-	-	-
ATTALA	0	0	0	7	3	4	24.3	21.9	26.5
BENTON	0	0	0	3	2	1	22.6	26.3	17.5
BOLIVAR	9	0	9	8	0	8	11.9	-	15.6
CALHOUN	0	0	0	2	0	2	9.1	-	24.1
CARROLL	0	0	0	2	2	0	16.9	25.6	-
CHICKASAW	0	0	0	4	0	4	12.7	-	25.8
CHOCTAW	0	0	0	2	2	0	16.5	29.4	-
CLAYBORNE	0	0	0	4	0	4	20.5	-	22.1
CLARKE	0	0	0	2	2	0	7.7	13.7	-
CLAY	5	0	5	4	0	4	12.3	-	17.1
COAHOMA	13	0	13	7	0	7	10.7	-	12.8
COPIAH	1	0	1	10	0	10	21.7	-	37.4
COVINGTON	4	0	4	6	1	5	19.7	6.0	36.5
DESOTO	10	2	8	6	4	2	3.3	2.5	8.5
FORREST	22	9	13	6	0	6	5.5	-	12.6
FRANKLIN	0	0	0	1	0	1	9.1	-	20.8
GEORGE	0	0	0	2	2	0	5.9	6.6	-
GREENE	0	0	0	1	1	0	6.5	8.1	-
GRENADA	7	2	5	2	1	1	6.0	6.0	6.1
HANCOCK	5	4	1	6	6	0	10.4	11.6	-
HARRISON	25	14	11	23	12	11	7.7	5.7	12.3
HINDS	144	23	121	55	2	53	13.7	1.9	17.8
HOLMES	2	0	2	8	0	8	19.1	-	21.6
HUMPHREYS	0	0	0	1	0	1	5.0	-	6.0
ISSAQUENA	0	0	0	0	0	0	-	-	-
ITAWAMBA	0	0	0	4	4	0	14.2	15.3	-
JACKSON	10	6	4	12	5	7	6.2	3.7	11.8
JASPER	0	0	0	3	1	2	10.4	9.9	10.7
JEFFERSON	0	0	0	2	0	2	13.5	-	14.4
JEFF DAVIS	0	0	0	4	1	3	19.7	13.2	23.6
JONES	15	5	10	13	4	9	12.4	6.2	22.2
KEMPER	0	0	0	1	0	1	7.5	-	10.3
LAFAYETTE	4	1	3	3	1	2	7.0	4.1	11.0
LAMAR	4	3	1	3	3	0	5.0	6.1	-
LAUDERDALE	25	8	17	11	3	8	9.6	4.9	14.9
LAWRENCE	0	0	0	4	1	3	21.2	8.8	40.0
LEAKE	2	0	2	5	2	3	13.3	10.5	16.2
LEE	19	12	7	9	5	4	7.0	5.8	9.4
LEFLORE	17	5	12	11	3	8	17.3	23.8	15.7

TABLE 8 - PAGE 2
 FETAL DEATHS - MISSISSIPPI - 2000

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	7	4	3	9	5	4	19.5	17.7	22.3
LOWNDES	8	1	7	9	3	6	9.5	6.8	12.0
MADISON	2	0	2	10	3	7	7.8	4.5	11.2
MARION	0	0	0	3	1	2	7.8	4.5	12.3
MARSHALL	0	0	0	5	2	3	9.0	8.4	9.3
MONROE	5	2	3	3	2	1	5.9	6.3	5.2
MONTGOMERY	1	0	1	4	1	3	24.4	14.3	31.9
NESHOBA	0	0	0	3	1	2	6.3	4.0	8.8
NEWTON	0	0	0	5	2	3	13.7	10.0	18.1
NOXUBEE	0	0	0	5	0	5	22.9	-	29.6
OKTIBBEHA	8	2	6	1	0	1	1.8	-	3.3
PANOLA	3	0	3	4	0	4	6.9	-	11.0
PEARL RIVER	3	2	1	6	5	1	9.1	9.0	9.3
PERRY	0	0	0	0	0	0	-	-	-
PIKE	10	3	7	9	1	8	14.2	3.9	21.1
PONTOTOC	0	0	0	3	2	1	7.5	5.7	18.5
PRENTISS	1	1	0	2	1	1	5.8	3.5	17.2
QUITMAN	0	0	0	3	0	3	18.1	-	21.6
RANKIN	20	10	10	16	12	4	9.4	8.7	12.3
SCOTT	0	0	0	5	2	3	10.9	8.3	13.6
SHARKEY	0	0	0	0	0	0	-	-	-
SIMPSON	0	0	0	3	0	3	7.7	-	17.6
SMITH	1	0	1	1	0	1	5.6	-	18.9
STONE	0	0	0	1	1	0	4.6	6.2	-
SUNFLOWER	2	0	2	10	0	10	18.0	-	22.2
TALLAHATCHIE	0	0	0	5	0	5	23.5	-	32.9
TATE	0	0	0	6	2	4	14.4	7.8	25.2
TIPPAH	1	1	0	5	3	2	14.3	10.7	29.0
TISHOMINGO	0	0	0	1	1	0	4.2	4.3	-
TUNICA	0	0	0	3	1	2	16.6	38.5	12.9
UNION	11	6	5	1	1	0	2.3	2.9	-
WALTHALL	0	0	0	3	0	3	13.5	-	23.6
WARREN	10	1	9	6	1	5	7.3	3.0	10.2
WASHINGTON	12	3	9	18	3	15	15.8	10.9	17.4
WAYNE	0	0	0	1	1	0	3.2	6.5	-
WEBSTER	0	0	0	3	1	2	18.5	8.8	41.7
WILKINSON	1	0	1	1	0	1	7.3	-	8.8
WINSTON	1	0	1	3	1	2	9.6	7.6	11.1
YALOBUSHA	0	0	0	1	0	1	5.1	-	11.0
YAZOO	1	1	0	17	3	14	34.8	18.3	43.1
OUT OF STATE	12	9	3	21	9	12			

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 2000

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>27,893</u>	<u>18,742</u>	<u>9,151</u>	<u>28,529</u>	<u>19,189</u>	<u>9,340</u>	<u>10.0</u>	<u>11.0</u>	<u>8.5</u>
ADAMS	447	214	233	403	207	196	11.7	13.1	10.6
ALCORN	453	405	48	494	433	61	14.3	14.3	14.0
AMITE	65	38	27	146	97	49	10.7	12.6	8.3
ATTALA	204	144	60	242	165	77	12.3	14.4	9.4
BENTON	44	27	17	96	67	29	12.0	13.5	9.4
BOLIVAR	395	160	235	457	186	271	11.2	13.8	10.0
CALHOUN	126	98	28	196	153	43	13.0	14.6	9.3
CARROLL	40	22	18	106	56	50	9.8	8.3	12.4
CHICKASAW	140	107	33	213	150	63	11.0	13.6	7.5
CHOCTAW	57	40	17	90	64	26	9.2	9.6	8.3
CLAYBORNE	75	19	56	116	24	92	9.8	13.4	9.2
CLARKE	137	106	31	201	144	57	11.2	12.4	8.9
CLAY	186	100	86	227	115	112	10.3	12.2	8.9
COAHOMA	347	126	221	355	132	223	11.6	14.7	10.3
COPIAH	193	111	82	284	152	132	9.9	11.0	8.8
COVINGTON	167	132	35	200	150	50	10.3	12.2	7.0
DESOTO	630	511	119	763	674	89	7.1	7.3	5.8
FORREST	1,223	898	325	732	524	208	10.1	11.2	8.0
FRANKLIN	89	65	24	116	83	33	13.7	15.6	10.5
GEORGE	163	150	13	210	193	17	11.0	11.3	8.4
GREENE	40	34	6	101	87	14	7.6	9.0	3.9
GRENADA	315	201	114	334	203	131	14.4	15.1	13.4
HANCOCK	356	327	29	483	450	33	11.2	11.6	7.8
HARRISON	2,078	1,725	353	1,800	1,470	330	9.5	10.6	6.5
HINDS	3,846	2,022	1,824	2,144	1,001	1,143	8.5	10.7	7.3
HOLMES	172	56	116	250	75	175	11.6	17.0	10.2
HUMPHREYS	96	26	70	142	42	100	12.7	13.8	12.2
ISSAQUENA	11	3	8	19	8	11	8.4	9.7	7.6
ITAWAMBA	155	148	7	266	255	11	11.7	12.1	6.4
JACKSON	1,104	902	202	1,183	974	209	9.0	9.8	6.4
JASPER	128	73	55	235	134	101	12.9	15.9	10.4
JEFFERSON	40	6	34	79	6	73	8.1	4.7	8.6
JEFF DAVIS	109	46	63	165	77	88	11.8	13.2	10.8
JONES	608	463	145	703	556	147	10.8	12.0	7.8
KEMPER	43	26	17	100	55	45	9.6	13.5	7.1
LAFAYETTE	514	388	126	270	200	70	7.0	7.2	6.4
LAMAR	336	294	42	291	259	32	7.4	7.8	5.6
LAUDERDALE	1,386	886	500	975	641	334	12.5	13.6	10.7
LAWRENCE	100	73	27	151	110	41	11.4	12.4	9.4
LEAKE	175	120	55	233	151	82	11.1	12.8	8.9
LEE	1,530	1,198	332	776	636	140	10.2	11.4	7.0
LEFLORE	507	205	302	418	172	246	11.0	15.1	9.3

TABLE 9 - PAGE 2
DEATHS - MISSISSIPPI - 2000

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	397	295	102	447	333	114	13.5	14.5	11.2
LOWNDES	520	318	202	468	287	181	7.6	8.2	6.8
MADISON	576	386	190	798	523	275	10.7	11.6	9.3
MARION	253	184	69	350	255	95	13.7	14.9	11.2
MARSHALL	181	91	90	320	158	162	9.1	9.3	9.0
MONROE	332	261	71	417	312	105	11.0	12.0	8.7
MONTGOMERY	120	64	56	154	85	69	12.6	12.8	12.4
NESHOBA	180	117	63	318	206	112	11.1	11.0	11.3
NEWTON	193	135	58	237	166	71	10.8	11.7	9.3
NOXUBEE	69	31	38	115	45	70	9.2	12.2	7.9
OKTIBBEHA	238	145	93	285	169	116	6.6	6.7	6.5
PANOLA	225	137	88	367	220	147	10.7	12.7	8.7
PEARL RIVER	356	316	40	476	417	59	9.8	10.0	8.4
PERRY	95	80	15	151	119	32	12.4	12.9	11.1
PIKE	400	264	136	424	250	174	10.9	12.5	9.2
PONTOTOC	145	130	15	256	227	29	9.6	10.1	7.0
PRENTISS	147	135	12	226	205	21	8.8	9.3	5.8
QUITMAN	87	33	54	131	53	78	12.9	17.2	11.1
RANKIN	598	460	138	778	630	148	6.7	6.7	6.8
SCOTT	153	103	50	244	155	89	8.6	9.5	7.3
SHARKEY	40	20	20	59	27	32	9.0	14.0	6.9
SIMPSON	255	188	67	320	232	88	11.6	13.0	8.9
SMITH	74	58	16	154	126	28	9.5	10.2	7.2
STONE	61	47	14	139	107	32	10.2	9.9	11.4
SUNFLOWER	252	116	136	338	149	189	9.8	15.0	7.7
TALLAHATCHIE	88	39	49	153	72	81	10.3	12.2	9.0
TATE	142	105	37	240	173	67	9.5	10.0	8.2
TIPPAH	188	166	22	247	218	29	11.9	12.8	7.7
TISHOMINGO	176	168	8	274	262	12	14.3	14.4	12.4
TUNICA	71	34	37	90	30	60	9.8	11.8	9.0
UNION	244	218	26	275	245	30	10.8	11.6	7.1
WALTHALL	121	80	41	176	116	60	11.6	14.0	8.7
WARREN	521	286	235	500	289	211	10.1	10.6	9.4
WASHINGTON	713	282	431	681	273	408	10.8	12.8	9.8
WAYNE	166	117	49	191	131	60	9.0	10.1	7.3
WEBSTER	106	90	16	145	124	21	14.1	15.5	9.1
WILKINSON	108	56	52	122	54	68	11.8	16.8	9.6
WINSTON	171	114	57	233	148	85	11.6	13.3	9.4
YALOBUSHA	75	60	15	150	108	42	11.5	13.7	8.1
YAZOO	226	118	108	315	159	156	11.2	12.6	10.0
OUT OF STATE	1,584	1,138	446	948	691	257			

* DEATHS PER 1,000 POPULATION.

TABLE 9 - PAGE 3
 DEATHS - MISSISSIPPI - 2000

TOWN**	RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE
BILOXI	446	370	76
BRANDON	173	146	27
CANTON	141	40	101
CLARKSDALE	270	107	163
CLEVELAND	164	87	77
CLINTON	165	124	41
COLUMBUS	280	160	120
CORINTH	306	254	52
GAUTIER	108	99	9
GREENVILLE	481	191	290
GREENWOOD	256	92	164
GRENADA	248	143	105
GULFPORT	744	549	195
HATTIESBURG	517	330	187
HORN LAKE	73	67	6
INDIANOLA	145	65	80
JACKSON	1,669	724	945
LAUREL	274	181	93
LONG BEACH	128	120	8
MADISON	145	140	5
MCCOMB	213	137	76
MERIDIAN	661	384	277
MOSS POINT	223	110	113
NATCHEZ	274	141	133
OCEAN SPRINGS	212	195	17
OLIVE BRANCH	142	125	17
OXFORD	137	103	34
PASCAGOULA	249	196	53
PEARL	156	141	15
PI CAYUNE	152	109	43
RI DGELAND	377	289	88
SOUTHAVEN	251	234	17
STARKVILLE	157	89	68
TUPELO	409	332	77
VI CKSBURG	348	168	180
WEST POINT	138	71	67
YAZOO CITY	180	73	107

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 10A
DEATHS, BY CAUSE AND RACE,
(CAUSE GROUPINGS BASED ON NCHS LIST OF 358 SELECTED CAUSES*)
MISSISSIPPI RESIDENTS, 2000

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>001-358</u>	<u>ALL CAUSES</u>	<u>28,529</u>	<u>19,189</u>	<u>9,340</u>
<u>001-055</u>	<u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u>	<u>816</u>	<u>456</u>	<u>360</u>
<u>001-008</u>	<u>Intestinal infectious diseases</u>	<u>8</u>	<u>6</u>	<u>2</u>
<u>002-007</u>	<u>Other intestinal infectious diseases</u>	<u>7</u>	<u>6</u>	<u>1</u>
007	Intestinal infections due to other specified organisms	7	6	1
008	Diarrhea and gastroenteritis of presumed infectious origin	1	0	1
<u>009-010</u>	<u>Tuberculosis</u>	<u>14</u>	<u>6</u>	<u>8</u>
009	Respiratory tuberculosis	12	5	7
010	Other tuberculosis	2	1	1
<u>011-019</u>	<u>Zoonotic and other bacterial diseases</u>	<u>548</u>	<u>348</u>	<u>200</u>
017	Meningococcal infection	1	1	0
018	Septicemia	532	338	194
019	Other zoonotic and bacterial diseases	15	9	6
<u>020-024</u>	<u>Infections with a predominantly sexual mode of transmission</u>	<u>1</u>	<u>1</u>	<u>0</u>
021	Neurosyphilis	1	1	0
<u>028-044</u>	<u>Viral diseases</u>	<u>206</u>	<u>70</u>	<u>136</u>
033	Herpesviral (herpes simplex) infections	2	2	0
034	Zoster (herpes zoster)	2	1	1
038	Viral hepatitis	35	24	11
<u>039-043</u>	<u>Human immunodeficiency virus [HIV] disease</u>	<u>160</u>	<u>37</u>	<u>123</u>
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	61	15	46
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	6	0	6
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	9	4	5
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	52	9	43
043	Unspecified human immunodeficiency virus (HIV) disease	32	9	23
044	All other and unspecified viral diseases	7	6	1
<u>045-055</u>	<u>Other and unspecified infectious and parasitic diseases and their sequelae</u>	<u>39</u>	<u>25</u>	<u>14</u>
045	Mycoses	23	16	7
<u>046-050</u>	<u>Protozoal diseases</u>	<u>2</u>	<u>0</u>	<u>2</u>
049	Pneumocystosis	1	0	1
050	Other and unspecified protozoal diseases	1	0	1
052	Other and unspecified helminthiasis	1	1	0
053	Sequelae of tuberculosis	1	0	1
054	Sequelae of poliomyelitis	3	3	0
055	All other and unspecified infectious and parasitic diseases and their sequelae	9	5	4
<u>056-115</u>	<u>NEOPLASMS</u>	<u>6,145</u>	<u>4,243</u>	<u>1,902</u>
<u>056-108</u>	<u>Malignant neoplasms</u>	<u>6,060</u>	<u>4,186</u>	<u>1,874</u>
<u>056-059</u>	<u>Malignant neoplasms of lip, oral cavity and pharynx</u>	<u>103</u>	<u>67</u>	<u>36</u>
057	Of tongue	20	15	5

Table 10A - Page 2
Deaths - Mississippi - 2000

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
058	Of pharynx	61	38	23
059	Of other and unspecified sites within the lip, oral cavity and pharynx	22	14	8
<u>060-070</u>	<u>Malignant neoplasms of digestive organs</u>	<u>1,426</u>	<u>933</u>	<u>493</u>
060	Of esophagus	112	65	47
061	Of stomach	147	77	70
062	Of small intestine	10	9	1
063	Colon	579	385	194
064	Rectosigmoid junction and rectum	72	47	25
065	Anus and anal canal	3	2	1
066	Liver	137	97	40
067	Intrahepatic bile duct carcinoma	16	13	3
068	Of gallbladder and extrahepatic bile ducts	22	16	6
069	Of pancreas	317	216	101
070	Of other and ill-defined digestive organs	11	6	5
<u>071-075</u>	<u>Malignant neoplasms of respiratory and intrathoracic organs</u>	<u>1,978</u>	<u>1,469</u>	<u>509</u>
071	Of nasal cavity, middle ear and accessory sinuses	8	7	1
072	Of larynx	33	22	11
073	Of trachea, bronchus and lung	1,930	1,434	496
074	Of thymus, heart, mediastinum and pleura	6	5	1
075	Of other and ill-defined sites in respiratory system and intrathoracic organs	1	1	0
076	Malignant neoplasms of bone and articular cartilage	26	19	7
<u>077-078</u>	<u>Melanoma and other malignant neoplasms of skin</u>	<u>94</u>	<u>83</u>	<u>11</u>
077	Malignant melanoma of skin	66	62	4
078	Other malignant neoplasms of skin	28	21	7
<u>079-081</u>	<u>Malignant neoplasms of mesothelial and soft tissue</u>	<u>45</u>	<u>31</u>	<u>14</u>
079	Mesothelioma	7	7	0
080	Kaposi's sarcoma	1	1	0
081	Of other mesothelial and soft tissue	37	23	14
082	Malignant neoplasm of breast	467	299	168
<u>083-088</u>	<u>Malignant neoplasms of female genital organs</u>	<u>267</u>	<u>171</u>	<u>96</u>
083	Of vulva and vagina	18	10	8
084	Of cervix uteri	54	25	29
085	Of corpus uteri and uterus, part unspecified	56	29	27
086	Of ovary	137	105	32
087	Of other and unspecified female genital organs	2	2	0
<u>089-091</u>	<u>Malignant neoplasms of male genital organs</u>	<u>403</u>	<u>195</u>	<u>208</u>
089	Of prostate	393	189	204
090	Of testis	4	2	2
091	Of penis and other and unspecified male genital organs	6	4	2
<u>092-094</u>	<u>Malignant neoplasms of urinary tract</u>	<u>214</u>	<u>154</u>	<u>60</u>
092	Of kidney and renal pelvis	109	76	33
093	Of bladder	102	77	25
094	Of other and unspecified sites within the urinary tract	3	1	2
095	Malignant neoplasm of eye and adnexa	2	2	0
<u>096-097</u>	<u>Malignant neoplasms of meninges, brain and other parts of central nervous system</u>	<u>157</u>	<u>119</u>	<u>38</u>
096	Of brain	156	118	38
097	Of other parts of central nervous system	1	1	0

Table 10A - Page 3
Deaths - Mississippi - 2000

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
098	Malignant neoplasms of thyroid and other endocrine glands	18	14	4
099	Other malignant neoplasms of other and unspecified sites	342	233	109
<u>100-108</u>	<u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u>	<u>518</u>	<u>397</u>	<u>121</u>
100	Hodgkin's disease	14	9	5
101	Non-Hodgkin's lymphoma	178	153	25
102	Of other and unspecified lymphoid, hematopoietic and related tissue	3	3	0
103	Malignant immunoproliferative diseases	2	2	0
104	Multiple myeloma and malignant plasma cell neoplasms	93	54	39
<u>(105-108)</u>	<u>(Leukemia)</u>	<u>228</u>	<u>176</u>	<u>52</u>
105	Lymphoid leukemia	71	48	23
106	Myeloid leukemia	86	67	19
107	Monocytic leukemia	1	1	0
108	Other and unspecified leukemia	70	60	10
<u>111-113</u>	<u>Benign neoplasms</u>	<u>17</u>	<u>8</u>	<u>9</u>
111	Of female genital organs	1	0	1
112	Of eye, brain and other parts of central nervous system	10	4	6
113	Of other and unspecified sites	6	4	2
114	Neoplasms of uncertain or unknown behavior of specified sites	65	49	16
115	Neoplasm of uncertain or unknown behavior of unspecified sites	3	0	3
<u>116-122</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u>	<u>132</u>	<u>70</u>	<u>62</u>
<u>116-119</u>	<u>Anemias</u>	<u>67</u>	<u>30</u>	<u>37</u>
116	Nutritional anemias	3	0	3
117	Hemolytic anemias	20	1	19
118	Aplastic anemias	13	7	6
119	Acute posthemorrhagic and other anemias	31	22	9
120	Coagulation defects, purpura and other hemorrhagic conditions	36	22	14
121	Other diseases of blood and blood-forming organs	8	6	2
122	Certain disorders involving the immune mechanism	21	12	9
<u>123-135</u>	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>914</u>	<u>523</u>	<u>391</u>
<u>123-128</u>	<u>Endocrine diseases</u>	<u>698</u>	<u>386</u>	<u>312</u>
123	Disorders of thyroid gland	12	7	5
124	Diabetes mellitus	670	372	298
125	Disorders of pituitary gland	3	1	2
126	Disorders of adrenal glands	3	0	3
128	Other endocrine diseases	10	6	4
<u>129-131</u>	<u>Malnutrition and other nutritional deficiencies</u>	<u>44</u>	<u>27</u>	<u>17</u>
<u>129-130</u>	<u>Malnutrition</u>	<u>41</u>	<u>26</u>	<u>15</u>
129	Nutritional marasmus	1	0	1
130	Other and unspecified malnutrition	40	26	14

Table 10A - Page 4
 Deaths - Mississippi - 2000

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
131	Other nutritional deficiencies	3	1	2
132	Obesity and other hyperalimentation	31	20	11
<u>133-135</u>	<u>Metabolic disorders</u>	<u>141</u>	<u>90</u>	<u>51</u>
133	Cystic fibrosis	7	7	0
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	106	62	44
135	Other metabolic disorders	28	21	7
<u>136-144</u>	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>305</u>	<u>213</u>	<u>92</u>
136	Organic dementia	161	121	40
137	Other and unspecified organic mental disorders	37	30	7
<u>138-139</u>	<u>Mental and behavioral disorders due to psychoactive substance abuse</u>	<u>81</u>	<u>47</u>	<u>34</u>
138	Mental and behavioral disorders due to use of alcohol	72	42	30
139	Mental and behavioral disorders due to other psychoactive substance abuse	9	5	4
140	Schizophrenia, schotypal and delusional disorders	3	1	2
141	Mood (affective) disorders	9	6	3
142	Neurotic, stress-related and somatoform disorders	1	0	1
143	Mental retardation	8	4	4
144	Other and unspecified mental and behavioral disorders	5	4	1
<u>145-153</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>810</u>	<u>612</u>	<u>198</u>
145	Meningitis	6	2	4
146	Other inflammatory diseases of central nervous system	9	4	5
147	Parkinson's disease	107	89	18
148	Alzheimer's disease	431	352	79
149	Multiple sclerosis	15	10	5
150	Epilepsy	18	8	10
151	Transient cerebral ischemic attacks and related syndromes	4	3	1
152	Infantile cerebral palsy	12	5	7
153	All other diseases of nervous system	208	139	69
<u>154</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>3</u>	<u>1</u>	<u>2</u>
<u>155</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>156-191</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>11,850</u>	<u>7,992</u>	<u>3,858</u>
<u>156-189</u>	<u>Major cardiovascular diseases</u>	<u>11,792</u>	<u>7,956</u>	<u>3,836</u>
<u>157-160</u>	<u>Chronic rheumatic heart diseases</u>	<u>20</u>	<u>12</u>	<u>8</u>
157	Rheumatic mitral valve diseases	11	8	3
159	Disorders of both mitral and aortic valves	4	2	2
160	Other chronic rheumatic heart diseases	5	2	3
<u>161-164</u>	<u>Hypertensive diseases</u>	<u>826</u>	<u>413</u>	<u>413</u>
161	Essential (primary) hypertension	164	90	74
162	Hypertensive heart disease	516	275	241
163	Hypertensive renal disease	89	31	58

Table 10A - Page 5
Deaths - Mississippi - 2000

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
164	Hypertensive heart and renal disease	57	17	40
<u>165-168</u>	<u>Ischemic heart diseases</u>	<u>5,617</u>	<u>3,970</u>	<u>1,647</u>
165	Acute myocardial infarction	2,722	1,821	901
166	Other acute ischemic heart diseases	10	7	3
167	Atherosclerotic cardiovascular disease, so described	772	571	201
168	All other forms of chronic ischemic heart disease	2,113	1,571	542
<u>169-170</u>	<u>Pulmonary heart disease and diseases of pulmonary circulation</u>	<u>185</u>	<u>112</u>	<u>73</u>
169	Pulmonary embolism	134	77	57
170	Other pulmonary heart disease and diseases of pulmonary circulation	51	35	16
<u>171-181</u>	<u>Other forms of heart disease</u>	<u>2,833</u>	<u>1,892</u>	<u>941</u>
171	Acute and subacute endocarditis	12	7	5
172	Diseases of pericardium and acute myocarditis	11	6	5
173	Nonrheumatic mitral valve disorders	20	14	6
174	Nonrheumatic aortic valve disorders	97	79	18
175	All other diseases of endocardium	25	19	6
176	Cardiomyopathy	395	225	170
177	Conduction disorders and cardiac dysrhythmias	744	454	290
178	Congestive heart failure	1,197	846	351
179	Other and unspecified heart failure	118	94	24
180	Myocarditis, unspecified and myocardial degeneration	7	3	4
181	All other and ill-defined forms of heart disease	207	145	62
<u>182-186</u>	<u>Cerebrovascular diseases</u>	<u>1,980</u>	<u>1,328</u>	<u>652</u>
182	Subarachnoid hemorrhage	85	52	33
183	Intracerebral and other intracranial hemorrhage	359	225	134
184	Cerebral infarction	131	91	40
185	Stroke, not specified as hemorrhage or infarction	1,167	794	373
186	Other cerebrovascular diseases and their sequelae	238	166	72
<u>187-189</u>	<u>Diseases of arteries, arterioles and capillaries</u>	<u>331</u>	<u>229</u>	<u>102</u>
187	Atherosclerosis	87	54	33
188	Aortic aneurysm and dissection	147	109	38
189	Other diseases of arteries, arterioles and capillaries	97	66	31
<u>190-191</u>	<u>Other disorders of circulatory system</u>	<u>58</u>	<u>36</u>	<u>22</u>
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	30	19	11
191	All other and unspecified disorders of circulatory system	28	17	11
<u>192-214</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,555</u>	<u>2,002</u>	<u>553</u>
<u>192-194</u>	<u>Acute upper respiratory infections</u>	<u>6</u>	<u>6</u>	<u>0</u>
194	Other and unspecified acute upper respiratory infections	6	6	0

Table 10A - Page 6
Deaths - Mississippi - 2000

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>195-214</u>	<u>Other diseases of the respiratory system</u>	<u>2,549</u>	<u>1,996</u>	<u>553</u>
195	Influenza	23	20	3
<u>196-198</u>	<u>Pneumonia</u>	<u>781</u>	<u>563</u>	<u>218</u>
196	Viral pneumonia, not elsewhere classified	15	5	10
197	Bacterial pneumonia	45	32	13
198	Pneumonia due to other or unspecified organisms	721	526	195
<u>199-200</u>	<u>Other acute lower respiratory infections</u>	<u>12</u>	<u>8</u>	<u>4</u>
199	Acute bronchitis and bronchiolitis	9	5	4
200	Unspecified acute lower respiratory infection	3	3	0
201	Other diseases of upper respiratory tract	3	2	1
<u>202-207</u>	<u>Chronic lower respiratory diseases</u>	<u>1,250</u>	<u>1,049</u>	<u>201</u>
202	Bronchitis, not specified as acute or chronic	12	12	0
203	Chronic bronchitis	3	2	1
204	Emphysema	136	123	13
205	Other chronic obstructive pulmonary disease	1,032	883	149
206	Asthma	60	22	38
207	Bronchiectasis	7	7	0
<u>208-211</u>	<u>Lung diseases due to external agents</u>	<u>190</u>	<u>137</u>	<u>53</u>
208	Pneumoconioses and chemical effects	9	9	0
209	Pneumonitis due to food and vomit	180	127	53
211	Other lung diseases due to external agents	1	1	0
212	Suppurative and necrotic conditions of lower respiratory tract	10	6	4
213	Pleural effusion and plaque	8	6	2
214	All other diseases of respiratory system	272	205	67
<u>215-237</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>927</u>	<u>639</u>	<u>288</u>
215	Diseases of oral cavity, salivary glands and jaws	2	2	0
<u>216-237</u>	<u>Diseases of other parts of digestive system</u>	<u>925</u>	<u>637</u>	<u>288</u>
216	Diseases of esophagus	14	12	2
<u>217-220</u>	<u>Peptic ulcer</u>	<u>41</u>	<u>31</u>	<u>10</u>
217	Gastric ulcer	9	8	1
218	Duodenal ulcer	15	11	4
219	Peptic ulcer, site unspecified	16	12	4
220	Gastrojejunal ulcer	1	0	1
221	Gastritis and duodenitis	3	3	0
222	Dyspepsia and other diseases of stomach and duodenum	5	4	1
223	Diseases of appendix	6	4	2
224	Hernia	16	13	3
225	Crohn's disease and ulcerative colitis	7	4	3
226	Vascular disorders and obstruction of intestine without hernia	151	99	52
227	Diverticular disease of intestine	37	29	8
228	Other diseases of intestines and peritoneum	48	30	18
229	Diseases of peritoneum	26	14	12
<u>230-233</u>	<u>Diseases of liver</u>	<u>349</u>	<u>252</u>	<u>97</u>
230	Alcoholic liver disease	89	58	31
231	Chronic hepatitis, not elsewhere classified	3	3	0
232	Fibrosis and cirrhosis of liver	154	129	25

Table 10A - Page 7
Deaths - Mississippi - 2000

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
233	Other diseases of liver	103	62	41
234	Cholelithiasis and other disorders of gallbladder	38	28	10
<u>235-236</u>	<u>Disorders of biliary tract and pancreas</u>	<u>55</u>	<u>27</u>	<u>28</u>
235	Pancreatitis	41	21	20
236	Other disorders of biliary tract and pancreas	14	6	8
237	All other diseases of digestive system	129	87	42
<u>238-239</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>78</u>	<u>28</u>	<u>50</u>
238	Infections of skin and subcutaneous tissue	13	8	5
239	Other and unspecified diseases of skin and subcutaneous tissue	65	20	45
<u>240-246</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>115</u>	<u>77</u>	<u>38</u>
240	Rheumatoid arthritis and related inflammatory polyarthropathies	16	12	4
241	Systemic lupus erythematosus	21	7	14
242	Other arthropathies and related disorders	43	30	13
243	Dorsopathies	2	1	1
244	Soft tissue disorders	12	7	5
<u>245-246</u>	<u>Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue</u>	<u>21</u>	<u>20</u>	<u>1</u>
245	Osteoporosis	14	13	1
246	Other osteopathies, chondropathies and disorders of musculoskeletal system	7	7	0
<u>247-260</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>854</u>	<u>512</u>	<u>342</u>
<u>247-255</u>	<u>Diseases of urinary system</u>	<u>844</u>	<u>507</u>	<u>337</u>
<u>247-249</u>	<u>Glomerular diseases</u>	<u>5</u>	<u>2</u>	<u>3</u>
249	Other and unspecified glomerular diseases	5	2	3
250	Renal tubulo-interstitial diseases	13	8	5
251	Renal failure	606	336	270
252	Urolithiasis	3	3	0
253	Other and unspecified disorders of kidney	1	0	1
254	Urinary tract infection, site not specified	205	151	54
255	Other diseases of urinary system	11	7	4
<u>256-257</u>	<u>Diseases of male genital organs</u>	<u>7</u>	<u>2</u>	<u>5</u>
256	Hyperplasia of prostate	4	1	3
257	Other diseases of male genital organs	3	1	2
<u>259-260</u>	<u>Disorders of female genital organs</u>	<u>3</u>	<u>3</u>	<u>0</u>
259	Inflammatory diseases of female pelvic organs	2	2	0
260	Noninflammatory disorders of female genital tract	1	1	0
<u>261-273</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>8</u>	<u>2</u>	<u>6</u>
<u>266-269</u>	<u>Other direct obstetric deaths</u>	<u>4</u>	<u>0</u>	<u>4</u>
266	Eclampsia and pre-eclampsia	2	0	2
<u>268-269</u>	<u>Complications predominantly related to the puerperium</u>	<u>2</u>	<u>0</u>	<u>2</u>

Table 10A - Page 8
Deaths - Mississippi - 2000

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
268	Obstetric embolism	1	0	1
269	Other complications predominately related to the puerperium	1	0	1
270	All other direct obstetric causes	1	1	0
273	Indirect obstetric deaths	3	1	2
<u>274-281</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>221</u>	<u>54</u>	<u>167</u>
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	20	3	17
275	Disorders related to short gestation and low birth weight, not elsewhere classified	88	19	69
277	Intrauterine hypoxia and birth asphyxia	5	2	3
278	Respiratory distress of newborn	17	5	12
279	Other respiratory conditions originating in the perinatal period	29	7	22
280	Infections specific to the perinatal period	20	4	16
281	Other and unspecified conditions originating in the perinatal period	42	14	28
<u>282-290</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u>	<u>132</u>	<u>70</u>	<u>62</u>
282	Anencephaly and similar malformations	7	5	2
284	All other congenital malformations of nervous system	8	3	5
285	Congenital malformations of heart	38	20	18
286	Other congenital malformations of circulatory system	10	5	5
287	Congenital malformations of respiratory system	13	7	6
288	Other congenital malformations and deformations	36	17	19
289	Down's syndrome	10	8	2
290	All other chromosomal abnormalities, not elsewhere classified	10	5	5
<u>291-294</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED</u>	<u>309</u>	<u>187</u>	<u>122</u>
291	Senility	12	9	3
<u>292-293</u>	<u>Ill-defined and unknown causes of mortality</u>	<u>110</u>	<u>55</u>	<u>55</u>
292	Sudden infant death syndrome	64	23	41
293	Other ill-defined and unknown causes of mortality	46	32	14
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	187	123	64
<u>295-358</u>	<u>EXTERNAL CAUSES OF MORTALITY</u>	<u>2,355</u>	<u>1,508</u>	<u>847</u>
<u>295-330</u>	<u>Accidents</u>	<u>1,653</u>	<u>1,119</u>	<u>534</u>
295	Railway accidents	2	2	0
<u>296-306</u>	<u>Motor vehicle accidents</u>	<u>935</u>	<u>613</u>	<u>322</u>

Table 10A - Page 9
 Deaths - Mississippi - 2000

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
296	Pedestrian involved in collision with motor vehicle	64	38	26
297	Pedal cyclist involved in collision with motor vehicle	8	6	2
298	Motorcyclist involved in any accident except collision with railway train	21	15	6
300	Other motor vehicle accident involving collision with railway train	13	10	3
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	251	168	83
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	292	184	108
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	7	3	4
304	Occupant of motor vehicle involved in noncollision accident	159	106	53
305	Occupant of special-use motor vehicle involved in any accident	26	21	5
306	Other and unspecified motor vehicle accidents	94	62	32
308	Other and unspecified land transport accidents	3	2	1
309	Water transport accidents	22	13	9
310	Air and space transport accidents	3	3	0
311	Other and unspecified transport accidents and their sequelae	7	4	3
<u>312-314</u>	<u>Falls</u>	<u>165</u>	<u>140</u>	<u>25</u>
312	Fall on same level	32	29	3
313	Fall from one level to another	22	17	5
314	Unspecified fall	111	94	17
315	Accidental discharge of firearms	24	16	8
316	Accidental explosion	6	3	3
317	Accidental drowning and submersion	56	34	22
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	89	55	34
319	Other accidental and unspecified threats to breathing	20	16	4
320	Accidental exposure to electric current	12	10	2
322	Accidental exposure to smoke, fire and flames	96	47	49
323	Accidental contact with heat and hot substances	3	2	1
324	Lightning	1	1	0
<u>327-329</u>	<u>Accidental poisoning by and exposure to noxious substances</u>	<u>83</u>	<u>76</u>	<u>7</u>
327	Accidental poisoning by and exposure to drugs and other biological substances	75	70	5
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	5	3	2
329	Accidental poisoning by and exposure to other gases and vapors	3	3	0

Table 10A - Page 10
Deaths - Mississippi - 2000

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
330	All other and unspecified accidents and their sequelae	126	82	44
<u>331-337</u>	<u>Intentional self-harm (suicide)</u>	<u>291</u>	<u>234</u>	<u>57</u>
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	24	22	2
332	Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors	2	1	1
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	7	7	0
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	26	18	8
335	Intentional self-harm (suicide) by discharge of firearms	219	178	41
336	Intentional self-harm (suicide) by jumping from a high place	1	0	1
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	12	8	4
<u>338-346</u>	<u>Assault (homicide)</u>	<u>312</u>	<u>97</u>	<u>215</u>
338	Assault (homicide) by drugs, biological substances and other and unspecified noxious substances	2	1	1
339	Assault (homicide) by hanging, strangulation and suffocation	9	8	1
340	Assault (homicide) by discharge of firearms	214	58	156
341	Assault (homicide) by sharp object	36	7	29
342	Assault (homicide) by blunt object	13	7	6
343	Assault (homicide) by bodily force	1	0	1
345	Neglect, abandonment and other maltreatment syndromes	9	3	6
346	Assault (homicide) by all other and unspecified means and their sequelae	28	13	15
<u>347-352</u>	<u>Event of undetermined intent</u>	<u>38</u>	<u>20</u>	<u>18</u>
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	11	10	1
350	Discharge of firearms, undetermined intent	9	3	6
351	Falling, jumping or pushed from a high place, undetermined intent	1	1	0
352	All other and unspecified events of undetermined intent and their sequelae	17	6	11
<u>353-354</u>	<u>Legal intervention</u>	<u>3</u>	<u>1</u>	<u>2</u>
354	Other legal intervention and their sequelae	3	1	2
<u>356-358</u>	<u>Complications of medical and surgical care</u>	<u>58</u>	<u>37</u>	<u>21</u>
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	3	2	1
357	Misadventures to patients during medical and surgical care and their sequelae	6	3	3
358	Other complications of medical and surgical care and their sequelae	49	32	17

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE 10B
DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 2000**

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
<u>A00-Y89</u>	<u>ALL CAUSES</u>	<u>28,529</u>	<u>19,189</u>	<u>9,340</u>
<u>A00-B99</u>	<u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u>	<u>816</u>	<u>456</u>	<u>360</u>
<u>A00-A09</u>	<u>Intestinal infectious diseases</u>	<u>8</u>	<u>6</u>	<u>2</u>
A04	Other bacterial intestinal infections	6	5	1
A08	Viral and other specified intestinal infections	1	1	0
A09	Diarrhea and gastroenteritis of presumed infectious origin	1	0	1
<u>A15-A19</u>	<u>Tuberculosis</u>	<u>14</u>	<u>6</u>	<u>8</u>
A16	Respiratory tuberculosis, not confirmed bacteriologically or histologically	12	5	7
A17	Tuberculosis of nervous system	1	1	0
A18	Tuberculosis of other organs	1	0	1
<u>A30-A49</u>	<u>Other bacterial diseases</u>	<u>548</u>	<u>348</u>	<u>200</u>
A31	Infection due to other mycobacteria	1	1	0
A32	Listeriosis	1	1	0
A39	Meningococcal infection	1	1	0
A40	Streptococcal septicemia	9	6	3
A41	Other septicemia	523	332	191
A43	Nocardiosis	2	1	1
A48	Other bacterial diseases, not elsewhere classified	1	1	0
A49	Bacterial infection of unspecified site	10	5	5
<u>A50-A64</u>	<u>Infections with a predominantly sexual mode of transmission</u>	<u>1</u>	<u>1</u>	<u>0</u>
A52	Late syphilis	1	1	0
<u>B00-B09</u>	<u>Viral infections characterized by skin and mucous membrane lesions</u>	<u>6</u>	<u>5</u>	<u>1</u>
B00	Herpes-viral [herpes simplex] infections	2	2	0
B01	Varicella [chickenpox]	2	2	0
B02	Zoster [herpes zoster]	2	1	1
<u>B15-B19</u>	<u>Viral hepatitis</u>	<u>35</u>	<u>24</u>	<u>11</u>
B15	Acute hepatitis A	3	2	1
B16	Acute hepatitis B	6	3	3
B17	Other acute viral hepatitis	21	16	5
B18	Chronic viral hepatitis	4	3	1
B19	Unspecified viral hepatitis	1	0	1
<u>B20-B24</u>	<u>Human immunodeficiency virus [HIV] disease</u>	<u>160</u>	<u>37</u>	<u>123</u>
B20	Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases	61	15	46
B21	Human immunodeficiency virus [HIV] disease resulting in malignant neoplasms	6	0	6
B22	Human immunodeficiency virus [HIV] disease resulting in other specified diseases	9	4	5
B23	Human immunodeficiency virus [HIV] disease resulting in other conditions	52	9	43
B24	Unspecified human immunodeficiency virus [HIV] disease	32	9	23
<u>B25-B34</u>	<u>Other viral diseases</u>	<u>5</u>	<u>4</u>	<u>1</u>
B27	Infectious mononucleosis	1	1	0

Table 10B - Page 2
Deaths - Mississippi - 2000

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
B33	Other viral diseases, not elsewhere classified	1	1	0
B34	Viral infection of unspecified site	3	2	1
<u>B35-B49</u>	<u>Mycoses</u>	<u>23</u>	<u>16</u>	<u>7</u>
B37	Candidiasis	7	5	2
B40	Blastomycosis	2	1	1
B44	Aspergillosis	5	3	2
B45	Cryptococcosis	1	1	0
B46	Zygomycosis	1	1	0
B49	Unspecified mycosis	7	5	2
<u>B50-B64</u>	<u>Protozoal diseases</u>	<u>2</u>	<u>0</u>	<u>2</u>
B58	Toxoplasmosis	1	0	1
B59	Pneumocystosis	1	0	1
<u>B65-B83</u>	<u>Helminthiasis</u>	<u>1</u>	<u>1</u>	<u>0</u>
B78	Strongyloidiasis	1	1	0
<u>B90-B94</u>	<u>Sequelae of infectious and parasitic diseases</u>	<u>13</u>	<u>8</u>	<u>5</u>
B90	Sequelae of tuberculosis	1	0	1
B91	Sequelae of poliomyelitis	3	3	0
B94	Sequelae of other and unspecified infectious and parasitic diseases	9	5	4
<u>C00-D48</u>	<u>NEOPLASMS</u>	<u>6,145</u>	<u>4,243</u>	<u>1,902</u>
<u>C00-C97</u>	<u>Malignant neoplasms</u>	<u>6,060</u>	<u>4,186</u>	<u>1,874</u>
<u>C00-C14</u>	<u>Malignant neoplasms of lip, oral cavity and pharynx</u>	<u>103</u>	<u>67</u>	<u>36</u>
C02	Malignant neoplasm of other and unspecified parts of tongue	20	15	5
C03	Malignant neoplasm of gum	1	0	1
C05	Malignant neoplasm of palate	2	0	2
C06	Malignant neoplasm of other and unspecified parts of mouth	12	8	4
C07	Malignant neoplasm of parotid gland	3	3	0
C09	Malignant neoplasm of tonsil	4	3	1
C10	Malignant neoplasm of oropharynx	5	3	2
C11	Malignant neoplasm of nasopharynx	4	2	2
C12	Malignant neoplasm of pyriform sinus	2	2	0
C13	Malignant neoplasm of hypopharynx	2	0	2
C14	Malignant neoplasm of other and ill-defined sites in the lip, oral cavity, and pharynx	48	31	17
<u>C15-C26</u>	<u>Malignant neoplasms of digestive organs</u>	<u>1,426</u>	<u>933</u>	<u>493</u>
C15	Malignant neoplasm of esophagus	112	65	47
C16	Malignant neoplasm of stomach	147	77	70
C17	Malignant neoplasm of small intestine	10	9	1
C18	Malignant neoplasm of colon	579	385	194
C19	Malignant neoplasm of rectosigmoid junction	7	5	2
C20	Malignant neoplasm of rectum	65	42	23
C21	Malignant neoplasm of anus and anal canal	3	2	1
C22	Malignant neoplasm of liver and intrahepatic bile ducts	153	110	43
C23	Malignant neoplasm of gallbladder	12	8	4
C24	Malignant neoplasm of other and unspecified parts of biliary tract	10	8	2
C25	Malignant neoplasm of pancreas	317	216	101
C26	Malignant neoplasm of other and ill-defined digestive organs	11	6	5

Table 10B - Page 3
Deaths - Mississippi - 2000

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
<u>C30-C39</u>	<u>Malignant neoplasms of respiratory and intrathoracic organs</u>	<u>1,978</u>	<u>1,469</u>	<u>509</u>
C30	Malignant neoplasm of nasal cavity and middle ear	2	2	0
C31	Malignant neoplasm of accessory sinuses	6	5	1
C32	Malignant neoplasm of larynx	33	22	11
C33	Malignant neoplasm of trachea	3	3	0
C34	Malignant neoplasm of bronchus and lung	1,927	1,431	496
C37	Malignant neoplasm of thymus	2	2	0
C38	Malignant neoplasm of heart, mediastinum, and pleura	4	3	1
C39	Malignant neoplasm of other and ill-defined sites in the respiratory system and intrathoracic organs	1	1	0
<u>C40-C41</u>	<u>Malignant neoplasms of bone and articular cartilage</u>	<u>26</u>	<u>19</u>	<u>7</u>
C41	Malignant neoplasm of bone and articular cartilage of other and unspecified sites	26	19	7
<u>C43-C44</u>	<u>Melanoma and other malignant neoplasms of skin</u>	<u>94</u>	<u>83</u>	<u>11</u>
C43	Malignant melanoma of skin	66	62	4
C44	Other malignant neoplasms of skin	28	21	7
<u>C45-C49</u>	<u>Malignant neoplasms of mesothelial and soft tissue</u>	<u>45</u>	<u>31</u>	<u>14</u>
C45	Mesothelioma	7	7	0
C46	Kaposi's sarcoma	1	1	0
C47	Malignant neoplasm of peripheral nerves and autonomic nervous system	7	4	3
C48	Malignant neoplasm of retroperitoneum and peritoneum	6	6	0
C49	Malignant neoplasm of other connective and soft tissue	24	13	11
C50	Malignant neoplasm of breast	467	299	168
<u>C51-C58</u>	<u>Malignant neoplasms of female genital organs</u>	<u>267</u>	<u>171</u>	<u>96</u>
C51	Malignant neoplasm of vulva	9	6	3
C52	Malignant neoplasm of vagina	9	4	5
C53	Malignant neoplasm of cervix uteri	54	25	29
C54	Malignant neoplasm of corpus uteri	26	18	8
C55	Malignant neoplasm of uterus, part unspecified	30	11	19
C56	Malignant neoplasm of ovary	137	105	32
C57	Malignant neoplasm of other and unspecified female genital organs	2	2	0
<u>C60-C63</u>	<u>Malignant neoplasms of male genital organs</u>	<u>403</u>	<u>195</u>	<u>208</u>
C60	Malignant neoplasm of penis	5	4	1
C61	Malignant neoplasm of prostate	393	189	204
C62	Malignant neoplasm of testis	4	2	2
C63	Malignant neoplasm of other and unspecified male genital organs	1	0	1
<u>C64-C68</u>	<u>Malignant neoplasms of urinary tract</u>	<u>214</u>	<u>154</u>	<u>60</u>
C64	Malignant neoplasm of kidney, except renal pelvis	108	75	33
C65	Malignant neoplasm of renal pelvis	1	1	0
C66	Malignant neoplasm of ureter	2	1	1
C67	Malignant neoplasm of bladder	102	77	25

Table 10B - Page 4
Deaths - Mississippi - 2000

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
C68	Malignant neoplasm of other and unspecified urinary organs	1	0	1
<u>C69-C72</u>	<u>Malignant neoplasms of eye, brain and other parts of central nervous system</u>	<u>159</u>	<u>121</u>	<u>38</u>
C69	Malignant neoplasm of eye and adnexa	2	2	0
C71	Malignant neoplasm of brain	156	118	38
C72	Malignant neoplasm of spinal cord, cranial nerves, and other parts of central nervous system	1	1	0
<u>C73-C75</u>	<u>Malignant neoplasms of thyroid and other endocrine glands</u>	<u>18</u>	<u>14</u>	<u>4</u>
C73	Malignant neoplasm of thyroid gland	15	11	4
C74	Malignant neoplasm of adrenal gland	1	1	0
C75	Malignant neoplasm of other endocrine glands and related structures	2	2	0
<u>C76-C80</u>	<u>Malignant neoplasms of ill-defined, secondary and unspecified sites</u>	<u>288</u>	<u>194</u>	<u>94</u>
C76	Malignant neoplasm of other and ill-defined sites	51	40	11
C77	Secondary and unspecified malignant neoplasm of lymph nodes	3	2	1
C78	Secondary malignant neoplasm of respiratory and digestive organs	30	19	11
C79	Secondary malignant neoplasm of other sites	25	19	6
C80	Malignant neoplasm without specification of site	179	114	65
<u>C81-C96</u>	<u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u>	<u>518</u>	<u>397</u>	<u>121</u>
C81	Hodgkin's disease	14	9	5
C82	Follicular [nodular] non-Hodgkin's lymphoma	2	2	0
C83	Diffuse non-Hodgkin's lymphoma	18	18	0
C84	Peripheral and cutaneous T-cell lymphomas	9	6	3
C85	Other and unspecified types of non-Hodgkin's lymphoma	149	127	22
C88	Malignant immunoproliferative diseases	2	2	0
C90	Multiple myeloma and malignant plasma cell neoplasms	93	54	39
C91	Lymphoid leukemia	71	48	23
C92	Myeloid leukemia	86	67	19
C93	Monocytic leukemia	1	1	0
C94	Other leukemias of specified cell type	2	1	1
C95	Leukemia of unspecified cell type	68	59	9
C96	Other and unspecified malignant neoplasms of lymphoid, hematopoietic, and related tissue	3	3	0
C97	Malignant neoplasms of independent (primary) multiple sites	54	39	15
<u>D10-D36</u>	<u>Benign neoplasms</u>	<u>17</u>	<u>8</u>	<u>9</u>
D13	Benign neoplasm of other and ill-defined parts of digestive system	1	1	0
D14	Benign neoplasm of middle ear and respiratory system	2	1	1
D18	Hemangioma and lymphangioma, any site	2	1	1
D26	Other benign neoplasms of uterus	1	0	1
D32	Benign neoplasm of meninges	8	3	5

Table 10B - Page 5
Deaths - Mississippi - 2000

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
D33	Benign neoplasm of brain and other parts of central nervous system	2	1	1
D36	Benign neoplasm of other and unspecified sites	1	1	0
<u>D37-D48</u>	<u>Neoplasms of uncertain or unknown behavior</u>	<u>68</u>	<u>49</u>	<u>19</u>
D37	Neoplasm of uncertain or unknown behavior of oral cavity and digestive organs	4	3	1
D38	Neoplasm of uncertain or unknown behavior of middle ear and respiratory and intrathoracic organs	2	2	0
D42	Neoplasm of uncertain or unknown behavior of meninges	1	0	1
D43	Neoplasm of uncertain or unknown behavior of brain and central nervous system	19	12	7
D44	Neoplasm of uncertain or unknown behavior of endocrine glands	2	1	1
D45	Polycythemia vera	3	3	0
D46	Myelodysplastic syndromes	26	23	3
D47	Other neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue	8	5	3
D48	Neoplasm of uncertain or unknown behavior of other and unspecified sites	3	0	3
<u>D50-D89</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u>	<u>132</u>	<u>70</u>	<u>62</u>
<u>D50-D53</u>	<u>Nutritional anemias</u>	<u>3</u>	<u>0</u>	<u>3</u>
D51	Vitamin B-12 deficiency anemia	1	0	1
D53	Other nutritional anemias	2	0	2
<u>D55-D59</u>	<u>Hemolytic anemias</u>	<u>20</u>	<u>1</u>	<u>19</u>
D57	Sickle-cell disorders	17	0	17
D58	Other hereditary hemolytic anemias	2	0	2
D59	Acquired hemolytic anemia	1	1	0
<u>D60-D64</u>	<u>Aplastic and other anemias</u>	<u>44</u>	<u>29</u>	<u>15</u>
D61	Other aplastic anemias	13	7	6
D64	Other anemias	31	22	9
<u>D65-D69</u>	<u>Coagulation defects, purpura and other hemorrhagic conditions</u>	<u>36</u>	<u>22</u>	<u>14</u>
D65	Disseminated intravascular coagulation [defibrination syndrome]	13	7	6
D68	Other coagulation defects	12	6	6
D69	Purpura and other hemorrhagic conditions	11	9	2
<u>D70-D77</u>	<u>Other diseases of blood and blood-forming organs</u>	<u>8</u>	<u>6</u>	<u>2</u>
D70	Agranulocytosis	2	1	1
D73	Diseases of spleen	3	3	0
D75	Other diseases of blood and blood-forming organs	2	1	1
D76	Certain diseases involving lymphoreticular tissue and reticuloendothelial system	1	1	0
<u>D80-D89</u>	<u>Certain disorders involving the immune mechanism</u>	<u>21</u>	<u>12</u>	<u>9</u>
D81	Combined immunodeficiencies	1	1	0
D83	Common variable immunodeficiency	1	1	0

Table 10B - Page 6
Deaths - Mississippi - 2000

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
D84	Other immunodeficiencies	8	5	3
D86	Sarcoidosis	10	4	6
D89	Other disorders involving the immune mechanism, not elsewhere classified	1	1	0
<u>E00-E88</u>	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>914</u>	<u>523</u>	<u>391</u>
<u>E00-E07</u>	<u>Disorders of thyroid gland</u>	<u>12</u>	<u>7</u>	<u>5</u>
E05	Thyrotoxicosis [hyperthyroidism]	4	2	2
E07	Other disorders of thyroid	1	0	1
<u>E10-E14</u>	<u>Diabetes mellitus</u>	<u>670</u>	<u>372</u>	<u>298</u>
E10	Insulin-dependent diabetes mellitus	74	41	33
E11	Noninsulin-dependent diabetes mellitus	55	32	23
E14	Unspecified diabetes mellitus	541	299	242
<u>E15-E16</u>	<u>Other disorders of glucose regulation and pancreatic internal secretion</u>	<u>6</u>	<u>4</u>	<u>2</u>
E16	Other disorders of pancreatic internal secretion	6	4	2
<u>E20-E35</u>	<u>Disorders of other endocrine glands</u>	<u>10</u>	<u>3</u>	<u>7</u>
E20	Hypoparathyroidism	1	0	1
E21	Hyperparathyroidism and other disorders of parathyroid gland	3	2	1
E22	Hyperfunction of pituitary gland	1	1	0
E23	Hypofunction and other disorders of the pituitary gland	2	0	2
E26	Hyperaldosteronism	1	0	1
E27	Other disorders of adrenal gland	2	0	2
<u>E40-E46</u>	<u>Malnutrition</u>	<u>41</u>	<u>26</u>	<u>15</u>
E41	Nutritional marasmus	1	0	1
E43	Unspecified severe protein-energy malnutrition	2	1	1
E46	Unspecified protein-energy malnutrition	38	25	13
<u>E50-E64</u>	<u>Other nutritional deficiencies</u>	<u>3</u>	<u>1</u>	<u>2</u>
E63	Other nutritional deficiencies	1	0	1
E64	Sequelae of malnutrition and other nutritional deficiencies	2	1	1
<u>E65-E68</u>	<u>Obesity and other hyperalimentation</u>	<u>31</u>	<u>20</u>	<u>11</u>
E66	Obesity	31	20	11
<u>E70-E88</u>	<u>Metabolic disorders</u>	<u>141</u>	<u>90</u>	<u>51</u>
E71	Disorders of branched-chain amino-acid metabolism and fatty-acid metabolism	2	2	0
E74	Other disorders of carbohydrate metabolism	1	0	1
E76	Disorders of glycosaminoglycan metabolism	2	1	1
E78	Disorders of lipoprotein metabolism and other lipidemias	7	4	3
E83	Disorders of mineral metabolism	1	0	1
E84	Cystic fibrosis	7	7	0
E85	Amyloidosis	9	9	0
E86	Volume depletion	64	38	26
E87	Other disorders of fluid, electrolyte, and acid-base balance	42	24	18
E88	Other metabolic disorders	6	5	1
<u>F00-F99</u>	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>305</u>	<u>213</u>	<u>92</u>

Table 10B - Page 7
Deaths - Mississippi - 2000

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>F00-F09</u>	<u>Organic, including symptomatic, mental disorders</u>	<u>198</u>	<u>151</u>	<u>47</u>
F01	Vascular dementia	1	1	0
F03	Unspecified dementia	160	120	40
F06	Other mental disorders due to brain damage and dysfunction and to physical disease	37	30	7
<u>F10-F19</u>	<u>Mental and behavioral disorders due to psychoactive substance use</u>	<u>81</u>	<u>47</u>	<u>34</u>
F10	Mental and behavioral disorders due to use of alcohol	72	42	30
F14	Mental and behavioral disorders due to use of cocaine	1	0	1
F17	Mental and behavioral disorders due to use of tobacco	2	0	2
F19	Mental and behavioral disorders due to multiple-drug use and use of other psychoactive substances	6	5	1
<u>F20-F29</u>	<u>Schizophrenia, schizotypal and delusional disorders</u>	<u>3</u>	<u>1</u>	<u>2</u>
F20	Schizophrenia	2	0	2
F29	Unspecified nonorganic psychosis	1	1	0
<u>F30-F39</u>	<u>Mood [affective] disorders</u>	<u>9</u>	<u>6</u>	<u>3</u>
F31	Bipolar affective disorder	1	1	0
F32	Depressive episode	8	5	3
<u>F40-F48</u>	<u>Neurotic, stress-related and somatoform disorders</u>	<u>1</u>	<u>0</u>	<u>1</u>
F48	Other neurotic disorders	1	0	1
<u>F50-F59</u>	<u>Behavioral syndromes associated with physiological disturbances and physical factors</u>	<u>5</u>	<u>4</u>	<u>1</u>
F50	Eating disorders	1	1	0
F54	Psychological and behavioral factors associated with disorders or diseases classified elsewhere	4	3	1
<u>F70-F79</u>	<u>Mental retardation</u>	<u>8</u>	<u>4</u>	<u>4</u>
F72	Severe mental retardation	3	1	2
F73	Profound mental retardation	1	0	1
F79	Unspecified mental retardation	4	3	1
<u>G00-G98</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>810</u>	<u>612</u>	<u>198</u>
<u>G00-G09</u>	<u>Inflammatory diseases of the central nervous system</u>	<u>15</u>	<u>6</u>	<u>9</u>
G00	Bacterial meningitis, not elsewhere classified	1	1	0
G03	Meningitis due to other and unspecified causes	5	1	4
G04	Encephalitis, myelitis, and encephalomyelitis	5	2	3
G06	Intracranial and intraspinal abscess and granuloma	3	2	1
G09	Sequelae of inflammatory diseases of central nervous system	1	0	1
<u>G10-G13</u>	<u>Systemic atrophies primarily affecting the central nervous system</u>	<u>52</u>	<u>47</u>	<u>5</u>
G10	Huntington's disease	5	5	0
G11	Hereditary ataxia	3	3	0

Table 10B - Page 8
Deaths - Mississippi - 2000

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
G12	Spinal muscular atrophy and related syndromes	44	39	5
<u>G20-G26</u>	<u>Extrapyramidal and movement disorders</u>	<u>110</u>	<u>92</u>	<u>18</u>
G20	Parkinson's disease	107	89	18
G23	Other degenerative diseases of basal ganglia	1	1	0
G24	Dystonia	1	1	0
G25	Other extrapyramidal and movement disorders	1	1	0
<u>G30-G32</u>	<u>Other degenerative diseases of the nervous system</u>	<u>438</u>	<u>356</u>	<u>82</u>
G30	Alzheimer's disease	431	352	79
G31	Other degenerative diseases of nervous system, not elsewhere classified	7	4	3
<u>G35-G37</u>	<u>Demyelinating diseases of the central nervous system</u>	<u>16</u>	<u>11</u>	<u>5</u>
G35	Multiple sclerosis	15	10	5
G37	Other demyelinating diseases of central nervous system	1	1	0
<u>G40-G47</u>	<u>Episodic and paroxysmal disorders</u>	<u>26</u>	<u>14</u>	<u>12</u>
G40	Epilepsy	13	7	6
G41	Status epilepticus	5	1	4
G45	Transient cerebral ischemic attacks and related syndromes	4	3	1
G47	Sleep disorders	4	3	1
<u>G50-G59</u>	<u>Nerve, nerve root and plexus disorders</u>	<u>1</u>	<u>0</u>	<u>1</u>
G54	Nerve root and plexus disorders	1	0	1
<u>G60-G64</u>	<u>Polyneuropathies and other disorders of the peripheral nervous system</u>	<u>5</u>	<u>5</u>	<u>0</u>
G61	Inflammatory polyneuropathy	4	4	0
G62	Other polyneuropathies	1	1	0
<u>G70-G73</u>	<u>Diseases of myoneural junction and muscle</u>	<u>22</u>	<u>17</u>	<u>5</u>
G70	Myasthenia gravis and other myoneural disorders	7	5	2
G71	Primary disorders of muscles	12	9	3
G72	Other myopathies	3	3	0
<u>G80-G83</u>	<u>Cerebral palsy and other paralytic syndromes</u>	<u>21</u>	<u>11</u>	<u>10</u>
G80	Infantile cerebral palsy	12	5	7
G82	Paraplegia and tetraplegia	7	4	3
G83	Other paralytic syndromes	2	2	0
<u>G90-G99</u>	<u>Other disorders of the nervous system</u>	<u>104</u>	<u>53</u>	<u>51</u>
G90	Disorders of autonomic nervous system	4	4	0
G91	Hydrocephalus	8	3	5
G92	Toxic encephalopathy	1	0	1
G93	Other disorders of brain	88	45	43
G95	Other diseases of spinal cord	2	1	1
G98	Other disorders of nervous system, not elsewhere classified	1	0	1
<u>H00-H59</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>3</u>	<u>1</u>	<u>2</u>
<u>H00-H06</u>	<u>Disorders of eyelid, lacrimal system and orbit</u>	<u>1</u>	<u>0</u>	<u>1</u>
H05	Disorders of orbit	1	0	1
<u>H40-H42</u>	<u>Glaucoma</u>	<u>1</u>	<u>0</u>	<u>1</u>
H40	Glaucoma	1	0	1
<u>H49-H52</u>	<u>Disorders of ocular muscles, binocular movement, accommodation and refraction</u>	<u>1</u>	<u>1</u>	<u>0</u>
H49	Paralytic strabismus	1	1	0

Table 10B - Page 9
Deaths - Mississippi - 2000

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
<u>100-199</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>11,850</u>	<u>7,992</u>	<u>3,858</u>
<u>105-109</u>	<u>Chronic rheumatic heart diseases</u>	<u>20</u>	<u>12</u>	<u>8</u>
105	Rheumatic mitral valve diseases	11	8	3
107	Rheumatic tricuspid valve diseases	2	1	1
108	Multiple valve diseases	4	2	2
109	Other rheumatic heart diseases	3	1	2
<u>110-115</u>	<u>Hypertensive diseases</u>	<u>826</u>	<u>413</u>	<u>413</u>
110	Essential (primary) hypertension	164	90	74
111	Hypertensive heart disease	516	275	241
112	Hypertensive renal disease	89	31	58
113	Hypertensive heart and renal disease	57	17	40
<u>120-125</u>	<u>Ischemic heart diseases</u>	<u>5,617</u>	<u>3,970</u>	<u>1,647</u>
120	Angina pectoris	6	5	1
121	Acute myocardial infarction	2,722	1,821	901
124	Other acute ischemic heart diseases	10	7	3
125	Chronic ischemic heart disease	2,879	2,137	742
<u>126-128</u>	<u>Pulmonary heart disease and diseases of pulmonary circulation</u>	<u>185</u>	<u>112</u>	<u>73</u>
126	Pulmonary embolism	134	77	57
127	Other pulmonary heart diseases	50	34	16
128	Other diseases of pulmonary vessels	1	1	0
<u>130-152</u>	<u>Other forms of heart disease</u>	<u>2,833</u>	<u>1,892</u>	<u>941</u>
131	Other diseases of pericardium	8	4	4
133	Acute and subacute endocarditis	12	7	5
134	Nonrheumatic mitral valve disorders	20	14	6
135	Nonrheumatic aortic valve disorders	97	79	18
138	Endocarditis, valve unspecified	25	19	6
140	Acute myocarditis	3	2	1
142	Cardiomyopathy	395	225	170
144	Atrioventricular and left bundle-branch block	6	4	2
146	Cardiac arrest	596	343	253
147	Paroxysmal tachycardia	6	4	2
148	Atrial fibrillation and flutter	72	62	10
149	Other cardiac arrhythmias	64	41	23
150	Heart failure	1,315	940	375
151	Complications and ill-defined descriptions of heart disease	214	148	66
<u>160-169</u>	<u>Cerebrovascular diseases</u>	<u>1,980</u>	<u>1,328</u>	<u>652</u>
160	Subarachnoid hemorrhage	85	52	33
161	Intracerebral hemorrhage	275	173	102
162	Other nontraumatic intracranial hemorrhage	84	52	32
163	Cerebral infarction	131	91	40
164	Stroke, not specified as hemorrhage or infarction	1,167	794	373
167	Other cerebrovascular diseases	82	60	22
169	Sequelae of cerebrovascular disease	156	106	50
<u>170-179</u>	<u>Diseases of arteries, arterioles and capillaries</u>	<u>331</u>	<u>229</u>	<u>102</u>
170	Atherosclerosis	87	54	33
171	Aortic aneurysm and dissection	147	109	38
172	Other aneurysm	15	10	5
173	Other peripheral vascular diseases	63	42	21
174	Arterial embolism and thrombosis	8	5	3
177	Other disorders of arteries and arterioles	11	9	2

Table 10B - Page 10
Deaths - Mississippi - 2000

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>I80-I89</u>	<u>Di seases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</u>	<u>44</u>	<u>27</u>	<u>17</u>
I80	Phlebitis and thrombophlebitis	29	18	11
I82	Other venous embolism and thrombosis	1	1	0
I83	Varicose veins of lower extremities	2	1	1
I85	Esophageal varices	7	6	1
I87	Other disorders of veins	3	1	2
I89	Other noninfective disorders of lymphatic vessels and lymph nodes	2	0	2
<u>I95-I99</u>	<u>Other and unspecified disorders of the circulatory system</u>	<u>14</u>	<u>9</u>	<u>5</u>
I95	Hypotension	8	7	1
I99	Other and unspecified disorders of circulatory system	6	2	4
<u>J00-J99</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,555</u>	<u>2,002</u>	<u>553</u>
<u>J00-J06</u>	<u>Acute upper respiratory infections</u>	<u>6</u>	<u>6</u>	<u>0</u>
J06	Acute upper respiratory infections of multiple and unspecified sites	6	6	0
<u>J10-J18</u>	<u>Influenza and pneumonia</u>	<u>804</u>	<u>583</u>	<u>221</u>
J11	Influenza, virus not identified	23	20	3
J12	Viral pneumonia, not elsewhere classified	15	5	10
J13	Pneumonia due to Streptococcus pneumoniae	6	3	3
J15	Bacterial pneumonia, not elsewhere classified	39	29	10
J18	Pneumonia, organism unspecified	721	526	195
<u>J20-J22</u>	<u>Other acute lower respiratory infections</u>	<u>12</u>	<u>8</u>	<u>4</u>
J20	Acute bronchitis	8	5	3
J21	Acute bronchiolitis	1	0	1
J22	Unspecified acute lower respiratory infection	3	3	0
<u>J30-J39</u>	<u>Other diseases of upper respiratory tract</u>	<u>3</u>	<u>2</u>	<u>1</u>
J32	Chronic sinusitis	1	0	1
J34	Other disorders of nose and nasal sinuses	1	1	0
J38	Diseases of vocal cords and larynx, not elsewhere classified	1	1	0
<u>J40-J47</u>	<u>Chronic lower respiratory diseases</u>	<u>1,250</u>	<u>1,049</u>	<u>201</u>
J40	Bronchitis, not specified as acute or chronic	12	12	0
J41	Simple and mucopurulent chronic bronchitis	1	1	0
J42	Unspecified chronic bronchitis	2	1	1
J43	Emphysema	136	123	13
J44	Other chronic obstructive pulmonary disease	1,032	883	149
J45	Asthma	56	20	36
J46	Status asthmaticus	4	2	2
J47	Bronchiectasis	7	7	0
<u>J60-J70</u>	<u>Lung diseases due to external agents</u>	<u>190</u>	<u>137</u>	<u>53</u>
J61	Pneumoconiosis due to asbestos and other mineral fibers	8	8	0
J62	Pneumoconiosis due to dust containing silica	1	1	0
J67	Hypersensitivity pneumonitis due to organic dust	1	1	0
J69	Pneumonitis due to solids and liquids	180	127	53
<u>J80-J84</u>	<u>Other respiratory diseases principally affecting the interstitium</u>	<u>157</u>	<u>119</u>	<u>38</u>
J80	Adult respiratory distress syndrome	28	21	7
J81	Pulmonary edema	19	9	10

Table 10B - Page 11
Deaths - Mississippi - 2000

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
J82	Pulmonary eosinophilia, not elsewhere classified	6	3	3
J84	Other interstitial pulmonary diseases	104	86	18
<u>J85-J86</u>	<u>Suppurative and necrotic conditions of lower respiratory tract</u>	<u>10</u>	<u>6</u>	<u>4</u>
J85	Abscess of lung and mediastinum	6	3	3
J86	Pyothorax	4	3	1
<u>J90-J94</u>	<u>Other diseases of pleura</u>	<u>16</u>	<u>12</u>	<u>4</u>
J90	Pleural effusion, not elsewhere classified	8	6	2
J93	Pneumothorax	5	4	1
J94	Other pleural conditions	3	2	1
<u>J95-J99</u>	<u>Other diseases of the respiratory system</u>	<u>107</u>	<u>80</u>	<u>27</u>
J96	Respiratory failure, not elsewhere classified	52	34	18
J98	Other respiratory disorders	55	46	9
<u>K00-K92</u>	<u>DI SEASES OF THE DIGESTIVE SYSTEM</u>	<u>927</u>	<u>639</u>	<u>288</u>
<u>K00-K14</u>	<u>Di seases of oral cavity, salivary glands and jaws</u>	<u>2</u>	<u>2</u>	<u>0</u>
K04	Diseases of pulp and periapical tissues	1	1	0
K12	Stomatitis and related lesions	1	1	0
<u>K20-K31</u>	<u>Di seases of esophagus, stomach and duodenum</u>	<u>63</u>	<u>50</u>	<u>13</u>
K21	Gastroesophageal reflux disease	7	5	2
K22	Other diseases of esophagus	7	7	0
K25	Gastric ulcer	9	8	1
K26	Duodenal ulcer	15	11	4
K27	Peptic ulcer, site unspecified	16	12	4
K28	Gastrojejunal ulcer	1	0	1
K29	Gastritis and duodenitis	3	3	0
K31	Other diseases of stomach and duodenum	5	4	1
<u>K35-K38</u>	<u>Di seases of appendix</u>	<u>6</u>	<u>4</u>	<u>2</u>
K35	Acute appendicitis	5	4	1
K38	Other diseases of appendix	1	0	1
<u>K40-K46</u>	<u>Hernia</u>	<u>16</u>	<u>13</u>	<u>3</u>
K40	Inguinal hernia	2	1	1
K41	Femoral hernia	2	2	0
K43	Ventral hernia	2	1	1
K44	Diaphragmatic hernia	6	6	0
K46	Unspecified abdominal hernia	4	3	1
<u>K50-K52</u>	<u>Noninfective enteritis and colitis</u>	<u>20</u>	<u>13</u>	<u>7</u>
K50	Crohn's disease [regional enteritis]	5	3	2
K51	Ulcerative colitis	2	1	1
K52	Other noninfective gastroenteritis and colitis	13	9	4
<u>K55-K63</u>	<u>Other diseases of intestines</u>	<u>223</u>	<u>149</u>	<u>74</u>
K55	Vascular disorders of intestine	84	57	27
K56	Paralytic ileus and intestinal obstruction without hernia	67	42	25
K57	Diverticular disease of intestine	37	29	8
K59	Other functional intestinal disorders	5	3	2
K61	Abscess of anal and rectal regions	4	1	3
K62	Other diseases of anus and rectum	2	2	0
K63	Other diseases of intestine	24	15	9
<u>K65-K67</u>	<u>Di seases of peritoneum</u>	<u>26</u>	<u>14</u>	<u>12</u>
K65	Peritonitis	23	12	11
K66	Other disorders of peritoneum	3	2	1

Table 10B - Page 12
Deaths - Mississippi - 2000

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
<u>K70-K77</u>	<u>Diseases of liver</u>	<u>349</u>	<u>252</u>	<u>97</u>
K70	Alcoholic liver disease	89	58	31
K72	Hepatic failure, not elsewhere classified	48	24	24
K73	Chronic hepatitis, not elsewhere classified	3	3	0
K74	Fibrosis and cirrhosis of liver	154	129	25
K75	Other inflammatory liver diseases	9	7	2
K76	Other diseases of liver	46	31	15
<u>K80-K87</u>	<u>Disorders of gallbladder, biliary tract and pancreas</u>	<u>93</u>	<u>55</u>	<u>38</u>
K80	Cholelithiasis	9	9	0
K81	Cholecystitis	21	12	9
K82	Other diseases of gallbladder	8	7	1
K83	Other diseases of biliary tract	12	5	7
K85	Acute pancreatitis	31	18	13
K86	Other diseases of pancreas	12	4	8
<u>K90-K93</u>	<u>Other diseases of the digestive system</u>	<u>129</u>	<u>87</u>	<u>42</u>
K90	Intestinal malabsorption	2	2	0
K92	Other diseases of the digestive system	127	85	42
<u>L00-L98</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>78</u>	<u>28</u>	<u>50</u>
<u>L00-L08</u>	<u>Infections of the skin and subcutaneous tissue</u>	<u>13</u>	<u>8</u>	<u>5</u>
L03	Cellulitis	11	7	4
L08	Other local infections of skin and subcutaneous tissue	2	1	1
<u>L10-L14</u>	<u>Bullous disorders</u>	<u>2</u>	<u>2</u>	<u>0</u>
L10	Pemphigus	1	1	0
L12	Pemphigoid	1	1	0
<u>L20-L30</u>	<u>Dermatitis and eczema</u>	<u>1</u>	<u>0</u>	<u>1</u>
L26	Exfoliative dermatitis	1	0	1
<u>L50-L54</u>	<u>Urticaria and erythema</u>	<u>2</u>	<u>0</u>	<u>2</u>
L51	Erythema multiforme	2	0	2
<u>L60-L75</u>	<u>Disorders of skin appendages</u>	<u>1</u>	<u>1</u>	<u>0</u>
L60	Nail disorders	1	1	0
<u>L80-L99</u>	<u>Other disorders of the skin and subcutaneous tissue</u>	<u>59</u>	<u>17</u>	<u>42</u>
L89	Decubitus ulcer	52	15	37
L93	Lupus erythematosus	6	2	4
L97	Ulcer of lower limb, not elsewhere classified	1	0	1
<u>M00-M99</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>115</u>	<u>77</u>	<u>38</u>
<u>M00-M25</u>	<u>Arthropathies</u>	<u>27</u>	<u>20</u>	<u>7</u>
<u>M00-M03</u>	<u>Infectious arthropathies</u>	<u>2</u>	<u>1</u>	<u>1</u>
M00	Pyogenic arthritis	2	1	1
<u>M05-M14</u>	<u>Inflammatory polyarthropathies</u>	<u>19</u>	<u>14</u>	<u>5</u>
M05	Seropositive rheumatoid arthritis	3	2	1
M06	Other rheumatoid arthritis	13	10	3
M13	Other arthritis	3	2	1
<u>M15-M19</u>	<u>Arthrosis</u>	<u>5</u>	<u>4</u>	<u>1</u>
M19	Other arthrosis	5	4	1
<u>M20-M25</u>	<u>Other joint disorders</u>	<u>1</u>	<u>1</u>	<u>0</u>
M25	Other joint disorders, not elsewhere classified	1	1	0

Table 10B - Page 13
Deaths - Mississippi - 2000

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>M30-M36</u>	<u>Systemic connective tissue disorders</u>	<u>53</u>	<u>29</u>	<u>24</u>
M30	Polyarteritis nodosa and related conditions	1	1	0
M31	Other necrotizing vasculopathies	16	11	5
M32	Systemic lupus erythematosus	21	7	14
M33	Dermatopolymyositis	2	1	1
M34	Systemic sclerosis	11	7	4
M35	Other systemic involvement of connective tissue	2	2	0
<u>M40-M54</u>	<u>Dorsopathies</u>	<u>2</u>	<u>1</u>	<u>1</u>
<u>M40-M43</u>	<u>Deforming dorsopathies</u>	<u>1</u>	<u>0</u>	<u>1</u>
M43	Other deforming dorsopathies	1	0	1
<u>M45-M49</u>	<u>Spondylopathies</u>	<u>1</u>	<u>1</u>	<u>0</u>
M45	Ankylosing spondylitis	1	1	0
<u>M60-M79</u>	<u>Soft tissue disorders</u>	<u>12</u>	<u>7</u>	<u>5</u>
<u>M60-M63</u>	<u>Disorders of muscles</u>	<u>2</u>	<u>2</u>	<u>0</u>
M62	Other disorders of muscle	2	2	0
<u>M70-M79</u>	<u>Other soft tissue disorders</u>	<u>10</u>	<u>5</u>	<u>5</u>
M72	Fibroblastic disorders	10	5	5
<u>M80-M94</u>	<u>Osteopathies and chondropathies</u>	<u>21</u>	<u>20</u>	<u>1</u>
<u>M80-M85</u>	<u>Disorders of bone density and structure</u>	<u>15</u>	<u>14</u>	<u>1</u>
M80	Osteoporosis with pathological fracture	4	4	0
M81	Osteoporosis without pathological fracture	10	9	1
M84	Disorders of continuity of bone	1	1	0
<u>M86-M90</u>	<u>Other osteopathies</u>	<u>6</u>	<u>6</u>	<u>0</u>
M86	Osteomyelitis	5	5	0
M88	Paget's disease of bone [osteitis deformans]	1	1	0
<u>N00-N99</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>854</u>	<u>512</u>	<u>342</u>
<u>N00-N08</u>	<u>Glomerular diseases</u>	<u>5</u>	<u>2</u>	<u>3</u>
N03	Chronic nephritic syndrome	5	2	3
<u>N10-N16</u>	<u>Renal tubulo-interstitial diseases</u>	<u>13</u>	<u>8</u>	<u>5</u>
N12	Tubulo-interstitial nephritis, not specified as acute or chronic	9	6	3
N13	Obstructive and reflux uropathy	1	1	0
N15	Other renal tubulo-interstitial diseases	3	1	2
<u>N17-N19</u>	<u>Renal failure</u>	<u>606</u>	<u>336</u>	<u>270</u>
N17	Acute renal failure	73	55	18
N18	Chronic renal failure	232	100	132
N19	Unspecified renal failure	301	181	120
<u>N20-N23</u>	<u>Urolithiasis</u>	<u>3</u>	<u>3</u>	<u>0</u>
N20	Calculus of kidney and ureter	3	3	0
<u>N25-N29</u>	<u>Other disorders of kidney and ureter</u>	<u>11</u>	<u>7</u>	<u>4</u>
N25	Disorders resulting from impaired renal tubular function	1	0	1
N28	Other disorders of kidney and ureter, not elsewhere classified	10	7	3
<u>N30-N39</u>	<u>Other diseases of urinary system</u>	<u>206</u>	<u>151</u>	<u>55</u>
N31	Neuromuscular dysfunction of bladder, not elsewhere classified	1	0	1
N39	Other disorders of urinary system	205	151	54
<u>N40-N51</u>	<u>Diseases of male genital organs</u>	<u>7</u>	<u>2</u>	<u>5</u>
N40	Hyperplasia of prostate	4	1	3
N41	Inflammatory diseases of prostate	1	0	1
N42	Other disorders of prostate	2	1	1

Table 10B - Page 14
Deaths - Mississippi - 2000

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
<u>N70-N77</u>	<u>Inflammatory diseases of female pelvic organs</u>	<u>2</u>	<u>2</u>	<u>0</u>
N70	Salpingitis and oophoritis	1	1	0
N73	Other female pelvic inflammatory diseases	1	1	0
<u>N80-N99</u>	<u>Noninflammatory disorders of female genital tract</u>	<u>1</u>	<u>1</u>	<u>0</u>
N82	Fistulae involving female genital tract	1	1	0
<u>000-099</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>8</u>	<u>2</u>	<u>6</u>
<u>010-016</u>	<u>Edema, proteinuria and hypertensive disorders in pregnancy, childbirth and the puerperium</u>	<u>2</u>	<u>0</u>	<u>2</u>
014	Gestational [pregnancy-induced] hypertension with significant proteinuria	1	0	1
015	Eclampsia	1	0	1
<u>060-075</u>	<u>Complications of labor and delivery</u>	<u>1</u>	<u>1</u>	<u>0</u>
075	Other complications of labor and delivery, not elsewhere classified	1	1	0
<u>085-092</u>	<u>Complications predominantly related to the puerperium</u>	<u>2</u>	<u>0</u>	<u>2</u>
085	Puerperal sepsis	1	0	1
088	Obstetric embolism	1	0	1
<u>095-099</u>	<u>Other obstetric conditions, not elsewhere classified</u>	<u>3</u>	<u>1</u>	<u>2</u>
099	Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium	3	1	2
<u>P00-P96</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>221</u>	<u>54</u>	<u>167</u>
<u>P00-P04</u>	<u>Fetus and newborn affected by maternal factors and by complications of pregnancy, labor and delivery</u>	<u>20</u>	<u>3</u>	<u>17</u>
P00	Newborn affected by maternal conditions that may be unrelated to present pregnancy	1	1	0
P01	Newborn affected by maternal complications of pregnancy	12	2	10
P02	Newborn affected by complications of placenta, cord, and membranes	6	0	6
P03	Newborn affected by other complications of labor and delivery	1	0	1
<u>P05-P08</u>	<u>Disorders related to length of gestation and fetal growth</u>	<u>88</u>	<u>19</u>	<u>69</u>
P07	Disorders related to short gestation and low birthweight, not elsewhere classified	88	19	69
<u>P20-P29</u>	<u>Respiratory and cardiovascular disorders specific to the perinatal period</u>	<u>73</u>	<u>18</u>	<u>55</u>
P21	Birth asphyxia	5	2	3
P22	Respiratory distress of newborn	17	5	12
P24	Neonatal aspiration syndromes	1	0	1
P25	Interstitial emphysema and related conditions originating in the perinatal period	2	0	2
P26	Pulmonary hemorrhage originating in the perinatal period	11	2	9

Table 10B - Page 15
Deaths - Mississippi - 2000

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
P27	Chronic respiratory disease originating in the perinatal period	6	2	4
P28	Other respiratory conditions originating in the perinatal period	9	3	6
P29	Cardiovascular disorders originating in the perinatal period	22	4	18
<u>P35-P39</u>	<u>Infections specific to the perinatal period</u>	<u>20</u>	<u>4</u>	<u>16</u>
P35	Congenital viral diseases	1	0	1
P36	Bacterial sepsis of newborn	19	4	15
<u>P50-P61</u>	<u>Hemorrhagic and hematological disorders of fetus and newborn</u>	<u>4</u>	<u>3</u>	<u>1</u>
P52	Intracranial nontraumatic hemorrhage of fetus and newborn	3	2	1
P61	Other perinatal hematological disorders	1	1	0
<u>P70-P74</u>	<u>Transitory endocrine and metabolic disorders specific to fetus and newborn</u>	<u>2</u>	<u>1</u>	<u>1</u>
P70	Transitory disorders of carbohydrate metabolism specific to newborn	2	1	1
<u>P75-P78</u>	<u>Digestive system disorders of fetus and newborn</u>	<u>9</u>	<u>2</u>	<u>7</u>
P77	Necrotizing enterocolitis of newborn	8	2	6
P78	Other perinatal digestive system disorders	1	0	1
<u>P80-P83</u>	<u>Conditions involving the integument and temperature regulation of fetus and newborn</u>	<u>5</u>	<u>4</u>	<u>1</u>
P83	Other conditions of integument specific to newborn	5	4	1
<u>Q00-Q99</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u>	<u>132</u>	<u>70</u>	<u>62</u>
<u>Q00-Q07</u>	<u>Congenital malformations of the nervous system</u>	<u>15</u>	<u>8</u>	<u>7</u>
Q00	Anencephaly and similar malformations	7	5	2
Q03	Congenital hydrocephalus	1	1	0
Q04	Other congenital malformations of brain	7	2	5
<u>Q20-Q28</u>	<u>Congenital malformations of the circulatory system</u>	<u>48</u>	<u>25</u>	<u>23</u>
Q20	Congenital malformations of cardiac chambers and connections	4	4	0
Q21	Congenital malformations of cardiac septa	7	3	4
Q22	Congenital malformations of pulmonary and tricuspid valves	1	1	0
Q23	Congenital malformations of aortic and mitral valves	7	3	4
Q24	Other congenital malformations of heart	19	9	10
Q25	Congenital malformations of great arteries	5	2	3
Q26	Congenital malformations of great veins	1	1	0
Q28	Other congenital malformations of circulatory system	4	2	2
<u>Q30-Q34</u>	<u>Congenital malformations of the respiratory system</u>	<u>13</u>	<u>7</u>	<u>6</u>
Q33	Congenital malformations of lung	13	7	6
<u>Q38-Q45</u>	<u>Other congenital malformations of the digestive system</u>	<u>3</u>	<u>1</u>	<u>2</u>
Q39	Congenital malformations of esophagus	1	1	0
Q40	Other congenital malformations of upper alimentary tract	1	0	1

Table 10B - Page 16
Deaths - Mississippi - 2000

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
Q41	Congenital absence, atresia, and stenosis of small intestine	1	0	1
<u>Q60-Q64</u>	<u>Congenital malformations of the urinary system</u>	<u>11</u>	<u>8</u>	<u>3</u>
Q60	Renal agenesis and other reduction defects of kidney	4	2	2
Q61	Cystic kidney disease	4	4	0
Q63	Other congenital malformations of kidney	3	2	1
<u>Q65-Q79</u>	<u>Congenital malformations and deformations of the musculoskeletal system</u>	<u>7</u>	<u>2</u>	<u>5</u>
Q77	Osteochondrodysplasia with defects of growth of tubular bones and spine	1	0	1
Q79	Congenital malformations of musculoskeletal system, not elsewhere classified	6	2	4
<u>Q80-Q89</u>	<u>Other congenital malformations</u>	<u>15</u>	<u>6</u>	<u>9</u>
Q81	Epi dermolysis bullosa	1	0	1
Q85	Phakomatoses, not elsewhere classified	1	1	0
Q86	Congenital malformation syndromes due to known exogenous causes, not elsewhere classified	1	0	1
Q87	Other specified congenital malformation syndromes affecting multiple systems	2	2	0
Q89	Other congenital malformations, not elsewhere classified	10	3	7
<u>Q90-Q99</u>	<u>Chromosomal abnormalities, not elsewhere classified</u>	<u>20</u>	<u>13</u>	<u>7</u>
Q90	Down's syndrome	10	8	2
Q91	Edward's syndrome and Patau's syndrome	8	3	5
Q92	Other trisomies and partial trisomies of autosomes, not elsewhere classified	2	2	0
<u>R00-R99</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS NOT ELSEWHERE CLASSIFIED</u>	<u>309</u>	<u>187</u>	<u>122</u>
<u>R00-R09</u>	<u>Symptoms and signs involving the circulatory and respiratory systems</u>	<u>126</u>	<u>89</u>	<u>37</u>
R00	Abnormalities of heart beat	1	1	0
R02	Gangrene, not elsewhere classified	3	2	1
R04	Hemorrhage from respiratory passages	1	1	0
R06	Abnormalities of breathing	3	2	1
R09	Other symptoms and signs involving the circulatory and respiratory systems	118	83	35
<u>R10-R19</u>	<u>Symptoms and signs involving the digestive system and abdomen</u>	<u>3</u>	<u>1</u>	<u>2</u>
R13	Dysphagia	1	1	0
R14	Flatulence and related conditions	1	0	1
R19	Other symptoms and signs involving the digestive system and abdomen	1	0	1
<u>R40-R46</u>	<u>Symptoms and signs involving cognition, perception, emotional state and behavior</u>	<u>2</u>	<u>2</u>	<u>0</u>
R40	Somnolence, stupor, and coma	2	2	0
<u>R50-R69</u>	<u>General symptoms and signs</u>	<u>64</u>	<u>37</u>	<u>27</u>
R50	Fever of unknown origin	1	1	0
R53	Malaise and fatigue	3	3	0
R54	Senility	12	9	3
R56	Convulsions, not elsewhere classified	29	11	18

Table 10B - Page 17
Deaths - Mississippi - 2000

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
R57	Shock, not elsewhere classified	5	4	1
R58	Hemorrhage, not elsewhere classified	4	1	3
R62	Lack of expected normal physiological development	8	7	1
R63	Symptoms and signs concerning food and fluid intake	1	0	1
R68	Other general symptoms and signs	1	1	0
<u>R70-R79</u>	<u>Abnormal findings on examination of blood, without diagnosis</u>	<u>3</u>	<u>3</u>	<u>0</u>
R73	Elevated blood glucose level	2	2	0
R75	Laboratory evidence of human immunodeficiency virus [HIV]	1	1	0
<u>R90-R94</u>	<u>Abnormal findings on diagnostic imaging and in function studies, without diagnosis</u>	<u>1</u>	<u>0</u>	<u>1</u>
R91	Abnormal findings on diagnostic imaging of lung	1	0	1
<u>R95-R99</u>	<u>Ill-defined and unknown causes of mortality</u>	<u>110</u>	<u>55</u>	<u>55</u>
R95	Sudden infant death syndrome	64	23	41
R96	Other sudden death, cause unknown	5	2	3
R99	Other ill-defined and unspecified causes of mortality	41	30	11
<u>V01-Y89</u>	<u>EXTERNAL CAUSES OF MORTALITY</u>	<u>2,355</u>	<u>1,508</u>	<u>847</u>
<u>V01-V09</u>	<u>Pedestrian injured in transport accident</u>	<u>75</u>	<u>47</u>	<u>28</u>
V03	Pedestrian injured in collision with car, pickup truck, or van	55	33	22
V04	Pedestrian injured in collision with heavy transport vehicle or bus	9	5	4
V05	Pedestrian injured in collision with railway train or railway vehicle	2	2	0
V06	Pedestrian injured in collision with other nonmotor vehicle	1	1	0
V09	Pedestrian injured in other and unspecified transport accidents	8	6	2
<u>V10-V19</u>	<u>Pedal cyclist injured in transport accident</u>	<u>8</u>	<u>6</u>	<u>2</u>
V13	Pedal cyclist injured in collision with car, pickup truck, or van	7	6	1
V14	Pedal cyclist injured in collision with heavy transport vehicle or bus	1	0	1
<u>V20-V29</u>	<u>Motorcycle rider injured in transport accident</u>	<u>21</u>	<u>15</u>	<u>6</u>
V23	Motorcycle rider injured in collision with car, pickup truck, or van	15	10	5
V27	Motorcycle rider injured in collision with fixed or stationary object	3	3	0
V28	Motorcycle rider injured in noncollision transport accident	2	1	1
V29	Motorcycle rider injured in other and unspecified transport accidents	1	1	0
<u>V40-V49</u>	<u>Car occupant injured in transport accident</u>	<u>515</u>	<u>313</u>	<u>202</u>
V40	Car occupant injured in collision with pedestrian or animal	3	2	1
V43	Car occupant injured in collision with car, pickup truck, or van	172	101	71
V44	Car occupant injured in collision with heavy transport vehicle or bus	48	30	18

Table 10B - Page 18
Deaths - Mississippi - 2000

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
V45	Car occupant injured in collision with railway train or railway vehicle	5	2	3
V46	Car occupant injured in collision with other nonmotor vehicle	1	0	1
V47	Car occupant injured in collision with fixed or stationary object	181	113	68
V48	Car occupant injured in noncollision transport accident	99	59	40
V49	Car occupant injured in other and unspecified transport accidents	6	6	0
<u>V50-V59</u>	<u>Occupant of pick-up truck or van injured in transport accident</u>	<u>184</u>	<u>144</u>	<u>40</u>
V53	Occupant of pickup truck or van injured in collision with car, pickup truck, or van	46	32	14
V54	Occupant of pickup truck or van injured in collision with heavy transport vehicle or bus	19	14	5
V55	Occupant of pickup truck or van injured in collision with railway train or railway vehicle	4	4	0
V57	Occupant of pickup truck or van injured in collision with fixed or stationary object	63	52	11
V58	Occupant of pickup truck or van injured in noncollision transport accident	51	41	10
V59	Occupant of pickup truck or van injured in other and unspecified transport accidents	1	1	0
<u>V60-V69</u>	<u>Occupant of heavy transport vehicle injured in transport accident</u>	<u>23</u>	<u>14</u>	<u>9</u>
V63	Occupant of heavy transport vehicle injured in collision with car, pickup truck, or van	1	0	1
V64	Occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus	4	3	1
V65	Occupant of heavy transport vehicle injured in collision with railway train or railway vehicle	4	4	0
V67	Occupant of heavy transport vehicle injured in collision with fixed or stationary object	3	1	2
V68	Occupant of heavy transport vehicle injured in noncollision transport accident	9	6	3
V69	Occupant of heavy transport vehicle injured in other and unspecified transport accidents	2	0	2
<u>V80-V89</u>	<u>Other land transport accidents</u>	<u>114</u>	<u>78</u>	<u>36</u>
V80	Animal-rider or occupant of animal-drawn vehicle injured in transport accident	1	1	0
V84	Occupant of special vehicle mainly used in agriculture injured in transport accident	8	7	1
V85	Occupant of special construction vehicle injured in transport accident	1	0	1
V86	Occupant of special all-terrain or other motor vehicle designed primarily for off-road use, injured in transport accident	17	14	3

Table 10B - Page 19
Deaths - Mississippi - 2000

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
V87	Traffic accident of specified type but victim's mode of transport unknown	9	5	4
V89	Motor- or nonmotor-vehicle accident, type of vehicle unspecified	78	51	27
<u>V90-V94</u>	<u>Water transport accidents</u>	<u>22</u>	<u>13</u>	<u>9</u>
V90	Accident to watercraft causing drowning and submersion	12	6	6
V91	Accident to watercraft causing other injury	2	2	0
V92	Water-transport-related drowning and submersion without accident to watercraft	8	5	3
<u>V95-V97</u>	<u>Air and space transport accidents</u>	<u>3</u>	<u>3</u>	<u>0</u>
V95	Accident to powered aircraft causing injury to occupant	3	3	0
<u>W00-W19</u>	<u>Falls</u>	<u>165</u>	<u>140</u>	<u>25</u>
W01	Fall on same level from slipping, tripping, and stumbling	11	10	1
W05	Fall involving wheel chair	4	4	0
W06	Fall involving bed	11	10	1
W07	Fall involving chair	3	3	0
W08	Fall involving other furniture	2	2	0
W10	Fall on and from stairs and steps	6	5	1
W11	Fall on and from ladder	3	3	0
W12	Fall on and from scaffolding	2	2	0
W13	Fall from, out of, or through building or structure	6	4	2
W14	Fall from tree	1	1	0
W16	Diving or jumping into water causing injury other than drowning or submersion	1	1	0
W17	Other fall from one level to another	3	1	2
W18	Other fall on same level	1	0	1
W19	Unspecified fall	111	94	17
<u>W20-W49</u>	<u>Exposure to inanimate mechanical forces</u>	<u>66</u>	<u>40</u>	<u>26</u>
W20	Struck by thrown, projected, or falling object	19	10	9
W21	Striking against or struck by sports equipment	2	1	1
W22	Striking against or struck by other objects	3	3	0
W24	Contact with lifting and transmission devices, not elsewhere classified	2	2	0
W26	Contact with knife, sword, or dagger	1	0	1
W30	Contact with agricultural machinery	2	1	1
W31	Contact with other and unspecified machinery	5	3	2
W32	Handgun discharge	8	4	4
W33	Rifle, shotgun, and larger firearm discharge	8	7	1
W34	Discharge from other and unspecified firearms	8	5	3
W38	Explosion and rupture of other specified pressurized devices	1	0	1
W40	Explosion of other materials	6	3	3
W44	Foreign body entering into or through eye or natural orifice	1	1	0
<u>W50-W64</u>	<u>Exposure to animate mechanical forces</u>	<u>1</u>	<u>1</u>	<u>0</u>
W55	Bitten or struck by other mammals	1	1	0
<u>W65-W74</u>	<u>Accidental drowning and submersion</u>	<u>56</u>	<u>34</u>	<u>22</u>
W65	Drowning and submersion while in bathtub	4	4	0
W67	Drowning and submersion while in swimming pool	8	3	5

Table 10B - Page 20
Deaths - Mississippi - 2000

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
W68	Drowning and submersion following fall into swimming pool	3	2	1
W69	Drowning and submersion while in natural water	18	9	9
W70	Drowning and submersion following fall into natural water	9	7	2
W73	Other specified drowning and submersion	3	1	2
W74	Unspecified drowning and submersion	11	8	3
<u>W75-W84</u>	<u>Other accidental threats to breathing</u>	<u>109</u>	<u>71</u>	<u>38</u>
W75	Accidental suffocation and strangulation in bed	4	4	0
W76	Other accidental hanging and strangulation	6	3	3
W77	Threat to breathing due to cave-in, falling earth, and other substances	2	1	1
W78	Inhalation of gastric contents	11	4	7
W79	Inhalation and ingestion of food causing obstruction of respiratory tract	10	6	4
W80	Inhalation and ingestion of other objects causing obstruction of respiratory tract	68	45	23
W83	Other specified threats to breathing	5	5	0
W84	Unspecified threat to breathing	3	3	0
<u>W85-W99</u>	<u>Exposure to electric current, radiation and extreme ambient air temperature and pressure</u>	<u>12</u>	<u>10</u>	<u>2</u>
W85	Exposure to electric transmission lines	3	3	0
W86	Exposure to other specified electric current	5	5	0
W87	Exposure to unspecified electric current	4	2	2
<u>X00-X09</u>	<u>Exposure to smoke, fire and flames</u>	<u>96</u>	<u>47</u>	<u>49</u>
X00	Exposure to uncontrolled fire in building or structure	78	36	42
X01	Exposure to uncontrolled fire, not in building or structure	4	4	0
X03	Exposure to controlled fire, not in building or structure	2	2	0
X04	Exposure to ignition of highly flammable material	1	0	1
X06	Exposure to ignition or melting of other clothing and apparel	6	2	4
X08	Exposure to other specified smoke, fire, and flames	1	0	1
X09	Exposure to unspecified smoke, fire, and flames	4	3	1
<u>X10-X19</u>	<u>Contact with heat and hot substances</u>	<u>3</u>	<u>2</u>	<u>1</u>
X10	Contact with hot drinks, food, fats, and cooking oils	1	1	0
X11	Contact with hot tap water	2	1	1
<u>X20-X29</u>	<u>Contact with venomous animals and plants</u>	<u>1</u>	<u>1</u>	<u>0</u>
X20	Contact with venomous snakes and lizards	1	1	0
<u>X30-X39</u>	<u>Exposure to forces of nature</u>	<u>30</u>	<u>16</u>	<u>14</u>
X30	Exposure to excessive natural heat	15	8	7
X31	Exposure to excessive natural cold	14	7	7
X33	Victim of lightning	1	1	0
<u>X40-X49</u>	<u>Accidental poisoning by and exposure to noxious substances</u>	<u>83</u>	<u>76</u>	<u>7</u>

Table 10B - Page 21
Deaths - Mississippi - 2000

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
X40	Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics	3	3	0
X41	Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified	3	3	0
X42	Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified	12	9	3
X43	Accidental poisoning by and exposure to other drugs acting on the autonomic nervous system	1	1	0
X44	Accidental poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances	56	54	2
X46	Accidental poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapors	2	1	1
X47	Accidental poisoning by and exposure to other gases and vapors	3	3	0
X49	Accidental poisoning by and exposure to other and unspecified chemicals and noxious substances	3	2	1
<u>X58-X59</u>	<u>Accidental exposure to other and unspecified factors</u>	<u>53</u>	<u>39</u>	<u>14</u>
X59	Exposure to unspecified factor	53	39	14
<u>X60-X84</u>	<u>Intentional self-harm</u>	<u>290</u>	<u>234</u>	<u>56</u>
X60	Intentional self-poisoning (suicide) by and exposure to nonopioid analgesics, antipyretics and antirheumatics	4	3	1
X61	Intentional self-poisoning (suicide) by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified	3	3	0
X64	Intentional self-poisoning (suicide) by and exposure to other and unspecified drugs, medicaments, and biological substances	17	16	1
X66	Intentional self-poisoning (suicide) by and exposure to organic solvents and halogenated hydrocarbons and their vapors	1	1	0
X67	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	7	7	0
X68	Intentional self-poisoning (suicide) by and exposure to pesticides	1	0	1
X70	Intentional self-harm (suicide) by hanging, strangulation, and suffocation	26	18	8
X71	Intentional self-harm (suicide) by drowning and submersion	3	2	1
X72	Intentional self-harm (suicide) by handgun discharge	77	58	19
X73	Intentional self-harm (suicide) by rifle, shotgun, and larger firearm discharge	40	35	5
X74	Intentional self-harm (suicide) by other and unspecified firearm discharge	102	85	17

Table 10B - Page 22
Deaths - Mississippi - 2000

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
X76	Intentional self harm (suicide) by smoke, fire, and flames	2	1	1
X78	Intentional self harm (suicide) by sharp object	3	3	0
X80	Intentional self harm (suicide) by jumping from a high place	1	0	1
X81	Intentional self harm (suicide) by jumping or lying before moving object	2	1	1
X83	Intentional self harm (suicide) by other specified means	1	1	0
<u>X85-Y09</u>	<u>Assault</u>	<u>311</u>	<u>96</u>	<u>215</u>
X85	Assault (homicide) by drugs, medicaments, and biological substances	1	1	0
X86	Assault (homicide) by corrosive substance	1	0	1
X91	Assault (homicide) by hanging, strangulation, and suffocation	9	8	1
X92	Assault (homicide) by drowning and submersion	4	4	0
X93	Assault (homicide) by handgun discharge	59	13	46
X94	Assault (homicide) by rifle, shotgun, and larger firearm discharge	18	7	11
X95	Assault (homicide) by other and unspecified firearm discharge	137	38	99
X97	Assault (homicide) by smoke, fire, and flames	3	1	2
X98	Assault (homicide) by steam, hot vapors, and hot objects	2	1	1
X99	Assault (homicide) by sharp object	36	7	29
Y00	Assault (homicide) by blunt object	13	7	6
Y03	Assault (homicide) by crashing of motor vehicle	2	0	2
Y04	Assault (homicide) by bodily force	1	0	1
Y06	Neglect and abandonment	3	1	2
Y07	Other maltreatment syndromes	6	2	4
Y08	Assault (homicide) by other specified means	5	3	2
Y09	Assault (homicide) by unspecified means	11	3	8
<u>Y10-Y34</u>	<u>Event of undetermined intent</u>	<u>37</u>	<u>19</u>	<u>18</u>
Y11	Poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified, undetermined intent	2	2	0
Y12	Poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified, undetermined intent	1	1	0
Y14	Poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances, undetermined intent	8	7	1
Y20	Hanging, strangulation, and suffocation, undetermined intent	2	2	0
Y21	Drowning and submersion, undetermined intent	2	0	2
Y22	Handgun discharge, undetermined intent	1	0	1
Y23	Rifle, shotgun, and larger firearm discharge, undetermined intent	3	2	1
Y24	Other and unspecified firearm discharge, undetermined intent	5	1	4
Y26	Exposure to smoke, fire, and flames, undetermined intent	2	0	2

Table 10B - Page 23
Deaths - Mississippi - 2000

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
Y30	Falling, jumping, or pushed from a high place, undetermined intent	1	1	0
Y32	Crashing of motor vehicle, undetermined intent	2	1	1
Y33	Other specified events, undetermined intent	6	2	4
Y34	Unspecified event, undetermined intent	2	0	2
<u>Y35-Y36</u>	<u>Legal intervention and operations of war</u>	<u>3</u>	<u>1</u>	<u>2</u>
Y35	Legal intervention	3	1	2
<u>Y40-Y59</u>	<u>Drugs, medicaments and biological substances causing adverse effects in therapeutic use</u>	<u>3</u>	<u>2</u>	<u>1</u>
Y44	Agents primarily affecting blood constituents	2	2	0
Y46	Antiepileptics and anti parkinsonism drugs	1	0	1
<u>Y60-Y69</u>	<u>Misadventures to patients during surgical and medical care</u>	<u>6</u>	<u>3</u>	<u>3</u>
Y60	Unintentional cut, puncture, perforation, or hemorrhage during surgical and medical care	4	2	2
Y65	Other misadventures during surgical and medical care	2	1	1
<u>Y83-Y84</u>	<u>Surgical and other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure</u>	<u>47</u>	<u>31</u>	<u>16</u>
Y83	Surgical operation and other surgical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	31	24	7
Y84	Other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	16	7	9
<u>Y85-Y89</u>	<u>Sequelae of external causes of mortality</u>	<u>18</u>	<u>12</u>	<u>6</u>
Y85	Sequelae of transport accidents	7	4	3
Y86	Sequelae of other accidents	6	5	1
Y87	Sequelae of intentional self harm, assault, and events of undetermined intent	3	2	1
Y88	Sequelae with surgical and medical care as external cause	2	1	1

* NUMBERS AND CAUSES ARE FROM THE TENTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES AND RELATED HEALTH PROBLEMS.

**TABLE 11
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,
ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 2000**

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K		
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64					
001-358	ALL CAUSES	28,529	10.0	W	19,189	M	9,437	95	31	12	28	200	215	436	741	1,279	6,400	0			
							F	9,752	62	18	10	10	77	98	248	413	850	7,966	0		
							NW	9,340	M	4,667	164	29	12	16	174	210	341	591	708	2,417	5
									F	4,673	147	22	11	19	86	117	266	417	454	3,134	0
001-055	INFECTIOUS AND PARASITIC DISEASES	816	28.7	W	456	M	220	2	2	0	1	0	6	24	21	27	137	0			
							F	236	2	1	0	1	0	2	9	11	15	195	0		
							NW	360	M	179	1	0	0	0	2	24	33	25	28	66	0
									F	181	3	0	1	0	6	21	15	13	10	112	0
009,010	TUBERCULOSIS	14	0.5	W	6	M	2	0	0	0	0	0	0	1	0	0	1	0			
							F	4	0	0	0	0	0	0	0	1	0	3	0		
							NW	8	M	5	0	0	0	0	0	0	0	1	2	2	0
									F	3	0	0	0	0	0	0	1	0	0	2	0
039-043	HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE	160	5.6	W	37	M	31	0	0	0	0	0	4	16	8	3	0	0			
							F	6	0	0	0	0	1	3	1	0	1	0			
							NW	123	M	87	0	0	0	0	2	22	28	18	14	3	0
									F	36	0	0	0	0	3	20	9	3	0	1	0
056-108	MALIGNANT NEOPLASMS	6,060	213.0	W	4,186	M	2,275	0	0	0	3	3	13	54	185	409	1,608	0			
							F	1,911	1	1	1	0	4	11	52	162	325	1,354	0		
							NW	1,874	M	1,045	0	0	3	1	4	10	43	133	205	646	0
									F	829	0	0	1	0	4	8	64	119	125	508	0
109-115	IN SITU NEOPLASMS, BENIGN NEOPLASMS, AND NEOPLASMS OF UNDETERMINED NATURE	85	3.0	W	57	M	30	0	0	0	0	0	0	1	3	3	23	0			
							F	27	0	0	0	1	0	0	2	0	2	22	0		
							NW	28	M	13	1	1	0	0	0	0	1	1	1	8	0
									F	15	0	0	1	0	0	0	1	1	5	7	0

TABLE 11 - PAGE 2
DEATHS - MISSISSIPPI - 2000

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											65 AND OVER	UNKN
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
116-122	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	132	4.6	W	70	M	31	0	1	0	0	2	1	1	2	4	20	0		
						F	39	1	0	0	0	1	2	7	1	27	0			
				NW	62	M	26	0	1	1	0	3	4	3	3	11	0			
						F	36	0	0	1	1	2	4	7	8	3	10	0		
116-119	ANEMIAS	67	2.4	W	30	M	13	0	1	0	0	0	0	0	0	2	10	0		
						F	17	0	0	0	0	0	0	2	1	14	0			
				NW	37	M	15	0	1	1	0	3	0	3	1	6	0			
						F	22	0	0	1	1	1	2	3	7	0	7	0		
123-135	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES	914	32.1	W	523	M	221	2	1	0	0	4	5	15	24	34	136	0		
						F	302	0	1	0	0	3	3	8	12	25	250	0		
				NW	391	M	146	2	1	0	1	2	4	5	17	24	90	0		
						F	245	0	1	0	2	3	3	14	26	30	166	0		
124	DIABETES MELLITUS	670	23.6	W	372	M	155	0	0	0	0	0	1	7	19	27	101	0		
						F	217	0	0	0	0	1	3	3	8	22	180	0		
				NW	298	M	106	0	0	0	0	1	3	3	17	17	65	0		
						F	192	0	0	0	1	2	0	10	21	26	132	0		
129-131	MALNUTRITION AND OTHER NUTRITIONAL DEFICIENCIES	44	1.5	W	27	M	7	0	0	0	0	0	0	0	0	0	7	0		
						F	20	0	0	0	0	1	0	0	0	0	19	0		
				NW	17	M	7	0	0	0	0	0	0	0	0	1	6	0		
						F	10	0	0	0	0	0	0	1	1	2	6	0		
136-144	MENTAL AND BEHAVIORAL DISORDERS	305	10.7	W	213	M	90	0	0	0	0	0	2	8	11	9	60	0		
						F	123	0	0	0	0	1	0	1	2	2	117	0		
				NW	92	M	52	1	0	0	0	1	1	6	9	11	23	0		
						F	40	0	0	0	0	0	0	2	2	2	34	0		
138	MENTAL AND BEHAVIORAL DISORDERS DUE TO USE OF ALCOHOL	72	2.5	W	42	M	36	0	0	0	0	0	1	6	7	9	13	0		
						F	6	0	0	0	0	0	1	1	1	1	3	0		
				NW	30	M	24	0	0	0	0	0	1	6	6	7	4	0		
						F	6	0	0	0	0	0	0	1	2	1	2	0		

TABLE 11 - PAGE 3
DEATHS - MISSISSIPPI - 2000

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											65 AND OVER	UNKN
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
145-153	<u>DI SEASES OF THE NERVOUS SYSTEM</u>	810	28.5	W	612	M	240	2	0	0	0	1	4	5	13	24	191	0		
						F	372	2	0	1	0	0	7	3	12	21	326	0		
						NW	M	80	2	2	0	2	1	1	8	14	6	44	0	
							F	118	2	2	1	3	6	4	3	10	2	85	0	
145	MENI NGI TI S	6	0.2	W	2	M	1	0	0	0	0	0	0	0	0	0	1	0		
						F	1	0	0	1	0	0	0	0	0	0	0	0		
						NW	M	3	0	0	0	0	0	0	0	1	1	1	0	
							F	1	0	0	0	0	0	0	0	0	0	1	0	
147	PARKI NSON' S DI SEASE	107	3.8	W	89	M	49	0	0	0	0	0	0	0	0	1	48	0		
						F	40	0	0	0	0	0	0	0	0	0	40	0		
						NW	M	8	0	0	0	0	0	0	0	0	0	8	0	
							F	10	0	0	0	0	0	0	0	0	0	10	0	
148	ALZHEI MER' S DI SEASE	431	15.2	W	352	M	107	0	0	0	0	0	0	1	0	5	101	0		
						F	245	0	0	0	0	0	0	0	0	1	244	0		
						NW	M	24	0	0	0	0	0	0	0	1	2	21	0	
							F	55	0	0	0	0	0	0	0	0	0	55	0	
150	EPI LEPSY	18	0.6	W	8	M	2	0	0	0	0	0	0	0	2	0	0	0		
						F	6	0	0	0	0	2	1	1	1	1	1	0		
						NW	M	8	0	0	0	1	0	0	3	2	1	1	0	
							F	2	0	0	0	0	0	0	0	1	0	1	0	
154	<u>DI SEASES OF THE EYE AND ADNEXA</u>	3	0.1	W	1	M	1	0	0	0	0	0	0	0	0	0	1	0		
						F	0	0	0	0	0	0	0	0	0	0	0	0		
						NW	M	2	0	0	0	0	0	0	0	0	0	2	0	
							F	0	0	0	0	0	0	0	0	0	0	0	0	
156-191	<u>DI SEASES OF THE CIRCULATORY SYSTEM</u>	11,850	416.6	W	7,992	M	3,639	1	0	1	2	7	16	114	241	509	2,748	0		
						F	4,353	2	1	0	2	3	7	44	98	266	3,930	0		
						NW	M	1,739	5	1	0	1	8	33	101	226	299	1,062	3	
							F	2,119	2	0	0	3	12	21	75	165	194	1,647	0	

TABLE 11 - PAGE 5
DEATHS - MISSISSIPPI - 2000

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE													
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER				
196-198	PNEUMONIA	781	27.4	W	563	M	238	1	1	0	1	2	1	6	5	11	210	0			
							F	325	2	0	0	0	2	1	4	7	13	296	0		
							NW	218	M	100	5	3	0	0	0	1	6	5	8	72	0
										F	118	3	0	0	0	1	0	7	3	4	100
204	EMPHYSEMA	136	4.8	W	123	M	81	0	0	0	0	0	0	0	2	8	71	0			
							F	42	0	0	0	0	0	0	0	0	6	36	0		
							NW	13	M	12	0	0	0	0	0	0	1	1	1	9	0
										F	1	0	0	0	0	0	0	0	0	0	1
<u>215-237</u>	<u>DI SEASES OF THE DIGESTIVE SYSTEM</u>	<u>927</u>	<u>32.6</u>	W	<u>639</u>	M	<u>321</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>5</u>	<u>21</u>	<u>62</u>	<u>56</u>	<u>173</u>	<u>0</u>			
							F	<u>318</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>21</u>	<u>21</u>	<u>36</u>	<u>236</u>	<u>0</u>		
							NW	<u>288</u>	M	<u>137</u>	<u>4</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>6</u>	<u>18</u>	<u>31</u>	<u>26</u>	<u>49</u>	<u>0</u>
										F	<u>151</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>8</u>	<u>12</u>	<u>15</u>	<u>24</u>	<u>88</u>
217-220	PEPTIC ULCER	41	1.4	W	31	M	13	0	0	0	0	0	0	0	0	2	11	0			
							F	18	0	0	0	0	0	0	1	0	2	15	0		
							NW	10	M	6	0	0	0	0	0	0	1	0	1	4	0
										F	4	0	0	0	0	0	0	0	0	0	4
230-232	CHRONIC LIVER DI SEASE AND CIRRHOSIS	246	8.6	W	190	M	118	0	0	0	0	1	1	12	35	34	35	0			
							F	72	0	0	0	0	0	0	11	12	13	36	0		
							NW	56	M	33	0	0	0	0	0	2	10	15	4	2	0
										F	23	0	0	0	0	0	2	6	4	4	7
<u>238-239</u>	<u>DI SEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>78</u>	<u>2.7</u>	W	<u>28</u>	M	<u>11</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>10</u>	<u>0</u>			
							F	<u>17</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>1</u>	<u>14</u>	<u>0</u>		
							NW	<u>50</u>	M	<u>16</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>12</u>	<u>0</u>
										F	<u>34</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>0</u>	<u>4</u>	<u>26</u>
<u>240-246</u>	<u>DI SEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>115</u>	<u>4.0</u>	W	<u>77</u>	M	<u>20</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>5</u>	<u>14</u>	<u>0</u>				
							F	<u>57</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>5</u>	<u>3</u>	<u>5</u>	<u>40</u>	<u>0</u>		
							NW	<u>38</u>	M	<u>6</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>2</u>	<u>0</u>	<u>2</u>	<u>0</u>	
										F	<u>32</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>6</u>	<u>6</u>	<u>2</u>	<u>3</u>	<u>12</u>

TABLE 11 - PAGE 6
DEATHS - MISSISSIPPI - 2000

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	UNKN
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64			
247-260	DISEASES OF THE GENITOURINARY SYSTEM	854	30.0	W	512	M	225	1	1	0	0	0	0	5	8	17	193	0	
							287	0	0	0	1	0	6	6	13	261	0		
							141	4	0	0	1	1	4	13	22	95	1		
							201	2	0	0	1	2	6	11	22	157	0		
247-249 251, 253	NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS	612	21.5	W	338	M	174	1	0	0	0	0	0	3	5	14	151	0	
							164	0	0	0	0	0	4	3	5	152	0		
							113	4	0	0	1	1	3	12	19	73	0		
							161	2	0	0	1	2	6	9	21	120	0		
261-273	PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	8	18.2	W	2	M	0	0	0	0	0	0	0	0	0	0	0	0	
							2	0	0	0	1	1	0	0	0	0	0		
							6	0	0	0	0	0	0	0	0	0	0		
							6	0	0	0	3	2	1	0	0	0	0		
274-281	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	221	5.0	W	54	M	33	33	0	0	0	0	0	0	0	0	0	0	
							21	21	0	0	0	0	0	0	0	0	0		
							87	86	1	0	0	0	0	0	0	0	0		
							80	80	0	0	0	0	0	0	0	0	0		
282-290	CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES	132	4.6	W	70	M	40	28	0	0	1	0	2	3	2	2	2	0	
							30	15	1	1	0	2	0	1	1	4	5		
							31	21	2	0	1	2	2	1	1	0	1		
							31	20	6	0	0	0	2	0	2	1	0		
291-294	SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NEC	309	10.9	W	187	M	75	15	0	0	0	1	3	6	9	4	37	0	
							112	10	0	0	0	0	3	6	5	4	84		
							67	24	0	0	0	2	5	3	6	5	22		
							55	22	3	1	0	2	2	6	1	3	15		
295-358	ALL EXTERNAL CAUSES	2,355	82.8	W	1,508	M	983	5	24	11	19	174	149	166	137	90	208	0	
							525	5	12	6	3	57	55	77	50	46	214		
							616	7	16	8	10	149	117	98	87	51	72		
							231	6	8	4	9	40	33	34	30	5	62		

TABLE 11 - PAGE 7
DEATHS - MISSISSIPPI - 2000

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE													
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER				
296-306	MOTOR VEHICLE ACCIDENTS	935	32.9	W	613	M	413	1	7	6	11	102	73	57	57	41	58				
							NW	322	M	F	200	1	5	4	2	37	30	36	12	19	54
										F	234	1	3	3	2	60	43	34	35	24	29
										F	88	2	4	3	3	27	14	7	14	2	12
295, 307-330	ALL OTHER ACCIDENTS	718	25.2	W	506	M	299	4	14	5	6	26	33	51	33	20	107				
							NW	212	M	F	207	2	5	1	1	4	9	19	18	15	133
										F	144	4	10	5	6	14	10	17	29	18	31
										F	68	1	2	1	3	4	5	6	7	2	37
331-337	SUICIDE	291	10.2	W	234	M	191	0	0	0	1	32	31	43	30	20	34				
							NW	57	M	F	43	0	0	0	0	8	5	8	10	7	5
										F	49	0	0	0	0	11	14	15	5	0	3
										F	8	0	0	0	1	1	1	2	1	1	1
338-346	HOMICIDE	312	11.0	W	97	M	55	0	2	0	0	12	10	9	12	7	3				
							NW	215	M	F	42	2	2	1	0	6	7	11	7	2	4
										F	165	2	3	0	2	61	44	29	15	5	4
										F	50	2	2	0	2	8	12	16	7	0	1
353, 354	LEGAL INTERVENTION	3	0.1	W	1	M	1	0	0	0	0	0	0	1	0	0	0				
							NW	2	M	F	0	0	0	0	0	0	0	0	0	0	0
										F	2	0	0	0	0	1	0	1	0	0	0
										F	0	0	0	0	0	0	0	0	0	0	0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM PREGNANCY, CHILDBIRTH AND THE PUERPERIUM (GROUP NUMBERS 261-273) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (GROUP NUMBERS 274-281) ARE PER 1,000 LIVE BIRTHS.

TABLE 12A
INFANT, NEONATAL, AND POSTNEONATAL DEATHS*,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 2000

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>468</u>	<u>157</u>	<u>311</u>	<u>289</u>	<u>91</u>	<u>198</u>	<u>179</u>	<u>66</u>	<u>113</u>
ADAMS	5	3	2	2	1	1	3	2	1
ALCORN	4	2	2	3	1	2	1	1	0
AMITE	1	1	0	1	1	0	0	0	0
ATTALA	1	0	1	0	0	0	1	0	1
BENTON	3	3	0	1	1	0	2	2	0
BOLIVAR	6	2	4	5	2	3	1	0	1
CALHOUN	1	1	0	0	0	0	1	1	0
CARROLL	2	1	1	2	1	1	0	0	0
CHICKASAW	3	1	2	1	0	1	2	1	1
CHOCTAW	3	1	2	2	0	2	1	1	0
CLAIBORNE	1	0	1	1	0	1	0	0	0
CLARKE	2	1	1	1	1	0	1	0	1
CLAY	2	1	1	1	0	1	1	1	0
COAHOMA	6	0	6	5	0	5	1	0	1
COPIAH	6	1	5	5	1	4	1	0	1
COVINGTON	4	2	2	1	0	1	3	2	1
DESOTO	14	6	8	9	3	6	5	3	2
FORREST	10	5	5	7	5	2	3	0	3
FRANKLIN	1	0	1	0	0	0	1	0	1
GEORGE	7	7	0	5	5	0	2	2	0
GREENE	2	1	1	1	1	0	1	0	1
GRENADA	7	0	7	7	0	7	0	0	0
HANCOCK	4	3	1	2	2	0	2	1	1
HARRISON	35	20	15	21	12	9	14	8	6
HINDS	62	13	49	35	8	27	27	5	22
HOLMES	5	0	5	5	0	5	0	0	0
HUMPHREYS	2	0	2	2	0	2	0	0	0
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	4	4	0	3	3	0	1	1	0
JACKSON	15	6	9	9	4	5	6	2	4
JASPER	3	1	2	1	0	1	2	1	1
JEFFERSON	2	0	2	2	0	2	0	0	0
JEFF DAVIS	4	0	4	2	0	2	2	0	2
JONES	12	6	6	3	1	2	9	5	4
KEMPER	1	0	1	1	0	1	0	0	0
LAFAYETTE	1	0	1	1	0	1	0	0	0
LAMAR	6	5	1	5	4	1	1	1	0
LAUDERDALE	13	3	10	6	1	5	7	2	5
LAWRENCE	0	0	0	0	0	0	0	0	0
LEAKE	4	0	4	2	0	2	2	0	2
LEE	13	6	7	6	1	5	7	5	2
LEFLORE	11	1	10	9	1	8	2	0	2

TABLE 12A - PAGE 2
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 2000

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	5	3	2	4	3	1	1	0	1
LOWNDES	8	1	7	7	1	6	1	0	1
MADISON	11	2	9	9	2	7	2	0	2
MARION	3	1	2	3	1	2	0	0	0
MARSHALL	2	1	1	2	1	1	0	0	0
MONROE	6	1	5	3	1	2	3	0	3
MONTGOMERY	5	1	4	3	0	3	2	1	1
NESHOPA	5	2	3	3	1	2	2	1	1
NEWTON	2	0	2	0	0	0	2	0	2
NOXUBEE	7	0	7	3	0	3	4	0	4
OKTIBBEHA	5	1	4	4	1	3	1	0	1
PANOLA	13	4	9	9	2	7	4	2	2
PEARL RIVER	2	2	0	1	1	0	1	1	0
PERRY	2	1	1	2	1	1	0	0	0
PIKE	4	1	3	1	0	1	3	1	2
PONTOTOC	3	3	0	2	2	0	1	1	0
PRENTISS	3	3	0	3	3	0	0	0	0
QUITMAN	3	0	3	0	0	0	3	0	3
RANKIN	11	6	5	5	2	3	6	4	2
SCOTT	5	5	0	1	1	0	4	4	0
SHARKEY	1	0	1	0	0	0	1	0	1
SIMPSON	1	1	0	1	1	0	0	0	0
SMITH	0	0	0	0	0	0	0	0	0
STONE	0	0	0	0	0	0	0	0	0
SUNFLOWER	10	0	10	6	0	6	4	0	4
TALLAHATCHIE	3	0	3	1	0	1	2	0	2
TATE	4	0	4	3	0	3	1	0	1
TIPPACH	2	1	1	2	1	1	0	0	0
TISHOMINGO	1	1	0	0	0	0	1	1	0
TUNICA	3	0	3	1	0	1	2	0	2
UNION	2	1	1	2	1	1	0	0	0
WALTHALL	0	0	0	0	0	0	0	0	0
WARREN	8	1	7	4	0	4	4	1	3
WASHINGTON	17	2	15	12	2	10	5	0	5
WAYNE	3	1	2	3	1	2	0	0	0
WEBSTER	4	3	1	2	2	0	2	1	1
WILKINSON	2	0	2	1	0	1	1	0	1
WINSTON	3	0	3	3	0	3	0	0	0
YALOBUSHA	2	0	2	1	0	1	1	0	1
YAZOO	9	1	8	7	0	7	2	1	1

* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

**TABLE 12B
 INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1996-2000 (5-YEAR AVERAGE)**

COUNTY	I N F A N T **			N E O N A T A L **			P O S T N E O N A T A L **		
	TOTAL	W H I T E	N O N - W H I T E	TOTAL	W H I T E	N O N - W H I T E	TOTAL	W H I T E	N O N - W H I T E
<u>STATE</u>	<u>10.5</u>	<u>6.9</u>	<u>14.6</u>	<u>5.3</u>	<u>3.4</u>	<u>7.5</u>	<u>5.2</u>	<u>3.5</u>	<u>7.0</u>
ADAMS	13.7	12.6	14.3	6.0	5.8	6.2	7.7	6.9	8.1
ALCORN	6.0	4.4	14.1	3.2	2.7	5.6	2.7	1.6	8.4
AMITTE	6.1	4.7	7.6	3.7	2.4	5.1	2.4	2.4	2.6
ATTALA	10.7	9.0	12.5	6.1	4.5	7.8	4.6	4.5	4.7
BENTON	18.1	26.3	7.5	9.8	17.5	-	8.2	8.8	7.5
BOLIVAR	12.3	6.3	14.1	6.7	3.8	7.6	5.6	2.5	6.5
CALHOUN	3.9	6.3	-	2.0	3.1	-	2.0	3.1	-
CARROLL	5.8	3.4	9.0	3.9	3.4	4.5	1.9	-	4.5
CHICKASAW	8.8	7.3	10.3	3.8	4.9	2.6	5.0	2.4	7.8
CHOCTAW	11.8	8.3	17.3	6.7	2.8	13.0	5.0	5.5	4.3
CLAIBORNE	10.0	-	10.9	4.4	-	4.8	5.6	-	6.0
CLARKE	5.0	1.6	8.9	2.5	1.6	3.6	2.5	-	5.4
CLAY	9.9	5.6	11.8	5.8	3.7	6.7	4.1	1.9	5.0
COAHOMA	13.8	5.6	15.5	6.9	3.7	7.6	6.9	1.9	8.0
COPIAH	17.7	9.6	23.0	8.6	4.8	11.1	9.1	4.8	11.9
COVINGTON	9.4	10.0	8.6	5.3	5.0	5.7	4.0	5.0	2.9
DESOTO	9.9	7.4	25.1	5.1	3.6	14.3	4.8	3.8	10.8
FORREST	6.6	6.0	7.4	3.5	3.6	3.3	3.1	2.3	4.1
FRANKLIN	6.6	6.3	7.0	3.3	3.2	3.5	3.3	3.2	3.5
GEORGE	11.6	11.7	10.8	8.1	7.8	10.8	3.5	3.9	-
GREENE	7.7	8.3	5.8	3.9	5.0	-	3.9	3.3	5.8
GRENADA	10.1	2.5	17.8	6.9	-	14.0	3.2	2.5	3.8
HANCOCK	8.8	8.8	8.2	2.8	3.1	-	6.0	5.7	8.2
HARRISON	9.3	7.1	14.4	4.4	3.4	6.8	4.9	3.8	7.7
HINDS	13.0	8.2	14.8	6.7	4.6	7.5	6.3	3.5	7.3
HOLMES	15.9	4.2	17.5	9.9	-	11.3	6.0	4.2	6.2
HUMPHREYS	10.1	5.2	11.3	4.0	-	5.0	6.1	5.2	6.3
ISSAQUENA	9.2	-	12.5	-	-	-	9.2	-	12.5
ITAWAMBA	10.0	10.2	8.5	5.4	5.1	8.5	4.6	5.1	-
JACKSON	8.7	6.1	15.1	4.9	2.6	10.3	3.8	3.4	4.8
JASPER	9.7	11.6	8.6	3.4	1.9	4.3	6.2	9.7	4.3
JEFFERSON	16.1	22.2	15.6	10.2	-	11.0	5.8	22.2	4.7
JEFF DAVIS	10.8	6.2	13.0	4.9	-	7.2	5.9	6.2	5.8
JONES	11.9	9.8	15.3	5.6	4.1	8.2	6.3	5.8	7.1
KEMPER	10.4	-	14.1	7.4	-	10.1	3.0	-	4.0
LAFAYETTE	8.6	8.1	9.2	5.7	5.7	5.7	2.8	2.4	3.4
LAMAR	7.9	6.2	16.8	4.1	3.3	8.4	3.8	2.9	8.4
LAUDERDALE	12.8	6.0	20.0	5.7	1.0	10.7	7.1	5.0	9.3
LAWRENCE	6.7	5.6	8.5	4.5	5.6	2.8	2.2	-	5.6
LEAKE	7.2	3.8	10.4	3.6	3.8	3.5	3.6	-	7.0
LEE	11.2	5.7	22.6	6.5	3.2	13.4	4.7	2.5	9.3
LEFLORE	12.0	7.5	13.2	6.2	3.0	7.0	5.8	4.5	6.2

TABLE 12B - PAGE 2
 INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 1996-2000 AVERAGE

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	9.9	6.1	16.4	6.0	4.1	9.4	3.9	2.0	7.0
LOWNDES	12.0	7.4	16.4	7.0	2.9	10.9	5.0	4.6	5.4
MADISON	9.6	5.4	14.3	5.3	2.8	8.0	4.3	2.5	6.3
MARION	6.8	4.4	10.2	2.6	1.8	3.8	4.2	2.7	6.4
MARSHALL	7.6	4.5	9.8	4.5	1.8	6.5	3.0	2.7	3.3
MONROE	14.0	8.3	23.4	4.0	2.6	6.4	10.0	5.7	17.0
MONTGOMERY	26.8	13.3	36.7	16.8	8.0	23.2	10.0	5.3	13.5
NESHOBA	10.0	6.5	13.9	4.4	2.4	6.5	5.6	4.1	7.4
NEWTON	14.3	6.6	23.4	8.4	4.4	13.0	6.0	2.2	10.4
NOXUBEE	24.9	-	32.4	12.4	-	16.2	12.4	-	16.2
OKTIBBEHA	8.1	2.4	13.0	5.9	2.4	8.9	2.2	-	4.1
PANOLA	16.5	10.2	20.4	7.2	2.8	9.9	9.3	7.4	10.5
PEARL RIVER	5.9	4.9	11.3	1.9	1.9	1.9	4.1	3.0	9.4
PERRY	6.3	4.5	10.5	4.2	3.0	7.0	2.1	1.5	3.5
PIKE	7.2	4.1	9.3	4.3	2.5	5.5	3.0	1.6	3.8
PONTOTOC	7.1	5.8	14.1	3.8	3.2	7.1	3.3	2.6	7.1
PRENTISS	9.5	10.5	3.9	5.4	6.3	-	4.2	4.2	3.9
QUITMAN	8.0	6.1	8.4	3.4	6.1	2.8	4.5	-	5.6
RANKIN	7.1	6.2	11.2	4.1	3.5	6.6	3.1	2.7	4.6
SCOTT	9.6	11.2	7.8	3.6	4.3	2.9	5.9	6.9	4.9
SHARKEY	3.4	-	4.2	-	-	-	3.4	-	4.2
SIMPSON	11.6	9.6	14.0	4.2	1.9	7.0	7.4	7.7	7.0
SMITH	7.9	8.7	6.2	5.9	8.7	-	2.0	-	6.2
STONE	10.2	9.7	11.6	5.1	5.5	3.9	5.1	4.1	7.7
SUNFLOWER	14.0	5.4	16.2	4.4	1.8	5.1	9.6	3.6	11.1
TALLAHATCHIE	11.2	-	15.9	5.6	-	7.9	5.6	-	7.9
TATE	12.4	7.2	20.4	5.4	2.7	9.5	7.0	4.5	10.8
TIPPACH	11.3	7.1	27.7	5.6	2.4	18.5	5.6	4.7	9.2
TISHOMINGO	5.2	5.3	-	-	-	-	5.2	5.3	-
TUNICA	19.4	-	23.3	4.8	-	5.8	14.6	-	17.5
UNION	7.5	7.4	7.8	4.3	4.0	5.2	3.2	3.4	2.6
WALTHALL	11.7	6.5	15.4	6.3	4.4	7.7	5.4	2.2	7.7
WARREN	12.3	7.1	16.7	6.2	3.3	8.6	6.2	3.8	8.1
WASHINGTON	12.3	7.8	13.8	5.5	5.0	5.6	6.8	2.8	8.1
WAYNE	12.0	7.3	16.6	7.2	3.7	10.7	4.8	3.7	5.9
WEBSTER	6.9	5.8	9.6	-	-	-	6.9	5.8	9.6
WILKINSON	7.8	7.1	8.0	4.7	-	6.0	3.1	7.1	2.0
WINSTON	6.7	3.4	9.2	4.4	3.4	5.3	2.2	-	4.0
YALOBUSHA	6.5	2.1	11.1	2.2	2.1	2.2	4.3	-	8.9
YAZOO	10.0	6.4	11.8	6.1	3.8	7.2	3.9	2.6	4.6

* DEATHS PER 1,000 LIVE BIRTHS.

** INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS; POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.

**TABLE 13
 INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
 ALSO MORTALITY RATES FOR SELECTED CAUSES,
 MISSISSIPPI RESIDENTS, 2000**

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		R A C E	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOTAL	< 1 DAY	1- 6	7- 13	14- 20	21- 27	
<u>ALL CAUSES</u>	<u>468</u>	<u>10.6</u>	W NW	<u>157</u> <u>311</u>	<u>91</u> <u>198</u>	<u>49</u> <u>121</u>	<u>23</u> <u>38</u>	<u>8</u> <u>14</u>	<u>4</u> <u>15</u>	<u>7</u> <u>10</u>	<u>66</u> <u>113</u>
DIARRHEA AND GASTRO- ENTERITIS OF PRESUMED INFECTIOUS ORIGIN (002)	1	##	W NW	0 1	0 0	0 0	0 0	0 0	0 0	0 0	0 1
SEPTICEMIA (008)	3	0.1	W NW	0 3	0 0	0 0	0 0	0 0	0 0	0 0	0 3
MALIGNANT NEOPLASMS (021-023)	1	##	W NW	1 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0
DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM (025-027)	1	##	W NW	1 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0
VOLUME DEPLETION, DISORDERS OF FLUID, ELECTROLYTE AND ACID-BASE BALANCE (031)	2	##	W NW	2 0	1 0	0 0	1 0	0 0	0 0	0 0	1 0
INFANTILE SPINAL MUSCULAR ATROPHY, TYPE I (WERDNIG-HOFFMAN) (034)	1	##	W NW	1 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0
INFANTILE CEREBRAL PALSY (035)	1	##	W NW	1 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0
ANOXIC BRAIN DAMAGE, NOT ELSEWHERE CLASSIFIED (036)	1	##	W NW	0 1	0 0	0 0	0 0	0 0	0 0	0 0	0 1
DISEASES OF THE CIRCULATORY SYSTEM (039-044)	10	0.2	W NW	3 7	1 0	0 0	0 0	0 0	0 0	1 0	2 7
INFLUENZA AND PNEUMONIA (046, 047)	11	0.2	W NW	3 8	0 0	0 0	0 0	0 0	0 0	0 0	3 8
ACUTE BRONCHITIS AND ACUTE BRONCHIOLITIS (048)	2	##	W NW	0 2	0 0	0 0	0 0	0 0	0 0	0 0	0 2
GASTRITIS, DUODENITIS, AND NONINFECTIVE ENTERITIS AND COLITIS (053)	6	0.1	W NW	1 5	0 0	0 0	0 0	0 0	0 0	0 0	1 5
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT HERNIA (054)	1	##	W NW	1 0	1 0	1 0	0 0	0 0	0 0	0 0	0 0

TABLE 13 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 2000

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		R A C E	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOTAL	< 1 DAY	1- 6	7- 13	14- 20	21- 27	
RENAL FAILURE AND OTHER DISORDERS OF KIDNEY (056)	7	0.2	W NW	1 6	0 6	0 1	0 2	0 1	0 2	0 0	1 0
NEWBORN AFFECTED BY MATERNAL HYPERTENSIVE DISORDERS (058)	1	##	W NW	1 0	1 0	1 0	0 0	0 0	0 0	0 0	0 0
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	12	0.3	W NW	2 10	2 10	2 9	0 1	0 0	0 0	0 0	0 0
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES (064-067)	6	0.1	W NW	0 6	0 6	0 4	0 2	0 0	0 0	0 0	0 0
NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOR AND DELIVERY (068)	1	##	W NW	0 1	0 1	0 1	0 0	0 0	0 0	0 0	0 0
DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071, 072)	88	2.0	W NW	19 69	19 67	16 54	2 10	0 2	1 1	0 0	0 2
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (075, 076)	5	0.1	W NW	2 3	2 3	1 2	1 0	0 1	0 0	0 0	0 0
RESPIRATORY DISTRESS OF NEWBORN (077)	17	0.4	W NW	5 12	5 10	3 6	2 2	0 0	0 1	0 1	0 2
NEONATAL ASPIRATION SYNDROME (079)	1	##	W NW	0 1	0 1	0 0	0 1	0 0	0 0	0 0	0 0
INTERSTITIAL EMPHYSEMA AND RELATED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (080)	2	##	W NW	0 2	0 2	0 1	0 1	0 0	0 0	0 0	0 0
PULMONARY HEMORRHAGE ORIGINATING IN THE PERINATAL PERIOD (081)	11	0.2	W NW	2 9	2 9	0 1	2 5	0 0	0 2	0 1	0 0
CHRONIC RESPIRATORY DISEASE ORIGINATING IN THE PERINATAL PERIOD (082)	5	0.1	W NW	2 3	0 0	0 0	0 0	0 0	0 0	0 0	2 3
ATELECTASIS (083)	8	0.2	W NW	3 5	3 5	3 3	0 1	0 1	0 0	0 0	0 0

TABLE 13 - PAGE 3
 INFANT DEATHS - MISSISSIPPI - 2000

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		R A C E	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOTAL	< 1 DAY	1- 6	7- 13	14- 20	21- 27	
BACTERIAL SEPSIS OF NEWBORN (085)	19	0.4	W NW	4 15	4 12	0 4	1 0	2 3	1 2	0 3	0 3
NEONATAL HEMORRHAGE (088)	3	0.1	W NW	2 1	2 1	0 0	1 1	0 0	0 0	1 0	0 0
HEMATOLOGICAL DISORDERS (091)	1	##	W NW	1 0	1 0	1 0	0 0	0 0	0 0	0 0	0 0
SYNDROME OF INFANT OF A DIABETIC MOTHER AND NEONATAL DIABETES MELLITUS (092)	1	##	W NW	0 1	0 1	0 0	0 1	0 0	0 0	0 0	0 0
NECROTIZING ENTEROCOLITIS OF NEWBORN (093)	8	0.2	W NW	2 6	1 5	0 0	0 1	0 1	1 3	0 0	1 1
HYDROPS FETALIS NOT DUE TO HEMOLYTIC DISEASE (094)	5	0.1	W NW	4 1	4 1	1 1	3 0	0 0	0 0	0 0	0 0
CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSO- MAL ABNORMALITIES (096-110)	84	1.9	W NW	43 41	33 31	16 15	9 6	5 4	0 2	3 4	10 10
SUDDEN INFANT DEATH SYNDROME (111)	64	1.4	W NW	23 41	2 3	0 0	0 1	1 0	0 1	1 1	21 38
ACCIDENTS (114-124)	16	0.4	W NW	8 8	0 0	0 0	0 0	0 0	0 0	0 0	8 8
ASSAULT (HOMICIDE) (125-128)	6	0.1	W NW	2 4	0 1	0 1	0 0	0 0	0 0	0 0	2 3
ALL OTHER CAUSES	56	1.3	W NW	17 39	7 23	4 18	1 3	0 1	1 1	1 0	10 16

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** SEE APPENDIX C FOR EXPLANATION OF GROUP NUMBERS.

DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,
MISSISSIPPI, 2000

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS- PORT	POI - SON- ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
<u>STATE</u>	<u>1,643</u>	<u>948</u>	<u>48</u>	<u>72</u>	<u>171</u>	<u>85</u>	<u>52</u>	<u>23</u>	<u>244</u>
ADAMS	13	5	1	3	1	1	0	0	2
ALCORN	24	12	2	1	5	0	1	0	3
AMITE	7	5	0	0	2	0	0	0	0
ATTALA	8	3	1	0	0	2	1	0	1
BENTON	8	8	0	0	0	0	0	0	0
BOLIVAR	14	8	0	0	2	0	2	0	2
CALHOUN	12	6	0	0	0	0	1	2	3
CARROLL	5	4	0	0	0	0	0	0	1
CHICKASAW	6	2	0	1	0	0	0	1	2
CHOCTAW	1	1	0	0	0	0	0	0	0
CLAYBORNE	4	4	0	0	0	0	0	0	0
CLARKE	10	8	0	0	1	1	0	0	0
CLAY	7	3	0	0	1	1	1	0	1
COAHOMA	23	12	2	1	2	2	0	0	4
COPIAH	19	14	1	0	0	1	0	0	3
COVINGTON	25	20	0	2	1	0	0	0	2
DESOTO	40	24	1	3	3	1	3	0	5
FORREST	65	36	1	2	6	3	2	1	14
FRANKLIN	5	4	0	0	0	1	0	0	0
GEORGE	17	12	0	3	0	0	0	0	2
GREENE	6	5	0	0	1	0	0	0	0
GRENADA	19	8	0	0	1	4	1	1	4
HANCOCK	35	22	1	4	1	2	1	0	4
HARRISON	98	42	4	13	12	2	5	0	20
HINDS	182	115	2	2	24	1	4	4	30
HOLMES	13	12	0	0	1	0	0	0	0
HUMPHREYS	4	4	0	0	0	0	0	0	0
ISSAQUENA	2	1	0	0	0	0	1	0	0
ITAWAMBA	11	8	0	0	0	1	1	0	1
JACKSON	82	41	4	7	10	4	1	0	15
JASPER	6	6	0	0	0	0	0	0	0
JEFFERSON	2	2	0	0	0	0	0	0	0
JEFF DAVIS	12	11	0	0	0	0	0	0	1
JONES	32	14	4	0	3	2	0	0	9
KEMPER	4	3	0	0	0	0	0	1	0
LAFAYETTE	35	9	3	0	11	2	2	0	8
LAMAR	18	7	0	1	7	0	1	0	2
LAUDERDALE	64	38	0	3	15	4	1	0	3
LAWRENCE	14	12	0	0	0	0	0	1	1
LEAKE	12	7	0	0	1	0	1	0	3
LEE	96	48	0	3	28	1	2	2	12
LEFLORE	20	11	1	0	2	0	0	0	6

TABLE 14 - PAGE 2
 ACCIDENTAL DEATHS - MISSISSIPPI - 2000

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS- PORT	POI- SON- ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
LINCOLN	16	7	2	1	1	2	2	0	1
LOWNDES	28	12	0	1	3	3	0	1	8
MADISON	14	4	3	0	0	1	1	1	4
MARION	10	3	1	0	2	2	0	0	2
MARSHALL	23	16	2	1	0	1	2	0	1
MONROE	17	12	1	0	0	2	0	1	1
MONTGOMERY	7	4	0	0	0	0	0	1	2
NESHOBA	10	6	0	1	0	0	0	1	2
NEWTON	10	9	0	0	0	0	1	0	0
NOXUBEE	8	3	0	1	1	2	0	0	1
OKTIBBEHA	15	5	0	0	4	0	1	0	5
PANOLA	17	13	0	1	0	1	0	1	1
PEARL RIVER	21	14	0	5	0	0	0	0	2
PERRY	3	3	0	0	0	0	0	0	0
PIKE	17	10	0	1	2	0	1	0	3
PONTOTOC	15	12	0	0	0	0	0	0	3
PRENTISS	15	11	0	0	0	2	1	0	1
QUITMAN	8	5	0	1	0	0	0	0	2
RANKIN	39	22	1	5	2	0	2	0	7
SCOTT	15	11	1	0	0	1	0	0	2
SHARKEY	6	5	0	0	0	0	0	1	0
SIMPSON	18	13	0	0	3	1	0	0	1
SMITH	2	1	0	0	0	1	0	0	0
STONE	8	5	0	0	1	1	0	0	1
SUNFLOWER	16	11	2	0	1	0	0	0	2
TALLAHATCHIE	7	3	0	0	0	2	1	0	1
TATE	20	16	0	0	0	2	1	0	1
TIPPAH	9	5	0	2	0	1	0	0	1
TISHOMINGO	7	5	1	0	1	0	0	0	0
TUNICA	17	13	0	0	0	1	2	1	0
UNION	12	10	0	0	2	0	0	0	0
WALTHALL	5	3	0	0	0	0	0	0	2
WARREN	27	11	2	2	4	3	2	0	3
WASHINGTON	58	23	3	1	3	15	1	0	12
WAYNE	6	3	0	0	0	2	0	0	1
WEBSTER	2	1	1	0	0	0	0	0	0
WILKINSON	10	5	0	0	0	1	0	1	3
WINSTON	10	8	0	0	0	0	2	0	0
YALOBUSHA	3	2	0	0	0	0	0	0	1
YAZOO	12	6	0	0	0	2	0	1	3

TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE,
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
MISSISSIPPI, 2000

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
STATE	19,879	13,232	6,647	19,879	13,232	6,647	18,694	12,365	6,329
ADAMS	307	163	144	325	180	145	230	101	129
ALCORN	177	157	20	185	162	23	163	146	17
AMI TE	109	72	37	121	78	43	108	70	38
ATTALA	177	114	63	167	113	54	160	108	52
BENTON	25	14	11	35	21	14	33	22	11
BOLI VAR	19	3	16	51	22	29	33	7	26
CALHOUN	112	78	34	118	85	33	114	75	39
CARROLL	65	43	22	73	49	24	57	41	16
CHI CKASAW	130	67	63	128	66	62	119	61	58
CHOCTAW	68	48	20	67	46	21	70	50	20
CLAI BORNE	68	17	51	68	19	49	63	16	47
CLARKE	98	67	31	114	79	35	106	73	33
CLAY	145	75	70	147	77	70	133	66	67
COAHOMA	121	51	70	112	41	71	105	37	68
COPI AH	216	118	98	263	153	110	239	129	110
COVI NGTON	152	112	40	151	110	41	147	110	37
DESOTO	621	533	88	556	480	76	478	424	54
FORREST	697	493	204	585	407	178	573	398	175
FRANKLI N	56	38	18	60	43	17	61	40	21
GEORGE	170	162	8	167	155	12	142	138	4
GREENE	75	61	14	89	74	15	58	55	3
GRENADA	166	119	47	150	104	46	149	107	42
HANCOCK	328	305	23	333	311	22	294	277	17
HARRI SON	1,682	1,369	313	1,709	1,393	316	1,410	1,140	270
HI NDS	2,037	889	1,148	1,932	863	1,069	1,742	700	1,042
HOLMES	115	22	93	148	35	113	132	30	102
HUMPHREYS	66	18	48	72	21	51	75	20	55
I SSAQUENA	8	5	3	10	6	4	5	3	2
I TAWAMBA	121	119	2	136	129	7	124	120	4
JACKSON	839	674	165	863	695	168	870	704	166
JASPER	114	57	57	116	69	47	109	58	51
JEFFERSON	38	3	35	53	8	45	38	2	36
JEFF DAVIS	93	44	49	100	45	55	92	42	50
JONES	494	368	126	512	387	125	471	358	113
KEMPER	55	21	34	67	26	41	56	22	34
LAFAYETTE	236	179	57	222	163	59	218	159	59
LAMAR	207	186	21	240	216	24	296	263	33
LAUDERDALE	591	386	205	565	371	194	541	347	194
LAWRENCE	104	72	32	124	90	34	99	70	29
LEAKE	153	78	75	168	93	75	163	89	74
LEE	586	414	172	537	397	140	526	366	160
LEFLORE	269	91	178	259	84	175	213	70	143

TABLE 15 - PAGE 2
MARRIAGES - MISSISSIPPI - 2000

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	321	223	98	306	208	98	298	207	91
LOWNDES	383	210	173	376	200	176	349	173	176
MADISON	408	224	184	468	255	213	552	327	225
MARION	224	150	74	238	159	79	224	145	79
MARSHALL	183	93	90	181	98	83	158	82	76
MONROE	242	178	64	262	181	81	264	192	72
MONTGOMERY	76	40	36	91	53	38	81	45	36
NESHOBA	239	159	80	244	177	67	219	145	74
NEWTON	174	125	49	160	103	57	180	132	48
NOXUBEE	84	23	61	101	30	71	78	21	57
OKTIBBEHA	309	187	122	266	151	115	272	160	112
PANOLA	229	131	98	214	119	95	231	124	107
PEARL RIVER	361	321	40	365	323	42	332	291	41
PERRY	86	74	12	84	75	9	96	84	12
PIKE	363	198	165	362	197	165	334	180	154
PONTOTOC	193	170	23	197	176	21	206	183	23
PRENTISS	140	126	14	150	129	21	136	119	17
QUITMAN	66	22	44	74	28	46	59	17	42
RANKIN	937	811	126	762	651	111	974	839	135
SCOTT	226	144	82	249	165	84	229	145	84
SHARKEY	31	13	18	30	17	13	25	12	13
SIMPSON	231	156	75	235	167	68	230	153	77
SMITH	87	69	18	120	91	29	117	82	35
STONE	127	106	21	117	92	25	128	107	21
SUNFLOWER	142	39	103	154	49	105	109	34	75
TALLAHATCHIE	87	42	45	101	50	51	90	42	48
TATE	144	96	48	149	102	47	144	101	43
TIPPACH	112	92	20	101	87	14	99	80	19
TISHOMINGO	101	100	1	106	104	2	94	92	2
TUNICA	73	18	55	77	24	53	61	11	50
UNION	173	150	23	169	143	26	168	145	23
WALTHALL	126	83	43	115	73	42	118	74	44
WARREN	415	258	157	412	263	149	377	221	156
WASHINGTON	233	103	130	242	105	137	211	97	114
WAYNE	129	91	38	127	87	40	132	91	41
WEBSTER	62	51	11	76	61	15	72	58	14
WILKINSON	51	17	34	52	19	33	45	13	32
WINSTON	142	84	58	146	82	64	136	79	57
YALOBUSHA	76	53	23	86	62	24	82	57	25
YAZOO	183	97	86	216	110	106	169	91	78
OUT OF STATE	*	*	*	*	*	*	1,185	867	318

* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

TABLE 16
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*,
MISSISSIPPI, 2000

COUNTY	TOTAL	WHI TE	NON- WHI TE	UN- KNOWN	COUNTY	TOTAL	WHI TE	NON- WHI TE	UN- KNOWN
<u>STATE</u>	<u>14, 177</u>	<u>10, 666</u>	<u>3, 312</u>	<u>199</u>					
ADAMS	180	112	65	3	LI NCOLN	175	133	42	0
ALCORN	291	270	20	1	LOWNDES	323	207	111	5
AMI TE	65	54	10	1	MADI SON	298	211	86	1
ATTALA	52	43	9	0	MARI ON	172	139	32	1
BENTON	38	33	5	0	MARSHALL	163	119	44	0
BOLI VAR	163	83	78	2	MONROE	239	190	48	1
CALHOUN	81	66	14	1	MONTGOMERY	42	25	17	0
CARROLL	36	34	2	0	NESHOBA	126	101	25	0
CHI CKASAW	84	60	22	2	NEWTON	105	85	17	3
CHOCTAW	54	46	8	0	NOXUBEE	33	9	24	0
CLAI BORNE	23	9	14	0	OKTI BBEHA	131	89	42	0
CLARKE	83	68	15	0	PANOLA	151	103	48	0
CLAY	30	21	8	1	PEARL RI VER	277	249	27	1
COAHOMA	93	42	51	0	PERRY	61	52	6	3
COPI AH	128	89	39	0	PI KE	212	120	90	2
COVI NGTON	95	74	20	1	PONTOTOC	200	187	12	1
DESOTO	694	606	39	49	PRENTI SS	169	153	10	6
FORREST	404	288	100	16	QUI TMAN	24	9	15	0
FRANKLI N	34	28	6	0	RANKI N	680	611	69	0
GEORGE	149	137	9	3	SCOTT	125	94	31	0
GREENE	46	36	7	3	SHARKEY	12	3	9	0
GRENADA	116	92	24	0	SI MPSON	118	97	21	0
HANCOCK	240	224	15	1	SMI TH	99	87	12	0
HARRI SON	1, 192	945	215	32	STONE	63	59	4	0
HI NDS	1, 126	522	603	1	SUNFLOWER	68	29	39	0
HOLMES	46	17	29	0	TALLAHATCHI E	0	0	0	0
HUMPHREYS	0	0	0	0	TATE	121	91	30	0
I SSAQUENA	7	5	2	0	TI PPAH	165	133	21	11
I TAWAMBA	162	154	6	2	TI SHOMI NGO	121	119	2	0
JACKSON	780	665	115	0	TUNI CA	38	24	14	0
JASPER	67	36	31	0	UNI ON	177	157	20	0
JEFFERSON	24	2	21	1	WALTHALL	79	55	24	0
JEFF DAVI S	50	33	17	0	WARREN	165	106	59	0
JONES	376	322	47	7	WASHI NGTON	195	98	97	0
KEMPER	32	17	15	0	WAYNE	111	93	17	1
LAFAYETTE	130	102	27	1	WEBSTER	49	43	6	0
LAMAR	235	215	13	7	WI LKI NSON	30	9	21	0
LAUDERDALE	393	273	115	5	WI NSTON	72	40	32	0
LAWRENCE	58	46	8	4	YALOBUSHA	67	52	15	0
LEAKE	106	76	29	1	YAZOO	75	56	18	1
LEE	511	404	90	17					
LEFLORE	172	80	92	0					

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

**TABLE 17
 REPORTED INDUCED TERMINATIONS OF PREGNANCY PERFORMED IN MISSISSIPPI
 ON MISSISSIPPI RESIDENTS, BY COUNTY OF RESIDENCE AND RACE, 2000**

COUNTY	TOTAL	WHI TE	NON- WHI TE	UNK. RACE	COUNTY	TOTAL	WHI TE	NON- WHI TE	UNK. RACE
<u>STATE</u>	<u>3,578</u>	<u>945</u>	<u>2,625</u>	<u>8</u>					
ADAMS	58	12	46	0	LI NCOLN	39	17	22	0
ALCORN	0	0	0	0	LOWNDES	13	7	6	0
AMI TE	11	3	8	0	MADI SON	270	87	182	1
ATTALA	34	10	24	0	MARI ON	18	7	11	0
BENTON	0	0	0	0	MARSHALL	0	0	0	0
BOLI VAR	38	10	28	0	MONROE	2	2	0	0
CALHOUN	0	0	0	0	MONTGOMERY	20	5	15	0
CARROLL	15	3	12	0	NESHOBA	25	14	10	1
CHI CKASAW	4	1	3	0	NEWTON	31	14	17	0
CHOCTAW	3	2	1	0	NOXUBEE	3	0	3	0
CLAI BORNE	50	0	50	0	OKTI BBEHA	16	7	9	0
CLARKE	11	3	8	0	PANOLA	3	2	1	0
CLAY	7	2	5	0	PEARL RI VER	5	4	1	0
COAHOMA	5	0	5	0	PERRY	8	2	6	0
COPI AH	66	15	51	0	PI KE	72	19	53	0
COVI NGTON	33	11	22	0	PONTOTOC	4	2	2	0
DESOTO	1	0	1	0	PRENTI SS	1	1	0	0
FORREST	148	67	81	0	QUI TMAN	1	0	1	0
FRANKLI N	6	1	5	0	RANKI N	252	157	95	0
GEORGE	0	0	0	0	SCOTT	54	17	37	0
GREENE	0	0	0	0	SHARKEY	12	4	8	0
GRENADA	19	10	9	0	SI MPSON	37	19	18	0
HANCOCK	5	4	1	0	SMI TH	8	4	4	0
HARRI SON	12	8	4	0	STONE	2	0	2	0
HI NDS	1,327	177	1,144	6	SUNFLOWER	28	6	22	0
HOLMES	63	4	59	0	TALLAHATCHI E	0	0	0	0
HUMPHREYS	13	5	8	0	TATE	0	0	0	0
I SSAQUENA	1	0	1	0	TI PPAH	1	0	1	0
I TAWAMBA	1	0	1	0	TI SHOMI NGO	0	0	0	0
JACKSON	4	1	3	0	TUNI CA	0	0	0	0
JASPER	16	5	11	0	UNI ON	0	0	0	0
JEFFERSON	32	3	29	0	WALTHALL	11	2	9	0
JEFF DAVIS	10	3	7	0	WARREN	165	36	129	0
JONES	74	34	40	0	WASHI NGTON	91	22	69	0
KEMPER	3	1	2	0	WAYNE	8	1	7	0
LAFAYETTE	7	4	3	0	WEBSTER	3	2	1	0
LAMAR	37	20	17	0	WI LKI NSON	3	0	3	0
LAUDERDALE	33	12	21	0	WI NSTON	18	8	10	0
LAWRENCE	24	9	15	0	YALOBUSHA	4	2	2	0
LEAKE	27	11	16	0	YAZOO	72	15	57	0
LEE	6	4	2	0					
LEFLORE	74	5	69	0					

TABLE 18A
TEENAGE PREGNANCIES*, BY COUNTY OF RESIDENCE,
RACE, AND AGE GROUP OF MOTHER,
MISSISSIPPI, 2000

COUNTY	TOTAL **			WHITE			NONWHITE		
	TOTAL	UNDER 15	15-19	TOTAL	UNDER 15	15-19	TOTAL	UNDER 15	15-19
<u>STATE</u>	<u>9,508</u>	<u>312</u>	<u>9,196</u>	<u>3,618</u>	<u>40</u>	<u>3,578</u>	<u>5,889</u>	<u>272</u>	<u>5,617</u>
ADAMS	127	3	124	27	0	27	100	3	97
ALCORN	77	2	75	61	1	60	16	1	15
AMITE	27	1	26	8	0	8	19	1	18
ATTALA	51	2	49	24	1	23	27	1	26
BENTON	32	0	32	11	0	11	21	0	21
BOLIVAR	189	7	182	14	2	12	175	5	170
CALHOUN	54	2	52	25	1	24	29	1	28
CARROLL	18	0	18	7	0	7	11	0	11
CHICKASAW	75	2	73	23	0	23	52	2	50
CHOCTAW	31	2	29	11	1	10	20	1	19
CLAIBORNE	52	2	50	0	0	0	52	2	50
CLARKE	55	1	54	30	0	30	25	1	24
CLAY	77	3	74	12	0	12	65	3	62
COAHOMA	207	7	200	15	0	15	192	7	185
COPIAH	114	5	109	29	0	29	85	5	80
COVINGTON	84	5	79	29	0	29	55	5	50
DESOTO	216	5	211	166	3	163	50	2	48
FORREST	249	8	241	111	2	109	138	6	132
FRANKLIN	34	0	34	15	0	15	19	0	19
GEORGE	80	0	80	64	0	64	16	0	16
GREENE	41	0	41	29	0	29	12	0	12
GRENADA	62	2	60	20	0	20	42	2	40
HANCOCK	99	1	98	86	0	86	13	1	12
HARRISON	582	11	571	348	4	344	234	7	227
HINDS	1,043	55	988	123	0	123	920	55	865
HOLMES	124	10	114	10	0	10	114	10	104
HUMPHREYS	56	3	53	5	0	5	51	3	48
ISSAQUENA	5	0	5	1	0	1	4	0	4
I TAWAMBA	49	0	49	44	0	44	5	0	5
JACKSON	387	4	383	224	1	223	163	3	160
JASPER	55	0	55	15	0	15	40	0	40
JEFFERSON	42	2	40	0	0	0	42	2	40
JEFF DAVIS	42	1	41	15	0	15	27	1	26
JONES	226	14	212	102	4	98	124	10	114
KEMPER	24	1	23	5	0	5	19	1	18
LAFAYETTE	66	1	65	27	0	27	39	1	38
LAMAR	83	2	81	58	0	58	25	2	23
LAUDERDALE	221	7	214	75	1	74	146	6	140
LAWRENCE	43	0	43	20	0	20	23	0	23
LEAKE	77	4	73	32	1	31	45	3	42
LEE	251	5	246	142	1	141	109	4	105
LEFLORE	182	10	172	11	0	11	171	10	161

TABLE 18A - PAGE 2
TEENAGE PREGNANCIES - MISSISSIPPI - 2000

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15-19	TOTAL	UNDER 15	15-19	TOTAL	UNDER 15	15-19
LINCOLN	93	4	89	43	0	43	50	4	46
LOWNDES	208	7	201	66	0	66	141	7	134
MADISON	191	2	189	37	0	37	154	2	152
MARION	83	3	80	46	0	46	37	3	34
MARSHALL	111	4	107	41	1	40	70	3	67
MONROE	125	3	122	70	0	70	55	3	52
MONTGOMERY	39	3	36	11	2	9	28	1	27
NESHOBA	87	6	81	37	0	37	50	6	44
NEWTON	73	1	72	36	0	36	37	1	36
NOXUBEE	45	3	42	1	0	1	44	3	41
OKTIBBEHA	100	4	96	19	0	19	81	4	77
PANOLA	145	6	139	39	1	38	106	5	101
PEARL RIVER	144	1	143	116	0	116	28	1	27
PERRY	44	0	44	31	0	31	13	0	13
PIKE	137	2	135	38	0	38	99	2	97
PONTOTOC	85	2	83	70	0	70	15	2	13
PRENTISS	67	2	65	54	2	52	13	0	13
QUITMAN	42	0	42	7	0	7	35	0	35
RANKIN	264	3	261	187	2	185	77	1	76
SCOTT	113	6	107	51	1	50	62	5	57
SHARKEY	25	1	24	3	0	3	22	1	21
SIMPSON	99	0	99	43	0	43	56	0	56
SMITH	43	2	41	24	0	24	19	2	17
STONE	44	1	43	28	0	28	16	1	15
SUNFLOWER	171	9	162	18	0	18	153	9	144
TALLAHATCHIE	67	1	66	12	0	12	55	1	54
TATE	80	4	76	43	1	42	37	3	34
TIPPAH	75	2	73	56	2	54	19	0	19
TISHOMINGO	43	0	43	41	0	41	2	0	2
TUNICA	45	2	43	2	0	2	43	2	41
UNION	68	1	67	54	1	53	14	0	14
WALTHALL	55	1	54	19	0	19	36	1	35
WARREN	188	3	185	51	1	50	137	2	135
WASHINGTON	288	10	278	40	0	40	248	10	238
WAYNE	84	3	81	28	0	28	56	3	53
WEBSTER	28	2	26	12	2	10	16	0	16
WILKINSON	29	1	28	2	0	2	27	1	26
WINSTON	81	8	73	22	0	22	59	8	51
YALOBUSHA	47	3	44	19	1	18	28	2	26
YAZOO	143	6	137	27	0	27	116	6	110

* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS TO MOTHERS UNDER AGE 20.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE OF THE MOTHER WAS UNKNOWN.

**TABLE 18B
TEENAGE PREGNANCY RATES*, BY COUNTY OF RESIDENCE,
RACE, AND AGE GROUP OF MOTHER,
MISSISSIPPI, 2000**

COUNTY	TOTAL **			WHITE			NONWHITE		
	TOTAL	UNDER 15	15-19	TOTAL	UNDER 15	15-19	TOTAL	UNDER 15	15-19
STATE	42.9	2.9	80.3	31.1	0.7	59.6	55.9	5.3	103.2
ADAMS	48.1	2.3	92.5	28.2	-	55.1	59.4	3.6	114.1
ALCORN	34.7	1.8	68.2	33.1	1.1	65.4	43.0	5.3	82.4
AMITE	25.5	2.0	47.2	16.8	-	32.2	32.7	3.6	59.4
ATTALA	34.6	2.7	66.8	34.6	3.0	63.0	34.6	2.4	70.5
BENTON	56.7	-	111.9	37.7	-	77.5	77.2	-	145.8
BOLIVAR	50.2	4.1	88.9	16.0	5.8	22.7	60.6	3.6	111.8
CALHOUN	50.0	3.8	95.2	39.8	3.3	73.4	64.3	4.3	127.8
CARROLL	23.0	-	45.9	16.4	-	30.6	30.9	-	67.5
CHICKASAW	50.5	2.6	104.3	35.9	-	75.2	61.7	4.4	126.9
CHOCTAW	37.7	4.9	70.0	22.9	4.2	41.5	58.6	6.0	109.8
CLAIBORNE	42.0	4.3	64.3	-	-	-	44.6	4.8	67.1
CLARKE	41.4	1.5	80.6	41.4	-	86.2	41.5	3.6	74.5
CLAY	42.4	3.3	80.8	21.8	-	44.3	51.3	4.8	96.1
COAHOMA	73.5	5.0	141.9	27.3	-	60.2	84.8	6.3	159.5
COPIAH	44.9	4.4	77.3	30.2	-	54.9	53.9	7.2	90.7
COVINGTON	52.9	6.1	102.6	34.2	-	73.0	74.2	13.6	134.0
DESOTO	28.4	1.2	62.1	26.1	0.8	57.7	39.5	2.9	83.9
FORREST	42.7	3.4	69.6	34.0	1.6	54.2	53.8	5.4	90.9
FRANKLIN	46.9	-	88.1	41.9	-	73.9	51.8	-	103.8
GEORGE	56.3	-	113.2	51.0	-	102.1	96.4	-	200.0
GREENE	48.1	-	98.8	46.1	-	95.7	53.6	-	107.1
GRENADA	34.4	2.0	72.6	22.6	-	50.0	45.8	4.1	93.9
HANCOCK	33.3	0.6	71.0	33.2	-	71.6	34.2	5.0	67.0
HARRISON	43.1	1.7	82.5	38.8	0.9	75.0	51.5	3.2	97.4
HINDS	51.3	5.8	91.2	21.5	-	37.1	62.9	7.7	115.1
HOLMES	59.3	10.9	97.4	32.2	-	46.7	64.0	12.2	108.7
HUMPHREYS	51.5	6.0	90.6	25.9	-	44.2	57.0	7.1	101.7
ISSAQUENA	25.0	-	55.6	18.2	-	37.0	27.6	-	63.5
ITAWAMBA	28.6	-	53.8	28.9	-	56.4	26.2	-	38.2
JACKSON	38.7	0.8	78.5	31.8	0.3	65.2	54.9	2.0	109.4
JASPER	38.5	-	75.2	30.4	-	54.9	42.7	-	87.3
JEFFERSON	49.1	4.7	92.4	-	-	-	53.2	5.2	99.8
JEFFERSON	36.0	1.8	68.6	40.8	-	75.4	33.8	2.5	65.2
JONES	46.0	6.2	79.4	32.7	2.9	56.9	69.1	11.8	120.1
KEMPER	29.0	2.9	47.8	19.4	-	30.5	33.4	4.0	56.8
LAFAYETTE	20.2	1.0	28.8	11.9	-	16.4	39.3	2.6	62.8
LAMAR	26.6	1.3	50.5	22.7	-	43.8	44.8	7.2	82.4
LAUDERDALE	38.4	2.5	72.6	26.3	0.7	51.6	50.2	4.3	92.5
LAWRENCE	42.8	-	84.6	32.9	-	64.9	57.9	-	115.0
LEAKE	51.0	5.4	94.4	45.2	2.9	85.4	56.1	7.6	102.4
LEE	45.4	1.8	91.1	39.3	0.5	79.7	57.0	4.1	113.0
LEFLORE	56.0	6.5	100.3	16.5	-	32.8	66.2	8.3	116.7

TABLE 18B - PAGE 2
TEENAGE PREGNANCY RATES - MISSISSIPPI - 2000

COUNTY	TOTAL **			WHITE			NONWHITE		
	TOTAL	UNDER 15	15-19	TOTAL	UNDER 15	15-19	TOTAL	UNDER 15	15-19
LINCOLN	38.2	3.4	70.1	28.1	-	53.8	55.0	9.1	97.7
LOWNDES	42.6	2.9	81.4	28.3	-	53.9	55.4	5.4	107.7
MADISON	33.0	0.6	69.0	13.0	-	30.1	52.4	1.4	100.6
MARION	40.8	3.1	75.0	38.1	-	71.0	44.8	7.4	81.3
MARSHALL	40.9	3.0	77.7	39.6	1.9	79.0	41.6	3.7	76.9
MONROE	43.3	2.0	87.0	39.5	-	82.4	49.3	5.3	93.9
MONTGOMERY	40.7	6.3	74.7	27.8	10.5	43.7	49.8	3.5	97.8
NESHOBA	38.5	5.4	70.9	29.8	-	59.0	49.2	12.0	85.3
NEWTON	42.2	1.3	76.4	36.3	-	63.0	50.1	2.7	97.0
NOXUBEE	41.6	5.4	80.2	5.2	-	10.1	49.6	6.5	96.5
OKTIBBEHA	26.8	3.2	38.6	10.2	-	13.8	43.3	5.3	68.9
PANOLA	50.3	4.3	94.1	34.9	1.8	67.1	60.0	5.8	110.9
PEARL RIVER	37.7	0.5	74.5	36.9	-	73.8	41.8	3.1	77.6
PERRY	46.4	-	86.6	47.8	-	86.8	43.5	-	86.1
PIKE	44.7	1.4	82.4	29.7	-	54.6	55.5	2.4	102.9
PONTOTOC	42.1	1.9	85.0	43.3	-	90.9	37.3	10.2	62.8
PRENTISS	34.5	2.3	61.3	34.2	2.7	61.5	35.9	-	60.7
QUITMAN	47.8	-	101.4	42.7	-	98.6	49.0	-	102.0
RANKIN	31.9	0.7	63.4	29.3	0.6	58.7	40.8	1.1	78.7
SCOTT	50.5	5.3	97.4	45.3	1.8	89.9	55.8	8.8	105.0
SHARKEY	43.0	3.5	81.1	27.0	-	49.2	46.8	4.2	89.4
SIMPSON	48.0	-	99.9	37.6	-	77.2	60.9	-	129.0
SMITH	35.9	3.3	69.5	29.4	-	60.0	49.5	10.3	89.5
STONE	39.2	1.9	71.8	34.0	-	67.1	53.9	8.7	82.4
SUNFLOWER	59.7	7.0	102.1	31.4	-	52.0	66.9	8.6	116.1
TALLAHATCHIE	51.9	1.5	104.8	33.2	-	67.0	59.1	2.1	119.7
TATE	37.0	3.9	66.8	34.3	1.6	65.8	40.8	7.4	68.0
TIPPAH	47.3	2.6	91.1	46.1	3.3	89.6	51.2	-	96.0
TISHOMINGO	35.7	-	74.3	36.0	-	75.6	31.2	-	54.0
TUNICA	56.0	4.7	114.7	16.8	-	32.8	62.8	5.4	130.6
UNION	39.9	1.1	81.1	38.7	1.4	76.7	45.6	-	103.7
WALTHALL	45.8	1.7	89.6	36.3	-	69.6	53.1	2.9	106.1
WARREN	48.2	1.6	93.1	27.9	1.1	54.5	66.2	2.0	126.2
WASHINGTON	52.7	3.8	98.3	30.1	-	57.7	60.0	5.0	111.4
WAYNE	48.0	3.6	88.5	30.3	-	60.2	67.9	8.0	117.8
WEBSTER	36.8	5.7	63.1	23.2	8.4	35.6	66.1	-	122.1
WILKINSON	37.7	2.7	69.3	11.8	-	24.1	45.0	3.6	81.0
WINSTON	53.8	10.6	97.3	34.6	-	71.9	67.9	18.8	114.9
YALOBUSHA	49.6	6.7	87.6	41.8	4.7	74.7	56.9	8.6	99.6
YAZOO	65.1	5.4	125.1	36.7	-	73.0	79.4	8.2	151.7

* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES IN SPECIFIED AGE/RACE GROUP.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE OF THE MOTHER WAS UNKNOWN.

NOTE:

Table 19 extends from page 139 through 159 with identical data for each county as well as for the state.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 2000**

CAUSE AND GROUP NUMBER*	ADAMS COUNTY						ALCORN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>403</u>	<u>207</u>	<u>196</u>	<u>11.7</u>	<u>13.1</u>	<u>10.6</u>	<u>494</u>	<u>433</u>	<u>61</u>	<u>14.3</u>	<u>14.3</u>	<u>14.0</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	13	7	6	37.8	44.3	32.4	16	13	3	46.3	43.0	68.7
HIV DISEASE (039-043)	1	0	1	2.9	-	5.4	1	0	1	2.9	-	22.9
MALIGNANT NEOPLASMS (056-108)	94	45	49	273.7	284.6	264.4	101	84	17	292.3	278.2	389.5
DIABETES MELLITUS (124)	7	2	5	20.4	12.6	27.0	4	3	1	11.6	9.9	22.9
ALZHEIMERS DISEASE (148)	5	4	1	14.6	25.3	5.4	9	8	1	26.0	26.5	22.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	184	94	90	535.8	594.6	485.7	202	183	19	584.5	606.1	435.3
HEART DISEASES (156-160, 162, 164-181)	148	78	70	431.0	493.4	377.7	148	136	12	428.3	450.4	274.9
HYPERTENSION (161, 163)	3	0	3	8.7	-	16.2	4	1	3	11.6	3.3	68.7
CEREBROVASCULAR DISEASES (182-186)	31	15	16	90.3	94.9	86.3	47	43	4	136.0	142.4	91.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	26	16	10	75.7	101.2	54.0	22	21	1	63.7	69.6	22.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	8	4	4	23.3	25.3	21.6	18	17	1	52.1	56.3	22.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	2.9	6.3	-	6	6	0	17.4	19.9	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	7	3	4	20.4	19.0	21.6	10	7	3	28.9	23.2	68.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	2.0	-	3.1	3	1	2	6.6	2.6	26.7
CONGENITAL MALFORMATIONS (282-290)	2	2	0	5.8	12.6	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	2	2	0	4.1	12.0	-	0	0	0	-	-	-
ACCIDENTS (295-330)	14	8	6	40.8	50.6	32.4	30	26	4	86.8	86.1	91.6
MOTOR VEHICLE ACCIDENTS# (296-306)	3	1	2	8.7	6.3	10.8	17	15	2	49.2	49.7	45.8
SUICIDE (331-337)	4	3	1	11.6	19.0	5.4	2	2	0	5.8	6.6	-
HOMICIDE (338-346)	2	0	2	5.8	-	10.8	2	2	0	5.8	6.6	-

CAUSE AND GROUP NUMBER*	AMITE COUNTY						ATTALA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>146</u>	<u>97</u>	<u>49</u>	<u>10.7</u>	<u>12.6</u>	<u>8.3</u>	<u>242</u>	<u>165</u>	<u>77</u>	<u>12.3</u>	<u>14.4</u>	<u>9.4</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	22.1	39.1	-	4	4	0	20.3	34.9	-
HIV DISEASE (039-043)	1	0	1	7.4	-	16.9	1	0	1	5.1	-	12.2
MALIGNANT NEOPLASMS (056-108)	36	25	11	264.7	325.8	185.6	47	31	16	239.0	270.3	195.3
DIABETES MELLITUS (124)	4	2	2	29.4	26.1	33.8	4	3	1	20.3	26.2	12.2
ALZHEIMERS DISEASE (148)	2	2	0	14.7	26.1	-	5	4	1	25.4	34.9	12.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	60	37	23	441.2	482.2	388.1	97	65	32	493.4	566.7	390.7
HEART DISEASES (156-160, 162, 164-181)	47	27	20	345.6	351.9	337.5	64	41	23	325.5	357.4	280.8
HYPERTENSION (161, 163)	0	0	0	-	-	-	5	3	2	25.4	26.2	24.4
CEREBROVASCULAR DISEASES (182-186)	10	9	1	73.5	117.3	16.9	19	16	3	96.6	139.5	36.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	5	3	2	25.4	26.2	24.4
INFLUENZA AND PNEUMONIA (195-198)	1	1	0	7.4	13.0	-	5	3	2	25.4	26.2	24.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	6	5	1	44.1	65.2	16.9	9	9	0	45.8	78.5	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	1	1	0	5.1	8.7	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	1	1	0	7.4	13.0	-	4	3	1	20.3	26.2	12.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	5.1	8.7	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	5.8	11.0	-	0	0	0	-	-	-
ACCIDENTS (295-330)	11	7	4	80.9	91.2	67.5	12	4	8	61.0	34.9	97.7
MOTOR VEHICLE ACCIDENTS# (296-306)	5	3	2	36.8	39.1	33.8	6	2	4	30.5	17.4	48.8
SUICIDE (331-337)	0	0	0	-	-	-	4	1	3	20.3	8.7	36.6
HOMICIDE (338-346)	2	0	2	14.7	-	33.8	2	0	2	10.2	-	24.4

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 2000**

CAUSE AND GROUP NUMBER*	BENTON COUNTY						BOLIVAR COUNTY					
	NUMBER		RATE**				NUMBER		RATE**			
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL CAUSES	96	67	29	12.0	13.5	9.4	457	186	271	11.2	13.8	10.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	1	0	2.5	7.4	-
SEPTICEMIA (018)	1	1	0	12.5	20.2	-	12	4	8	29.5	29.6	29.5
HIV DISEASE (039-043)	0	0	0	-	-	-	4	1	3	9.8	7.4	11.1
MALIGNANT NEOPLASMS (056-108)	20	14	6	249.2	282.6	195.3	128	47	81	315.0	348.0	298.6
DIABETES MELLITUS (124)	2	1	1	24.9	20.2	32.6	17	6	11	41.8	44.4	40.6
ALZHEIMERS DISEASE (148)	2	2	0	24.9	40.4	-	5	3	2	12.3	22.2	7.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	40	26	14	498.4	524.8	455.7	173	72	101	425.8	533.0	372.3
HEART DISEASES (156-160, 162, 164-181)	34	24	10	423.6	484.4	325.5	151	62	89	371.6	459.0	328.1
HYPERTENSION (161, 163)	1	0	1	12.5	-	32.6	4	0	4	9.8	-	14.7
CEREBROVASCULAR DISEASES (182-186)	5	2	3	62.3	40.4	97.6	13	8	5	32.0	59.2	18.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	3	1	2	7.4	7.4	7.4
INFLUENZA AND PNEUMONIA (195-198)	6	4	2	74.8	80.7	65.1	20	8	12	49.2	59.2	44.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	6	6	0	74.8	121.1	-	11	6	5	27.1	44.4	18.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	2.5	7.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	1	1	0	2.5	7.4	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	2	2	0	24.9	40.4	-	16	6	10	39.4	44.4	36.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	7.5	13.2	-	3	2	1	4.5	12.7	1.9
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	2.5	-	3.7
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	1.5	-	1.9
ACCIDENTS (295-330)	6	3	3	74.8	60.6	97.6	19	10	9	46.8	74.0	33.2
MOTOR VEHICLE ACCIDENTS# (296-306)	4	1	3	49.8	20.2	97.6	7	3	4	17.2	22.2	14.7
SUICIDE (331-337)	1	1	0	12.5	20.2	-	5	4	1	12.3	29.6	3.7
HOMICIDE (338-346)	1	0	1	12.5	-	32.6	2	1	1	4.9	7.4	3.7

CAUSE AND GROUP NUMBER*	CALHOUN COUNTY						CARROLL COUNTY					
	NUMBER		RATE**				NUMBER		RATE**			
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL CAUSES	196	153	43	13.0	14.6	9.3	106	56	50	9.8	8.3	12.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	5	0	33.2	47.8	-	1	0	1	9.3	-	24.9
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	34	27	7	225.6	258.1	151.9	24	13	11	222.9	192.6	273.6
DIABETES MELLITUS (124)	4	4	0	26.5	38.2	-	2	1	1	18.6	14.8	24.9
ALZHEIMERS DISEASE (148)	4	3	1	26.5	28.7	21.7	1	1	0	9.3	14.8	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	104	82	22	690.2	783.9	477.3	50	31	19	464.3	459.3	472.6
HEART DISEASES (156-160, 162, 164-181)	73	57	16	484.4	544.9	347.1	41	26	15	380.7	385.2	373.1
HYPERTENSION (161, 163)	1	1	0	6.6	9.6	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	28	22	6	185.8	210.3	130.2	8	4	4	74.3	59.3	99.5
ATHEROSCLEROSIS (187)	1	1	0	6.6	9.6	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	5	1	39.8	47.8	21.7	1	0	1	9.3	-	24.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	8	8	0	53.1	76.5	-	4	1	3	37.1	14.8	74.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	1	1	0	9.3	14.8	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	3	1	2	19.9	9.6	43.4	0	0	0	-	-	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	8.5	-	25.0
CONGENITAL MALFORMATIONS (282-290)	1	0	1	6.6	-	21.7	1	1	0	9.3	14.8	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	4.5	7.3	-	0	0	0	-	-	-
ACCIDENTS (295-330)	11	7	4	73.0	66.9	86.8	7	1	6	65.0	14.8	149.2
MOTOR VEHICLE ACCIDENTS# (296-306)	4	2	2	26.5	19.1	43.4	4	0	4	37.1	-	99.5
SUICIDE (331-337)	1	1	0	6.6	9.6	-	3	1	2	27.8	14.8	49.8
HOMICIDE (338-346)	1	1	0	6.6	9.6	-	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 2000**

CAUSE AND GROUP NUMBER*	CHICKASAW COUNTY						CHOCTAW COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>213</u>	<u>150</u>	<u>63</u>	<u>11.0</u>	<u>13.6</u>	<u>7.5</u>	<u>90</u>	<u>64</u>	<u>26</u>	<u>9.2</u>	<u>9.6</u>	<u>8.3</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	9	6	3	46.3	54.2	35.8	0	0	0	-	-	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	40	33	7	205.8	298.4	83.5	18	13	5	184.5	195.8	160.2
DIABETES MELLITUS (124)	5	3	2	25.7	27.1	23.9	2	1	1	20.5	15.1	32.0
ALZHEIMERS DISEASE (148)	4	3	1	20.6	27.1	11.9	2	2	0	20.5	30.1	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	101	68	33	519.5	614.8	393.8	36	27	9	368.9	406.7	288.5
HEART DISEASES (156-160, 162, 164-181)	85	60	25	437.2	542.5	298.3	32	23	9	327.9	346.5	288.5
HYPERTENSION (161, 163)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	14	6	8	72.0	54.2	95.5	4	4	0	41.0	60.2	-
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	4	0	20.6	36.2	-	1	0	1	10.2	-	32.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	8	6	2	41.2	54.2	23.9	3	2	1	30.7	30.1	32.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	5.1	9.0	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	9	7	2	46.3	63.3	23.9	2	2	0	20.5	30.1	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	3.2	-	6.4	2	0	2	16.5	-	37.7
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	10.2	15.1	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	3.2	6.3	-	1	1	0	8.3	14.7	-
ACCIDENTS (295-330)	8	6	2	41.2	54.2	23.9	5	3	2	51.2	45.2	64.1
MOTOR VEHICLE ACCIDENTS# (296-306)	4	2	2	20.6	18.1	23.9	3	1	2	30.7	15.1	64.1
SUICIDE (331-337)	1	0	1	5.1	-	11.9	0	0	0	-	-	-
HOMICIDE (338-346)	5	2	3	25.7	18.1	35.8	2	1	1	20.5	15.1	32.0

CAUSE AND GROUP NUMBER*	CLAIBORNE COUNTY						CLARKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>116</u>	<u>24</u>	<u>92</u>	<u>9.8</u>	<u>13.4</u>	<u>9.2</u>	<u>201</u>	<u>144</u>	<u>57</u>	<u>11.2</u>	<u>12.4</u>	<u>8.9</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV DISEASE (039-043)	2	0	2	16.9	-	19.9	1	0	1	5.6	-	15.7
MALIGNANT NEOPLASMS (056-108)	22	3	19	186.0	167.0	189.3	37	29	8	206.1	250.4	125.5
DIABETES MELLITUS (124)	2	0	2	16.9	-	19.9	0	0	0	-	-	-
ALZHEIMERS DISEASE (148)	1	1	0	8.4	55.7	-	7	5	2	39.0	43.2	31.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	54	13	41	456.4	723.8	408.6	104	74	30	579.2	639.0	470.6
HEART DISEASES (156-160, 162, 164-181)	46	11	35	388.8	612.5	348.8	78	57	21	434.4	492.2	329.4
HYPERTENSION (161, 163)	0	0	0	-	-	-	1	1	0	5.6	8.6	-
CEREBROVASCULAR DISEASES (182-186)	7	2	5	59.2	111.4	49.8	22	13	9	122.5	112.3	141.2
ATHEROSCLEROSIS (187)	1	0	1	8.4	-	10.0	1	1	0	5.6	8.6	-
INFLUENZA AND PNEUMONIA (195-198)	2	0	2	16.9	-	19.9	5	4	1	27.8	34.5	15.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	3	1	2	25.4	55.7	19.9	6	5	1	33.4	43.2	15.7
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	1	1	0	5.6	8.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	2	0	2	16.9	-	19.9	5	2	3	27.8	17.3	47.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	5.1	-	5.5	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	2	0	11.1	17.3	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	8	2	6	67.6	111.4	59.8	11	7	4	61.3	60.4	62.7
MOTOR VEHICLE ACCIDENTS# (296-306)	6	1	5	50.7	55.7	49.8	8	4	4	44.6	34.5	62.7
SUICIDE (331-337)	0	0	0	-	-	-	0	0	0	-	-	-
HOMICIDE (338-346)	2	0	2	16.9	-	19.9	2	0	2	11.1	-	31.4

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 2000**

CAUSE AND GROUP NUMBER*	CLAY COUNTY						COAHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
ALL CAUSES	227	115	112	10.3	12.2	8.9	355	132	223	11.6	14.7	10.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	4.6	-	8.0	5	2	3	16.3	22.3	13.8
HIV DISEASE (039-043)	0	0	0	-	-	-	3	0	3	9.8	-	13.8
MALIGNANT NEOPLASMS (056-108)	48	31	17	218.4	329.4	135.3	59	30	29	192.7	334.6	133.9
DIABETES MELLITUS (124)	4	2	2	18.2	21.2	15.9	13	5	8	42.4	55.8	36.9
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	1	0	1	3.3	-	4.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	125	57	68	568.7	605.7	541.0	155	56	99	506.2	624.6	457.1
HEART DISEASES (156-160, 162, 164-181)	106	50	56	482.3	531.3	445.6	120	47	73	391.9	524.3	337.1
HYPERTENSION (161, 163)	0	0	0	-	-	-	8	1	7	26.1	11.2	32.3
CEREBROVASCULAR DISEASES (182-186)	16	5	11	72.8	53.1	87.5	23	5	18	75.1	55.8	83.1
ATHEROSCLEROSIS (187)	1	1	0	4.6	10.6	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	2	2	18.2	21.2	15.9	13	5	8	42.4	55.8	36.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	2	1	1	9.1	10.6	8.0	14	6	8	45.7	66.9	36.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	1	3	18.2	10.6	23.9	3	1	2	9.8	11.2	9.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	8	5	3	36.4	53.1	23.9	16	3	13	52.2	33.5	60.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	3.1	-	4.3	5	0	5	7.6	-	9.1
CONGENITAL MALFORMATIONS (282-290)	1	1	0	4.6	10.6	-	1	0	1	3.3	-	4.6
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	8	4	4	36.4	42.5	31.8	23	9	14	75.1	100.4	64.6
MOTOR VEHICLE ACCIDENTS# (296-306)	4	3	1	18.2	31.9	8.0	15	4	11	49.0	44.6	50.8
SUICIDE (331-337)	3	2	1	13.6	21.2	8.0	1	1	0	3.3	11.2	-
HOMICIDE (338-346)	3	0	3	13.6	-	23.9	10	1	9	32.6	11.2	41.6

CAUSE AND GROUP NUMBER*	COPIAH COUNTY						COVINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
ALL CAUSES	284	152	132	9.9	11.0	8.8	200	150	50	10.3	12.2	7.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	3	4	24.3	21.8	26.6	2	1	1	10.3	8.1	14.1
HIV DISEASE (039-043)	1	0	1	3.5	-	6.7	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	56	30	26	194.7	218.2	173.2	48	32	16	247.3	260.0	225.4
DIABETES MELLITUS (124)	5	3	2	17.4	21.8	13.3	3	3	0	15.4	24.4	-
ALZHEIMERS DISEASE (148)	3	1	2	10.4	7.3	13.3	2	2	0	10.3	16.2	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	124	70	54	431.2	509.2	359.8	80	60	20	412.2	487.5	281.7
HEART DISEASES (156-160, 162, 164-181)	102	61	41	354.7	443.7	273.2	63	49	14	324.6	398.1	197.2
HYPERTENSION (161, 163)	2	0	2	7.0	-	13.3	1	1	0	5.2	8.1	-
CEREBROVASCULAR DISEASES (182-186)	20	9	11	69.5	65.5	73.3	12	7	5	61.8	56.9	70.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	2	1	1	10.3	8.1	14.1
INFLUENZA AND PNEUMONIA (195-198)	10	7	3	34.8	50.9	20.0	3	3	0	15.4	24.4	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	15	10	5	52.2	72.7	33.3	13	11	2	67.0	89.4	28.2
PEPTIC ULCER (217-220)	1	1	0	3.5	7.3	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	1	1	0	5.2	8.1	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	5	3	2	17.4	21.8	13.3	3	3	0	15.4	24.4	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	5	1	4	10.8	5.2	15.0	1	0	1	3.3	-	7.3
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	1	1	10.3	8.1	14.1
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	2.2	-	3.7	1	1	0	3.3	6.0	-
ACCIDENTS (295-330)	20	10	10	69.5	72.7	66.6	21	16	5	108.2	130.0	70.4
MOTOR VEHICLE ACCIDENTS# (296-306)	13	8	5	45.2	58.2	33.3	13	8	5	67.0	65.0	70.4
SUICIDE (331-337)	0	0	0	-	-	-	3	3	0	15.4	24.4	-
HOMICIDE (338-346)	2	0	2	7.0	-	13.3	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 2000**

CAUSE AND GROUP NUMBER*	DESOTO COUNTY						FORREST COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>763</u>	<u>674</u>	<u>89</u>	<u>7.1</u>	<u>7.3</u>	<u>5.8</u>	<u>732</u>	<u>524</u>	<u>208</u>	<u>10.1</u>	<u>11.2</u>	<u>8.0</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	0	1	1.4	-	3.9
SEPTICEMIA (018)	16	14	2	14.9	15.2	13.1	20	10	10	27.5	21.4	38.6
HIV DISEASE (039-043)	1	1	0	0.9	1.1	-	4	1	3	5.5	2.1	11.6
MALIGNANT NEOPLASMS (056-108)	191	174	17	178.2	189.2	111.5	128	83	45	176.3	177.7	173.8
DIABETES MELLITUS (124)	36	32	4	33.6	34.8	26.2	35	21	14	48.2	45.0	54.1
ALZHEIMERS DISEASE (148)	10	9	1	9.3	9.8	6.6	7	7	0	9.6	15.0	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	272	242	30	253.7	263.2	196.7	321	241	80	442.1	515.9	309.0
HEART DISEASES (156-160, 162, 164-181)	192	174	18	179.1	189.2	118.0	248	194	54	341.6	415.3	208.6
HYPERTENSION (161, 163)	21	16	5	19.6	17.4	32.8	12	5	7	16.5	10.7	27.0
CEREBROVASCULAR DISEASES (182-186)	44	38	6	41.0	41.3	39.3	56	37	19	77.1	79.2	73.4
ATHEROSCLEROSIS (187)	1	1	0	0.9	1.1	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	20	16	4	18.6	17.4	26.2	13	10	3	17.9	21.4	11.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	36	33	3	33.6	35.9	19.7	53	41	12	73.0	87.8	46.4
PEPTIC ULCER (217-220)	2	1	1	1.9	1.1	6.6	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	10	9	1	9.3	9.8	6.6	7	7	0	9.6	15.0	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	9	7	2	8.4	7.6	13.1	16	12	4	22.0	25.7	15.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	7	1	6	3.8	0.6	25.6	3	2	1	2.7	3.2	2.1
CONGENITAL MALFORMATIONS (282-290)	6	5	1	5.6	5.4	6.6	6	4	2	8.3	8.6	7.7
SUDDEN INFANT DEATH SYNDROME# (292)	2	1	1	1.1	0.6	4.3	2	0	2	1.8	-	4.2
ACCIDENTS (295-330)	51	45	6	47.6	48.9	39.3	28	21	7	38.6	45.0	27.0
MOTOR VEHICLE ACCIDENTS# (296-306)	31	28	3	28.9	30.4	19.7	13	8	5	17.9	17.1	19.3
SUICIDE (331-337)	11	10	1	10.3	10.9	6.6	10	9	1	13.8	19.3	3.9
HOMICIDE (338-346)	7	6	1	6.5	6.5	6.6	8	3	5	11.0	6.4	19.3

CAUSE AND GROUP NUMBER*	FRANKLIN COUNTY						GEORGE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>116</u>	<u>83</u>	<u>33</u>	<u>13.7</u>	<u>15.6</u>	<u>10.5</u>	<u>210</u>	<u>193</u>	<u>17</u>	<u>11.0</u>	<u>11.3</u>	<u>8.4</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	11.8	-	31.8	2	2	0	10.4	11.7	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	21	16	5	248.6	301.6	159.1	32	31	1	167.2	181.2	49.2
DIABETES MELLITUS (124)	9	6	3	106.5	113.1	95.4	17	15	2	88.8	87.7	98.3
ALZHEIMERS DISEASE (148)	1	0	1	11.8	-	31.8	2	2	0	10.4	11.7	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	58	41	17	686.6	772.8	540.9	78	71	7	407.4	415.0	344.1
HEART DISEASES (156-160, 162, 164-181)	48	35	13	568.2	659.8	413.6	58	55	3	303.0	321.4	147.5
HYPERTENSION (161, 163)	1	1	0	11.8	18.8	-	3	1	2	15.7	5.8	98.3
CEREBROVASCULAR DISEASES (182-186)	7	4	3	82.9	75.4	95.4	16	14	2	83.6	81.8	98.3
ATHEROSCLEROSIS (187)	1	1	0	11.8	18.8	-	1	1	0	5.2	5.8	-
INFLUENZA AND PNEUMONIA (195-198)	2	1	1	23.7	18.8	31.8	4	3	1	20.9	17.5	49.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	2	2	0	23.7	37.7	-	13	13	0	67.9	76.0	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	2	2	0	10.4	11.7	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	3	1	2	35.5	18.8	63.6	3	2	1	15.7	11.7	49.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	4	4	0	11.9	13.3	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	5.2	5.8	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	9.1	-	20.8	1	1	0	3.0	3.3	-
ACCIDENTS (295-330)	7	5	2	82.9	94.2	63.6	21	21	0	109.7	122.7	-
MOTOR VEHICLE ACCIDENTS# (296-306)	6	4	2	71.0	75.4	63.6	17	17	0	88.8	99.4	-
SUICIDE (331-337)	0	0	0	-	-	-	2	2	0	10.4	11.7	-
HOMICIDE (338-346)	0	0	0	-	-	-	2	1	1	10.4	5.8	49.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 2000**

CAUSE AND GROUP NUMBER*	GREENE COUNTY						GRENADA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>ALL CAUSES</u>	<u>101</u>	<u>87</u>	<u>14</u>	<u>7.6</u>	<u>9.0</u>	<u>3.9</u>	<u>334</u>	<u>203</u>	<u>131</u>	<u>14.4</u>	<u>15.1</u>	<u>13.4</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	6	6	0	45.1	62.0	-	7	3	4	30.1	22.3	40.9
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	16	15	1	120.3	154.9	27.6	67	50	17	288.0	371.1	173.7
DIABETES MELLITUS (124)	1	0	1	7.5	-	27.6	3	2	1	12.9	14.8	10.2
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	2	2	0	8.6	14.8	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	42	36	6	315.8	371.9	165.8	146	86	60	627.6	638.3	612.9
HEART DISEASES (156-160, 162, 164-181)	33	29	4	248.1	299.6	110.6	92	58	34	395.5	430.4	347.3
HYPERTENSION (161, 163)	2	2	0	15.0	20.6	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	6	4	2	45.1	41.3	55.3	49	26	23	210.6	193.0	235.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	4.3	7.4	-
INFLUENZA AND PNEUMONIA (195-198)	5	4	1	37.6	41.3	27.6	11	4	7	47.3	29.7	71.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	2	2	0	15.0	20.6	-	16	15	1	68.8	111.3	10.2
PEPTIC ULCER (217-220)	1	1	0	7.5	10.3	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	15.0	20.6	-	1	1	0	4.3	7.4	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	0	0	0	-	-	-	11	6	5	47.3	44.5	51.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	1	1	13.1	8.1	34.5	4	0	4	12.1	-	24.2
CONGENITAL MALFORMATIONS (282-290)	1	1	0	7.5	10.3	-	2	0	2	8.6	-	20.4
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	8	7	1	60.2	72.3	27.6	28	15	13	120.4	111.3	132.8
MOTOR VEHICLE ACCIDENTS# (296-306)	4	3	1	30.1	31.0	27.6	10	4	6	43.0	29.7	61.3
SUICIDE (331-337)	0	0	0	-	-	-	1	1	0	4.3	7.4	-
HOMICIDE (338-346)	1	1	0	7.5	10.3	-	4	1	3	17.2	7.4	30.6

CAUSE AND GROUP NUMBER*	HANCOCK COUNTY						HARRISON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>ALL CAUSES</u>	<u>483</u>	<u>450</u>	<u>33</u>	<u>11.2</u>	<u>11.6</u>	<u>7.8</u>	<u>1,800</u>	<u>1,470</u>	<u>330</u>	<u>9.5</u>	<u>10.6</u>	<u>6.5</u>
TUBERCULOSIS (009,010)	1	1	0	2.3	2.6	-	1	0	1	0.5	-	2.0
SEPTICEMIA (018)	11	11	0	25.6	28.4	-	23	20	3	12.1	14.4	5.9
HIV DISEASE (039-043)	3	2	1	7.0	5.2	23.7	8	5	3	4.2	3.6	5.9
MALIGNANT NEOPLASMS (056-108)	105	99	6	244.4	255.5	142.3	437	349	88	230.5	251.6	172.8
DIABETES MELLITUS (124)	8	6	2	18.6	15.5	47.4	10	5	5	5.3	3.6	9.8
ALZHEIMERS DISEASE (148)	3	3	0	7.0	7.7	-	32	31	1	16.9	22.4	2.0
MAJOR CARDIOVASCULAR DISEASES# (156-189)	194	182	12	451.5	469.6	284.7	764	616	148	403.0	444.2	290.7
HEART DISEASES (156-160, 162, 164-181)	160	151	9	372.4	389.6	213.5	628	509	119	331.2	367.0	233.8
HYPERTENSION (161, 163)	3	3	0	7.0	7.7	-	5	2	3	2.6	1.4	5.9
CEREBROVASCULAR DISEASES (182-186)	22	22	0	51.2	56.8	-	98	78	20	51.7	56.2	39.3
ATHEROSCLEROSIS (187)	1	1	0	2.3	2.6	-	18	13	5	9.5	9.4	9.8
INFLUENZA AND PNEUMONIA (195-198)	10	9	1	23.3	23.2	23.7	34	33	1	17.9	23.8	2.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	32	31	1	74.5	80.0	23.7	68	66	2	35.9	47.6	3.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	7	7	0	3.7	5.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	6	0	14.0	15.5	-	17	17	0	9.0	12.2	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	17	16	1	39.6	41.3	23.7	46	39	7	24.3	28.1	13.8
MATERNAL CAUSES (261-273)	1	1	0	173.0	192.7	-	2	1	1	66.9	47.7	112.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	17	9	8	5.7	4.3	9.0
CONGENITAL MALFORMATIONS (282-290)	3	2	1	7.0	5.2	23.7	7	4	3	3.7	2.9	5.9
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	3	2	1	1.0	1.0	1.1
ACCIDENTS (295-330)	34	31	3	79.1	80.0	71.2	95	83	12	50.1	59.8	23.6
MOTOR VEHICLE ACCIDENTS# (296-306)	19	16	3	44.2	41.3	71.2	45	37	8	23.7	26.7	15.7
SUICIDE (331-337)	10	10	0	23.3	25.8	-	21	17	4	11.1	12.2	7.8
HOMICIDE (338-346)	3	3	0	7.0	7.7	-	10	8	2	5.3	5.8	3.9

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 2000**

CAUSE AND GROUP NUMBER*	HINDS COUNTY						HOLMES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	2,144	1,001	1,143	8.5	10.7	7.3	250	75	175	11.6	17.0	10.2
TUBERCULOSIS (009,010)	2	1	1	0.8	1.1	0.6	0	0	0	-	-	-
SEPTICEMIA (018)	38	15	23	15.2	16.0	14.6	4	0	4	18.5	-	23.3
HIV DISEASE (039-043)	43	6	37	17.1	6.4	23.5	3	0	3	13.9	-	17.4
MALIGNANT NEOPLASMS (056-108)	403	201	202	160.7	214.8	128.5	53	13	40	245.3	293.8	232.8
DIABETES MELLITUS (124)	46	18	28	18.3	19.2	17.8	8	1	7	37.0	22.6	40.7
ALZHEIMERS DISEASE (148)	27	22	5	10.8	23.5	3.2	1	0	1	4.6	-	5.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	882	414	468	351.7	442.4	297.7	109	40	69	504.4	904.2	401.5
HEART DISEASES (156-160, 162, 164-181)	693	330	363	276.3	352.6	230.9	87	28	59	402.6	632.9	343.3
HYPERTENSION (161, 163)	24	7	17	9.6	7.5	10.8	1	1	0	4.6	22.6	-
CEREBROVASCULAR DISEASES (182-186)	135	64	71	53.8	68.4	45.2	17	9	8	78.7	203.4	46.6
ATHEROSCLEROSIS (187)	5	2	3	2.0	2.1	1.9	1	0	1	4.6	-	5.8
INFLUENZA AND PNEUMONIA (195-198)	52	25	27	20.7	26.7	17.2	7	3	4	32.4	67.8	23.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	87	54	33	34.7	57.7	21.0	7	4	3	32.4	90.4	17.4
PEPTIC ULCER (217-220)	5	3	2	2.0	3.2	1.3	1	0	1	4.6	-	5.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	17	11	6	6.8	11.8	3.8	2	1	1	9.2	22.6	5.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	46	16	30	18.3	17.1	19.1	4	0	4	18.5	-	23.3
MATERNAL CAUSES (261-273)	3	0	3	74.7	-	101.0	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	24	3	21	6.0	2.9	7.1	4	0	4	9.5	-	10.8
CONGENITAL MALFORMATIONS (282-290)	15	8	7	6.0	8.5	4.4	1	0	1	4.6	-	5.8
SUDDEN INFANT DEATH SYNDROME# (292)	10	1	9	2.5	1.0	3.0	0	0	0	-	-	-
ACCIDENTS (295-330)	105	52	53	41.9	55.6	33.7	18	2	16	83.3	45.2	93.1
MOTOR VEHICLE ACCIDENTS# (296-306)	64	30	34	25.5	32.0	21.6	15	2	13	69.4	45.2	75.6
SUICIDE (331-337)	26	16	10	10.4	17.1	6.4	2	2	0	9.2	45.2	-
HOMICIDE (338-346)	51	8	43	20.3	8.5	27.4	4	0	4	18.5	-	23.3

CAUSE AND GROUP NUMBER*	HUMPHREYS COUNTY						ISSAQUENA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	142	42	100	12.7	13.8	12.2	19	8	11	8.4	9.7	7.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	8.9	-	12.2	0	0	0	-	-	-
HIV DISEASE (039-043)	2	0	2	17.8	-	24.5	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	33	9	24	294.5	295.6	294.1	5	2	3	219.9	242.1	207.2
DIABETES MELLITUS (124)	2	1	1	17.8	32.8	12.2	0	0	0	-	-	-
ALZHEIMERS DISEASE (148)	4	0	4	35.7	-	49.0	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	60	19	41	535.4	624.0	502.4	6	3	3	263.8	363.2	207.2
HEART DISEASES (156-160, 162, 164-181)	47	14	33	419.4	459.8	404.4	5	3	2	219.9	363.2	138.1
HYPERTENSION (161, 163)	4	1	3	35.7	32.8	36.8	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	8	4	4	71.4	131.4	49.0	1	0	1	44.0	-	69.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	3	3	53.5	98.5	36.8	2	2	0	88.0	242.1	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	6	3	3	53.5	98.5	36.8	1	0	1	44.0	-	69.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	5	0	5	44.6	-	61.3	1	0	1	44.0	-	69.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	10.0	-	12.0	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	5	2	3	44.6	65.7	36.8	2	0	2	88.0	-	138.1
MOTOR VEHICLE ACCIDENTS# (296-306)	4	1	3	35.7	32.8	36.8	2	0	2	88.0	-	138.1
SUICIDE (331-337)	0	0	0	-	-	-	1	0	1	44.0	-	69.1
HOMICIDE (338-346)	5	1	4	44.6	32.8	49.0	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 2000**

CAUSE AND GROUP NUMBER*	ITAWAMBA COUNTY						JACKSON COUNTY					
	NUMBER		RATE**		NON-		NUMBER		RATE**		NON-	
	TOTAL	WHITE	WHITE	TOTAL	WHITE	WHITE	TOTAL	WHITE	WHITE	TOTAL	WHITE	WHITE
ALL CAUSES	266	255	11	11.7	12.1	6.4	1,183	974	209	9.0	9.8	6.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	4	0	17.6	19.0	-	28	20	8	21.3	20.2	24.7
HIV DISEASE (039-043)	1	1	0	4.4	4.7	-	6	5	1	4.6	5.0	3.1
MALIGNANT NEOPLASMS (056-108)	58	54	4	254.7	256.5	233.2	285	237	48	216.9	239.3	148.2
DIABETES MELLITUS (124)	6	6	0	26.4	28.5	-	16	13	3	12.2	13.1	9.3
ALZHEIMERS DISEASE (148)	12	12	0	52.7	57.0	-	33	31	2	25.1	31.3	6.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	99	95	4	434.8	451.2	233.2	427	348	79	324.9	351.4	243.9
HEART DISEASES (156-160, 162, 164-181)	82	78	4	360.1	370.4	233.2	341	277	64	259.5	279.7	197.6
HYPERTENSION (161, 163)	0	0	0	-	-	-	3	2	1	2.3	2.0	3.1
CEREBROVASCULAR DISEASES (182-186)	17	17	0	74.7	80.7	-	62	50	12	47.2	50.5	37.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	5	4	1	3.8	4.0	3.1
INFLUENZA AND PNEUMONIA (195-198)	8	8	0	35.1	38.0	-	32	26	6	24.3	26.2	18.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	26	26	0	114.2	123.5	-	56	55	1	42.6	55.5	3.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	0	1	0.8	-	3.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	5	4	1	22.0	19.0	58.3	16	16	0	12.2	16.2	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	0	0	0	-	-	-	22	12	10	16.7	12.1	30.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	3	0	10.6	11.4	-	7	3	4	3.6	2.2	6.7
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	4	2	2	3.0	2.0	6.2
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	3.5	3.8	-	3	1	2	1.6	0.7	3.4
ACCIDENTS (295-330)	22	20	2	96.6	95.0	116.6	75	64	11	57.1	64.6	34.0
MOTOR VEHICLE ACCIDENTS# (296-306)	16	15	1	70.3	71.2	58.3	34	29	5	25.9	29.3	15.4
SUICIDE (331-337)	6	6	0	26.4	28.5	-	12	10	2	9.1	10.1	6.2
HOMICIDE (338-346)	1	1	0	4.4	4.7	-	13	8	5	9.9	8.1	15.4

CAUSE AND GROUP NUMBER*	JASPER COUNTY						JEFFERSON COUNTY					
	NUMBER		RATE**		NON-		NUMBER		RATE**		NON-	
	TOTAL	WHITE	WHITE	TOTAL	WHITE	WHITE	TOTAL	WHITE	WHITE	TOTAL	WHITE	WHITE
ALL CAUSES	235	134	101	12.9	15.9	10.4	79	6	73	8.1	4.7	8.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	3	1	22.0	35.6	10.3	2	0	2	20.5	-	23.6
HIV DISEASE (039-043)	1	0	1	5.5	-	10.3	1	0	1	10.3	-	11.8
MALIGNANT NEOPLASMS (056-108)	51	27	24	281.0	320.2	247.0	17	2	15	174.5	157.2	177.1
DIABETES MELLITUS (124)	5	2	3	27.6	23.7	30.9	3	0	3	30.8	-	35.4
ALZHEIMERS DISEASE (148)	2	2	0	11.0	23.7	-	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	100	61	39	551.0	723.3	401.4	32	3	29	328.5	235.8	342.5
HEART DISEASES (156-160, 162, 164-181)	79	48	31	435.3	569.2	319.1	24	2	22	246.4	157.2	259.8
HYPERTENSION (161, 163)	1	0	1	5.5	-	10.3	1	1	0	10.3	78.6	-
CEREBROVASCULAR DISEASES (182-186)	18	12	6	99.2	142.3	61.8	6	0	6	61.6	-	70.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	0	1	10.3	-	11.8
INFLUENZA AND PNEUMONIA (195-198)	6	4	2	33.1	47.4	20.6	1	0	1	10.3	-	11.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	13	5	8	71.6	59.3	82.3	5	0	5	51.3	-	59.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	5.5	11.8	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	4	0	4	22.0	-	41.2	4	0	4	41.1	-	47.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	3.5	-	5.3	3	0	3	20.3	-	21.6
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	3.5	-	5.3	0	0	0	-	-	-
ACCIDENTS (295-330)	13	8	5	71.6	94.9	51.5	3	0	3	30.8	-	35.4
MOTOR VEHICLE ACCIDENTS# (296-306)	9	4	5	49.6	47.4	51.5	2	0	2	20.5	-	23.6
SUICIDE (331-337)	4	3	1	22.0	35.6	10.3	0	0	0	-	-	-
HOMICIDE (338-346)	5	3	2	27.6	35.6	20.6	2	0	2	20.5	-	23.6

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 2000**

CAUSE AND GROUP NUMBER*	JEFF DAVIS COUNTY						JONES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>165</u>	<u>77</u>	<u>88</u>	<u>11.8</u>	<u>13.2</u>	<u>10.8</u>	<u>703</u>	<u>556</u>	<u>147</u>	<u>10.8</u>	<u>12.0</u>	<u>7.8</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	21.5	51.6	-	22	15	7	33.9	32.5	37.3
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	1.5	-	5.3
MALIGNANT NEOPLASMS (056-108)	33	21	12	236.4	361.1	147.3	135	111	24	207.8	240.3	127.9
DIABETES MELLITUS (124)	4	2	2	28.6	34.4	24.6	13	10	3	20.0	21.6	16.0
ALZHEIMERS DISEASE (148)	2	1	1	14.3	17.2	12.3	13	12	1	20.0	26.0	5.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	67	32	35	479.9	550.2	429.6	265	210	55	408.0	454.6	293.1
HEART DISEASES (156-160, 162, 164-181)	56	28	28	401.1	481.4	343.7	207	164	43	318.7	355.0	229.1
HYPERTENSION (161, 163)	0	0	0	-	-	-	7	5	2	10.8	10.8	10.6
CEREBROVASCULAR DISEASES (182-186)	8	2	6	57.3	34.4	73.6	45	38	7	69.3	82.3	37.3
ATHEROSCLEROSIS (187)	1	1	0	7.2	17.2	-	1	0	1	1.5	-	5.3
INFLUENZA AND PNEUMONIA (195-198)	6	2	4	43.0	34.4	49.1	32	28	4	49.3	60.6	21.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	9	4	5	64.5	68.8	61.4	33	29	4	50.8	62.8	21.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	1.5	2.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	8	8	0	12.3	17.3	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	4	3	1	28.6	51.6	12.3	13	9	4	20.0	19.5	21.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	9.8	-	15.7	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	8	4	4	12.3	8.7	21.3
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	4.9	-	7.9	0	0	0	-	-	-
ACCIDENTS (295-330)	15	3	12	107.4	51.6	147.3	37	26	11	57.0	56.3	58.6
MOTOR VEHICLE ACCIDENTS# (296-306)	14	2	12	100.3	34.4	147.3	14	12	2	21.6	26.0	10.6
SUICIDE (331-337)	0	0	0	-	-	-	3	3	0	4.6	6.5	-
HOMICIDE (338-346)	4	0	4	28.6	-	49.1	7	4	3	10.8	8.7	16.0

CAUSE AND GROUP NUMBER*	KEMPER COUNTY						LAFAYETTE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>100</u>	<u>55</u>	<u>45</u>	<u>9.6</u>	<u>13.5</u>	<u>7.1</u>	<u>270</u>	<u>200</u>	<u>70</u>	<u>7.0</u>	<u>7.2</u>	<u>6.4</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	19.1	24.5	15.7	4	2	2	10.3	7.2	18.3
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	13	9	4	124.4	220.6	62.8	57	40	17	147.1	143.7	155.9
DIABETES MELLITUS (124)	3	0	3	28.7	-	47.1	5	4	1	12.9	14.4	9.2
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	7	5	2	18.1	18.0	18.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	52	35	17	497.5	857.8	266.8	107	86	21	276.2	308.9	192.6
HEART DISEASES (156-160, 162, 164-181)	46	30	16	440.1	735.3	251.0	83	66	17	214.2	237.1	155.9
HYPERTENSION (161, 163)	0	0	0	-	-	-	3	3	0	7.7	10.8	-
CEREBROVASCULAR DISEASES (182-186)	6	5	1	57.4	122.5	15.7	19	16	3	49.0	57.5	27.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	1	1	19.1	24.5	15.7	11	10	1	28.4	35.9	9.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	2	1	1	19.1	24.5	15.7	10	8	2	25.8	28.7	18.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	4	4	0	10.3	14.4	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	1	0	1	9.6	-	15.7	5	3	2	12.9	10.8	18.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	7.5	-	10.3	1	0	1	2.4	-	5.5
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	1	1	5.2	3.6	9.2
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	7	3	4	67.0	73.5	62.8	22	11	11	56.8	39.5	100.9
MOTOR VEHICLE ACCIDENTS# (296-306)	4	1	3	38.3	24.5	47.1	8	6	2	20.6	21.6	18.3
SUICIDE (331-337)	3	1	2	28.7	24.5	31.4	2	2	0	5.2	7.2	-
HOMICIDE (338-346)	2	0	2	19.1	-	31.4	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 2000**

CAUSE AND GROUP NUMBER*	LAMAR COUNTY						LAUDERDALE COUNTY					
	NUMBER		RATE**		NON-		NUMBER		RATE**		NON-	
	TOTAL	WHITE	WHITE	TOTAL	WHITE	WHITE	TOTAL	WHITE	WHITE	TOTAL	WHITE	WHITE
<u>ALL CAUSES</u>	<u>291</u>	<u>259</u>	<u>32</u>	<u>7.4</u>	<u>7.8</u>	<u>5.6</u>	<u>975</u>	<u>641</u>	<u>334</u>	<u>12.5</u>	<u>13.6</u>	<u>10.7</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	2	1	7.7	6.0	17.4	15	9	6	19.2	19.1	19.3
HIV DISEASE (039-043)	0	0	0	-	-	-	11	2	9	14.1	4.2	28.9
MALIGNANT NEOPLASMS (056-108)	58	50	8	148.4	150.0	139.7	204	130	74	261.0	276.5	237.6
DIABETES MELLITUS (124)	4	4	0	10.2	12.0	-	10	6	4	12.8	12.8	12.8
ALZHEIMERS DISEASE (148)	6	6	0	15.4	18.0	-	26	18	8	33.3	38.3	25.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	133	119	14	340.4	356.9	244.4	362	247	115	463.1	525.4	369.2
HEART DISEASES (156-160, 162, 164-181)	98	88	10	250.8	263.9	174.6	308	209	99	394.0	444.6	317.8
HYPERTENSION (161, 163)	1	0	1	2.6	-	17.4	2	1	1	2.6	2.1	3.2
CEREBROVASCULAR DISEASES (182-186)	33	30	3	84.5	90.0	52.4	46	32	14	58.8	68.1	44.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	10	9	1	25.6	27.0	17.4	43	31	12	55.0	65.9	38.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	14	13	1	35.8	39.0	17.4	63	49	14	80.6	104.2	44.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	5.1	6.0	-	9	6	3	11.5	12.8	9.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	5	4	1	12.8	12.0	17.4	26	10	16	33.3	21.3	51.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	3	1	6.7	6.1	9.0	8	0	8	7.0	-	14.9
CONGENITAL MALFORMATIONS (282-290)	1	1	0	2.6	3.0	-	4	2	2	5.1	4.2	6.4
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	0.9	1.6	-
ACCIDENTS (295-330)	15	14	1	38.4	42.0	17.4	47	33	14	60.1	70.2	44.9
MOTOR VEHICLE ACCIDENTS# (296-306)	8	7	1	20.5	21.0	17.4	28	20	8	35.8	42.5	25.7
SUICIDE (331-337)	4	4	0	10.2	12.0	-	5	4	1	6.4	8.5	3.2
HOMICIDE (338-346)	1	1	0	2.6	3.0	-	9	3	6	11.5	6.4	19.3

CAUSE AND GROUP NUMBER*	LAWRENCE COUNTY						LEAKE COUNTY					
	NUMBER		RATE**		NON-		NUMBER		RATE**		NON-	
	TOTAL	WHITE	WHITE	TOTAL	WHITE	WHITE	TOTAL	WHITE	WHITE	TOTAL	WHITE	WHITE
<u>ALL CAUSES</u>	<u>151</u>	<u>110</u>	<u>41</u>	<u>11.4</u>	<u>12.4</u>	<u>9.4</u>	<u>233</u>	<u>151</u>	<u>82</u>	<u>11.1</u>	<u>12.8</u>	<u>8.9</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	0	0	0	-	-	-	1	0	1	4.8	-	10.9
HIV DISEASE (039-043)	0	0	0	-	-	-	2	1	1	9.6	8.5	10.9
MALIGNANT NEOPLASMS (056-108)	36	30	6	271.5	338.0	136.9	52	41	11	248.3	348.8	119.8
DIABETES MELLITUS (124)	3	1	2	22.6	11.3	45.6	7	3	4	33.4	25.5	43.5
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	2	2	0	9.6	17.0	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	65	42	23	490.3	473.2	524.8	105	70	35	501.4	595.5	381.0
HEART DISEASES (156-160, 162, 164-181)	48	32	16	362.0	360.6	365.0	82	53	29	391.6	450.9	315.7
HYPERTENSION (161, 163)	0	0	0	-	-	-	4	3	1	19.1	25.5	10.9
CEREBROVASCULAR DISEASES (182-186)	16	10	6	120.7	112.7	136.9	16	12	4	76.4	102.1	43.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	2	1	22.6	22.5	22.8	2	1	1	9.6	8.5	10.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	7	6	1	52.8	67.6	22.8	9	8	1	43.0	68.0	10.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	3	2	1	14.3	17.0	10.9
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	4	4	0	30.2	45.1	-	7	3	4	33.4	25.5	43.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	2.7	-	5.4
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	4.8	-	10.9
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	20	16	4	150.8	180.3	91.3	19	8	11	90.7	68.0	119.8
MOTOR VEHICLE ACCIDENTS# (296-306)	18	15	3	135.8	169.0	68.4	9	4	5	43.0	34.0	54.4
SUICIDE (331-337)	1	1	0	7.5	11.3	-	1	1	0	4.8	8.5	-
HOMICIDE (338-346)	1	1	0	7.5	11.3	-	2	0	2	9.6	-	21.8

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 2000**

CAUSE AND GROUP NUMBER*	LEE COUNTY						LEFLORE COUNTY					
	NUMBER		RATE**		NON-		NUMBER		RATE**		NON-	
	TOTAL	WHI TE	WHI TE	TOTAL	WHI TE	WHI TE	TOTAL	WHI TE	WHI TE	TOTAL	WHI TE	WHI TE
<u>ALL CAUSES</u>	<u>776</u>	<u>636</u>	<u>140</u>	<u>10.2</u>	<u>11.4</u>	<u>7.0</u>	<u>418</u>	<u>172</u>	<u>246</u>	<u>11.0</u>	<u>15.1</u>	<u>9.3</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	12	9	3	15.8	16.1	15.0	5	2	3	13.2	17.6	11.3
HIV DISEASE (039-043)	4	1	3	5.3	1.8	15.0	3	0	3	7.9	-	11.3
MALIGNANT NEOPLASMS (056-108)	141	119	22	186.1	213.3	110.2	66	30	36	173.9	263.5	135.5
DIABETES MELLITUS (124)	12	9	3	15.8	16.1	15.0	5	1	4	13.2	8.8	15.0
ALZHEIMERS DISEASE (148)	14	13	1	18.5	23.3	5.0	2	0	2	5.3	-	7.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	341	279	62	450.1	500.0	310.7	227	95	132	598.2	834.5	496.9
HEART DISEASES (156-160, 162, 164-181)	256	217	39	337.9	388.9	195.4	188	78	110	495.4	685.2	414.1
HYPERTENSION (161, 163)	5	3	2	6.6	5.4	10.0	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	77	56	21	101.6	100.4	105.2	36	15	21	94.9	131.8	79.0
ATHEROSCLEROSIS (187)	1	1	0	1.3	1.8	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	27	27	0	35.6	48.4	-	7	5	2	18.4	43.9	7.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	48	43	5	63.4	77.1	25.0	23	15	8	60.6	131.8	30.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	10	9	1	13.2	16.1	5.0	3	1	2	7.9	8.8	7.5
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	13	6	7	17.2	10.8	35.1	9	2	7	23.7	17.6	26.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	5	1	4	3.9	1.2	9.4	6	0	6	9.4	-	11.8
CONGENITAL MALFORMATIONS (282-290)	3	2	1	4.0	3.6	5.0	4	2	2	10.5	17.6	7.5
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	0.8	1.2	-	0	0	0	-	-	-
ACCIDENTS (295-330)	49	42	7	64.7	75.3	35.1	12	4	8	31.6	35.1	30.1
MOTOR VEHICLE ACCIDENTS# (296-306)	24	19	5	31.7	34.0	25.0	8	2	6	21.1	17.6	22.6
SUICIDE (331-337)	11	10	1	14.5	17.9	5.0	6	2	4	15.8	17.6	15.0
HOMICIDE (338-346)	4	3	1	5.3	5.4	5.0	7	0	7	18.4	-	26.4

CAUSE AND GROUP NUMBER*	LINCOLN COUNTY						LOWNDES COUNTY					
	NUMBER		RATE**		NON-		NUMBER		RATE**		NON-	
	TOTAL	WHI TE	WHI TE	TOTAL	WHI TE	WHI TE	TOTAL	WHI TE	WHI TE	TOTAL	WHI TE	WHI TE
<u>ALL CAUSES</u>	<u>447</u>	<u>333</u>	<u>114</u>	<u>13.5</u>	<u>14.5</u>	<u>11.2</u>	<u>468</u>	<u>287</u>	<u>181</u>	<u>7.6</u>	<u>8.2</u>	<u>6.8</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	0	5	15.1	-	49.2	13	8	5	21.1	23.0	18.6
HIV DISEASE (039-043)	4	1	3	12.1	4.3	29.5	2	1	1	3.2	2.9	3.7
MALIGNANT NEOPLASMS (056-108)	94	70	24	283.4	304.2	236.3	101	68	33	164.0	195.5	123.1
DIABETES MELLITUS (124)	36	24	12	108.5	104.3	118.2	3	0	3	4.9	-	11.2
ALZHEIMERS DISEASE (148)	14	12	2	42.2	52.2	19.7	2	2	0	3.2	5.8	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	162	123	39	488.4	534.6	384.0	183	109	74	297.1	313.4	276.0
HEART DISEASES (156-160, 162, 164-181)	106	83	23	319.6	360.7	226.5	137	77	60	222.4	221.4	223.8
HYPERTENSION (161, 163)	18	13	5	54.3	56.5	49.2	6	2	4	9.7	5.8	14.9
CEREBROVASCULAR DISEASES (182-186)	37	27	10	111.6	117.3	98.5	38	28	10	61.7	80.5	37.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	26	19	7	78.4	82.6	68.9	13	8	5	21.1	23.0	18.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	22	20	2	66.3	86.9	19.7	15	13	2	24.4	37.4	7.5
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	3.0	4.3	-	4	3	1	6.5	8.6	3.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	10	8	2	30.2	34.8	19.7	9	2	7	14.6	5.8	26.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	1	2	6.5	3.5	11.2	8	1	7	8.5	2.2	13.9
CONGENITAL MALFORMATIONS (282-290)	3	3	0	9.0	13.0	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	19	15	4	57.3	65.2	39.4	28	17	11	45.5	48.9	41.0
MOTOR VEHICLE ACCIDENTS# (296-306)	13	12	1	39.2	52.2	9.8	10	6	4	16.2	17.2	14.9
SUICIDE (331-337)	2	2	0	6.0	8.7	-	8	7	1	13.0	20.1	3.7
HOMICIDE (338-346)	2	0	2	6.0	-	19.7	4	0	4	6.5	-	14.9

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 2000**

CAUSE AND GROUP NUMBER*	MADISON COUNTY						MARION COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>ALL CAUSES</u>	<u>798</u>	<u>523</u>	<u>275</u>	<u>10.7</u>	<u>11.6</u>	<u>9.3</u>	<u>350</u>	<u>255</u>	<u>95</u>	<u>13.7</u>	<u>14.9</u>	<u>11.2</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	1	0	3.9	5.8	-
SEPTICEMIA (018)	15	8	7	20.1	17.8	23.6	15	7	8	58.6	40.8	94.6
HIV DISEASE (039-043)	11	2	9	14.7	4.4	30.4	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	269	177	92	360.2	393.2	310.2	72	54	18	281.3	315.1	212.8
DIABETES MELLITUS (124)	22	6	16	29.5	13.3	54.0	7	5	2	27.3	29.2	23.6
ALZHEIMERS DISEASE (148)	29	24	5	38.8	53.3	16.9	7	7	0	27.3	40.8	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	247	165	82	330.8	366.5	276.5	121	91	30	472.7	531.0	354.7
HEART DISEASES (156-160, 162, 164-181)	176	116	60	235.7	257.6	202.3	91	69	22	355.5	402.6	260.1
HYPERTENSION (161, 163)	4	1	3	5.4	2.2	10.1	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	65	46	19	87.0	102.2	64.1	27	19	8	105.5	110.9	94.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	16	12	4	21.4	26.6	13.5	13	10	3	50.8	58.4	35.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	33	28	5	44.2	62.2	16.9	20	19	1	78.1	110.9	11.8
PEPTIC ULCER (217-220)	2	1	1	2.7	2.2	3.4	1	1	0	3.9	5.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	6	0	8.0	13.3	-	4	2	2	15.6	11.7	23.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	13	6	7	17.4	13.3	23.6	7	6	1	27.3	35.0	11.8
MATERNAL CAUSES (261-273)	1	0	1	77.5	-	160.8	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	5	1	4	3.9	1.5	6.4	2	0	2	5.2	-	12.3
CONGENITAL MALFORMATIONS (282-290)	7	3	4	9.4	6.7	13.5	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	2	0	2	1.6	-	3.2	0	0	0	-	-	-
ACCIDENTS (295-330)	19	13	6	25.4	28.9	20.2	19	12	7	74.2	70.0	82.8
MOTOR VEHICLE ACCIDENTS# (296-306)	10	6	4	13.4	13.3	13.5	8	6	2	31.2	35.0	23.6
SUICIDE (331-337)	7	7	0	9.4	15.5	-	4	3	1	15.6	17.5	11.8
HOMICIDE (338-346)	6	2	4	8.0	4.4	13.5	3	0	3	11.7	-	35.5

CAUSE AND GROUP NUMBER*	MARSHALL COUNTY						MONROE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>ALL CAUSES</u>	<u>320</u>	<u>158</u>	<u>162</u>	<u>9.1</u>	<u>9.3</u>	<u>9.0</u>	<u>417</u>	<u>312</u>	<u>105</u>	<u>11.0</u>	<u>12.0</u>	<u>8.7</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	4	0	11.4	23.6	-	5	3	2	13.2	11.5	16.6
HIV DISEASE (039-043)	2	0	2	5.7	-	11.1	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	79	42	37	225.8	248.2	204.8	101	79	22	265.7	304.0	183.0
DIABETES MELLITUS (124)	13	6	7	37.2	35.4	38.7	12	6	6	31.6	23.1	49.9
ALZHEIMERS DISEASE (148)	5	3	2	14.3	17.7	11.1	4	3	1	10.5	11.5	8.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	123	54	69	351.5	319.0	381.9	151	113	38	397.2	434.8	316.1
HEART DISEASES (156-160, 162, 164-181)	82	33	49	234.3	195.0	271.2	113	86	27	297.2	330.9	224.6
HYPERTENSION (161, 163)	7	2	5	20.0	11.8	27.7	9	4	5	23.7	15.4	41.6
CEREBROVASCULAR DISEASES (182-186)	30	18	12	85.7	106.4	66.4	24	19	5	63.1	73.1	41.6
ATHEROSCLEROSIS (187)	1	0	1	2.8	-	5.5	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	7	4	3	20.0	23.6	16.6	20	15	5	52.6	57.7	41.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	11	6	5	31.4	35.4	27.7	25	23	2	65.8	88.5	16.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	2.6	3.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	5	4	1	14.3	23.6	5.5	5	3	2	13.2	11.5	16.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	5	2	3	14.3	11.8	16.6	11	7	4	28.9	26.9	33.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	1	1	3.6	4.2	3.1	1	1	0	2.0	3.1	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	2.6	-	8.3
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	0	2	3.9	-	10.5
ACCIDENTS (295-330)	26	11	15	74.3	65.0	83.0	26	19	7	68.4	73.1	58.2
MOTOR VEHICLE ACCIDENTS# (296-306)	17	6	11	48.6	35.4	60.9	17	13	4	44.7	50.0	33.3
SUICIDE (331-337)	1	1	0	2.8	5.9	-	5	4	1	13.2	15.4	8.3
HOMICIDE (338-346)	4	1	3	11.4	5.9	16.6	2	1	1	5.3	3.8	8.3

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MONTGOMERY, NESHOPA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 2000**

CAUSE AND GROUP NUMBER*	MONTGOMERY COUNTY						NESHOPA COUNTY					
	NUMBER		RATE**		NON-		NUMBER		RATE**		NON-	
	TOTAL	WHI TE	WHI TE	TOTAL	WHI TE	WHI TE	TOTAL	WHI TE	WHI TE	TOTAL	WHI TE	WHI TE
<u>ALL CAUSES</u>	<u>154</u>	<u>85</u>	<u>69</u>	<u>12.6</u>	<u>12.8</u>	<u>12.4</u>	<u>318</u>	<u>206</u>	<u>112</u>	<u>11.1</u>	<u>11.0</u>	<u>11.3</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	24.6	45.4	-	5	3	2	17.4	16.0	20.2
HIV DISEASE (039-043)	0	0	0	-	-	-	1	1	0	3.5	5.3	-
MALIGNANT NEOPLASMS (056-108)	32	18	14	262.5	272.2	251.1	57	37	20	198.7	196.9	202.1
DIABETES MELLITUS (124)	4	1	3	32.8	15.1	53.8	7	0	7	24.4	-	70.7
ALZHEIMERS DISEASE (148)	3	2	1	24.6	30.2	17.9	2	2	0	7.0	10.6	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	57	33	24	467.6	499.0	430.4	153	106	47	533.4	564.2	474.9
HEART DISEASES (156-160, 162, 164-181)	44	25	19	361.0	378.0	340.7	119	87	32	414.9	463.1	323.4
HYPERTENSION (161, 163)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	11	6	5	90.2	90.7	89.7	32	18	14	111.6	95.8	141.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	1	1	16.4	15.1	17.9	9	7	2	31.4	37.2	20.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	8	6	2	65.6	90.7	35.9	10	6	4	34.9	31.9	40.4
PEPTIC ULCER (217-220)	1	1	0	8.2	15.1	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	16.4	15.1	17.9	5	0	5	17.4	-	50.5
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	3	2	1	24.6	30.2	17.9	9	5	4	31.4	26.6	40.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	1	2	18.3	14.3	21.3	2	1	1	4.2	4.0	4.4
CONGENITAL MALFORMATIONS (282-290)	1	0	1	8.2	-	17.9	2	1	1	7.0	5.3	10.1
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	6.1	-	10.6	0	0	0	-	-	-
ACCIDENTS (295-330)	8	3	5	65.6	45.4	89.7	17	12	5	59.3	63.9	50.5
MOTOR VEHICLE ACCIDENTS# (296-306)	4	1	3	32.8	15.1	53.8	11	7	4	38.3	37.2	40.4
SUICIDE (331-337)	2	1	1	16.4	15.1	17.9	2	1	1	7.0	5.3	10.1
HOMICIDE (338-346)	4	2	2	32.8	30.2	35.9	1	0	1	3.5	-	10.1

CAUSE AND GROUP NUMBER*	NEWTON COUNTY						NOXUBEE COUNTY					
	NUMBER		RATE**		NON-		NUMBER		RATE**		NON-	
	TOTAL	WHI TE	WHI TE	TOTAL	WHI TE	WHI TE	TOTAL	WHI TE	WHI TE	TOTAL	WHI TE	WHI TE
<u>ALL CAUSES</u>	<u>237</u>	<u>166</u>	<u>71</u>	<u>10.8</u>	<u>11.7</u>	<u>9.3</u>	<u>115</u>	<u>45</u>	<u>70</u>	<u>9.2</u>	<u>12.2</u>	<u>7.9</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	0	0	0	-	-	-	4	1	3	31.9	27.0	33.9
HIV DISEASE (039-043)	1	0	1	4.6	-	13.1	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	54	42	12	247.3	295.8	157.0	21	9	12	167.4	243.2	135.6
DIABETES MELLITUS (124)	7	3	4	32.0	21.1	52.3	2	1	1	15.9	27.0	11.3
ALZHEIMERS DISEASE (148)	3	3	0	13.7	21.1	-	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	107	77	30	490.0	542.4	392.6	51	22	29	406.4	594.6	327.8
HEART DISEASES (156-160, 162, 164-181)	83	62	21	380.1	436.7	274.8	47	21	26	374.6	567.6	293.8
HYPERTENSION (161, 163)	2	1	1	9.2	7.0	13.1	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	19	12	7	87.0	84.5	91.6	4	1	3	31.9	27.0	33.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	9.2	14.1	-	4	2	2	31.9	54.0	22.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	8	7	1	36.6	49.3	13.1	3	2	1	23.9	54.0	11.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	4.6	-	13.1	3	0	3	23.9	-	33.9
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	10	3	7	45.8	21.1	91.6	1	1	0	8.0	27.0	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	3	0	3	13.8	-	17.8
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	2.7	-	6.0	0	0	0	-	-	-
ACCIDENTS (295-330)	9	6	3	41.2	42.3	39.3	7	1	6	55.8	27.0	67.8
MOTOR VEHICLE ACCIDENTS# (296-306)	7	6	1	32.0	42.3	13.1	1	1	0	8.0	27.0	-
SUICIDE (331-337)	3	2	1	13.7	14.1	13.1	0	0	0	-	-	-
HOMICIDE (338-346)	3	1	2	13.7	7.0	26.2	1	0	1	8.0	-	11.3

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 2000**

CAUSE AND GROUP NUMBER*	OKTIBBEHA COUNTY						PANOLA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>285</u>	<u>169</u>	<u>116</u>	<u>6.6</u>	<u>6.7</u>	<u>6.5</u>	<u>367</u>	<u>220</u>	<u>147</u>	<u>10.7</u>	<u>12.7</u>	<u>8.7</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	2.3	4.0	-	7	4	3	20.4	23.1	17.7
HIV DISEASE (039-043)	1	0	1	2.3	-	5.6	1	1	0	2.9	5.8	-
MALIGNANT NEOPLASMS (056-108)	60	33	27	139.8	131.1	152.2	74	42	32	215.9	242.7	188.5
DIABETES MELLITUS (124)	3	3	0	7.0	11.9	-	6	4	2	17.5	23.1	11.8
ALZHEIMERS DISEASE (148)	2	1	1	4.7	4.0	5.6	2	2	0	5.8	11.6	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	124	73	51	289.0	290.1	287.6	155	93	62	452.2	537.5	365.3
HEART DISEASES (156-160, 162, 164-181)	92	51	41	214.4	202.6	231.2	124	73	51	361.8	421.9	300.5
HYPERTENSION (161, 163)	0	0	0	-	-	-	1	0	1	2.9	-	5.9
CEREBROVASCULAR DISEASES (182-186)	27	18	9	62.9	71.5	50.7	28	19	9	81.7	109.8	53.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	12	9	3	28.0	35.8	16.9	13	9	4	37.9	52.0	23.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	9	8	1	21.0	31.8	5.6	13	11	2	37.9	63.6	11.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	2.3	-	5.6	2	1	1	5.8	5.8	5.9
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	6	2	4	14.0	7.9	22.6	6	5	1	17.5	28.9	5.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	5.3	-	9.9	7	1	6	12.0	4.6	16.4
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	3	2	1	8.8	11.6	5.9
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	1.8	3.8	-	2	0	2	3.4	-	5.5
ACCIDENTS (295-330)	15	10	5	35.0	39.7	28.2	22	13	9	64.2	75.1	53.0
MOTOR VEHICLE ACCIDENTS# (296-306)	5	4	1	11.6	15.9	5.6	12	8	4	35.0	46.2	23.6
SUICIDE (331-337)	4	4	0	9.3	15.9	-	7	6	1	20.4	34.7	5.9
HOMICIDE (338-346)	4	0	4	9.3	-	22.6	4	0	4	11.7	-	23.6

CAUSE AND GROUP NUMBER*	PEARL RIVER COUNTY						PERRY COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>476</u>	<u>417</u>	<u>59</u>	<u>9.8</u>	<u>10.0</u>	<u>8.4</u>	<u>151</u>	<u>119</u>	<u>32</u>	<u>12.4</u>	<u>12.9</u>	<u>11.1</u>
TUBERCULOSIS (009,010)	1	1	0	2.0	2.4	-	0	0	0	-	-	-
SEPTICEMIA (018)	11	11	0	22.6	26.4	-	2	1	1	16.5	10.8	34.6
HIV DISEASE (039-043)	2	0	2	4.1	-	28.5	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	115	105	10	236.5	252.4	142.3	32	30	2	263.6	324.5	69.1
DIABETES MELLITUS (124)	20	18	2	41.1	43.3	28.5	9	6	3	74.1	64.9	103.7
ALZHEIMERS DISEASE (148)	4	3	1	8.2	7.2	14.2	1	1	0	8.2	10.8	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	173	152	21	355.8	365.4	298.9	56	44	12	461.4	475.9	414.8
HEART DISEASES (156-160, 162, 164-181)	138	123	15	283.8	295.7	213.5	44	34	10	362.5	367.8	345.7
HYPERTENSION (161, 163)	1	0	1	2.0	-	14.2	1	0	1	8.2	-	34.6
CEREBROVASCULAR DISEASES (182-186)	32	28	4	65.8	67.3	56.9	9	8	1	74.1	86.5	34.6
ATHEROSCLEROSIS (187)	2	1	1	4.1	2.4	14.2	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	7	7	0	14.4	16.8	-	10	9	1	82.4	97.4	34.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	29	25	4	59.6	60.1	56.9	10	4	6	82.4	43.3	207.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	4.1	4.8	-	2	2	0	16.5	21.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	7	7	0	14.4	16.8	-	1	1	0	8.2	10.8	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	1	1	11.2	7.4	23.2
CONGENITAL MALFORMATIONS (282-290)	1	1	0	2.0	2.4	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	1.5	1.8	-	0	0	0	-	-	-
ACCIDENTS (295-330)	26	24	2	53.5	57.7	28.5	10	7	3	82.4	75.7	103.7
MOTOR VEHICLE ACCIDENTS# (296-306)	16	14	2	32.9	33.6	28.5	6	3	3	49.4	32.4	103.7
SUICIDE (331-337)	6	6	0	12.3	14.4	-	0	0	0	-	-	-
HOMICIDE (338-346)	5	2	3	10.3	4.8	42.7	2	2	0	16.5	21.6	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 2000**

CAUSE AND GROUP NUMBER*	PIKE COUNTY						PONTOTOC COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	424	250	174	10.9	12.5	9.2	256	227	29	9.6	10.1	7.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	10	5	5	25.7	25.0	26.3	2	1	1	7.5	4.4	24.0
HIV DISEASE (039-043)	0	0	0	-	-	-	2	2	0	7.5	8.9	-
MALIGNANT NEOPLASMS (056-108)	73	49	24	187.5	245.6	126.4	48	39	9	179.6	172.9	215.9
DIABETES MELLITUS (124)	24	10	14	61.6	50.1	73.7	6	6	0	22.4	26.6	-
ALZHEIMERS DISEASE (148)	4	2	2	10.3	10.0	10.5	3	2	1	11.2	8.9	24.0
MAJOR CARDIOVASCULAR DISEASES# (156-189)	193	124	69	495.6	621.4	363.4	102	91	11	381.6	403.4	263.8
HEART DISEASES (156-160, 162, 164-181)	166	110	56	426.3	551.2	295.0	80	72	8	299.3	319.2	191.9
HYPERTENSION (161, 163)	2	0	2	5.1	-	10.5	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	22	12	10	56.5	60.1	52.7	15	12	3	56.1	53.2	72.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	3	3	0	11.2	13.3	-
INFLUENZA AND PNEUMONIA (195-198)	8	5	3	20.5	25.0	15.8	5	5	0	18.7	22.2	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	25	17	8	64.2	85.2	42.1	14	14	0	52.4	62.1	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	5.1	5.0	5.3	6	6	0	22.4	26.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	8	3	5	20.5	15.0	26.3	3	2	1	11.2	8.9	24.0
MATERNAL CAUSES (261-273)	1	0	1	157.7	-	263.8	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	1.6	-	2.6	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	3	1	2	7.7	5.0	10.5	2	2	0	7.5	8.9	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	1.6	-	2.6	1	1	0	2.5	2.9	-
ACCIDENTS (295-330)	13	5	8	33.4	25.0	42.1	26	24	2	97.3	106.4	48.0
MOTOR VEHICLE ACCIDENTS# (296-306)	8	4	4	20.5	20.0	21.1	18	17	1	67.4	75.4	24.0
SUICIDE (331-337)	1	1	0	2.6	5.0	-	3	3	0	11.2	13.3	-
HOMICIDE (338-346)	4	0	4	10.3	-	21.1	2	1	1	7.5	4.4	24.0

CAUSE AND GROUP NUMBER*	PRENTISS COUNTY						QUITMAN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	226	205	21	8.8	9.3	5.8	131	53	78	12.9	17.2	11.1
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	6	6	0	23.5	27.3	-	3	3	0	29.6	97.3	-
HIV DISEASE (039-043)	1	0	1	3.9	-	27.6	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	45	40	5	176.1	182.3	138.3	28	12	16	276.8	389.2	227.5
DIABETES MELLITUS (124)	4	4	0	15.6	18.2	-	3	1	2	29.6	32.4	28.4
ALZHEIMERS DISEASE (148)	2	2	0	7.8	9.1	-	1	0	1	9.9	-	14.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	89	79	10	348.2	360.1	276.5	59	27	32	583.2	875.8	454.9
HEART DISEASES (156-160, 162, 164-181)	72	62	10	281.7	282.6	276.5	47	22	25	464.6	713.6	355.4
HYPERTENSION (161, 163)	0	0	0	-	-	-	2	1	1	19.8	32.4	14.2
CEREBROVASCULAR DISEASES (182-186)	14	14	0	54.8	63.8	-	6	2	4	59.3	64.9	56.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	6	0	23.5	27.3	-	6	2	4	59.3	64.9	56.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	14	14	0	54.8	63.8	-	5	3	2	49.4	97.3	28.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	3	1	15.6	13.7	27.6	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	2	1	1	7.8	4.6	27.6	3	1	2	29.6	32.4	28.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	3	0	8.7	10.4	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	3.9	4.6	-	1	0	1	9.9	-	14.2
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	3	0	3	18.1	-	21.6
ACCIDENTS (295-330)	21	20	1	82.2	91.2	27.6	6	2	4	59.3	64.9	56.9
MOTOR VEHICLE ACCIDENTS# (296-306)	13	12	1	50.9	54.7	27.6	5	1	4	49.4	32.4	56.9
SUICIDE (331-337)	2	2	0	7.8	9.1	-	0	0	0	-	-	-
HOMICIDE (338-346)	1	0	1	3.9	-	27.6	1	0	1	9.9	-	14.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 2000**

CAUSE AND GROUP NUMBER*	RANKIN COUNTY						SCOTT COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	778	630	148	6.7	6.7	6.8	244	155	89	8.6	9.5	7.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	0	1	3.5	-	8.2
SEPTICEMIA (018)	10	9	1	8.7	9.6	4.6	2	1	1	7.0	6.2	8.2
HIV DISEASE (039-043)	6	2	4	5.2	2.1	18.3	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	165	141	24	143.1	150.9	109.7	54	36	18	190.0	221.4	148.0
DIABETES MELLITUS (124)	11	6	5	9.5	6.4	22.8	3	3	0	10.6	18.4	-
ALZHEIMERS DISEASE (148)	6	4	2	5.2	4.3	9.1	1	1	0	3.5	6.2	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	333	263	70	288.7	281.4	320.0	95	61	34	334.2	375.2	279.5
HEART DISEASES (156-160, 162, 164-181)	301	240	61	261.0	256.8	278.8	73	49	24	256.8	301.4	197.3
HYPERTENSION (161, 163)	2	0	2	1.7	-	9.1	1	1	0	3.5	6.2	-
CEREBROVASCULAR DISEASES (182-186)	27	21	6	23.4	22.5	27.4	17	9	8	59.8	55.4	65.8
ATHEROSCLEROSIS (187)	2	1	1	1.7	1.1	4.6	2	2	0	7.0	12.3	-
INFLUENZA AND PNEUMONIA (195-198)	22	18	4	19.1	19.3	18.3	5	5	0	17.6	30.8	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	35	32	3	30.3	34.2	13.7	17	12	5	59.8	73.8	41.1
PEPTIC ULCER (217-220)	2	2	0	1.7	2.1	-	1	0	1	3.5	-	8.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	10	9	1	8.7	9.6	4.6	4	0	4	14.1	-	32.9
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	11	9	2	9.5	9.6	9.1	5	2	3	17.6	12.3	24.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	6	2	4	3.5	1.4	12.3	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	0.9	1.1	-	2	1	1	7.0	6.2	8.2
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	0.6	0.7	-	1	1	0	2.2	4.2	-
ACCIDENTS (295-330)	57	48	9	49.4	51.4	41.1	18	8	10	63.3	49.2	82.2
MOTOR VEHICLE ACCIDENTS# (296-306)	34	28	6	29.5	30.0	27.4	12	6	6	42.2	36.9	49.3
SUICIDE (331-337)	13	12	1	11.3	12.8	4.6	2	1	1	7.0	6.2	8.2
HOMICIDE (338-346)	4	1	3	3.5	1.1	13.7	3	2	1	10.6	12.3	8.2

CAUSE AND GROUP NUMBER*	SHARKEY COUNTY						SIMPSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	59	27	32	9.0	14.0	6.9	320	232	88	11.6	13.0	8.9
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	15.2	-	21.5	5	4	1	18.1	22.5	10.2
HIV DISEASE (039-043)	1	0	1	15.2	-	21.5	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	14	6	8	212.8	310.6	172.1	58	44	14	209.8	247.2	142.2
DIABETES MELLITUS (124)	0	0	0	-	-	-	5	3	2	18.1	16.8	20.3
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	5	4	1	18.1	22.5	10.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	24	10	14	364.7	517.6	301.2	140	98	42	506.5	550.7	426.7
HEART DISEASES (156-160, 162, 164-181)	16	4	12	243.2	207.0	258.2	94	66	28	340.1	370.9	284.5
HYPERTENSION (161, 163)	1	1	0	15.2	51.8	-	8	7	1	28.9	39.3	10.2
CEREBROVASCULAR DISEASES (182-186)	7	5	2	106.4	258.8	43.0	28	20	8	101.3	112.4	81.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	9	4	5	32.6	22.5	50.8
INFLUENZA AND PNEUMONIA (195-198)	3	1	2	45.6	51.8	43.0	10	6	4	36.2	33.7	40.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	4	3	1	60.8	155.3	21.5	14	14	0	50.6	78.7	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	3.6	5.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	15.2	-	21.5	2	2	0	7.2	11.2	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	0	0	0	-	-	-	9	4	5	32.6	22.5	50.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	1	0	2.6	4.6	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	9.3	-	10.6	0	0	0	-	-	-
ACCIDENTS (295-330)	5	3	2	76.0	155.3	43.0	22	15	7	79.6	84.3	71.1
MOTOR VEHICLE ACCIDENTS# (296-306)	4	2	2	60.8	103.5	43.0	16	10	6	57.9	56.2	61.0
SUICIDE (331-337)	0	0	0	-	-	-	4	3	1	14.5	16.8	10.2
HOMICIDE (338-346)	0	0	0	-	-	-	5	4	1	18.1	22.5	10.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 2000**

CAUSE AND GROUP NUMBER*	SMITH COUNTY						STONE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	154	126	28	9.5	10.2	7.2	139	107	32	10.2	9.9	11.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	8	7	1	49.4	56.8	25.9	3	3	0	22.0	27.7	-
HIV DISEASE (039-043)	1	0	1	6.2	-	25.9	1	0	1	7.3	-	35.7
MALIGNANT NEOPLASMS (056-108)	27	22	5	166.8	178.6	129.3	36	26	10	264.3	240.3	356.6
DIABETES MELLITUS (124)	1	0	1	6.2	-	25.9	1	1	0	7.3	9.2	-
ALZHEIMERS DISEASE (148)	6	5	1	37.1	40.6	25.9	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	65	56	9	401.7	454.7	232.8	58	47	11	425.8	434.5	392.3
HEART DISEASES (156-160, 162, 164-181)	48	42	6	296.6	341.0	155.2	46	37	9	337.7	342.0	321.0
HYPERTENSION (161, 163)	0	0	0	-	-	-	1	1	0	7.3	9.2	-
CEREBROVASCULAR DISEASES (182-186)	16	13	3	98.9	105.6	77.6	7	5	2	51.4	46.2	71.3
ATHEROSCLEROSIS (187)	1	1	0	6.2	8.1	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	3	1	24.7	24.4	25.9	3	3	0	22.0	27.7	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	10	9	1	61.8	73.1	25.9	7	5	2	51.4	46.2	71.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	6.2	8.1	-	2	2	0	14.7	18.5	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	6	4	2	37.1	32.5	51.7	4	2	2	29.4	18.5	71.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	7	4	3	43.2	32.5	77.6	10	8	2	73.4	74.0	71.3
MOTOR VEHICLE ACCIDENTS# (296-306)	5	3	2	30.9	24.4	51.7	4	3	1	29.4	27.7	35.7
SUICIDE (331-337)	1	1	0	6.2	8.1	-	2	2	0	14.7	18.5	-
HOMICIDE (338-346)	2	2	0	12.4	16.2	-	2	0	2	14.7	-	71.3

CAUSE AND GROUP NUMBER*	SUNFLOWER COUNTY						TALLAHATCHIE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	338	149	189	9.8	15.0	7.7	153	72	81	10.3	12.2	9.0
TUBERCULOSIS (009,010)	1	0	1	2.9	-	4.1	0	0	0	-	-	-
SEPTICEMIA (018)	8	3	5	23.3	30.2	20.4	5	4	1	33.6	67.8	11.1
HIV DISEASE (039-043)	3	0	3	8.7	-	12.3	1	0	1	6.7	-	11.1
MALIGNANT NEOPLASMS (056-108)	69	30	39	200.8	302.2	159.6	25	12	13	167.8	203.2	144.5
DIABETES MELLITUS (124)	9	2	7	26.2	20.1	28.6	8	2	6	53.7	33.9	66.7
ALZHEIMERS DISEASE (148)	6	4	2	17.4	40.3	8.2	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	126	58	68	366.6	584.3	278.2	59	29	30	395.9	491.2	333.4
HEART DISEASES (156-160, 162, 164-181)	104	48	56	302.6	483.5	229.1	49	23	26	328.8	389.6	288.9
HYPERTENSION (161, 163)	3	1	2	8.7	10.1	8.2	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	16	8	8	46.6	80.6	32.7	10	6	4	67.1	101.6	44.4
ATHEROSCLEROSIS (187)	1	1	0	2.9	10.1	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	11	8	3	32.0	80.6	12.3	2	1	1	13.4	16.9	11.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	13	6	7	37.8	60.4	28.6	4	1	3	26.8	16.9	33.3
PEPTIC ULCER (217-220)	3	1	2	8.7	10.1	8.2	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	2.9	10.1	-	1	0	1	6.7	-	11.1
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	9	2	7	26.2	20.1	28.6	9	5	4	60.4	84.7	44.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	6	0	6	10.8	-	13.3	1	0	1	4.7	-	6.6
CONGENITAL MALFORMATIONS (282-290)	3	1	2	8.7	10.1	8.2	3	0	3	20.1	-	33.3
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	1.8	-	2.2	0	0	0	-	-	-
ACCIDENTS (295-330)	27	18	9	78.6	181.3	36.8	10	7	3	67.1	118.6	33.3
MOTOR VEHICLE ACCIDENTS# (296-306)	16	10	6	46.6	100.7	24.5	3	2	1	20.1	33.9	11.1
SUICIDE (331-337)	3	2	1	8.7	20.1	4.1	4	2	2	26.8	33.9	22.2
HOMICIDE (338-346)	6	1	5	17.4	10.1	20.4	3	0	3	20.1	-	33.3

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF TATE, TIPPAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 2000**

CAUSE AND GROUP NUMBER*	TATE COUNTY						TIPPAH COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	240	173	67	9.5	10.0	8.2	247	218	29	11.9	12.8	7.7
TUBERCULOSIS (009,010)	1	0	1	3.9	-	12.2	0	0	0	-	-	-
SEPTICEMIA (018)	9	6	3	35.5	34.9	36.8	2	1	1	9.6	5.9	26.4
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	51	35	16	201.0	203.4	196.1	42	37	5	201.7	217.1	132.3
DIABETES MELLITUS (124)	8	5	3	31.5	29.0	36.8	2	1	1	9.6	5.9	26.4
ALZHEIMERS DISEASE (148)	6	6	0	23.6	34.9	-	2	2	0	9.6	11.7	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	83	61	22	327.2	354.4	269.6	132	114	18	633.8	668.8	476.2
HEART DISEASES (156-160, 162, 164-181)	62	46	16	244.4	267.3	196.1	103	89	14	494.6	522.1	370.4
HYPERTENSION (161, 163)	3	2	1	11.8	11.6	12.2	1	1	0	4.8	5.9	-
CEREBROVASCULAR DISEASES (182-186)	14	9	5	55.2	52.3	61.3	21	17	4	100.8	99.7	105.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	4	4	0	19.2	23.5	-
INFLUENZA AND PNEUMONIA (195-198)	6	6	0	23.6	34.9	-	3	3	0	14.4	17.6	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	11	11	0	43.4	63.9	-	15	15	0	72.0	88.0	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	3.9	-	12.2	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	10	6	4	39.4	34.9	49.0	2	2	0	9.6	11.7	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	7.2	-	18.9	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	2	1	1	7.9	5.8	12.2	2	1	1	9.6	5.9	26.4
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	2.4	-	6.3	0	0	0	-	-	-
ACCIDENTS (295-330)	23	20	3	90.6	116.2	36.8	18	16	2	86.4	93.9	52.9
MOTOR VEHICLE ACCIDENTS# (296-306)	17	14	3	67.0	81.3	36.8	9	9	0	43.2	52.8	-
SUICIDE (331-337)	4	3	1	15.8	17.4	12.2	1	1	0	4.8	5.9	-
HOMICIDE (338-346)	2	1	1	7.9	5.8	12.2	1	1	0	4.8	5.9	-

CAUSE AND GROUP NUMBER*	TISHOMINGO COUNTY						TUNICA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	274	262	12	14.3	14.4	12.4	90	30	60	9.8	11.8	9.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	15.6	16.5	-	4	1	3	43.4	39.4	44.9
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	49	48	1	255.7	263.8	103.0	20	7	13	216.8	275.5	194.4
DIABETES MELLITUS (124)	6	6	0	31.3	33.0	-	1	0	1	10.8	-	15.0
ALZHEIMERS DISEASE (148)	6	5	1	31.3	27.5	103.0	3	1	2	32.5	39.4	29.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	138	133	5	720.1	731.1	514.9	30	11	19	325.1	432.9	284.2
HEART DISEASES (156-160, 162, 164-181)	115	110	5	600.1	604.7	514.9	24	9	15	260.1	354.2	224.3
HYPERTENSION (161, 163)	1	1	0	5.2	5.5	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	19	19	0	99.1	104.4	-	5	2	3	54.2	78.7	44.9
ATHEROSCLEROSIS (187)	1	1	0	5.2	5.5	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	5	0	26.1	27.5	-	3	2	1	32.5	78.7	15.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	11	9	2	57.4	49.5	206.0	3	1	2	32.5	39.4	29.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	6	0	31.3	33.0	-	1	0	1	10.8	-	15.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	7	7	0	36.5	38.5	-	1	1	0	10.8	39.4	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	5.5	-	6.4
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	0	2	11.0	-	12.9
ACCIDENTS (295-330)	12	11	1	62.6	60.5	103.0	8	3	5	86.7	118.1	74.8
MOTOR VEHICLE ACCIDENTS# (296-306)	9	8	1	47.0	44.0	103.0	3	0	3	32.5	-	44.9
SUICIDE (331-337)	2	2	0	10.4	11.0	-	1	0	1	10.8	-	15.0
HOMICIDE (338-346)	1	1	0	5.2	5.5	-	4	0	4	43.4	-	59.8

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 2000**

CAUSE AND GROUP NUMBER*	UNION COUNTY						WALTHALL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	275	245	30	10.8	11.6	7.1	176	116	60	11.6	14.0	8.7
TUBERCULOSIS (009,010)	1	0	1	3.9	-	23.8	1	0	1	6.6	-	14.5
SEPTICEMIA (018)	3	3	0	11.8	14.2	-	3	3	0	19.8	36.2	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	58	51	7	228.7	241.1	166.4	37	23	14	244.1	277.9	203.5
DIABETES MELLITUS (124)	3	3	0	11.8	14.2	-	8	4	4	52.8	48.3	58.1
ALZHEIMERS DISEASE (148)	6	5	1	23.6	23.6	23.8	2	2	0	13.2	24.2	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	113	103	10	445.5	486.9	237.8	85	56	29	560.8	676.6	421.6
HEART DISEASES (156-160, 162, 164-181)	82	75	7	323.3	354.5	166.4	63	42	21	415.7	507.4	305.3
HYPERTENSION (161, 163)	1	1	0	3.9	4.7	-	3	0	3	19.8	-	43.6
CEREBROVASCULAR DISEASES (182-186)	27	25	2	106.4	118.2	47.6	17	12	5	112.2	145.0	72.7
ATHEROSCLEROSIS (187)	1	0	1	3.9	-	23.8	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	14	13	1	55.2	61.4	23.8	2	1	1	13.2	12.1	14.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	12	11	1	47.3	52.0	23.8	6	4	2	39.6	48.3	29.1
PEPTIC ULCER (217-220)	1	1	0	3.9	4.7	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	3.9	4.7	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	9	6	3	35.5	28.4	71.3	3	2	1	19.8	24.2	14.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	2.3	-	13.0	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	15	13	2	59.1	61.4	47.6	10	6	4	66.0	72.5	58.1
MOTOR VEHICLE ACCIDENTS# (296-306)	11	9	2	43.4	42.5	47.6	6	4	2	39.6	48.3	29.1
SUICIDE (331-337)	3	3	0	11.8	14.2	-	4	4	0	26.4	48.3	-
HOMICIDE (338-346)	2	2	0	7.9	9.4	-	1	0	1	6.6	-	14.5

CAUSE AND GROUP NUMBER*	WARREN COUNTY						WASHINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	500	289	211	10.1	10.6	9.4	681	273	408	10.8	12.8	9.8
TUBERCULOSIS (009,010)	1	1	0	2.0	3.7	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	3	4	14.1	11.0	17.9	15	4	11	23.8	18.7	26.4
HIV DISEASE (039-043)	5	0	5	10.1	-	22.4	3	0	3	4.8	-	7.2
MALIGNANT NEOPLASMS (056-108)	100	68	32	201.4	249.2	143.1	151	69	82	239.8	322.5	197.2
DIABETES MELLITUS (124)	10	1	9	20.1	3.7	40.2	23	6	17	36.5	28.0	40.9
ALZHEIMERS DISEASE (148)	7	6	1	14.1	22.0	4.5	10	6	4	15.9	28.0	9.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	235	133	102	473.4	487.4	456.2	270	109	161	428.7	509.5	387.2
HEART DISEASES (156-160, 162, 164-181)	172	107	65	346.5	392.1	290.8	212	87	125	336.6	406.7	300.6
HYPERTENSION (161, 163)	12	3	9	24.2	11.0	40.2	12	4	8	19.0	18.7	19.2
CEREBROVASCULAR DISEASES (182-186)	38	18	20	76.5	66.0	89.5	35	12	23	55.6	56.1	55.3
ATHEROSCLEROSIS (187)	6	1	5	12.1	3.7	22.4	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	10	6	4	20.1	22.0	17.9	10	3	7	15.9	14.0	16.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	17	13	4	34.2	47.6	17.9	29	17	12	46.0	79.5	28.8
PEPTIC ULCER (217-220)	1	1	0	2.0	3.7	-	2	2	0	3.2	9.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	1	2	6.0	3.7	8.9	6	3	3	9.5	14.0	7.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	9	4	5	18.1	14.6	22.4	14	3	11	22.2	14.0	26.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	2.4	-	4.1	9	1	8	7.9	3.6	9.3
CONGENITAL MALFORMATIONS (282-290)	4	1	3	8.0	3.7	13.4	4	1	3	6.4	4.7	7.2
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	1.2	3.0	-	2	0	2	1.8	-	2.3
ACCIDENTS (295-330)	26	15	11	52.4	55.0	49.2	39	16	23	61.9	74.8	55.3
MOTOR VEHICLE ACCIDENTS# (296-306)	9	4	5	18.1	14.6	22.4	25	13	12	39.7	60.8	28.8
SUICIDE (331-337)	7	5	2	14.1	18.3	8.9	4	2	2	6.4	9.3	4.8
HOMICIDE (338-346)	5	0	5	10.1	-	22.4	18	3	15	28.6	14.0	36.1

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 2000**

CAUSE AND GROUP NUMBER*	WAYNE COUNTY						WEBSTER COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL CAUSES	191	131	60	9.0	10.1	7.3	145	124	21	14.1	15.5	9.1
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	2	2	18.8	15.4	24.4	2	2	0	19.4	25.0	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	38	25	13	179.1	192.2	158.3	26	20	6	252.6	250.5	259.6
DIABETES MELLITUS (124)	3	2	1	14.1	15.4	12.2	1	0	1	9.7	-	43.3
ALZHEIMERS DISEASE (148)	2	2	0	9.4	15.4	-	5	5	0	48.6	62.6	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	82	57	25	386.5	438.3	304.4	58	51	7	563.4	638.8	302.9
HEART DISEASES (156-160, 162, 164-181)	65	48	17	306.4	369.1	207.0	42	36	6	408.0	451.0	259.6
HYPERTENSION (161, 163)	1	1	0	4.7	7.7	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	13	6	7	61.3	46.1	85.2	14	13	1	136.0	162.8	43.3
ATHEROSCLEROSIS (187)	2	1	1	9.4	7.7	12.2	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	1	1	9.4	7.7	12.2	6	6	0	58.3	75.2	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	14	11	3	66.0	84.6	36.5	8	7	1	77.7	87.7	43.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	2	2	0	19.4	25.0	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	3	2	1	14.1	15.4	12.2	4	4	0	38.8	50.1	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	1	2	9.5	6.5	12.2	2	2	0	12.3	17.5	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	9.7	12.5	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	10	6	4	47.1	46.1	48.7	6	5	1	58.3	62.6	43.3
MOTOR VEHICLE ACCIDENTS# (296-306)	4	3	1	18.8	23.1	12.2	3	3	0	29.1	37.6	-
SUICIDE (331-337)	0	0	0	-	-	-	0	0	0	-	-	-
HOMICIDE (338-346)	2	2	0	9.4	15.4	-	0	0	0	-	-	-

CAUSE AND GROUP NUMBER*	WILKINSON COUNTY						WINSTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL CAUSES	122	54	68	11.8	16.8	9.6	233	148	85	11.6	13.3	9.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	2	1	29.1	62.1	14.1	5	5	0	24.8	44.9	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	21	10	11	203.6	310.6	155.1	58	36	22	287.7	323.1	243.9
DIABETES MELLITUS (124)	5	2	3	48.5	62.1	42.3	5	3	2	24.8	26.9	22.2
ALZHEIMERS DISEASE (148)	3	1	2	29.1	31.1	28.2	6	3	3	29.8	26.9	33.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	54	24	30	523.7	745.6	423.0	103	69	34	510.9	619.3	377.0
HEART DISEASES (156-160, 162, 164-181)	45	20	25	436.4	621.3	352.5	82	56	26	406.7	502.6	288.3
HYPERTENSION (161, 163)	2	1	1	19.4	31.1	14.1	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	7	3	4	67.9	93.2	56.4	19	11	8	94.2	98.7	88.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	1	2	29.1	31.1	28.2	3	1	2	14.9	9.0	22.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	2	1	1	19.4	31.1	14.1	4	3	1	19.8	26.9	11.1
PEPTIC ULCER (217-220)	1	0	1	9.7	-	14.1	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	9.7	31.1	-	2	2	0	9.9	18.0	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	1	0	1	9.7	-	14.1	5	2	3	24.8	18.0	33.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	7.3	-	8.8	2	0	2	6.4	-	11.1
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	5.0	-	11.1
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	7	4	3	67.9	124.3	42.3	14	9	5	69.4	80.8	55.4
MOTOR VEHICLE ACCIDENTS# (296-306)	3	2	1	29.1	62.1	14.1	10	5	5	49.6	44.9	55.4
SUICIDE (331-337)	0	0	0	-	-	-	2	2	0	9.9	18.0	-
HOMICIDE (338-346)	1	0	1	9.7	-	14.1	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES AND THE STATE OF MISSISSIPPI, 2000**

CAUSE AND GROUP NUMBER*	YALOBUSHA COUNTY						YAZOO COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>ALL CAUSES</u>	<u>150</u>	<u>108</u>	<u>42</u>	<u>11.5</u>	<u>13.7</u>	<u>8.1</u>	<u>315</u>	<u>159</u>	<u>156</u>	<u>11.2</u>	<u>12.6</u>	<u>10.0</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	15.3	12.7	19.4	4	2	2	14.2	15.9	12.8
HIV DISEASE (039-043)	1	1	0	7.7	12.7	-	1	0	1	3.6	-	6.4
MALIGNANT NEOPLASMS (056-108)	32	27	5	245.2	342.2	96.9	65	37	28	230.9	293.8	180.0
DIABETES MELLITUS (124)	3	2	1	23.0	25.3	19.4	17	9	8	60.4	71.5	51.4
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	69	46	23	528.7	582.9	445.7	131	63	68	465.4	500.3	437.1
HEART DISEASES (156-160, 162, 164-181)	53	36	17	406.1	456.2	329.4	89	43	46	316.2	341.5	295.7
HYPERTENSION (161, 163)	2	2	0	15.3	25.3	-	13	5	8	46.2	39.7	51.4
CEREBROVASCULAR DISEASES (182-186)	12	7	5	91.9	88.7	96.9	28	15	13	99.5	119.1	83.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	4	1	38.3	50.7	19.4	8	4	4	28.4	31.8	25.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	7	6	1	53.6	76.0	19.4	11	8	3	39.1	63.5	19.3
PEPTIC ULCER (217-220)	1	1	0	7.7	12.7	-	1	1	0	3.6	7.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	15.3	12.7	19.4	1	1	0	3.6	7.9	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	3	3	0	23.0	38.0	-	3	1	2	10.6	7.9	12.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	5.1	-	11.0	3	0	3	6.1	-	9.2
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	0	2	7.1	-	12.8
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	5.1	-	11.0	2	1	1	4.1	6.1	3.1
ACCIDENTS (295-330)	7	4	3	53.6	50.7	58.1	13	7	6	46.2	55.6	38.6
MOTOR VEHICLE ACCIDENTS# (296-306)	3	2	1	23.0	25.3	19.4	6	2	4	21.3	15.9	25.7
SUICIDE (331-337)	3	3	0	23.0	38.0	-	4	3	1	14.2	23.8	6.4
HOMICIDE (338-346)	1	0	1	7.7	-	19.4	5	1	4	17.8	7.9	25.7

CAUSE AND GROUP NUMBER*	STATE OF MISSISSIPPI					
	NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>ALL CAUSES</u>	<u>28,529</u>	<u>19,189</u>	<u>9,340</u>	<u>10.0</u>	<u>11.0</u>	<u>8.5</u>
TUBERCULOSIS (009,010)	14	6	8	0.5	0.3	0.7
SEPTICEMIA (018)	532	338	194	18.7	19.4	17.6
HIV DISEASE (039-043)	160	37	123	5.6	2.1	11.2
MALIGNANT NEOPLASMS (056-108)	6,060	4,186	1,874	213.0	239.7	170.6
DIABETES MELLITUS (124)	670	372	298	23.6	21.3	27.1
ALZHEIMERS DISEASE (148)	431	352	79	15.2	20.2	7.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	11,792	7,956	3,836	414.5	455.6	349.2
HEART DISEASES (156-160, 162, 164-181)	9,228	6,278	2,950	324.4	359.5	268.5
HYPERTENSION (161, 163)	253	121	132	8.9	6.9	12.0
CEREBROVASCULAR DISEASES (182-186)	1,980	1,328	652	69.6	76.0	59.4
ATHEROSCLEROSIS (187)	87	54	33	3.0	3.1	3.0
INFLUENZA AND PNEUMONIA (195-198)	804	583	221	28.3	33.4	20.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-209)	1,303	1,049	254	45.8	60.1	23.1
PEPTIC ULCER (217-220)	41	31	10	1.4	1.8	0.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	246	190	56	8.6	10.9	5.1
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274, 249, 251, 253)	612	338	274	21.5	19.4	24.9
MATERNAL CAUSES (261-273)	8	2	6	18.2	8.5	29.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	221	54	167	5.0	2.3	8.1
CONGENITAL MALFORMATIONS (282-290)	132	70	62	4.6	4.0	5.6
SUDDEN INFANT DEATH SYNDROME# (292)	64	23	41	1.4	1.0	2.0
ACCIDENTS (295-330)	1,653	1,119	534	58.1	64.1	48.6
MOTOR VEHICLE ACCIDENTS# (296-306)	935	613	322	32.9	35.1	29.3
SUICIDE (331-337)	291	234	57	10.2	13.4	5.2
HOMICIDE (338-346)	312	97	215	11.0	5.6	19.6

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TIME SERIES TABLES

TABLE 20
LIVE BIRTHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-2000,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2000)

YEAR	NUMBER			RATE*		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1036	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29.5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6

TABLE 20 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1913-2000

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	9.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE	
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE	
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE	
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE	
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE	
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE	
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE	
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE	
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE	
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE	
1985	43,432	22,943	20,489	16.3	13.5	21.5
1986	41,868	22,060	19,808	15.8	13.0	20.8
1987	41,279	21,576	19,703	15.2	12.4	20.2
1988	42,040	21,685	20,355	15.3	12.3	20.6
1989**	43,026	22,069	20,957	15.5	12.4	20.9
1990**	43,547	22,280	21,267	16.9	13.6	22.6
1991**	43,184	21,908	21,276	16.8	13.4	22.6
1992**	42,676	21,700	20,976	16.6	13.3	22.3
1993**	42,134	21,246	20,888	16.4	13.0	22.2
1994**	41,938	21,536	20,402	16.3	13.2	21.7
1995**	41,332	21,571	19,761	15.3	12.7	19.8
1996**	40,978	21,447	19,531	15.2	12.7	19.5
1997**	41,527	22,021	19,506	15.4	13.0	19.5
1998**	42,917	22,950	19,967	15.6	13.3	19.3
1999**	42,678	22,652	20,026	15.4	13.1	19.2
2000**	44,075	23,540	20,535	15.5	13.5	18.7

* BIRTHS PER 1,000 POPULATION.

** FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

TABLE 21
DEATHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-2000,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2000)

YEAR	NUMBER			RATE*		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4

TABLE 21 - PAGE 2
DEATHS - MISSISSIPPI - 1913-2000

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE	
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE	
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE	
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE	
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE	
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE	
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE	
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE	
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE	
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE	
1985	24,568	15,803	8,765	9.2	9.3	9.2
1986	24,341	15,694	8,647	9.2	9.2	9.1
1987	24,525	15,835	8,690	9.0	9.1	8.9
1988	24,706	16,034	8,672	9.0	9.1	8.8
1989	25,273	16,386	8,887	9.1	9.2	8.9
1990	24,994	16,088	8,906	9.7	9.8	9.5
1991	25,503	16,393	9,110	9.9	10.0	9.7
1992	25,163	16,417	8,746	9.8	10.0	9.3
1993	26,271	17,003	9,268	10.2	10.4	9.9
1994	26,657	17,210	9,447	10.4	10.5	10.0
1995	26,910	17,729	9,181	10.0	10.5	9.2
1996	26,566	17,488	9,078	9.9	10.3	9.1
1997	27,380	18,034	9,346	10.2	10.6	9.3
1998	27,737	18,343	9,394	10.1	10.7	9.1
1999	28,090	18,693	9,397	10.1	10.8	9.0
2000	28,529	19,189	9,340	10.0	11.0	8.5

* DEATHS PER 1,000 POPULATION.

TABLE 22
MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-2000,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2000)

YEAR	NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
1913	447	162	285	1087.5	740.6	1482.1
1914	413	124	289	1016.7	580.5	1500.3
1915	289	88	201	731.9	419.1	1087.4
1916	326	102	224	835.2	506.7	1185.0
1917	297	105	192	799.6	551.0	1061.6
1918	302	82	220	766.7	409.9	1134.8
1919	407	173	234	957.8	785.4	1143.5
1920	393	127	266	898.4	566.0	1248.5
1921	391	145	246	841.2	611.7	1079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1267.2
1925	435	143	292	954.7	642.3	1253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1098.2
1928	421	161	260	874.8	681.0	1061.9
1929	410	152	258	899.7	687.6	1099.5
1930	489	171	318	1019.1	737.3	1282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2

TABLE 22 - PAGE 2
 MATERNAL DEATHS - MISSISSIPPI - 1913-2000

YEAR	NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-
1983	1	0	1	2.3	-	4.7
1984	3	1	2	6.8	4.4	9.5
1985	3	2	1	6.9	8.7	4.9
1986	3	0	3	7.2	-	15.1
1987	4	2	2	9.7	9.3	10.2
1988	7	2	5	16.6	9.2	24.6
1989	6	1	5	13.9	4.5	23.8
1990	6	0	6	13.8	-	28.2
1991	3	2	1	6.9	9.1	4.7
1992	4	1	3	9.4	4.6	14.3
1993	11	2	9	26.1	9.4	43.1
1994	4	1	3	9.5	4.6	14.7
1995	5	0	5	12.1	-	25.3
1996	1	0	1	2.4	-	5.1
1997	11	4	7	26.5	18.2	35.9
1998	4	2	2	9.3	8.7	10.0
1999	6	2	4	14.0	8.8	20.0
2000	8	2	6	18.2	8.5	29.2

* DEATHS RESULTING FROM DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.

** DEATHS PER 100,000 LIVE BIRTHS.

TABLE 23
INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1917-2000,
(OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-2000)

YEAR	NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
1917	3, 689	1, 296	2, 393	99. 3	68. 0	132. 3
1918	#	#	#	#	#	#
1919	3, 554	#	#	83. 6	#	#
1920	3, 499	1, 344	2, 155	80. 0	59. 9	101. 1
1921	3, 157	1, 243	1, 914	67. 9	52. 4	84. 0
1922	2, 826	1, 067	1, 759	64. 6	50. 1	78. 4
1923	2, 908	1, 104	1, 804	67. 2	52. 2	81. 5
1924	3, 137	1, 188	1, 949	71. 4	53. 6	89. 5
1925	3, 176	1, 179	1, 997	69. 7	53. 0	85. 7
1926	3, 578	1, 447	2, 131	70. 9	58. 8	82. 4
1927	3, 291	1, 303	1, 988	66. 9	54. 0	79. 4
1928	3, 567	1, 416	2, 151	74. 1	59. 9	87. 9
1929	3, 275	1, 268	2, 007	71. 9	57. 4	85. 5
1930	3, 276	1, 182	2, 094	68. 3	51. 0	84. 5
1931	2, 547	961	1, 586	56. 4	44. 4	67. 5
1932	2, 482	965	1, 517	53. 4	44. 1	61. 7
1933	2, 800	1, 035	1, 765	63. 4	50. 7	74. 2
1934	3, 070	1, 199	1, 871	64. 1	53. 7	73. 2
1935	2, 587	1, 044	1, 543	53. 6	47. 5	58. 6
1936	2, 883	1, 105	1, 778	58. 5	49. 8	65. 7
1937	3, 098	1, 174	1, 924	59. 4	50. 4	66. 6
1938	3, 051	1, 205	1, 846	56. 8	50. 1	62. 2
1939	2, 908	1, 135	1, 773	55. 6	48. 3	61. 6
1940	2, 864	1, 070	1, 794	54. 5	46. 4	60. 9
1941	2, 969	1, 113	1, 856	54. 4	46. 1	61. 1
1942	2, 654	957	1, 697	47. 0	37. 8	54. 4
1943	2, 774	1, 137	1, 637	46. 7	41. 2	51. 5
1944	2, 481	965	1, 516	43. 6	37. 1	49. 0
1945	2, 192	846	1, 346	40. 9	36. 1	44. 7
1946	2, 298	1, 005	1, 293	37. 4	33. 8	40. 8
1947	2, 428	1, 009	1, 419	36. 6	31. 1	41. 9
1948	2, 470	988	1, 482	37. 8	33. 3	41. 6
1949	2, 612	900	1, 712	39. 5	31. 3	45. 8
1950	2, 348	763	1, 585	36. 4	28. 1	42. 6
1951	2, 589	814	1, 775	39. 5	29. 3	47. 1
1952	2, 592	760	1, 832	40. 2	27. 1	50. 3
1953	2, 534	807	1, 727	39. 6	28. 5	48. 3
1954	2, 360	744	1, 616	36. 4	25. 8	44. 9
1955	2, 338	680	1, 658	37. 0	24. 7	46. 4
1956	2, 353	734	1, 619	37. 8	26. 9	46. 4
1957	2, 257	694	1, 563	37. 2	25. 9	46. 1
1958	2, 424	706	1, 718	41. 0	26. 3	53. 1
1959	2, 355	677	1, 678	38. 9	24. 2	51. 5

TABLE 23 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1917-2000

YEAR	NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9
1983	664	240	424	15.1	10.6	19.9
1984	629	224	405	14.4	9.9	19.2
1985	596	213	383	13.7	9.3	18.7
1986	517	197	320	12.3	8.9	16.2
1987	565	212	353	13.7	9.8	17.9
1988	516	189	327	12.3	8.7	16.1
1989	498	190	308	11.6	8.6	14.7
1990	528	189	339	12.1	8.5	15.9
1991	493	163	330	11.4	7.4	15.5
1992	508	170	338	11.9	7.8	16.1
1993	482	178	304	11.4	8.4	14.6
1994	459	158	301	10.9	7.3	14.8
1995	435	149	286	10.5	6.9	14.5
1996	451	169	282	11.0	7.9	14.4
1997	440	156	284	10.6	7.1	14.6
1998	436	146	290	10.2	6.4	14.5
1999	435	152	283	10.2	6.7	14.1
2000	468	157	311	10.6	6.7	15.1

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

NOT AVAILABLE.

TABLE 24
NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-2000,
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2000)

YEAR	NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
1924	1, 598	730	868	36. 4	32. 9	39. 8
1925	1, 639	701	938	36. 0	31. 5	40. 3
1926	1, 731	823	908	34. 3	33. 4	35. 1
1927	1, 644	786	858	33. 4	32. 5	34. 3
1928	1, 788	804	984	37. 2	34. 0	40. 2
1929	1, 662	773	889	36. 5	35. 0	37. 9
1930	1, 692	715	977	35. 3	30. 8	39. 4
1931	1, 339	590	749	29. 7	27. 3	31. 9
1932	1, 361	572	789	29. 3	26. 1	32. 1
1933	1, 540	636	904	34. 8	31. 2	38. 0
1934	1, 505	644	861	31. 4	28. 8	33. 7
1935	1, 446	642	804	29. 9	29. 2	30. 5
1936	1, 494	676	818	30. 3	30. 4	30. 2
1937	1, 678	755	923	32. 2	32. 4	32. 0
1938	1, 688	747	941	31. 4	31. 1	31. 7
1939	1, 637	735	902	31. 3	31. 3	31. 3
1940	1, 613	680	933	30. 7	29. 4	31. 7
1941	1, 663	734	929	30. 5	30. 4	30. 6
1942	1, 544	638	906	27. 3	25. 2	29. 0
1943	1, 652	791	861	27. 8	28. 6	27. 1
1944	1, 436	661	775	25. 2	25. 4	25. 1
1945	1, 351	624	727	25. 2	26. 6	24. 1
1946	1, 561	794	767	25. 4	26. 7	24. 2
1947	1, 595	750	845	24. 1	23. 1	24. 9
1948	1, 674	773	901	25. 6	26. 0	25. 3
1949	1, 594	661	933	24. 1	23. 0	25. 0
1950	1, 446	560	886	22. 4	20. 6	23. 8
1951	1, 679	626	1, 053	25. 6	22. 5	27. 9
1952	1, 658	581	1, 077	25. 7	20. 7	29. 6
1953	1, 630	635	995	25. 4	22. 4	27. 8
1954	1, 521	601	920	23. 5	20. 9	25. 6
1955	1, 440	527	913	22. 8	19. 1	25. 6
1956	1, 451	581	870	23. 3	21. 3	24. 9
1957	1, 425	540	885	23. 5	20. 1	26. 1
1958	1, 475	540	935	24. 9	20. 1	28. 9
1959	1, 450	515	935	23. 9	18. 4	28. 7
1960	1, 497	550	947	25. 3	20. 2	29. 6
1961	1, 401	509	892	23. 5	18. 6	27. 8
1962	1, 456	550	906	24. 7	20. 0	28. 8
1963	1, 449	470	979	25. 3	17. 5	32. 1
1964	1, 372	460	912	24. 2	17. 7	29. 7
1965	1, 283	470	813	25. 1	20. 1	29. 2
1966	1, 123	386	737	23. 3	17. 0	28. 9
1967	1, 053	388	665	22. 6	17. 1	27. 8
1968	1, 116	424	692	24. 4	18. 6	30. 2
1969	1, 066	441	625	22. 6	18. 4	27. 1

TABLE 24 - PAGE 2
 NEONATAL DEATHS - MISSISSIPPI - 1924-2000

YEAR	NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7
1983	410	160	250	9.3	7.1	11.7
1984	395	158	237	9.0	7.0	11.2
1985	368	127	241	8.5	5.5	11.8
1986	323	133	190	7.7	6.0	9.6
1987	363	128	235	8.8	5.9	11.9
1988	318	118	200	7.6	5.4	9.8
1989	309	132	177	7.2	6.0	8.4
1990	332	111	221	7.6	5.0	10.4
1991	303	95	208	7.0	4.3	9.8
1992	320	97	223	7.5	4.5	10.6
1993	298	111	187	7.1	5.2	9.0
1994	273	93	180	6.5	4.3	8.8
1995	254	88	166	6.1	4.1	8.4
1996	294	103	191	7.2	4.8	9.8
1997	269	96	173	6.5	4.4	8.9
1998	265	76	189	6.2	3.3	9.5
1999	267	91	176	6.2	4.0	8.8
2000	289	91	198	6.6	3.9	9.6

* DEATHS OF INFANTS UNDER 28 DAYS OF AGE, BUT FIGURES FOR 1924-1948 INCLUDE DEATHS OF INFANTS UNDER ONE MONTH OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 25
POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-2000,
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2000)

YEAR	NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
1924	1, 539	458	1, 081	35. 0	20. 6	49. 6
1925	1, 537	478	1, 059	33. 7	21. 5	45. 4
1926	1, 847	624	1, 223	36. 6	25. 4	47. 3
1927	1, 647	517	1, 130	33. 5	21. 4	45. 1
1928	1, 779	612	1, 167	37. 0	25. 9	47. 7
1929	1, 613	495	1, 118	35. 4	22. 4	47. 6
1930	1, 584	467	1, 117	33. 0	20. 1	45. 0
1931	1, 208	371	837	26. 8	17. 1	35. 6
1932	1, 121	393	728	24. 1	18. 0	29. 6
1933	1, 260	399	861	28. 5	19. 6	36. 2
1934	1, 565	555	1, 010	32. 7	24. 8	39. 5
1935	1, 141	402	739	23. 6	18. 3	28. 1
1936	1, 389	429	960	28. 2	19. 3	35. 5
1937	1, 420	419	1, 001	27. 2	18. 0	34. 6
1938	1, 363	458	905	25. 4	19. 0	30. 5
1939	1, 271	400	871	24. 3	17. 0	30. 3
1940	1, 251	390	861	23. 8	16. 9	29. 2
1941	1, 306	379	927	23. 9	15. 7	30. 5
1942	1, 110	319	791	19. 6	12. 6	25. 3
1943	1, 122	346	776	18. 9	12. 5	24. 4
1944	1, 045	304	741	18. 4	11. 7	24. 0
1945	841	222	619	15. 7	9. 5	20. 6
1946	737	211	526	12. 0	7. 1	16. 6
1947	833	259	574	12. 6	8. 0	16. 9
1948	796	215	581	12. 2	7. 2	16. 3
1949	1, 018	239	779	15. 4	8. 3	20. 9
1950	902	203	699	14. 0	7. 5	18. 8
1951	910	188	722	13. 9	6. 8	19. 1
1952	934	179	755	14. 5	6. 4	20. 7
1953	904	172	732	14. 1	6. 1	20. 5
1954	839	143	696	13. 0	5. 0	19. 4
1955	898	153	745	14. 2	5. 6	20. 9
1956	902	153	749	14. 5	5. 6	21. 5
1957	832	154	678	13. 7	5. 7	20. 0
1958	949	166	783	16. 0	6. 2	24. 2
1959	905	162	743	14. 9	5. 8	22. 8
1960	960	164	796	16. 2	6. 0	24. 9
1961	849	136	713	14. 3	5. 0	22. 2
1962	897	155	742	15. 2	5. 6	23. 6
1963	923	140	783	16. 1	5. 2	25. 7
1964	858	139	719	15. 1	5. 4	23. 4
1965	843	123	720	16. 5	5. 3	25. 9
1966	733	134	599	15. 2	5. 9	23. 5
1967	592	124	468	12. 7	5. 5	19. 6
1968	497	93	404	10. 9	4. 1	17. 6
1969	447	89	358	9. 5	3. 7	15. 5

TABLE 25 - PAGE 2
 POSTNEONATAL DEATHS - MISSISSIPPI - 1924-2000

YEAR	NUMBER			RATE**		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1
1983	254	80	174	5.8	3.5	8.2
1984	234	66	168	5.4	2.9	8.0
1985	228	86	142	5.2	3.7	6.9
1986	194	64	130	4.6	2.9	6.6
1987	202	84	118	4.9	3.9	6.0
1988	198	71	127	4.7	3.3	6.2
1989	189	58	131	4.4	2.6	6.2
1990	196	78	118	4.5	3.5	5.5
1991	190	68	122	4.4	3.1	5.7
1992	188	73	115	4.4	3.4	5.5
1993	184	67	117	4.4	3.2	5.6
1994	186	65	121	4.4	3.0	5.9
1995	181	61	120	4.4	2.8	6.1
1996	157	66	91	3.8	3.1	4.6
1997	171	60	111	4.1	2.7	5.7
1998	171	70	101	4.0	3.0	5.0
1999	168	61	107	3.9	2.7	5.3
2000	179	66	113	4.1	2.8	5.5

* DEATHS OF INFANTS 28 DAYS OF AGE OR OLDER, BUT FIGURES FOR 1924-1948 ONLY INCLUDE DEATHS OF INFANTS ONE MONTH OF AGE OR OLDER.

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 26
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,
MISSISSIPPI, 1926-2000

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890

TABLE 26 - PAGE 2
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-2000

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570
1983	26,921	19,950	6,971	13,436**	10,709	2,674
1984	26,025	19,255	6,770	12,911**	10,205	2,664
1985	24,750	18,241	6,509	12,535**	9,766	2,662
1986	24,283	17,729	6,554	12,871**	10,155	2,630
1987	23,729	17,286	6,443	12,142**	9,542	2,420
1988	24,919	18,335	6,584	12,097**	9,454	2,473
1989	24,240	17,735	6,505	12,945**	9,823	2,755
1990	24,348	17,766	6,582	12,735**	9,498	2,804
1991	23,446	17,235	6,211	13,027**	9,926	2,689
1992	22,995	16,776	6,219	12,758**	9,785	2,667
1993	23,271	17,066	6,205	13,860**	10,513	2,940
1994	22,872	16,479	6,393	13,302**	10,110	2,890
1995	22,150	15,714	6,436	13,182**	10,073	2,850
1996	21,550	15,219	6,331	14,263**	10,658	3,180
1997	21,338	14,630	6,708	13,860**	10,376	3,101
1998	20,911	14,222	6,689	13,748**	10,310	3,004
1999	21,828	14,436	7,392	14,056**	10,625	3,221
2000	19,879	13,232	6,647	14,177**	10,666	3,312

* TOTAL NUMBER OF MARRIAGES FOR 1926 AND TOTAL NUMBER OF DIVORCES FOR 1926 AND 1927 FURNISHED BY U. S. BUREAU OF CENSUS; DISTRIBUTION BY RACE NOT AVAILABLE.

** I INCLUDES SOME RECORDS ON WHICH THE RACE OF THE COUPLE WAS NOT STATED.

TABLE 27
REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND INDUCED TERMINATION RATIOS, BY YEAR AND RACE,
PROCEDURES PERFORMED IN MISSISSIPPI, 1976-2000

YEAR	NUMBER				RATIO*		
	TOTAL	WHI TE	NON- WHI TE	UNK. RACE	TOTAL	WHI TE	NON- WHI TE
1976	1,510	976	515	19	35.1	43.2	25.3
1977	2,446	1,531	907	8	53.7	65.5	40.9
1978	3,280	1,998	1,270	12	73.9	88.3	58.4
1979	4,411	2,765	1,636	10	96.1	117.7	72.9
1980	5,543	3,283	2,250	10	115.9	133.0	97.2
1981	5,561	3,236	2,263	62	120.3	136.1	100.8
1982	5,145	2,954	2,174	17	112.0	122.9	99.3
1983	4,560	2,473	2,084	3	103.6	109.1	97.7
1984	4,585	2,633	1,945	7	104.8	116.1	92.3
1985	5,288	2,922	2,359	7	121.8	127.4	115.1
1986	4,521	2,505	2,013	3	108.0	113.6	101.6
1987	5,469	2,950	2,517	2	132.5	136.7	127.7
1988	5,170	2,561	2,588	21	123.0	118.1	127.1
1989	5,490	2,674	2,802	14	127.6	121.2	133.7
1990	6,842	3,334	3,485	23	157.1	149.6	163.9
1991	8,184	3,910	4,244	30	189.5	178.5	199.5
1992	7,555	3,425	4,127	3	177.0	157.8	196.7
1993	6,002	2,425	3,551	26	142.4	114.1	170.0
1994	3,979	1,414	2,558	7	94.9	65.6	125.4
1995	3,563	1,288	2,274	1	86.2	59.7	115.1
1996	4,206	1,340	2,859	7	102.6	62.5	146.4
1997	4,325	1,418	2,906	1	104.1	64.4	149.0
1998	3,955	1,215	2,737	3	92.2	52.9	137.1
1999	3,878	1,060	2,810	8	90.9	46.8	140.3
2000	3,758	1,039	2,711	8	85.3	44.1	132.0

* INDUCED TERMINATIONS OF PREGNANCY PER 1,000 LIVE BIRTHS.

TABLE 28
TEENAGE PREGNANCIES AND PREGNANCY RATES,
BY YEAR AND RACE, RESIDENCE DATA,
MISSISSIPPI, 1979-2000

YEAR	NUMBER			RATE*		
	TOTAL**	WHITE	NON- WHITE	TOTAL**	WHITE	NON- WHITE
1979	13,347	5,401	7,895	55.9	40.4	75.2
1980	13,544	5,712	7,808	56.8	42.7	74.4
1981	12,804	5,399	7,365	53.7	40.4	70.2
1982	12,217	5,125	7,080	51.2	38.4	67.4
1983	11,435	4,708	6,727	52.6	38.1	71.4
1984	11,091	4,382	6,709	51.0	35.5	71.3
1985	10,998	4,455	6,543	50.5	36.1	69.5
1986	10,231	4,077	6,154	47.0	33.0	65.4
1987	10,244	4,057	6,187	47.6	33.2	66.4
1988	10,565	4,174	6,391	49.3	34.3	69.0
1989#	11,267	4,403	6,855	52.9	36.4	74.4
1990#	11,379	4,457	6,916	53.1	39.0	69.3
1991#	11,545	4,485	7,056	53.9	39.2	70.7
1992#	11,089	4,119	6,969	51.8	36.0	69.8
1993#	10,962	3,911	7,046	51.2	34.2	70.6
1994#	10,802	3,889	6,911	50.4	34.0	69.3
1995#	10,778	3,984	6,789	49.9	34.5	67.5
1996#	10,401	3,787	6,612	48.1	32.8	65.7
1997#	9,989	3,681	6,305	46.2	31.9	62.7
1998#	9,891	3,748	6,143	45.9	32.8	60.5
1999#	9,675	3,646	6,027	45.2	32.1	59.8
2000#	9,508	3,618	5,889	42.9	31.1	55.9

* NUMBER OF LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES AGES 10-19 IN SPECIFIED RACE GROUP.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE WAS UNKNOWN.

FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

APPENDICES

**APPENDIX A.
LIST OF 358 SELECTED CAUSES OF DEATH USED FOR TABULATING MORTALITY STATISTICS,
SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED**

This list of causes of death for the tabulation and dissemination of mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

The purpose of this list of 358 selected causes is threefold: (1) to separately identify causes of death specified by the WHO in its recommended mortality tabulation lists, (2) to the greatest extent possible, to maintain continuity with past lists (i.e., NCHS's List of 282 Selected Causes of Death used with ICD-9) for historic continuity and to facilitate trend analysis, and (3) to separately identify causes of death that are of public health and medical importance.

Group	Cause of Death	ICD-10 Codes Included
001	Cholera	A00
002	Typhoid fever	A01.0
003	Paratyphoid fevers and other salmonella infections	A01.1-A01.4, A02
004	Shigellosis	A03
005	Other bacterial food-borne intoxications	A05
006	Amebiasis	A06
007	Intestinal infections due to other specified organisms	A04, A07-A08
008	Diarrhea and gastroenteritis of presumed infectious origin	A09
009	Respiratory tuberculosis	A16
010	Other tuberculosis	A17-A19
011	Plague	A20
012	Brucellosis	A23
013	Tetanus	A33-A35
014	Diphtheria	A36
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
019	Other zoonotic and bacterial diseases	A21-A22, A24-A32, A42-A44, A48-A49
020	Cardiovascular syphilis	A52.0
021	Neurosyphilis	A52.1-A52.3
022	Other and unspecified syphilis	A50-A51, A52.7-A52.9, A53

Group	Cause of Death	ICD-10 Codes Included
023	Gonococcal infection	A54
024	Other infections with a predominantly sexual mode of transmission	A55-A64
025	Lyme disease	A69.2
026	Typhus fever	A75
027	All other infections caused by spirochetes, chlamydia or rickettsia	A65-A68, A69.0-A69.1, A69.8-A69.9, A70-A74, A77-A79
028	Acute poliomyelitis	A80
029	Rabies	A82
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
031	Yellow fever	A95
032	Other and unspecified arthropod-borne viral and hemorrhagic fevers	A90-A94, A96-A99
033	Herpesviral (herpes simplex) infections	B00
034	Zoster (herpes zoster)	B02
035	Smallpox	B03
036	Measles	B05
037	Rubella (German measles)	B06
038	Viral hepatitis	B15-B19
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	B20
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	B21
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	B22
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	B23
043	Unspecified human immunodeficiency virus (HIV) disease	B24
044	All other and unspecified viral diseases	A85.0-A85.1, A85.8, A86-A89, B01, B04, B07-B09, B25-B34
045	Mycoses	B35-B49
046	Malaria	B50-B54
047	Leishmaniasis	B55
048	Trypanosomiasis	B56-B57
049	Pneumocystosis	B59

Group	Cause of Death	ICD-10 Codes Included
050	Other and unspecified protozoal diseases	B58, B60-B64
051	Schistosomiasis (bilharziasis)	B65
052	Other and unspecified helminthiasis	B66-B83
053	Sequelae of tuberculosis	B90
054	Sequelae of poliomyelitis	B91
055	All other and unspecified infectious and parasitic diseases and their sequelae	B85-B89, B92-B99
056	Malignant neoplasms of lip	C00
057	Malignant neoplasms of tongue	C01-C02
058	Malignant neoplasms of pharynx	C10-C13, C14.0
059	Malignant neoplasms of other and unspecified sites within the lip, oral cavity and pharynx	C03-C09, C14.2-C14.8
060	Malignant neoplasms of esophagus	C15
061	Malignant neoplasms of stomach	C16
062	Malignant neoplasms of small intestine	C17
063	Malignant neoplasms of colon	C18
064	Malignant neoplasms of rectosigmoid junction and rectum	C19-C20
065	Malignant neoplasms of anus and anal canal	C21
066	Malignant neoplasms of liver	C22.0, C22.2-C22.9
067	Intrahepatic bile duct carcinoma	C22.1
068	Malignant neoplasms of gallbladder and extrahepatic bile ducts	C23-C24
069	Malignant neoplasms of pancreas	C25
070	Malignant neoplasms of other and ill-defined digestive organs	C26
071	Malignant neoplasms of nasal cavity, middle ear and accessory sinuses	C30-C31
072	Malignant neoplasms of larynx	C32
073	Malignant neoplasms of trachea, bronchus and lung	C33-C34
074	Malignant neoplasms of thymus, heart, mediastinum and pleura	C37-C38
075	Malignant neoplasms of other and ill-defined sites in respiratory system and intrathoracic organs	C39
076	Malignant neoplasms of bone and articular cartilage	C40-C41

Group	Cause of Death	ICD-10 Codes Included
077	Malignant melanoma of skin	C43
078	Other malignant neoplasms of skin	C44
079	Mesothelioma	C45
080	Kaposi's sarcoma	C46
081	Malignant neoplasms of other mesothelial and soft tissue	C47-C49
082	Malignant neoplasm of breast	C50
083	Malignant neoplasms of vulva and vagina	C51-C52
084	Malignant neoplasms of cervix uteri	C53
085	Malignant neoplasms of corpus uteri and uterus, part unspecified	C54-C55
086	Malignant neoplasms of ovary	C56
087	Malignant neoplasms of other and unspecified female genital organs	C57
088	Malignant neoplasms of placenta	C58
089	Malignant neoplasms of prostate	C61
090	Malignant neoplasms of testis	C62
091	Malignant neoplasms of penis and other and unspecified male genital organs	C60, C63
092	Malignant neoplasms of kidney and renal pelvis	C64-C65
093	Malignant neoplasms of bladder	C67
094	Malignant neoplasms of other and unspecified sites within the urinary tract	C66, C68
095	Malignant neoplasm of eye and adnexa	C69
096	Malignant neoplasms of brain	C71
097	Malignant neoplasms of other parts of central nervous system	C70, C72
098	Malignant neoplasms of thyroid and other endocrine glands	C73-C75
099	Other malignant neoplasms of other and unspecified sites	C76-C80, C97
100	Hodgkin's disease	C81
101	Non-Hodgkin's lymphoma	C82-C85
102	Malignant neoplasms of other and unspecified lymphoid, hematopoietic and related tissue	C96
103	Malignant immunoproliferative diseases	C88

Group	Cause of Death	ICD-10 Codes Included
104	Multiple myeloma and malignant plasma cell neoplasms	C90
105	Lymphoid leukemia	C91
106	Myeloid leukemia	C92
107	Monocytic leukemia	C93
108	Other and unspecified leukemia	C94-C95
109	Carcinoma in situ of breast and genitourinary system	D05-D07
110	Carcinoma in situ of other and unspecified sites	D00-D04, D09
111	Benign neoplasms of female genital organs	D25-D28
112	Benign neoplasms of eye, brain and other parts of central nervous system	D31-D33
113	Benign neoplasms of other and unspecified sites	D10-D24, D29-D30, D34-D36
114	Neoplasms of uncertain or unknown behavior of specified sites	D37-D47
115	Neoplasm of uncertain or unknown behavior of unspecified sites	D48
116	Nutritional anemias	D50-D53
117	Hemolytic anemias	D55-D59
118	Aplastic anemias	D60-D61
119	Acute posthemorrhagic and other anemias	D62, D64
120	Coagulation defects, purpura and other hemorrhagic conditions	D65-D69
121	Other diseases of blood and blood-forming organs	D70-D76
122	Certain disorders involving the immune mechanism	D80-D89
123	Disorders of thyroid gland	E00-E07
124	Diabetes mellitus	E10-E14
125	Disorders of pituitary gland	E22-E23
126	Disorders of adrenal glands	E24-E27
127	Diseases of thymus	E32
128	Other endocrine diseases	E15-E21, E28-E31, E34
129	Nutritional marasmus	E41
130	Other and unspecified malnutrition	E40, E42-E46
131	Other nutritional deficiencies	E50-E64

Group	Cause of Death	ICD-10 Codes Included
132	Obesity and other hyperalimentation	E65-E68
133	Cystic fibrosis	E84
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
135	Other metabolic disorders	E70-E83, E85, E88
136	Organic dementia	F01, F03
137	Other and unspecified organic mental disorders	F04-F09
138	Mental and behavioral disorders due to use of alcohol	F10
139	Mental and behavioral disorders due to other psychoactive substance use	F11-F19
140	Schizophrenia, schizotypal and delusional disorders	F20-F29
141	Mood (affective) disorders	F30-F39
142	Neurotic, stress-related and somatoform disorders	F40-F48
143	Mental retardation	F70-F79
144	Other and unspecified mental and behavioral disorders	F50-F69, F80-F99
145	Meningitis	G00, G03
146	Other inflammatory diseases of central nervous system	G04-G09
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
149	Multiple sclerosis	G35
150	Epilepsy	G40-G41
151	Transient cerebral ischemic attacks and related syndromes	G45
152	Infantile cerebral palsy	G80
153	All other diseases of nervous system	G10-G12, G23-G25, G31, G36-G37, G43-G44, G47-G72, G81-G98
154	Diseases of the eye and adnexa	H00-H57
155	Diseases of the ear and mastoid process	H60-H93
156	Acute rheumatic fever	I00-I02
157	Rheumatic mitral valve diseases	I05
158	Rheumatic aortic valve diseases	I06

Group	Cause of Death	ICD-10 Codes Included
159	Disorders of both mitral and aortic valves	I08.0
160	Other chronic rheumatic heart diseases	I07, I08.1-I08.9, I09
161	Essential (primary) hypertension	I10
162	Hypertensive heart disease	I11
163	Hypertensive renal disease	I12
164	Hypertensive heart and renal disease	I13
165	Acute myocardial infarction	I21-I22
166	Other acute ischemic heart diseases	I24
167	Atherosclerotic cardiovascular disease, so described	I25.0
168	All other forms of chronic ischemic heart disease	I20, I25.1-I25.9
169	Pulmonary embolism	I26
170	Other pulmonary heart disease and diseases of pulmonary circulation	I27-I28
171	Acute and subacute endocarditis	I33
172	Diseases of pericardium and acute myocarditis	I30-I31, I40
173	Nonrheumatic mitral valve disorders	I34
174	Nonrheumatic aortic valve disorders	I35
175	All other diseases of endocardium	I36-I38
176	Cardiomyopathy	I42
177	Conduction disorders and cardiac dysrhythmias	I44-I49
178	Congestive heart failure	I50.0
179	Other and unspecified heart failure	I50.1-I50.9
180	Myocarditis, unspecified and myocardial degeneration	I51.4-I51.5
181	All other and ill-defined forms of heart disease	I51.0-I51.3, I51.6-I51.9
182	Subarachnoid hemorrhage	I60
183	Intracerebral and other intracranial hemorrhage	I61-I62
184	Cerebral infarction	I63
185	Stroke, not specified as hemorrhage or infarction	I64
186	Other cerebrovascular diseases and their sequelae	I67, I69
187	Atherosclerosis	I70

Group	Cause of Death	ICD-10 Codes Included
188	Aortic aneurysm and dissection	I71
189	Other diseases of arteries, arterioles and capillaries	I72-I78
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	I80-I82
191	All other and unspecified disorders of circulatory system	I83-I99
192	Acute pharyngitis and tonsillitis	J02-J03
193	Acute laryngitis and tracheitis	J04
194	Other and unspecified acute upper respiratory infections	J00-J01, J05-J06
195	Influenza	J10-J11
196	Viral pneumonia, not elsewhere classified	J12
197	Bacterial pneumonia	J13-J15
198	Pneumonia due to other or unspecified organisms	J16, J18
199	Acute bronchitis and bronchiolitis	J20-J21
200	Unspecified acute lower respiratory infection	J22
201	Other diseases of upper respiratory tract	J30-J39
202	Bronchitis, not specified as acute or chronic	J40
203	Chronic bronchitis	J41-J42
204	Emphysema	J43
205	Other chronic obstructive pulmonary disease	J44
206	Asthma	J45-J46
207	Bronchiectasis	J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209	Pneumonitis due to food and vomit	J69.0
210	Other pneumonitis due to solids and liquids	J69.1-J69.8
211	Other lung diseases due to external agents	J67, J70
212	Suppurative and necrotic conditions of lower respiratory tract	J85-J86
213	Pleural effusion and plaque	J90, J92
214	All other diseases of respiratory system	J80-J84, J93-J98
215	Diseases of oral cavity, salivary glands and jaws	K00-K14
216	Diseases of esophagus	K20-K22

Group	Cause of Death	ICD-10 Codes Included
217	Gastric ulcer	K25
218	Duodenal ulcer	K26
219	Peptic ulcer, site unspecified	K27
220	Gastrojejunal ulcer	K28
221	Gastritis and duodenitis	K29
222	Dyspepsia and other diseases of stomach and duodenum	K30-K31
223	Diseases of appendix	K35-K38
224	Hernia	K40-K46
225	Crohn's disease and ulcerative colitis	K50-K51
226	Vascular disorders and obstruction of intestine without hernia	K55-K56
227	Diverticular disease of intestine	K57
228	Other diseases of intestines and peritoneum	K52, K58-K63
229	Diseases of peritoneum	K65-K66
230	Alcoholic liver disease	K70
231	Chronic hepatitis, not elsewhere classified	K73
232	Fibrosis and cirrhosis of liver	K74
233	Other diseases of liver	K71-K72, K75-K76
234	Cholelithiasis and other disorders of gallbladder	K80-K82
235	Pancreatitis	K85, K86.0-K86.1
236	Other disorders of biliary tract and pancreas	K83, K86.2-K86.9
237	All other diseases of digestive system	K90, K92
238	Infections of skin and subcutaneous tissue	L00-L08
239	Other and unspecified diseases of skin and subcutaneous tissue	L10-L98
240	Rheumatoid arthritis and related inflammatory polyarthropathies	M05-M08
241	Systemic lupus erythematosus	M32
242	Other arthropathies and related disorders	M00, M02, M10-M31, M33-M35
243	Dorsopathies	M40-M54
244	Soft tissue disorders	M60-M79
245	Osteoporosis	M80-M81

Group	Cause of Death	ICD-10 Codes Included
246	Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue	M83-M99
247	Acute and rapidly progressive nephritic syndrome	N00-N01
248	Nephrotic syndrome	N04
249	Other and unspecified glomerular diseases	N02-N03, N05-N07
250	Renal tubulo-interstitial diseases	N10-N15
251	Renal failure	N17-N19
252	Urolithiasis	N20-N23
253	Other and unspecified disorders of kidney	N25-N27
254	Urinary tract infection, site not specified	N39.0
255	Other diseases of urinary system	N28-N36, N39.1-N39.9
256	Hyperplasia of prostate	N40
257	Other diseases of male genital organs	N41-N50
258	Disorders of breast	N60-N64
259	Inflammatory diseases of female pelvic organs	N70-N76
260	Noninflammatory disorders of female genital tract	N80-N98
261	Ectopic pregnancy	000
262	Spontaneous abortion	003
263	Medical abortion	004
264	Other abortion	005
265	Other and unspecified pregnancy with abortive outcome	001-002, 006-007
266	Eclampsia and pre-eclampsia	011, 013-016
267	Hemorrhage of pregnancy and childbirth and placenta previa	020, 044-046, 067, 072
268	Obstetric embolism	088
269	Other complications predominately related to the puerperium	085-087, 089-092
270	All other direct obstetric causes	010, 012, 021-043, 047-066, 068-071, 073-075
271	Obstetric death of unspecified cause	095
272	Other deaths related to pregnancy, childbirth and the puerperium	096-097
273	Indirect obstetric deaths	098-099

Group	Cause of Death	ICD-10 Codes Included
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	P00-P04
275	Disorders related to short gestation and low birth weight, not elsewhere classified	P07
276	Birth trauma	P10-P15
277	Intrauterine hypoxia and birth asphyxia	P20-P21
278	Respiratory distress of newborn	P22
279	Other respiratory conditions originating in the perinatal period	P23-P28
280	Infections specific to the perinatal period	P35-P39
281	Other and unspecified conditions originating in the perinatal period	P05, P08, P29, P50-P96
282	Anencephaly and similar malformations	Q00
283	Spina bi fi da	Q05
284	All other congenital malformations of nervous system	Q01-Q04, Q06-Q07
285	Congenital malformations of heart	Q20-Q24
286	Other congenital malformations of circulatory system	Q25-Q28
287	Congenital malformations of respiratory system	Q30-Q34
288	Other congenital malformations and deformations	Q10-Q18, Q35-Q89
289	Down's syndrome	Q90
290	All other chromosomal abnormalities, not elsewhere classified	Q91-Q99
291	Senility	R54
292	Sudden infant death syndrome	R95
293	Other ill-defined and unknown causes of mortality	R96-R99
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94
295	Railway accidents	V05, V15, V80. 6, V81. 2-V81. 9
296	Pedestrian involved in collision with motor vehicle	V02-V04
297	Pedal cyclist involved in collision with motor vehicle	V12-V14, V19. 0-V19. 2, V19. 4-V19. 6

Group	Cause of Death	ICD-10 Codes Included
298	Motorcyclist involved in any accident except collision with railway train	V20-V24, V26-V34, V36-V39
299	Motorcyclist involved in collision with railway train	V25, V35
300	Other motor vehicle accident involving collision with railway train	V45, V55, V65, V75, V81.0-V81.1, V87.6, V88.6
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	V40-V41, V46-V47, V50-V51, V56-V57, V60-V61, V66-V67, V70-V71, V76-V77
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	V42-V44, V49, V52-V54, V59
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	V62-V64, V69, V72-V74, V79
304	Occupant of motor vehicle involved in noncollision accident	V48, V58, V68, V78
305	Occupant of special-use motor vehicle involved in any accident	V83-V86
306	Other and unspecified motor vehicle accidents	V09.0, V09.2, V80.3-V80.5, V82.0-V82.1, V87.0-V87.5, V87.7-V87.8, V88.0-V88.5, V88.7-V88.8, V89.0, V89.2
307	Streetcar accidents	V82.2-V82.9
308	Other and unspecified land transport accidents	V01, V06, V09.1, V09.3, V09.9, V10-V11, V16-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.7-V80.9, V87.9, V88.9, V89.1, V89.3, V89.9
309	Water transport accidents	V90-V94
310	Air and space transport accidents	V95-V97
311	Other and unspecified transport accidents and their sequelae	V98-V99, Y85
312	Fall on same level	W00-W09, W18
313	Fall from one level to another	W10-W17
314	Unspecified fall	W19
315	Accidental discharge of firearms	W32-W34
316	Accidental explosion	W39-W40
317	Accidental drowning and submersion	W65-W74
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80

Group	Cause of Death	ICD-10 Codes Included
319	Other accidental and unspecified threats to breathing	W75-W77, W81-W84
320	Accidental exposure to electric current	W85-W87
321	Accidental exposure to radiation	W88-W91
322	Accidental exposure to smoke, fire and flames	X00-X09
323	Accidental contact with heat and hot substances	X10-X19
324	Lightning	X33
325	Earthquake, volcanic eruption, avalanche, landslide and other earth movements	X34-X36
326	Cataclysmic storm and flood	X37-X38
327	Accidental poisoning by and exposure to drugs and other biological substances	X40-X44
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	X45-X46, X48-X49
329	Accidental poisoning by and exposure to other gases and vapors	X47
330	All other and unspecified accidents and their sequelae	W20-W31, W35-W38, W41-W64, W92-W99, X20-X32, X39, X50-X59, Y86
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	X60-X64
332	Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors	X65-X66, X68-X69
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	X67
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	X70
335	Intentional self-harm (suicide) by discharge of firearms	X72-X74
336	Intentional self-harm (suicide) by jumping from a high place	X80
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	X71, X75-X79, X81-X84, Y87.0
338	Assault (homicide) by drugs, biological substances and other and unspecified noxious substances	X85-X90
339	Assault (homicide) by hanging, strangulation and suffocation	X91
340	Assault (homicide) by discharge of firearms	X93-X95

Group	Cause of Death	ICD-10 Codes Included
341	Assault (homicide) by sharp object	X99
342	Assault (homicide) by blunt object	Y00
343	Assault (homicide) by bodily force	Y04
344	Sexual assault (homicide) by bodily force	Y05
345	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
346	Assault (homicide) by all other and unspecified means and their sequelae	X92, X96-X98, Y01-Y03, Y08-Y09, Y87.1
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	Y10-Y14
348	Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent	Y15-Y16, Y18-Y19
349	Poisoning by and exposure to other gases and vapors, undetermined intent	Y17
350	Discharge of firearms, undetermined intent	Y22-Y24
351	Falling, jumping or pushed from a high place, undetermined intent	Y30
352	All other and unspecified events of undetermined intent and their sequelae	Y20-Y21, Y25-Y29, Y31-Y34, Y87.2, Y89.9
353	Legal execution	Y35.5
354	Other legal intervention and their sequelae	Y35.0-Y35.4, Y35.6-Y35.7, Y89.0
355	Operations of war and their sequelae	Y36, Y89.1
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	Y40-Y59, Y88.0
357	Misadventures to patients during medical and surgical care and their sequelae	Y60-Y69, Y88.1
358	Other complications of medical and surgical care and their sequelae	Y70-Y84, Y88.2-Y88.3

**APPENDIX B.
LIST OF 50 SELECTED CATEGORIES OF CAUSES OF DEATH
USED FOR RANKING LEADING CAUSES,
SHOWING GROUP NUMBERS, CAUSES OF DEATH,
AND ICD-10 CODES INCLUDED IN EACH CATEGORY**

These cause-of-death categories were adapted from the National Center for Health Statistics List of 358 Selected Causes of Death (see Appendix A), and were constructed in part by combining certain titles from that list.

These categories are used for ranking leading causes of death.

Group Numbers Included*	Cause of Death	ICD-10 Codes Included
002, 003	Salmonella infections	A01-A02
004, 006	Shigellosis and amebiasis	A03, A06
009, 010	Tuberculosis	A16-A19
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
020-022	Syphilis	A50-A53
028	Acute poliomyelitis	A80
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
036	Measles	B05
038	Viral hepatitis	B15-B19
039-043	Human immunodeficiency virus (HIV) disease	B20-B24
046	Malaria	B50-B54
056-108	Malignant neoplasms	C00-C97
110-115	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
116-119	Anemias	D50-D64
124	Diabetes mellitus	E10-E14
129-131	Nutritional deficiencies	E40-E64
145	Meningitis	G00, G03
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
156-160, 162, 164-181	Diseases of heart	I00-I09, I11, I13, I20-I51
161, 163	Essential (primary) hypertension and hypertensive renal disease	I10, I12

Group Numbers Included*	Cause of Death	ICD-10 Codes Included
182-186	Cerebrovascular diseases	I60-I69
187	Atherosclerosis	I70
188	Aortic aneurysm and dissection	I71
195-198	Influenza and pneumonia	J10-J18
199	Acute bronchitis and bronchiolitis	J20-J21
202-207	Chronic lower respiratory diseases	J40-J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209, 210	Pneumonitis due to solids and liquids	J69
217-220	Peptic ulcer	K25-K28
223	Diseases of appendix	K35-K38
224	Hernia	K40-K46
230-232	Chronic liver disease and cirrhosis	K70, K73-K74
234	Cholelithiasis and other disorders of gallbladder	K80-K82
247-249, 251, 253	Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27
**	Infections of kidney	N10-N12, N13.6, N15.1
256	Hyperplasia of prostate	N40
259	Inflammatory diseases of female pelvic organs	N70-N76
261-273	Pregnancy, childbirth and the puerperium	000-099
274-281	Certain conditions originating in the perinatal period	P00-P96
282-290	Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99
295-330	Accidents	V01-X59, Y85, Y86
331-337	Intentional self-harm (suicide)	X60-X84, Y87.0
338-346	Assault (homicide)	X85-Y09, Y87.1
353-354	Legal intervention	Y35, Y89.0
335	Operations of war and their sequelae	Y36, Y89.1
356-358	Complications of medical and surgical care	Y40-Y84, Y88

* Refer to Appendix A for the cause(s) of death and ICD-10 codes included in each individual group number.

** The ICD-10 codes included in this category have no corresponding group number.

**APPENDIX C.
LIST OF 130 SELECTED CAUSES OF INFANT DEATH
USED FOR TABULATING INFANT MORTALITY STATISTICS,
SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED**

This list of causes of death for the tabulation and dissemination of infant mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

This list is used for the analysis of infant mortality and for ranking leading causes of infant death, and contains more detailed titles for Certain conditions originating in the perinatal period and Congenital malformations, deformations and chromosomal abnormalities than the List of 358 Selected Causes of Death (see Appendix A). The categories used for ranking leading causes of infant death are marked with a #, and may include one or more group numbers.

Group	Cause of Death	ICD-10 Codes Included
	<u>Certain infectious and parasitic diseases</u>	<u>A00-B99</u>
001	Certain intestinal infectious diseases	A00-A08
002	# Diarrhea and gastroenteritis of presumed infectious origin	A09
003	# Tuberculosis	A16-A19
004	# Tetanus	A33, A35
005	# Diphtheria	A36
006	# Whooping cough	A37
007	# Meningococcal infection	A39
008	# Septicemia	A40-A41
009	# Congenital syphilis	A50
010	# Gonococcal infection	A54
	<u>Viral diseases</u>	<u>A80-B34</u>
011	# Acute poliomyelitis	A80
012	# Varicella (chickenpox)	B01
013	# Measles	B05
014	# Human immunodeficiency virus (HIV) disease	B20-B24
015	# Mumps	B26
016	Other and unspecified viral diseases	A81-B00, B02-B04, B06-B19, B25, B27-B34
017	# Candidiasis	B37
018	# Malaria	B50-B54
019	# Pneumocystosis	B59

Group	Cause of Death	ICD-10 Codes Included
020	Other and unspecified infectious and parasitic diseases and their sequelae	A20-A32, A38, A42-A49, A51-A53, A55-A79, B35-B36, B38-B49, B55-B58, B60-B99
	<u>Neoplasms</u>	<u>C00-D48</u>
	# <u>Malignant neoplasms</u>	<u>C00-C97</u>
021	Hodgkin's disease and non-Hodgkin's lymphomas	C81-C85
022	Leukemia	C91-C95
023	Other and unspecified malignant neoplasms	C00-C80, C88, C90, C96-C97
024	# In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
	# <u>Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism</u>	<u>D50-D89</u>
025	Anemias	D50-D64
026	Hemorrhagic conditions and other diseases of blood and blood-forming organs	D65-D76
027	Certain disorders involving the immune mechanism	D80-D89
	<u>Endocrine, nutritional and metabolic diseases</u>	<u>E00-E88</u>
028	# Short stature, not elsewhere classified	E34.3
029	# Nutritional deficiencies	E40-E64
030	# Cystic fibrosis	E84
031	# Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
032	All other endocrine, nutritional and metabolic diseases	E00-E32, E34.0-E34.2, E34.4-E34.9, E65-E83, E85, E88
	<u>Diseases of the nervous system</u>	<u>G00-G98</u>
033	# Meningitis	G00, G03
034	# Infantile spinal muscular atrophy, type I (Werdnig-Hoffman)	G12.0
035	# Infantile cerebral palsy	G80
036	# Anoxic brain damage, not elsewhere classified	G93.1
037	Other diseases of nervous system	G04, G06-G11, G12.1-G12.9, G20-G72, G81-G92, G93.0, G93.2-G93.9, G95-G98
038	# Diseases of the ear and mastoid process	H60-H93

Group	Cause of Death	ICD-10 Codes Included
	<u># Diseases of the circulatory system</u>	<u>I00-I99</u>
039	Pulmonary heart disease and diseases of pulmonary circulation	I26-I28
040	Pericarditis, endocarditis and myocarditis	I30, I33, I40
041	Cardiomyopathy	I42
042	Cardiac arrest	I46
043	Cerebrovascular diseases	I60-I69
044	All other diseases of circulatory system	I00-I25, I31, I34-I38, I44-I45, I47-I51, I70-I99
	<u>Diseases of the respiratory system</u>	<u>J00-J98</u>
045	Acute upper respiratory infections	J00-J06
	<u># Influenza and pneumonia</u>	<u>J10-J18</u>
046	Influenza	J10-J11
047	Pneumonia	J12-J18
048	<u># Acute bronchitis and acute bronchiolitis</u>	<u>J20-J21</u>
049	<u># Bronchitis, chronic and unspecified</u>	<u>J40-J42</u>
050	<u># Asthma</u>	<u>J45-J46</u>
051	<u># Pneumonitis due to solids and liquids</u>	<u>J69</u>
052	Other and unspecified diseases of respiratory system	J22, J30-J39, J43-J44, J47-J68, J70-J98
	<u>Diseases of the digestive system</u>	<u>K00-K92</u>
053	<u># Gastritis, duodenitis, and noninfective enteritis and colitis</u>	<u>K29, K50-K55</u>
054	<u># Hernia of abdominal cavity and intestinal obstruction without hernia</u>	<u>K40-K46, K56</u>
055	All other and unspecified diseases of digestive system	K00-K28, K30-K38, K57-K92
	<u>Diseases of the genitourinary system</u>	<u>N00-N98</u>
056	<u># Renal failure and other disorders of kidney</u>	<u>N17-N19, N25, N27</u>
057	Other and unspecified diseases of genitourinary system	N00-N15, N20-N23, N26, N28-N98
	<u>Certain conditions originating in the perinatal period</u>	<u>P00-P96</u>
	<u>Newborn affected by maternal factors and by complications of pregnancy, labor and delivery</u>	<u>P00-P04</u>
058	<u># Newborn affected by maternal hypertensive disorders</u>	<u>P00.0</u>

Group	Cause of Death	ICD-10 Codes Included
059	# Newborn affected by other maternal conditions which may be unrelated to present pregnancy	P00.1-P00.9
	<u># Newborn affected by maternal complications of pregnancy</u>	<u>P01</u>
060	Newborn affected by incompetent cervix	P01.0
061	Newborn affected by premature rupture of membranes	P01.1
062	Newborn affected by multiple pregnancy	P01.5
063	Newborn affected by other maternal complications of pregnancy	P01.2-P01.4, P01.6-P01.9
	<u># Newborn affected by complications of placenta, cord and membranes</u>	<u>P02</u>
064	Newborn affected by complications involving placenta	P02.0-P02.3
065	Newborn affected by complications involving cord	P02.4-P02.6
066	Newborn affected by chorioamnionitis	P02.7
067	Newborn affected by other and unspecified abnormalities of membranes	P02.8-P02.9
068	# Newborn affected by other complications of labor and delivery	P03
069	# Newborn affected by noxious influences transmitted via placenta or breast milk	P04
	<u>Disorders related to length of gestation and fetal malnutrition</u>	<u>P05-P08</u>
070	# Slow fetal growth and fetal malnutrition	P05
	<u># Disorders related to short gestation and low birth weight, not elsewhere classified</u>	<u>P07</u>
071	Extremely low birth weight or extreme immaturity	P07.0, P07.2
072	Other low birth weight or preterm	P07.1, P07.3
073	# Disorders related to long gestation and high birth weight	P08
074	# Birth trauma	P10-P15
	<u># Intrauterine hypoxia and birth asphyxia</u>	<u>P20-P21</u>
075	Intrauterine hypoxia	P20
076	Birth asphyxia	P21
077	# Respiratory distress of newborn	P22

Group	Cause of Death	ICD-10 Codes Included
	<u>Other respiratory conditions originating in the perinatal period</u>	<u>P23-P28</u>
078	# Congenital pneumonia	P23
079	# Neonatal aspiration syndromes	P24
080	# Interstitial emphysema and related conditions originating in the perinatal period	P25
081	# Pulmonary hemorrhage originating in the perinatal period	P26
082	# Chronic respiratory disease originating in the perinatal period	P27
083	# Atelectasis	P28.0-P28.1
084	All other respiratory conditions originating in the perinatal period	P28.2-P28.9
	<u>Infections specific to the perinatal period</u>	<u>P35-P39</u>
085	# Bacterial sepsis of newborn	P36
086	# Omphalitis of newborn with or without mild hemorrhage	P38
087	All other infections specific to the perinatal period	P35, P37, P39
	<u>Hemorrhagic and hematological disorders of newborn</u>	<u>P50-P61</u>
088	# Neonatal hemorrhage	P50-P52, P54
089	# Hemorrhagic disease of newborn	P53
090	# Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice	P55-P59
091	# Hematological disorders	P60-P61
092	# Syndrome of infant of a diabetic mother and neonatal diabetes mellitus	P70.0-P70.2
093	# Necrotizing enterocolitis of newborn	P77
094	# Hydrops fetalis not due to hemolytic disease	P83.2
095	Other perinatal conditions	P29, P70.3-P70.9, P71-P76, P78-P81, P83.0-P83.1, P83.3-P83.9, P90-P96
	<u># Congenital malformations, deformations and chromosomal abnormalities</u>	<u>Q00-Q99</u>
096	Anencephaly and similar malformations	Q00
097	Congenital hydrocephalus	Q03

Group	Cause of Death	ICD-10 Codes Included
098	Spina bi fi da	Q05
099	Other congeni tal mal forma tions of nervous system	Q01-002, Q04, Q06-Q07
100	Congi nital mal forma tions of heart	Q20-Q24
101	Other congeni tal mal forma tions of circula tory system	Q25-Q28
102	Congi nital mal forma tions of respi ratory system	Q30-Q34
103	Congi nital mal forma tions of di gesti ve system	Q35-Q45
104	Congi nital mal forma tions of geni touri nary system	Q50-Q64
105	Congi nital mal forma tions and deforma tions of muscu loskel etal system, limbs and i ntegument	Q65-Q85
106	Down' s syndrome	Q90
107	Edward' s syndrome	Q91. 0-Q91. 3
108	Patau' s syndrome	Q91. 4-Q91. 7
109	Other congeni tal mal forma tions and deforma tions	Q10-Q18, Q86-Q89
110	Other chromosomal abnormali ties, not el sewhere classi fi ed	Q92-Q99
	<u>Symptoms, signs and abnormal clinical and laboratory findi ngs, not el sewhere classi fi ed</u>	<u>R00-R99</u>
111	# Sudden i nfant death syndrome	R95
112	Other symptoms, signs and abnormal clinical and laboratory findi ngs, not el sewhere classi fi ed	R00-R53, R55-R94, R96-R99
113	All other di seases (Resi dual)	F01-F99, H00-H57, L00-M99
	<u>External causes of mortality</u>	<u>V01-Y89</u>
	# <u>Acci dents</u>	<u>V01-X59, Y85-Y86</u>
	<u>Transport acci dents</u>	<u>V01-V99, Y85</u>
114	Motor vehi cle acci dents	V02-V04, V09. 0, V09. 2, V12-V14, V19. 0-V19. 2, V19. 4-V19. 6, V20-V79, V80. 3-V80. 5, V81. 0-V81. 1, V82. 0-V82. 1, V83-V86, V87. 0-V87. 8, V88. 0-V88. 8, V89. 0, V89. 2

Group	Cause of Death	ICD-10 Codes Included
115	Other and unspecified transport accidents and their sequelae	V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-V99, Y85
116	Falls	W00-W19
117	Accidental discharge of firearms	W32-W34
118	Accidental drowning and submersion	W65-W74
119	Accidental suffocation and strangulation in bed	W75
120	Other accidental suffocation and strangulation	W76-W77, W81-W84
121	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80
122	Accidents caused by exposure to smoke, fire and flames	X00-X09
123	Accidental poisoning and exposure to noxious substances	X40-X49
124	Other and unspecified accidents and their sequelae	W20-W31, W35-W64, W85-W99, X10-X39, X50-X59, Y86
	# Assault (homicide)	X85-Y09, Y87.1
125	Assault (homicide) by hanging, strangulation and suffocation	X91
126	Assault (homicide) by discharge of firearms	X93-X95
127	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
128	Assault (homicide) by other and unspecified means and their sequelae	X85-X90, X92, X96-X99, Y00-Y05, Y08-Y09, Y87.1
129	# Complications of medical and surgical care	Y40-Y84, Y88
130	Other external causes and their sequelae	X60-X84, Y10-Y36, Y87.0, Y87.2, Y89

Category is used for ranking leading causes of infant death.