

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT I, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	2,583	1,665	918	9.6	9.9	9.2
HEART DISEASES	763	488	275	284.7	289.9	275.8
MALIGNANT NEOPLASMS	547	389	158	204.1	231.1	158.5
CEREBROVASCULAR DISEASE	191	114	77	71.3	67.7	77.2
ACCIDENTS	178	118	60	66.4	70.1	60.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	101	87	14	37.7	51.7	14.0
DIABETES MELLITUS	81	53	28	30.2	31.5	28.1
INFLUENZA AND PNEUMONIA	79	49	30	29.5	29.1	30.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	68	37	31	25.4	22.0	31.1
SEPTICEMIA	58	38	20	21.6	22.6	20.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	37	22	15	13.8	13.1	15.0
HOMICIDE	36	9	27	13.4	5.3	27.1
SUICIDE	32	26	6	11.9	15.4	6.0
CONDITIONS ORIG IN PERINATAL PERIOD	29	2	27	6.4	0.8	13.4
ALZHEIMERS DISEASE	25	20	5	9.3	11.9	5.0
AORTIC ANEURYSM AND DISSECTION	22	15	7	8.2	8.9	7.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	21	13	8	7.8	7.7	8.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	18	8	10	6.7	4.8	10.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	17	9	8	6.3	5.3	8.0
HIV DISEASE	7	3	4	2.6	1.8	4.0
PARKINSONS DISEASE	6	5	1	2.2	3.0	1.0
VIRAL HEPATITIS	5	3	2	1.9	1.8	2.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	5	3	2	1.9	1.8	2.0
ANEMIAS	5	1	4	1.9	0.6	4.0
COMPLICATIONS MEDICAL/SURGICAL CARE	5	3	2	1.9	1.8	2.0
PEPTIC ULCER	3	2	1	1.1	1.2	1.0
CHOLELITHIASIS/GALLBLADDER DISORDER	3	3	0	1.1	1.8	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	2	0	0.7	1.2	-
ATHEROSCLEROSIS	2	2	0	0.7	1.2	-
HERNIA	2	2	0	0.7	1.2	-
TUBERCULOSIS	1	0	1	0.4	-	1.0
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	0	1	0.4	-	1.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.4	0.6	-
DISEASES OF APPENDIX	1	1	0	0.4	0.6	-
INFECTIONS OF KIDNEY	1	1	0	0.4	0.6	-
HYPERPLASIA OF PROSTATE	1	0	1	0.4	-	1.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	27	7	20	10.1	4.2	20.0
ALL OTHER CAUSES	202	129	73	75.4	76.6	73.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2000 CENSUS FIGURES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	2,583	1,665	918	1,279	837	442	1,304	828	476
UNDER 1	55	10	45	34	7	27	21	3	18
(NEONATAL)	36	5	31	17	3	14	19	2	17
(POSTNEONATAL)	19	5	14	17	4	13	2	1	1
1-4	18	8	10	8	5	3	10	3	7
5-9	7	3	4	3	1	2	4	2	2
10-14	10	6	4	7	5	2	3	1	2
15-24	55	24	31	36	19	17	19	5	14
25-34	56	27	29	35	19	16	21	8	13
35-44	144	75	69	89	49	40	55	26	29
45-54	220	122	98	134	77	57	86	45	41
55-64	336	236	100	201	146	55	135	90	45
65-74	473	328	145	262	189	73	211	139	72
75-84	658	444	214	304	207	97	354	237	117
85 AND OVER	551	382	169	166	113	53	385	269	116
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	12.1	3.9	22.4
NEONATAL	7.9	2.0	15.4
POSTNEONATAL	4.2	2.0	7.0

2000 POPULATION

TOTAL	268,026
WHITE	168,321
NONWHITE	99,705

** DEATHS PER 1,000 LIVE BIRTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT II, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	3,500	2,906	594	10.5	11.3	7.9
HEART DISEASES	1,137	962	175	342.0	373.4	233.9
MALIGNANT NEOPLASMS	698	568	130	209.9	220.4	173.7
CEREBROVASCULAR DISEASE	291	239	52	87.5	92.8	69.5
ACCIDENTS	247	197	50	74.3	76.4	66.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	178	169	9	53.5	65.6	12.0
INFLUENZA AND PNEUMONIA	114	106	8	34.3	41.1	10.7
ALZHEIMERS DISEASE	68	59	9	20.4	22.9	12.0
DIABETES MELLITUS	63	49	14	18.9	19.0	18.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	58	38	20	17.4	14.7	26.7
SEPTICEMIA	57	47	10	17.1	18.2	13.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	47	43	4	14.1	16.7	5.3
SUICIDE	34	33	1	10.2	12.8	1.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	33	26	7	9.9	10.1	9.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	23	12	11	6.9	4.6	14.7
CONDITIONS ORIG IN PERINATAL PERIOD	19	10	9	3.9	2.8	6.7
HOMICIDE	19	12	7	5.7	4.6	9.4
AORTIC ANEURYSM AND DISSECTION	17	16	1	5.1	6.2	1.3
PARKINSONS DISEASE	14	11	3	4.2	4.3	4.0
HIV DISEASE	11	4	7	3.3	1.6	9.4
ATHEROSCLEROSIS	11	9	2	3.3	3.5	2.7
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	10	10	0	3.0	3.9	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	10	7	3	3.0	2.7	4.0
CHOLELITHIASIS/GALLBLADDER DISORDER	6	5	1	1.8	1.9	1.3
ANEMIAS	4	3	1	1.2	1.2	1.3
HERNIA	4	4	0	1.2	1.6	-
VIRAL HEPATITIS	3	3	0	0.9	1.2	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	3	0	0.9	1.2	-
COMPLICATIONS MEDICAL/SURGICAL CARE	3	3	0	0.9	1.2	-
TUBERCULOSIS	1	0	1	0.3	-	1.3
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	0.3	0.4	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.3	0.4	-
PEPTIC ULCER	1	1	0	0.3	0.4	-
DISEASES OF APPENDIX	1	1	0	0.3	0.4	-
INFECTIONS OF KIDNEY	1	0	1	0.3	-	1.3
HYPERPLASIA OF PROSTATE	1	0	1	0.3	-	1.3
FEMALE PELVIC INFLAMMATORY DISEASE	1	1	0	0.3	0.4	-
LEGAL INTERVENTION	1	1	0	0.3	0.4	-
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	26	21	5	7.8	8.2	6.7
ALL OTHER CAUSES	283	231	52	85.1	89.6	69.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2000 CENSUS FIGURES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	3,500	2,906	594	1,766	1,459	307	1,734	1,447	287
UNDER 1	38	25	13	25	17	8	13	8	5
(Neonatal)	25	14	11	18	11	7	7	3	4
(Postneonatal)	13	11	2	7	6	1	6	5	1
1-4	9	7	2	7	6	1	2	1	1
5-9	7	6	1	5	4	1	2	2	0
10-14	5	3	2	4	3	1	1	0	1
15-24	52	37	15	39	27	12	13	10	3
25-34	64	43	21	43	31	12	21	12	9
35-44	143	111	32	89	66	23	54	45	9
45-54	238	161	77	151	106	45	87	55	32
55-64	385	296	89	236	178	58	149	118	31
65-74	687	583	104	413	362	51	274	221	53
75-84	935	820	115	484	429	55	451	391	60
85 AND OVER	937	814	123	270	230	40	667	584	83
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**			
INFANT	7.7	7.0	9.7
NEONATAL	5.1	3.9	8.2
POSTNEONATAL	2.6	3.1	1.5

2000 POPULATION	
TOTAL	332,479
WHITE	257,656
NONWHITE	74,823

** DEATHS PER 1,000 LIVE BIRTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT III, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	2,788	1,203	1,585	11.1	13.6	9.7
HEART DISEASES	938	409	529	373.2	462.1	324.8
MALIGNANT NEOPLASMS	603	260	343	239.9	293.7	210.6
CEREBROVASCULAR DISEASE	163	82	81	64.8	92.6	49.7
ACCIDENTS	147	60	87	58.5	67.8	53.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	101	67	34	40.2	75.7	20.9
DIABETES MELLITUS	74	22	52	29.4	24.8	31.9
INFLUENZA AND PNEUMONIA	69	34	35	27.4	38.4	21.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	64	18	46	25.5	20.3	28.2
SEPTICEMIA	53	20	33	21.1	22.6	20.3
HOMICIDE	48	8	40	19.1	9.0	24.6
ALZHEIMERS DISEASE	37	20	17	14.7	22.6	10.4
CONDITIONS ORIG IN PERINATAL PERIOD	34	4	30	8.1	3.9	9.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	29	10	19	11.5	11.3	11.7
SUICIDE	29	15	14	11.5	16.9	8.6
HIV DISEASE	19	1	18	7.6	1.1	11.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	17	10	7	6.8	11.3	4.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	16	6	10	6.4	6.8	6.1
AORTIC ANEURYSM AND DISSECTION	14	9	5	5.6	10.2	3.1
PARKINSONS DISEASE	12	11	1	4.8	12.4	0.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	12	3	9	4.8	3.4	5.5
ATHEROSCLEROSIS	10	5	5	4.0	5.6	3.1
PEPTIC ULCER	8	5	3	3.2	5.6	1.8
ANEMIAS	7	4	3	2.8	4.5	1.8
MALNUTRITION/NUTRITIONAL DEFICIENCY IN SITU, BENIGN & UNSPECIFIED	6	2	4	2.4	2.3	2.4
NEOPLASMS	5	2	3	2.0	2.3	1.8
CHOLELITHIASIS/GALLBLADDER DISORDER	5	3	2	2.0	3.4	1.2
COMPLICATIONS MEDICAL/SURGICAL CARE	3	2	1	1.2	2.3	0.6
TUBERCULOSIS	2	1	1	0.8	1.1	0.6
MENINGITIS	2	0	2	0.8	-	1.2
INFECTIONS OF KIDNEY	2	2	0	0.8	2.3	-
VIRAL HEPATITIS	1	0	1	0.4	-	0.6
LEGAL INTERVENTION	1	0	1	0.4	-	0.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	23	11	12	9.2	12.4	7.4
ALL OTHER CAUSES	234	97	137	93.1	109.6	84.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2000 CENSUS FIGURES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	2,788	1,203	1,585	1,362	590	772	1,426	613	813
UNDER 1	59	7	52	30	6	24	29	1	28
(NEONATAL)	44	6	38	24	5	19	20	1	19
(POSTNEONATAL)	15	1	14	6	1	5	9	0	9
1-4	3	0	3	1	0	1	2	0	2
5-9	0	0	0	0	0	0	0	0	0
10-14	11	2	9	5	2	3	6	0	6
15-24	51	15	36	36	13	23	15	2	13
25-34	69	13	56	46	9	37	23	4	19
35-44	141	43	98	99	36	63	42	7	35
45-54	257	72	185	160	47	113	97	25	72
55-64	290	107	183	181	63	118	109	44	65
65-74	535	250	285	272	143	129	263	107	156
75-84	698	354	344	317	167	150	381	187	194
85 AND OVER	674	340	334	215	104	111	459	236	223
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**			
INFANT	14.1	6.8	16.5
NEONATAL	10.5	5.8	12.0
POSTNEONATAL	3.6	1.0	4.4

2000 POPULATION	
TOTAL	251,360
WHITE	88,512
NONWHITE	162,848

** DEATHS PER 1,000 LIVE BIRTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IV, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	2,389	1,567	822	9.5	10.7	7.8
HEART DISEASES	809	517	292	321.4	353.3	277.0
MALIGNANT NEOPLASMS	507	349	158	201.4	238.5	149.9
CEREBROVASCULAR DISEASE	188	127	61	74.7	86.8	57.9
ACCIDENTS	128	81	47	50.8	55.4	44.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	81	73	8	32.2	49.9	7.6
INFLUENZA AND PNEUMONIA	73	52	21	29.0	35.5	19.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	58	33	25	23.0	22.6	23.7
SEPTICEMIA	45	31	14	17.9	21.2	13.3
DIABETES MELLITUS	41	23	18	16.3	15.7	17.1
ALZHEIMERS DISEASE	29	22	7	11.5	15.0	6.6
SUICIDE	24	20	4	9.5	13.7	3.8
CONDITIONS ORIG IN PERINATAL PERIOD	23	4	19	6.2	2.2	9.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	22	12	10	8.7	8.2	9.5
HOMICIDE	22	5	17	8.7	3.4	16.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	16	7	9	6.4	4.8	8.5
AORTIC ANEURYSM AND DISSECTION	11	9	2	4.4	6.2	1.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	9	5	4	3.6	3.4	3.8
PARKINSONS DISEASE	7	6	1	2.8	4.1	0.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	6	3	3	2.4	2.0	2.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	5	3	2	2.0	2.0	1.9
ANEMIAS	4	4	0	1.6	2.7	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	4	2	2	1.6	1.4	1.9
HIV DISEASE	3	1	2	1.2	0.7	1.9
ATHEROSCLEROSIS	2	2	0	0.8	1.4	-
HERNIA	2	1	1	0.8	0.7	0.9
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	0.8	1.4	-
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	0.8	1.4	-
VIRAL HEPATITIS	1	1	0	0.4	0.7	-
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	0.4	0.7	-
PEPTIC ULCER	1	1	0	0.4	0.7	-
INFECTIONS OF KIDNEY	1	1	0	0.4	0.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	60	38	22	23.8	26.0	20.9
ALL OTHER CAUSES	202	129	73	80.2	88.2	69.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2000 CENSUS FIGURES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	2,389	1,567	822	1,196	770	426	1,193	797	396
UNDER 1	42	10	32	24	8	16	18	2	16
(Neonatal)	26	5	21	14	3	11	12	2	10
(Postneonatal)	16	5	11	10	5	5	6	0	6
1-4	4	1	3	3	1	2	1	0	1
5-9	2	0	2	1	0	1	1	0	1
10-14	5	3	2	4	3	1	1	0	1
15-24	43	22	21	29	12	17	14	10	4
25-34	49	22	27	32	13	19	17	9	8
35-44	93	45	48	56	29	27	37	16	21
45-54	168	87	81	105	54	51	63	33	30
55-64	265	161	104	165	101	64	100	60	40
65-74	461	312	149	280	193	87	181	119	62
75-84	634	464	170	299	219	80	335	245	90
85 AND OVER	622	440	182	197	137	60	425	303	122
UNKNOWN	1	0	1	1	0	1	0	0	0

MORTALITY RATES**			
INFANT	11.4	5.6	16.7
NEONATAL	7.0	2.8	10.9
POSTNEONATAL	4.3	2.8	5.7

2000 POPULATION	
TOTAL	251,750
WHITE	146,326
NONWHITE	105,424

** DEATHS PER 1,000 LIVE BIRTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT V, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	5,333	3,045	2,288	9.0	9.9	8.0
HEART DISEASES	1,694	981	713	284.4	318.5	247.9
MALIGNANT NEOPLASMS	1,157	709	448	194.2	230.2	155.7
CEREBROVASCULAR DISEASE	356	200	156	59.8	64.9	54.2
ACCIDENTS	277	165	112	46.5	53.6	38.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	210	163	47	35.2	52.9	16.3
INFLUENZA AND PNEUMONIA	135	81	54	22.7	26.3	18.8
DIABETES MELLITUS	118	46	72	19.8	14.9	25.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	99	43	56	16.6	14.0	19.5
SEPTICEMIA	87	44	43	14.6	14.3	14.9
HOMICIDE	80	16	64	13.4	5.2	22.2
ALZHEIMERS DISEASE	78	62	16	13.1	20.1	5.6
HIV DISEASE	70	10	60	11.8	3.2	20.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	66	24	42	11.1	7.8	14.6
SUICIDE	62	46	16	10.4	14.9	5.6
CONDITIONS ORIG IN PERINATAL PERIOD	47	8	39	5.0	2.0	7.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	40	30	10	6.7	9.7	3.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	31	21	10	5.2	6.8	3.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	29	13	16	4.9	4.2	5.6
ATHEROSCLEROSIS	23	8	15	3.9	2.6	5.2
AORTIC ANEURYSM AND DISSECTION	22	12	10	3.7	3.9	3.5
PARKINSONS DISEASE	18	13	5	3.0	4.2	1.7
COMPLICATIONS MEDICAL/SURGICAL CARE IN SITU, BENIGN & UNSPECIFIED	17	8	9	2.8	2.6	3.1
NEOPLASMS	16	11	5	2.7	3.6	1.7
ANEMIAS	15	6	9	2.5	1.9	3.1
PEPTIC ULCER	13	10	3	2.2	3.2	1.0
VIRAL HEPATITIS	8	3	5	1.3	1.0	1.7
MALNUTRITION/NUTRITIONAL DEFICIENCY	7	4	3	1.2	1.3	1.0
CHOLELITHIASIS/GALLBLADDER DISORDER	7	6	1	1.2	1.9	0.3
MATERNAL CAUSES	4	0	4	42.2	-	73.2
TUBERCULOSIS	3	2	1	0.5	0.6	0.3
DISEASES OF APPENDIX	2	2	0	0.3	0.6	-
HERNIA	2	1	1	0.3	0.3	0.3
INFECTIONS OF KIDNEY	2	1	1	0.3	0.3	0.3
HYPERPLASIA OF PROSTATE	2	1	1	0.3	0.3	0.3
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.2	0.3	-
FEMALE PELVIC INFLAMMATORY DISEASE	1	1	0	0.2	0.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	53	19	34	8.9	6.2	11.8
ALL OTHER CAUSES	481	274	207	80.7	89.0	72.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2000 CENSUS FIGURES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	5,333	3,045	2,288	2,597	1,441	1,156	2,736	1,604	1,132
UNDER 1	110	25	85	59	13	46	51	12	39
(NEONATAL)	67	14	53	36	7	29	31	7	24
(POSTNEONATAL)	43	11	32	23	6	17	20	5	15
1-4	17	7	10	11	3	8	6	4	2
5-9	9	4	5	6	2	4	3	2	1
10-14	12	6	6	8	4	4	4	2	2
15-24	126	51	75	85	35	50	41	16	25
25-34	155	60	95	98	44	54	57	16	41
35-44	273	106	167	157	66	91	116	40	76
45-54	435	189	246	260	112	148	175	77	98
55-64	600	331	269	372	206	166	228	125	103
65-74	960	580	380	543	333	210	417	247	170
75-84	1,334	874	460	602	390	212	732	484	248
85 AND OVER	1,300	812	488	394	233	161	906	579	327
UNKNOWN	2	0	2	2	0	2	0	0	0

MORTALITY RATES**

INFANT	11.6	6.2	15.6
NEONATAL	7.1	3.5	9.7
POSTNEONATAL	4.5	2.7	5.8

2000 POPULATION

TOTAL	595,675
WHITE	308,033
NONWHITE	287,642

** DEATHS PER 1,000 LIVE BIRTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VI, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	2,697	1,778	919	11.2	12.3	9.5
HEART DISEASES	916	637	279	380.4	441.1	289.5
MALIGNANT NEOPLASMS	549	373	176	228.0	258.3	182.6
CEREBROVASCULAR DISEASE	192	126	66	79.7	87.2	68.5
ACCIDENTS	148	89	59	61.5	61.6	61.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	133	102	31	55.2	70.6	32.2
INFLUENZA AND PNEUMONIA	78	58	20	32.4	40.2	20.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	73	29	44	30.3	20.1	45.7
ALZHEIMERS DISEASE	49	38	11	20.4	26.3	11.4
DIABETES MELLITUS	43	17	26	17.8	11.8	27.0
SEPTICEMIA	37	24	13	15.4	16.6	13.5
HOMICIDE	29	11	18	12.0	7.6	18.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	25	11	14	10.4	7.6	14.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	22	17	5	9.1	11.8	5.2
SUICIDE	21	14	7	8.7	9.7	7.3
HIV DISEASE	18	4	14	7.5	2.8	14.5
PARKINSONS DISEASE	13	12	1	5.4	8.3	1.0
CONDITIONS ORIG IN PERINATAL PERIOD	13	1	12	3.5	0.5	6.7
AORTIC ANEURYSM AND DISSECTION	12	9	3	5.0	6.2	3.1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	11	9	2	4.6	6.2	2.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	11	7	4	4.6	4.8	4.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	11	6	5	4.6	4.2	5.2
COMPLICATIONS MEDICAL/SURGICAL CARE	8	5	3	3.3	3.5	3.1
ANEMIAS	7	3	4	2.9	2.1	4.2
VIRAL HEPATITIS	5	4	1	2.1	2.8	1.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	5	4	1	2.1	2.8	1.0
ATHEROSCLEROSIS	4	4	0	1.7	2.8	-
HERNIA	3	2	1	1.2	1.4	1.0
MENINGITIS	2	1	1	0.8	0.7	1.0
DISEASES OF APPENDIX	2	0	2	0.8	-	2.1
CHOLELITHIASIS/GALLBLADDER DISORDER	2	1	1	0.8	0.7	1.0
TUBERCULOSIS	1	0	1	0.4	-	1.0
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	0.4	0.7	-
PEPTIC ULCER	1	0	1	0.4	-	1.0
LEGAL INTERVENTION	1	0	1	0.4	-	1.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	40	27	13	16.6	18.7	13.5
ALL OTHER CAUSES	211	132	79	87.6	91.4	82.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2000 CENSUS FIGURES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	2,697	1,778	919	1,278	821	457	1,419	957	462
UNDER 1	35	12	23	14	4	10	21	8	13
(Neonatal)	15	4	11	8	2	6	7	2	5
(Postneonatal)	20	8	12	6	2	4	14	6	8
1-4	9	3	6	3	1	2	6	2	4
5-9	8	4	4	4	3	1	4	1	3
10-14	10	4	6	6	4	2	4	0	4
15-24	55	33	22	34	23	11	21	10	11
25-34	61	28	33	46	19	27	15	9	6
35-44	97	40	57	53	22	31	44	18	26
45-54	194	101	93	115	61	54	79	40	39
55-64	298	168	130	187	106	81	111	62	49
65-74	501	333	168	271	181	90	230	152	78
75-84	691	527	164	314	239	75	377	288	89
85 AND OVER	738	525	213	231	158	73	507	367	140
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	9.5	6.3	12.9
NEONATAL	4.1	2.1	6.2
POSTNEONATAL	5.4	4.2	6.7

2000 POPULATION

TOTAL	240,785
WHITE	144,420
NONWHITE	96,365

** DEATHS PER 1,000 LIVE BIRTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VII, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	2,064	1,256	808	11.7	13.4	9.7
HEART DISEASES	695	429	266	392.7	459.3	318.3
MALIGNANT NEOPLASMS	429	270	159	242.4	289.1	190.3
CEREBROVASCULAR DISEASE	153	92	61	86.5	98.5	73.0
ACCIDENTS	104	66	38	58.8	70.7	45.5
DIABETES MELLITUS	99	51	48	55.9	54.6	57.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	80	59	21	45.2	63.2	25.1
INFLUENZA AND PNEUMONIA	72	46	26	40.7	49.2	31.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	41	22	19	23.2	23.6	22.7
SEPTICEMIA	40	20	20	22.6	21.4	23.9
ALZHEIMERS DISEASE	31	23	8	17.5	24.6	9.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	30	16	14	17.0	17.1	16.8
HOMICIDE	15	1	14	8.5	1.1	16.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS IN SITU, BENIGN & UNSPECIFIED	13	10	3	7.3	10.7	3.6
NEOPLASMS	12	5	7	6.8	5.4	8.4
SUICIDE	12	11	1	6.8	11.8	1.2
AORTIC ANEURYSM AND DISSECTION	10	3	7	5.6	3.2	8.4
CONDITIONS ORIG IN PERINATAL PERIOD	9	1	8	3.5	0.9	5.5
ANEMIAS	8	2	6	4.5	2.1	7.2
PARKINSONS DISEASE	8	7	1	4.5	7.5	1.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	8	6	2	4.5	6.4	2.4
HIV DISEASE	7	1	6	4.0	1.1	7.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	4	1	2.8	4.3	1.2
MALNUTRITION/NUTRITIONAL DEFICIENCY	4	0	4	2.3	-	4.8
CHOLELITHIASIS/GALLBLADDER DISORDER	4	2	2	2.3	2.1	2.4
VIRAL HEPATITIS	3	2	1	1.7	2.1	1.2
ATHEROSCLEROSIS	2	1	1	1.1	1.1	1.2
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	1.1	1.1	1.2
TUBERCULOSIS	1	0	1	0.6	-	1.2
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	0.6	1.1	-
PNEUMOCOCCAL & CHEMICAL EFFECTS	1	1	0	0.6	1.1	-
PEPTIC ULCER	1	0	1	0.6	-	1.2
INFECTIONS OF KIDNEY	1	0	1	0.6	-	1.2
MATERNAL CAUSES	1	0	1	39.0	-	68.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	16	14	2	9.0	15.0	2.4
ALL OTHER CAUSES	146	89	57	82.5	95.3	68.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2000 CENSUS FIGURES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	2,064	1,256	808	1,002	592	410	1,062	664	398
UNDER 1	20	8	12	12	7	5	8	1	7
(Neonatal)	11	5	6	6	5	1	5	0	5
(Postneonatal)	9	3	6	6	2	4	3	1	2
1-4	6	3	3	4	1	3	2	2	0
5-9	4	1	3	2	1	1	2	0	2
10-14	4	3	1	3	2	1	1	1	0
15-24	35	19	16	29	15	14	6	4	2
25-34	41	21	20	31	17	14	10	4	6
35-44	78	34	44	46	24	22	32	10	22
45-54	129	46	83	77	32	45	52	14	38
55-64	230	122	108	121	69	52	109	53	56
65-74	424	263	161	245	150	95	179	113	66
75-84	567	376	191	276	189	87	291	187	104
85 AND OVER	526	360	166	156	85	71	370	275	95
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	7.8	7.3	8.2
NEONATAL	4.3	4.6	4.1
POSTNEONATAL	3.5	2.7	4.1

2000 POPULATION

TOTAL	176,959
WHITE	93,395
NONWHITE	83,564

** DEATHS PER 1,000 LIVE BIRTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VIII, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	2,884	2,158	726	10.2	11.2	8.2
HEART DISEASES	905	703	202	320.6	363.4	227.5
MALIGNANT NEOPLASMS	560	421	139	198.4	217.6	156.5
CEREBROVASCULAR DISEASE	209	151	58	74.0	78.1	65.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	163	134	29	57.8	69.3	32.6
ACCIDENTS	163	112	51	57.8	57.9	57.4
INFLUENZA AND PNEUMONIA	94	76	18	33.3	39.3	20.3
DIABETES MELLITUS	79	53	26	28.0	27.4	29.3
SEPTICEMIA	77	47	30	27.3	24.3	33.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	52	40	12	18.4	20.7	13.5
ALZHEIMERS DISEASE	40	38	2	14.2	19.6	2.2
HOMICIDE	28	13	15	9.9	6.7	16.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	26	24	2	9.2	12.4	2.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	25	14	11	8.8	7.2	12.4
SUICIDE	24	22	2	8.5	11.4	2.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	19	14	5	6.7	7.2	5.6
CONDITIONS ORIG IN PERINATAL PERIOD	19	8	11	4.4	3.0	6.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	18	11	7	6.4	5.7	7.9
PARKINSONS DISEASE	15	11	4	5.3	5.7	4.5
AORTIC ANEURYSM AND DISSECTION	11	9	2	3.9	4.6	2.2
COMPLICATIONS MEDICAL/SURGICAL CARE IN SITU, BENIGN & UNSPECIFIED	7	5	2	2.5	2.6	2.2
NEOPLASMS	6	2	4	2.1	1.0	4.5
ANEMIAS	6	2	4	2.1	1.0	4.5
MALNUTRITION/NUTRITIONAL DEFICIENCY	6	5	1	2.1	2.6	1.1
ATHEROSCLEROSIS	6	3	3	2.1	1.6	3.4
VIRAL HEPATITIS	5	5	0	1.8	2.6	-
HIV DISEASE	5	1	4	1.8	0.5	4.5
CHOLELITHIASIS/GALLBLADDER DISORDER	5	4	1	1.8	2.1	1.1
PNEUMOCONIOSES & CHEMICAL EFFECTS	4	4	0	1.4	2.1	-
PEPTIC ULCER	3	3	0	1.1	1.6	-
TUBERCULOSIS	2	1	1	0.7	0.5	1.1
MENINGITIS	2	1	1	0.7	0.5	1.1
SYPHILIS	1	1	0	0.4	0.5	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	27	20	7	9.6	10.3	7.9
ALL OTHER CAUSES	272	200	72	96.4	103.4	81.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2000 CENSUS FIGURES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	2,884	2,158	726	1,406	1,055	351	1,478	1,103	375
UNDER 1	46	22	24	26	12	14	20	10	10
(NEONATAL)	27	14	13	14	7	7	13	7	6
(POSTNEONATAL)	19	8	11	12	5	7	7	3	4
1-4	12	5	7	8	3	5	4	2	2
5-9	3	1	2	0	0	0	3	1	2
10-14	6	3	3	2	1	1	4	2	2
15-24	55	29	26	40	22	18	15	7	8
25-34	54	32	22	35	23	12	19	9	10
35-44	111	67	44	66	46	20	45	21	24
45-54	189	119	70	119	78	41	70	41	29
55-64	321	236	85	197	145	52	124	91	33
65-74	552	419	133	311	241	70	241	178	63
75-84	806	639	167	391	318	73	415	321	94
85 AND OVER	729	586	143	211	166	45	518	420	98
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**			
INFANT	10.7	8.4	14.5
NEONATAL	6.3	5.3	7.8
POSTNEONATAL	4.4	3.0	6.6

2000 POPULATION	
TOTAL	282,249
WHITE	193,442
NONWHITE	88,807

** DEATHS PER 1,000 LIVE BIRTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IX, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	4,291	3,611	680	9.6	10.4	6.8
HEART DISEASES	1,371	1,152	219	307.8	333.0	220.4
MALIGNANT NEOPLASMS	1,010	847	163	226.8	244.8	164.0
ACCIDENTS	261	231	30	58.6	66.8	30.2
CEREBROVASCULAR DISEASE	237	197	40	53.2	56.9	40.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	203	195	8	45.6	56.4	8.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	99	78	21	22.2	22.5	21.1
INFLUENZA AND PNEUMONIA	90	81	9	20.2	23.4	9.0
SEPTICEMIA	78	67	11	17.5	19.4	11.1
ALZHEIMERS DISEASE	74	70	4	16.6	20.2	4.0
DIABETES MELLITUS	72	58	14	16.2	16.8	14.1
SUICIDE	53	47	6	11.9	13.6	6.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	43	43	0	9.6	12.4	-
HOMICIDE	35	22	13	7.8	6.4	13.1
AORTIC ANEURYSM AND DISSECTION	28	27	1	6.3	7.8	1.0
CONDITIONS ORIG IN PERINATAL PERIOD	28	16	12	4.2	3.2	6.9
ATHEROSCLEROSIS	27	20	7	6.1	5.8	7.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	24	22	2	5.4	6.4	2.0
HIV DISEASE	20	12	8	4.5	3.5	8.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	16	9	7	3.6	2.6	7.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	16	10	6	3.6	2.9	6.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	15	12	3	3.4	3.5	3.0
PARKINSONS DISEASE	14	13	1	3.1	3.8	1.0
ANEMIAS	11	5	6	2.5	1.4	6.0
COMPLICATIONS MEDICAL/SURGICAL CARE	11	8	3	2.5	2.3	3.0
PEPTIC ULCER	10	9	1	2.2	2.6	1.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	7	5	2	1.6	1.4	2.0
VIRAL HEPATITIS	4	3	1	0.9	0.9	1.0
ACUTE BRONCHITIS AND BRONCHIOLITIS	4	1	3	0.9	0.3	3.0
CHOLELITHIASIS/GALLBLADDER DISORDER	4	2	2	0.9	0.6	2.0
TUBERCULOSIS	3	2	1	0.7	0.6	1.0
HERNIA	3	3	0	0.7	0.9	-
INFECTIONS OF KIDNEY	3	2	1	0.7	0.6	1.0
MATERNAL CAUSES	3	2	1	44.7	40.2	57.4
MENINGOCOCCAL INFECTION	1	1	0	0.2	0.3	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.2	0.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	37	30	7	8.3	8.7	7.0
ALL OTHER CAUSES	375	308	67	84.2	89.0	67.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2000 CENSUS FIGURES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	4,291	3,611	680	2,218	1,872	346	2,073	1,739	334
UNDER 1	63	38	25	35	21	14	28	17	11
(Neonatal)	38	24	14	21	13	8	17	11	6
(Postneonatal)	25	14	11	14	8	6	11	6	5
1-4	22	15	7	15	11	4	7	4	3
5-9	5	3	2	3	1	2	2	2	0
10-14	10	8	2	5	4	1	5	4	1
15-24	65	47	18	46	34	12	19	13	6
25-34	91	67	24	59	40	19	32	27	5
35-44	211	163	48	122	98	24	89	65	24
45-54	332	257	75	211	174	37	121	83	38
55-64	566	472	94	327	265	62	239	207	32
65-74	947	791	156	567	491	76	380	300	80
75-84	1,135	1,003	132	563	499	64	572	504	68
85 AND OVER	842	747	95	263	234	29	579	513	66
UNKNOWN	2	0	2	2	0	2	0	0	0

MORTALITY RATES**

INFANT	9.4	7.6	14.3
NEONATAL	5.7	4.8	8.0
POSTNEONATAL	3.7	2.8	6.3

2000 POPULATION

TOTAL	445,375
WHITE	345,994
NONWHITE	99,381

** DEATHS PER 1,000 LIVE BIRTHS.