

SELECTED DEATH STATISTICS, RESIDENTS OF ADAMS COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	403	207	196	11.7	13.1	10.6
HEART DISEASES	148	78	70	431.0	493.4	377.7
MALIGNANT NEOPLASMS	94	45	49	273.7	284.6	264.4
CEREBROVASCULAR DISEASE	31	15	16	90.3	94.9	86.3
INFLUENZA AND PNEUMONIA	26	16	10	75.7	101.2	54.0
ACCIDENTS	14	8	6	40.8	50.6	32.4
SEPTICEMIA	13	7	6	37.8	44.3	32.4
DIABETES MELLITUS	7	2	5	20.4	12.6	27.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	4	3	20.4	25.3	16.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	3	4	20.4	19.0	21.6
ALZHEIMERS DISEASE	5	4	1	14.6	25.3	5.4
SUICIDE	4	3	1	11.6	19.0	5.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	0	3	8.7	-	16.2
PARKINSONS DISEASE	2	1	1	5.8	6.3	5.4
AORTIC ANEURYSM AND DISSECTION	2	1	1	5.8	6.3	5.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	5.8	6.3	5.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	5.8	12.6	-
HOMICIDE	2	0	2	5.8	-	10.8
HIV DISEASE	1	0	1	2.9	-	5.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	2.9	6.3	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	2.9	-	5.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	2.9	6.3	-
INFECTIONS OF KIDNEY	1	0	1	2.9	-	5.4
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.0	-	3.1
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	2.9	6.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	5.8	12.6	-
ALL OTHER CAUSES	25	12	13	72.8	75.9	70.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	403	207	196	208	97	111	195	110	85
UNDER 1	5	3	2	2	2	0	3	1	2
(NEONATAL)	2	1	1	1	1	0	1	0	1
(POSTNEONATAL)	3	2	1	1	1	0	2	1	1
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	2	4	6	2	4	0	0	0
25-34	7	4	3	5	3	2	2	1	1
35-44	10	3	7	8	3	5	2	0	2
45-54	29	13	16	17	6	11	12	7	5
55-64	51	24	27	29	15	14	22	9	13
65-74	93	45	48	59	27	32	34	18	16
75-84	107	59	48	52	28	24	55	31	24
85 AND OVER	94	53	41	30	11	19	64	42	22
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 34,340 WHITE 15,809 NONWHITE 18,531

SELECTED DEATH STATISTICS, RESIDENTS OF ALCORN COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	494	433	61	14.3	14.3	14.0
HEART DISEASES	148	136	12	428.3	450.4	274.9
MALIGNANT NEOPLASMS	101	84	17	292.3	278.2	389.5
CEREBROVASCULAR DISEASE	47	43	4	136.0	142.4	91.6
ACCIDENTS	30	26	4	86.8	86.1	91.6
INFLUENZA AND PNEUMONIA	22	21	1	63.7	69.6	22.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	18	17	1	52.1	56.3	22.9
SEPTICEMIA	16	13	3	46.3	43.0	68.7
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	10	7	3	28.9	23.2	68.7
ALZHEIMERS DISEASE	9	8	1	26.0	26.5	22.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	6	0	17.4	19.9	-
DIABETES MELLITUS	4	3	1	11.6	9.9	22.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	1	3	11.6	3.3	68.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	4	0	11.6	13.2	-
AORTIC ANEURYSM AND DISSECTION	3	3	0	8.7	9.9	-
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	6.6	2.6	26.7
VIRAL HEPATITIS	2	2	0	5.8	6.6	-
SUICIDE	2	2	0	5.8	6.6	-
HOMICIDE	2	2	0	5.8	6.6	-
HIV DISEASE	1	0	1	2.9	-	22.9
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	2.9	3.3	-
PARKINSONS DISEASE	1	1	0	2.9	3.3	-
DISEASES OF APPENDIX	1	1	0	2.9	3.3	-
HERNIA	1	1	0	2.9	3.3	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	2.9	3.3	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	2.9	3.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	5	0	14.5	16.6	-
ALL OTHER CAUSES	51	43	8	147.6	142.4	183.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	494	433	61	227	204	23	267	229	38
UNDER 1	4	2	2	3	1	2	1	1	0
(NEONATAL)	3	1	2	3	1	2	0	0	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	0	0	0	2	1	1
25-34	9	8	1	6	6	0	3	2	1
35-44	15	11	4	6	4	2	9	7	2
45-54	37	26	11	18	13	5	19	13	6
55-64	50	42	8	30	24	6	20	18	2
65-74	84	74	10	48	45	3	36	29	7
75-84	146	132	14	75	71	4	71	61	10
85 AND OVER	147	137	10	41	40	1	106	97	9
UNKNOWN	0	0	0	0	0	0	0	0	0
2000 POPULATION:	TOTAL	34,558	WHITE	30,193	NONWHITE	4,365			

SELECTED DEATH STATISTICS, RESIDENTS OF AMITE COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	146	97	49	10.7	12.6	8.3
HEART DISEASES	47	27	20	345.6	351.9	337.5
MALIGNANT NEOPLASMS	36	25	11	264.7	325.8	185.6
ACCIDENTS	11	7	4	80.9	91.2	67.5
CEREBROVASCULAR DISEASE	10	9	1	73.5	117.3	16.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	5	1	44.1	65.2	16.9
DIABETES MELLITUS	4	2	2	29.4	26.1	33.8
SEPTICEMIA	3	3	0	22.1	39.1	-
ANEMIAS	2	0	2	14.7	-	33.8
ALZHEIMERS DISEASE	2	2	0	14.7	26.1	-
AORTIC ANEURYSM AND DISSECTION	2	0	2	14.7	-	33.8
HOMICIDE	2	0	2	14.7	-	33.8
VIRAL HEPATITIS	1	0	1	7.4	-	16.9
HIV DISEASE	1	0	1	7.4	-	16.9
PARKINSONS DISEASE	1	1	0	7.4	13.0	-
INFLUENZA AND PNEUMONIA	1	1	0	7.4	13.0	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	7.4	13.0	-
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0	7.4	13.0	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	22.1	39.1	-
ALL OTHER CAUSES	12	10	2	88.2	130.3	33.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	146	97	49	89	55	34	57	42	15
UNDER 1	1	1	0	1	1	0	0	0	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	4	1	3	0	0	0
25-34	5	3	2	5	3	2	0	0	0
35-44	4	2	2	3	1	2	1	1	0
45-54	6	2	4	4	2	2	2	0	2
55-64	15	11	4	10	6	4	5	5	0
65-74	42	28	14	26	17	9	16	11	5
75-84	36	26	10	19	13	6	17	13	4
85 AND OVER	32	23	9	16	11	5	16	12	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 13,599 WHITE 7,673 NONWHITE 5,926

SELECTED DEATH STATISTICS, RESIDENTS OF ATTALA COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	242	165	77	12.3	14.4	9.4
HEART DISEASES	64	41	23	325.5	357.4	280.8
MALIGNANT NEOPLASMS	47	31	16	239.0	270.3	195.3
CEREBROVASCULAR DISEASE	19	16	3	96.6	139.5	36.6
ACCIDENTS	12	4	8	61.0	34.9	97.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	9	0	45.8	78.5	-
ALZHEIMERS DISEASE	5	4	1	25.4	34.9	12.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	3	2	25.4	26.2	24.4
ATHEROSCLEROSIS	5	3	2	25.4	26.2	24.4
INFLUENZA AND PNEUMONIA	5	3	2	25.4	26.2	24.4
SEPTICEMIA	4	4	0	20.3	34.9	-
DIABETES MELLITUS	4	3	1	20.3	26.2	12.2
PARKINSONS DISEASE	4	3	1	20.3	26.2	12.2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	3	1	20.3	26.2	12.2
SUICIDE	4	1	3	20.3	8.7	36.6
AORTIC ANEURYSM AND DISSECTION	2	1	1	10.2	8.7	12.2
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	10.2	17.4	-
INFECTIONS OF KIDNEY	2	2	0	10.2	17.4	-
HOMICIDE	2	0	2	10.2	-	24.4
HIV DISEASE	1	0	1	5.1	-	12.2
ANEMIAS	1	1	0	5.1	8.7	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	5.1	8.7	-
MENINGITIS	1	0	1	5.1	-	12.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	5.1	8.7	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.1	8.7	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	5.1	8.7	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	5.1	8.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	10.2	8.7	12.2
ALL OTHER CAUSES	33	25	8	167.8	218.0	97.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	242	165	77	154	105	49	88	60	28
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	6	0	6	5	0	5	1	0	1
35-44	7	4	3	7	4	3	0	0	0
45-54	11	4	7	8	2	6	3	2	1
55-64	22	10	12	16	8	8	6	2	4
65-74	48	39	9	36	30	6	12	9	3
75-84	82	64	18	56	43	13	26	21	5
85 AND OVER	63	43	20	24	17	7	39	26	13
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 19,661 WHITE 11,470 NONWHITE 8,191

SELECTED DEATH STATISTICS, RESIDENTS OF BENTON COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	96	67	29	12.0	13.5	9.4
HEART DISEASES	34	24	10	423.6	484.4	325.5
MALIGNANT NEOPLASMS	20	14	6	249.2	282.6	195.3
INFLUENZA AND PNEUMONIA	6	4	2	74.8	80.7	65.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	6	0	74.8	121.1	-
ACCIDENTS	6	3	3	74.8	60.6	97.6
CEREBROVASCULAR DISEASE	5	2	3	62.3	40.4	97.6
DIABETES MELLITUS	2	1	1	24.9	20.2	32.6
ALZHEIMERS DISEASE	2	2	0	24.9	40.4	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	2	0	24.9	40.4	-
SEPTICEMIA	1	1	0	12.5	20.2	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	12.5	-	32.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	12.5	20.2	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	7.5	13.2	-
SUICIDE	1	1	0	12.5	20.2	-
HOMICIDE	1	0	1	12.5	-	32.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	12.5	20.2	-
ALL OTHER CAUSES	6	4	2	74.8	80.7	65.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	96	67	29	61	40	21	35	27	8
UNDER 1	3	3	0	1	1	0	2	2	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	2	2	0	0	0	0	2	2	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	1	1	1	0	1	1	1	0
35-44	4	2	2	4	2	2	0	0	0
45-54	10	5	5	9	4	5	1	1	0
55-64	14	9	5	9	4	5	5	5	0
65-74	24	17	7	16	13	3	8	4	4
75-84	21	16	5	13	10	3	8	6	2
85 AND OVER	18	14	4	8	6	2	10	8	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 8,026 WHITE 4,954 NONWHITE 3,072

SELECTED DEATH STATISTICS, RESIDENTS OF BOLIVAR COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	457	186	271	11.2	13.8	10.0
HEART DISEASES	151	62	89	371.6	459.0	328.1
MALIGNANT NEOPLASMS	128	47	81	315.0	348.0	298.6
INFLUENZA AND PNEUMONIA	20	8	12	49.2	59.2	44.2
ACCIDENTS	19	10	9	46.8	74.0	33.2
DIABETES MELLITUS	17	6	11	41.8	44.4	40.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	16	6	10	39.4	44.4	36.9
CEREBROVASCULAR DISEASE	13	8	5	32.0	59.2	18.4
SEPTICEMIA	12	4	8	29.5	29.6	29.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	6	4	24.6	44.4	14.7
ALZHEIMERS DISEASE	5	3	2	12.3	22.2	7.4
SUICIDE	5	4	1	12.3	29.6	3.7
HIV DISEASE	4	1	3	9.8	7.4	11.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	0	4	9.8	-	14.7
PARKINSONS DISEASE	3	3	0	7.4	22.2	-
ATHEROSCLEROSIS	3	1	2	7.4	7.4	7.4
CONDITIONS ORIG IN PERINATAL PERIOD	3	2	1	4.5	12.7	1.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	4.9	7.4	3.7
HOMICIDE	2	1	1	4.9	7.4	3.7
TUBERCULOSIS	1	1	0	2.5	7.4	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	2.5	-	3.7
PEPTIC ULCER	1	1	0	2.5	7.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	2.5	7.4	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	2.5	7.4	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	2.5	-	3.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	7.4	7.4	7.4
ALL OTHER CAUSES	31	8	23	76.3	59.2	84.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	457	186	271	210	95	115	247	91	156
UNDER 1	6	2	4	3	2	1	3	0	3
(NEONATAL)	5	2	3	3	2	1	2	0	2
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	4	3	1	4	3	1	0	0	0
25-34	9	1	8	8	1	7	1	0	1
35-44	22	7	15	15	6	9	7	1	6
45-54	43	13	30	24	9	15	19	4	15
55-64	58	25	33	33	14	19	25	11	14
65-74	80	32	48	37	21	16	43	11	32
75-84	114	51	63	56	26	30	58	25	33
85 AND OVER	118	51	67	28	12	16	90	39	51
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 40,633 WHITE 13,507 NONWHITE 27,126

SELECTED DEATH STATISTICS, RESIDENTS OF CALHOUN COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	196	153	43	13.0	14.6	9.3
HEART DISEASES	73	57	16	484.4	544.9	347.1
MALIGNANT NEOPLASMS	34	27	7	225.6	258.1	151.9
CEREBROVASCULAR DISEASE	28	22	6	185.8	210.3	130.2
ACCIDENTS	11	7	4	73.0	66.9	86.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	8	0	53.1	76.5	-
INFLUENZA AND PNEUMONIA	6	5	1	39.8	47.8	21.7
SEPTICEMIA	5	5	0	33.2	47.8	-
DIABETES MELLITUS	4	4	0	26.5	38.2	-
ALZHEIMERS DISEASE	4	3	1	26.5	28.7	21.7
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS IN SITU, BENIGN & UNSPECIFIED	3	1	2	19.9	9.6	43.4
NEOPLASMS	1	0	1	6.6	-	21.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	6.6	9.6	-
ATHEROSCLEROSIS	1	1	0	6.6	9.6	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	6.6	-	21.7
SUICIDE	1	1	0	6.6	9.6	-
HOMICIDE	1	1	0	6.6	9.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	6.6	9.6	-
ALL OTHER CAUSES	13	9	4	86.3	86.0	86.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	196	153	43	104	82	22	92	71	21
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	3	2	1	2	2	0	1	0	1
35-44	5	5	0	4	4	0	1	1	0
45-54	12	7	5	7	4	3	5	3	2
55-64	17	11	6	11	7	4	6	4	2
65-74	35	29	6	25	23	2	10	6	4
75-84	66	54	12	30	22	8	36	32	4
85 AND OVER	53	42	11	20	17	3	33	25	8
UNKNOWN	1	0	1	1	0	1	0	0	0

2000 POPULATION: TOTAL 15,069 WHITE 10,460 NONWHITE 4,609

SELECTED DEATH STATISTICS, RESIDENTS OF CARROLL COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	106	56	50	9.8	8.3	12.4
HEART DISEASES	41	26	15	380.7	385.2	373.1
MALIGNANT NEOPLASMS	24	13	11	222.9	192.6	273.6
CEREBROVASCULAR DISEASE	8	4	4	74.3	59.3	99.5
ACCIDENTS	7	1	6	65.0	14.8	149.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	1	2	27.8	14.8	49.8
SUICIDE	3	1	2	27.8	14.8	49.8
DIABETES MELLITUS	2	1	1	18.6	14.8	24.9
SEPTICEMIA	1	0	1	9.3	-	24.9
ANEMIAS	1	1	0	9.3	14.8	-
ALZHEIMERS DISEASE	1	1	0	9.3	14.8	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	9.3	14.8	-
INFLUENZA AND PNEUMONIA	1	0	1	9.3	-	24.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	9.3	-	24.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	9.3	14.8	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	8.5	-	25.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	9.3	14.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	9	4	5	83.6	59.3	124.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	106	56	50	64	33	31	42	23	19
UNDER 1	2	1	1	2	1	1	0	0	0
(Neonatal)	2	1	1	2	1	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	1	0	1	1	0	1
15-24	2	0	2	2	0	2	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	6	4	2	6	4	2	0	0	0
45-54	13	7	6	10	4	6	3	3	0
55-64	13	6	7	8	4	4	5	2	3
65-74	25	16	9	15	11	4	10	5	5
75-84	24	12	12	10	3	7	14	9	5
85 AND OVER	18	10	8	10	6	4	8	4	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 10,769 WHITE 6,749 NONWHITE 4,020

SELECTED DEATH STATISTICS, RESIDENTS OF CHICKASAW COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	213	150	63	11.0	13.6	7.5
HEART DISEASES	85	60	25	437.2	542.5	298.3
MALIGNANT NEOPLASMS	40	33	7	205.8	298.4	83.5
CEREBROVASCULAR DISEASE	14	6	8	72.0	54.2	95.5
SEPTICEMIA	9	6	3	46.3	54.2	35.8
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	9	7	2	46.3	63.3	23.9
ACCIDENTS	8	6	2	41.2	54.2	23.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	6	1	36.0	54.2	11.9
DIABETES MELLITUS	5	3	2	25.7	27.1	23.9
HOMICIDE	5	2	3	25.7	18.1	35.8
ALZHEIMERS DISEASE	4	3	1	20.6	27.1	11.9
INFLUENZA AND PNEUMONIA	4	4	0	20.6	36.2	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	5.1	9.0	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	5.1	9.0	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	5.1	-	11.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.1	9.0	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.2	-	6.4
SUICIDE	1	0	1	5.1	-	11.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	4	0	20.6	36.2	-
ALL OTHER CAUSES	13	7	6	66.9	63.3	71.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	213	150	63	106	73	33	107	77	30
UNDER 1	3	1	2	2	1	1	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	2	1	1	2	1	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	3	2	1	3	2	1	0	0	0
25-34	5	1	4	3	0	3	2	1	1
35-44	8	5	3	6	4	2	2	1	1
45-54	14	6	8	10	5	5	4	1	3
55-64	20	13	7	14	8	6	6	5	1
65-74	48	39	9	26	20	6	22	19	3
75-84	58	43	15	25	20	5	33	23	10
85 AND OVER	53	39	14	16	12	4	37	27	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 19,440 WHITE 11,060 NONWHITE 8,380

SELECTED DEATH STATISTICS, RESIDENTS OF CHOCTAW COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	90	64	26	9.2	9.6	8.3
HEART DISEASES	32	23	9	327.9	346.5	288.5
MALIGNANT NEOPLASMS	18	13	5	184.5	195.8	160.2
ACCIDENTS	5	3	2	51.2	45.2	64.1
CEREBROVASCULAR DISEASE	4	4	0	41.0	60.2	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	2	1	30.7	30.1	32.0
DIABETES MELLITUS	2	1	1	20.5	15.1	32.0
ALZHEIMERS DISEASE	2	2	0	20.5	30.1	-
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	2	0	20.5	30.1	-
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	16.5	-	37.7
HOMICIDE	2	1	1	20.5	15.1	32.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	10.2	15.1	-
INFLUENZA AND PNEUMONIA	1	0	1	10.2	-	32.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	10.2	15.1	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	10.2	15.1	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	10.2	15.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	10.2	15.1	-
ALL OTHER CAUSES	12	8	4	123.0	120.5	128.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	90	64	26	41	32	9	49	32	17
UNDER 1	3	1	2	3	1	2	0	0	0
(Neonatal)	2	0	2	2	0	2	0	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	0	0	0	2	1	1
25-34	5	3	2	4	2	2	1	1	0
35-44	1	1	0	0	0	0	1	1	0
45-54	6	4	2	4	3	1	2	1	1
55-64	14	12	2	7	7	0	7	5	2
65-74	17	11	6	9	8	1	8	3	5
75-84	15	12	3	4	3	1	11	9	2
85 AND OVER	27	19	8	10	8	2	17	11	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 9,758 WHITE 6,638 NONWHITE 3,120

SELECTED DEATH STATISTICS, RESIDENTS OF CLAIBORNE COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	116	24	92	9.8	13.4	9.2
HEART DISEASES	46	11	35	388.8	612.5	348.8
MALIGNANT NEOPLASMS	22	3	19	186.0	167.0	189.3
ACCIDENTS	8	2	6	67.6	111.4	59.8
CEREBROVASCULAR DISEASE	7	2	5	59.2	111.4	49.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	1	2	25.4	55.7	19.9
HIV DISEASE	2	0	2	16.9	-	19.9
DIABETES MELLITUS	2	0	2	16.9	-	19.9
INFLUENZA AND PNEUMONIA	2	0	2	16.9	-	19.9
CHOLELITHIASIS/GALLBLADDER DISORDER	2	1	1	16.9	55.7	10.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	0	2	16.9	-	19.9
HOMICIDE	2	0	2	16.9	-	19.9
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	8.4	55.7	-
ALZHEIMERS DISEASE	1	1	0	8.4	55.7	-
ATHEROSCLEROSIS	1	0	1	8.4	-	10.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	5.1	-	5.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	25.4	55.7	19.9
ALL OTHER CAUSES	11	1	10	93.0	55.7	99.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	116	24	92	58	10	48	58	14	44
UNDER 1	1	0	1	1	0	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	2	0	2	1	0	1	1	0	1
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	0	4	3	0	3	1	0	1
25-34	6	1	5	4	1	3	2	0	2
35-44	4	0	4	1	0	1	3	0	3
45-54	11	0	11	5	0	5	6	0	6
55-64	15	2	13	10	0	10	5	2	3
65-74	16	3	13	8	1	7	8	2	6
75-84	22	8	14	11	6	5	11	2	9
85 AND OVER	34	10	24	13	2	11	21	8	13
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 11,831 WHITE 1,796 NONWHITE 10,035

SELECTED DEATH STATISTICS, RESIDENTS OF CLARKE COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	201	144	57	11.2	12.4	8.9
HEART DISEASES	78	57	21	434.4	492.2	329.4
MALIGNANT NEOPLASMS	37	29	8	206.1	250.4	125.5
CEREBROVASCULAR DISEASE	22	13	9	122.5	112.3	141.2
ACCIDENTS	11	7	4	61.3	60.4	62.7
ALZHEIMERS DISEASE	7	5	2	39.0	43.2	31.4
INFLUENZA AND PNEUMONIA	5	4	1	27.8	34.5	15.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	5	0	27.8	43.2	-
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	2	3	27.8	17.3	47.0
COMPLICATIONS MEDICAL/SURGICAL CARE	3	1	2	16.7	8.6	31.4
PARKINSONS DISEASE	2	2	0	11.1	17.3	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	11.1	8.6	15.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	11.1	17.3	-
HOMICIDE	2	0	2	11.1	-	31.4
HIV DISEASE	1	0	1	5.6	-	15.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	5.6	8.6	-
ATHEROSCLEROSIS	1	1	0	5.6	8.6	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	5.6	8.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.6	8.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	5.6	8.6	-
ALL OTHER CAUSES	14	11	3	78.0	95.0	47.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	201	144	57	99	69	30	102	75	27
UNDER 1	2	1	1	0	0	0	2	1	1
(Neonatal)	1	1	0	0	0	0	1	1	0
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	5	4	1	3	3	0	2	1	1
25-34	5	0	5	4	0	4	1	0	1
35-44	4	2	2	4	2	2	0	0	0
45-54	12	9	3	9	7	2	3	2	1
55-64	19	9	10	13	6	7	6	3	3
65-74	38	27	11	23	17	6	15	10	5
75-84	56	45	11	26	20	6	30	25	5
85 AND OVER	58	45	13	16	13	3	42	32	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 17,955 WHITE 11,580 NONWHITE 6,375

SELECTED DEATH STATISTICS, RESIDENTS OF CLAY COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	227	115	112	10.3	12.2	8.9
HEART DISEASES	106	50	56	482.3	531.3	445.6
MALIGNANT NEOPLASMS	48	31	17	218.4	329.4	135.3
CEREBROVASCULAR DISEASE	16	5	11	72.8	53.1	87.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	8	5	3	36.4	53.1	23.9
ACCIDENTS	8	4	4	36.4	42.5	31.8
DIABETES MELLITUS	4	2	2	18.2	21.2	15.9
INFLUENZA AND PNEUMONIA	4	2	2	18.2	21.2	15.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	1	3	18.2	10.6	23.9
SUICIDE	3	2	1	13.6	21.2	8.0
HOMICIDE	3	0	3	13.6	-	23.9
SEPTICEMIA	1	0	1	4.6	-	8.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	4.6	-	8.0
ATHEROSCLEROSIS	1	1	0	4.6	10.6	-
AORTIC ANEURYSM AND DISSECTION	1	0	1	4.6	-	8.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0	4.6	10.6	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	4.6	-	8.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.1	-	4.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	4.6	10.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	4.6	-	8.0
ALL OTHER CAUSES	14	10	4	63.7	106.2	31.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	227	115	112	123	64	59	104	51	53
UNDER 1	2	1	1	1	1	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	2	0	2	1	1	0
25-34	7	3	4	4	2	2	3	1	2
35-44	12	0	12	8	0	8	4	0	4
45-54	16	6	10	11	4	7	5	2	3
55-64	36	18	18	22	12	10	14	6	8
65-74	44	24	20	28	18	10	16	6	10
75-84	60	38	22	34	21	13	26	17	9
85 AND OVER	47	24	23	13	6	7	34	18	16
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 21,979 WHITE 9,411 NONWHITE 12,568

SELECTED DEATH STATISTICS, RESIDENTS OF COAHOMA COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	355	132	223	11.6	14.7	10.3
HEART DISEASES	120	47	73	391.9	524.3	337.1
MALIGNANT NEOPLASMS	59	30	29	192.7	334.6	133.9
CEREBROVASCULAR DISEASE	23	5	18	75.1	55.8	83.1
ACCIDENTS	23	9	14	75.1	100.4	64.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	16	3	13	52.2	33.5	60.0
DIABETES MELLITUS	13	5	8	42.4	55.8	36.9
INFLUENZA AND PNEUMONIA	13	5	8	42.4	55.8	36.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	6	4	32.6	66.9	18.5
HOMICIDE	10	1	9	32.6	11.2	41.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	8	1	7	26.1	11.2	32.3
SEPTICEMIA	5	2	3	16.3	22.3	13.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	1	4	16.3	11.2	18.5
CONDITIONS ORIG IN PERINATAL PERIOD	5	0	5	7.6	-	9.1
HIV DISEASE	3	0	3	9.8	-	13.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	1	2	9.8	11.2	9.2
ANEMIAS	2	0	2	6.5	-	9.2
AORTIC ANEURYSM AND DISSECTION	2	1	1	6.5	11.2	4.6
VIRAL HEPATITIS	1	0	1	3.3	-	4.6
ALZHEIMERS DISEASE	1	0	1	3.3	-	4.6
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	3.3	11.2	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.3	-	4.6
SUICIDE	1	1	0	3.3	11.2	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	0	3	9.8	-	13.8
ALL OTHER CAUSES	27	13	14	88.2	145.0	64.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	355	132	223	159	59	100	196	73	123
UNDER 1	6	0	6	4	0	4	2	0	2
(NEONATAL)	5	0	5	3	0	3	2	0	2
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	12	2	10	5	2	3	7	0	7
25-34	11	1	10	5	0	5	6	1	5
35-44	17	4	13	9	3	6	8	1	7
45-54	30	8	22	19	5	14	11	3	8
55-64	43	19	24	28	13	15	15	6	9
65-74	63	27	36	30	14	16	33	13	20
75-84	84	33	51	35	10	25	49	23	26
85 AND OVER	87	38	49	24	12	12	63	26	37
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 30,622 WHITE 8,965 NONWHITE 21,657

SELECTED DEATH STATISTICS, RESIDENTS OF COPIAH COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	284	152	132	9.9	11.0	8.8
HEART DISEASES	102	61	41	354.7	443.7	273.2
MALIGNANT NEOPLASMS	56	30	26	194.7	218.2	173.2
CEREBROVASCULAR DISEASE	20	9	11	69.5	65.5	73.3
ACCIDENTS	20	10	10	69.5	72.7	66.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	10	4	48.7	72.7	26.6
INFLUENZA AND PNEUMONIA	10	7	3	34.8	50.9	20.0
SEPTICEMIA	7	3	4	24.3	21.8	26.6
DIABETES MELLITUS	5	3	2	17.4	21.8	13.3
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS CONDITIONS ORIG IN PERINATAL PERIOD	5	3	2	17.4	21.8	13.3
ALZHEIMERS DISEASE	3	1	2	10.8	5.2	15.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	2	1	10.4	7.3	13.3
ANEMIAS	2	1	1	10.4	14.5	6.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	7.0	-	13.3
HOMICIDE	2	0	2	7.0	-	13.3
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	7.0	7.3	6.7
HIV DISEASE	1	0	1	3.5	-	6.7
PARKINSONS DISEASE	1	0	1	3.5	-	6.7
PEPTIC ULCER	1	1	0	3.5	7.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	0	3	10.4	-	20.0
ALL OTHER CAUSES	20	9	11	69.5	65.5	73.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	284	152	132	131	66	65	153	86	67
UNDER 1	6	1	5	2	0	2	4	1	3
(NEONATAL)	5	1	4	2	0	2	3	1	2
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	6	1	5	3	1	2	3	0	3
25-34	10	3	7	5	1	4	5	2	3
35-44	9	4	5	7	3	4	2	1	1
45-54	23	6	17	12	2	10	11	4	7
55-64	29	14	15	19	9	10	10	5	5
65-74	61	35	26	38	21	17	23	14	9
75-84	72	48	24	26	19	7	46	29	17
85 AND OVER	66	39	27	17	9	8	49	30	19
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 28,757 WHITE 13,747 NONWHITE 15,010

SELECTED DEATH STATISTICS, RESIDENTS OF COVINGTON COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	200	150	50	10.3	12.2	7.0
HEART DISEASES	63	49	14	324.6	398.1	197.2
MALIGNANT NEOPLASMS	48	32	16	247.3	260.0	225.4
ACCIDENTS	21	16	5	108.2	130.0	70.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	11	2	67.0	89.4	28.2
CEREBROVASCULAR DISEASE	12	7	5	61.8	56.9	70.4
DIABETES MELLITUS	3	3	0	15.4	24.4	-
INFLUENZA AND PNEUMONIA	3	3	0	15.4	24.4	-
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	3	0	15.4	24.4	-
SUICIDE	3	3	0	15.4	24.4	-
SEPTICEMIA	2	1	1	10.3	8.1	14.1
ALZHEIMERS DISEASE	2	2	0	10.3	16.2	-
ATHEROSCLEROSIS	2	1	1	10.3	8.1	14.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	10.3	8.1	14.1
ANEMIAS	1	0	1	5.2	-	14.1
MENINGITIS	1	1	0	5.2	8.1	-
PARKINSONS DISEASE	1	1	0	5.2	8.1	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	5.2	8.1	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	5.2	8.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.2	8.1	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.3	-	7.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	5.2	8.1	-
ALL OTHER CAUSES	15	12	3	77.3	97.5	42.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	200	150	50	129	102	27	71	48	23
UNDER 1	4	2	2	3	2	1	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	3	2	1	3	2	1	0	0	0
1-4	4	2	2	2	1	1	2	1	1
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	7	3	4	6	2	4	1	1	0
25-34	7	4	3	6	3	3	1	1	0
35-44	4	2	2	2	2	0	2	0	2
45-54	7	6	1	5	4	1	2	2	0
55-64	21	17	4	13	11	2	8	6	2
65-74	49	35	14	37	30	7	12	5	7
75-84	62	53	9	42	38	4	20	15	5
85 AND OVER	34	26	8	13	9	4	21	17	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 19,407 WHITE 12,307 NONWHITE 7,100

SELECTED DEATH STATISTICS, RESIDENTS OF DESOTO COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	763	674	89	7.1	7.3	5.8
HEART DISEASES	192	174	18	179.1	189.2	118.0
MALIGNANT NEOPLASMS	191	174	17	178.2	189.2	111.5
ACCIDENTS	51	45	6	47.6	48.9	39.3
CEREBROVASCULAR DISEASE	44	38	6	41.0	41.3	39.3
DIABETES MELLITUS	36	32	4	33.6	34.8	26.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	36	33	3	33.6	35.9	19.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	21	16	5	19.6	17.4	32.8
INFLUENZA AND PNEUMONIA	20	16	4	18.6	17.4	26.2
SEPTICEMIA	16	14	2	14.9	15.2	13.1
SUICIDE	11	10	1	10.3	10.9	6.6
ALZHEIMERS DISEASE	10	9	1	9.3	9.8	6.6
AORTIC ANEURYSM AND DISSECTION	10	9	1	9.3	9.8	6.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	10	9	1	9.3	9.8	6.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	7	2	8.4	7.6	13.1
CONDITIONS ORIG IN PERINATAL PERIOD	7	1	6	3.8	0.6	25.6
HOMICIDE	7	6	1	6.5	6.5	6.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	6	5	1	5.6	5.4	6.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	5	0	4.7	5.4	-
PARKINSONS DISEASE	4	4	0	3.7	4.4	-
VIRAL HEPATITIS	2	2	0	1.9	2.2	-
PEPTIC ULCER	2	1	1	1.9	1.1	6.6
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	1.9	2.2	-
HIV DISEASE	1	1	0	0.9	1.1	-
ANEMIAS	1	1	0	0.9	1.1	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	0.9	1.1	-
ATHEROSCLEROSIS	1	1	0	0.9	1.1	-
HERNIA	1	1	0	0.9	1.1	-
INFECTIONS OF KIDNEY	1	1	0	0.9	1.1	-
HYPERPLASIA OF PROSTATE	1	0	1	0.9	-	6.6
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	0.9	1.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	3	2	4.7	3.3	13.1
ALL OTHER CAUSES	58	52	6	54.1	56.6	39.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	763	674	89	393	346	47	370	328	42
UNDER 1	14	6	8	7	4	3	7	2	5
(Neonatal)	9	3	6	2	1	1	7	2	5
(Postneonatal)	5	3	2	5	3	2	0	0	0
1-4	3	3	0	1	1	0	2	2	0
5-9	3	2	1	0	0	0	3	2	1
10-14	4	3	1	2	2	0	2	1	1
15-24	15	12	3	10	9	1	5	3	2
25-34	16	15	1	11	11	0	5	4	1
35-44	42	35	7	28	23	5	14	12	2
45-54	71	64	7	41	36	5	30	28	2
55-64	122	118	4	71	68	3	51	50	1
65-74	155	132	23	94	80	14	61	52	9
75-84	172	154	18	81	74	7	91	80	11
85 AND OVER	146	130	16	47	38	9	99	92	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 107,199 WHITE 91,950 NONWHITE 15,249

SELECTED DEATH STATISTICS, RESIDENTS OF FORREST COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	732	524	208	10.1	11.2	8.0
HEART DISEASES	248	194	54	341.6	415.3	208.6
MALIGNANT NEOPLASMS	128	83	45	176.3	177.7	173.8
CEREBROVASCULAR DISEASE	56	37	19	77.1	79.2	73.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	51	41	10	70.2	87.8	38.6
DIABETES MELLITUS	35	21	14	48.2	45.0	54.1
ACCIDENTS	28	21	7	38.6	45.0	27.0
SEPTICEMIA	20	10	10	27.5	21.4	38.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	16	12	4	22.0	25.7	15.4
INFLUENZA AND PNEUMONIA	13	10	3	17.9	21.4	11.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	12	5	7	16.5	10.7	27.0
SUICIDE	10	9	1	13.8	19.3	3.9
HOMICIDE	8	3	5	11.0	6.4	19.3
ALZHEIMERS DISEASE	7	7	0	9.6	15.0	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	7	5	2	9.6	10.7	7.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	7	0	9.6	15.0	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	6	4	2	8.3	8.6	7.7
HIV DISEASE	4	1	3	5.5	2.1	11.6
ANEMIAS	3	1	2	4.1	2.1	7.7
CONDITIONS ORIG IN PERINATAL PERIOD	3	2	1	2.7	3.2	2.1
VIRAL HEPATITIS	2	2	0	2.8	4.3	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	2	0	2.8	4.3	-
AORTIC ANEURYSM AND DISSECTION	2	2	0	2.8	4.3	-
TUBERCULOSIS	1	0	1	1.4	-	3.9
SYPHILIS	1	1	0	1.4	2.1	-
PARKINSONS DISEASE	1	1	0	1.4	2.1	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	1.4	2.1	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	1.4	2.1	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	1.4	-	3.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	4.1	2.1	7.7
ALL OTHER CAUSES	55	40	15	75.8	85.6	57.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	732	524	208	331	232	99	401	292	109
UNDER 1	10	5	5	4	2	2	6	3	3
(Neonatal)	7	5	2	2	2	0	5	3	2
(Postneonatal)	3	0	3	2	0	2	1	0	1
1-4	2	0	2	1	0	1	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	11	3	8	7	1	6	4	2	2
25-34	13	10	3	7	6	1	6	4	2
35-44	34	19	15	21	12	9	13	7	6
45-54	55	35	20	35	22	13	20	13	7
55-64	79	52	27	54	37	17	25	15	10
65-74	126	87	39	66	43	23	60	44	16
75-84	203	154	49	89	72	17	114	82	32
85 AND OVER	199	159	40	47	37	10	152	122	30
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 72,604 WHITE 46,717 NONWHITE 25,887

SELECTED DEATH STATISTICS, RESIDENTS OF FRANKLIN COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	116	83	33	13.7	15.6	10.5
HEART DISEASES	48	35	13	568.2	659.8	413.6
MALIGNANT NEOPLASMS	21	16	5	248.6	301.6	159.1
DIABETES MELLITUS	9	6	3	106.5	113.1	95.4
CEREBROVASCULAR DISEASE	7	4	3	82.9	75.4	95.4
ACCIDENTS	7	5	2	82.9	94.2	63.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	1	2	35.5	18.8	63.6
INFLUENZA AND PNEUMONIA	2	1	1	23.7	18.8	31.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	2	0	23.7	37.7	-
SEPTICEMIA	1	0	1	11.8	-	31.8
ALZHEIMERS DISEASE	1	0	1	11.8	-	31.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	11.8	18.8	-
ATHEROSCLEROSIS	1	1	0	11.8	18.8	-
AORTIC ANEURYSM AND DISSECTION	1	0	1	11.8	-	31.8
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	11.8	18.8	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	11.8	18.8	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	11.8	18.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	35.5	37.7	31.8
ALL OTHER CAUSES	6	6	0	71.0	113.1	-

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	116	83	33	54	36	18	62	47	15
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	2	2	0	1	1	0	1	1	0
45-54	7	5	2	6	5	1	1	0	1
55-64	11	9	2	5	5	0	6	4	2
65-74	28	19	9	17	11	6	11	8	3
75-84	32	22	10	14	10	4	18	12	6
85 AND OVER	32	25	7	8	4	4	24	21	3
UNKNOWN	0	0	0	0	0	0	0	0	0
2000 POPULATION:	TOTAL	8,448	WHITE	5,305	NONWHITE	3,143			

SELECTED DEATH STATISTICS, RESIDENTS OF GEORGE COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	210	193	17	11.0	11.3	8.4
HEART DISEASES	58	55	3	303.0	321.4	147.5
MALIGNANT NEOPLASMS	32	31	1	167.2	181.2	49.2
ACCIDENTS	21	21	0	109.7	122.7	-
DIABETES MELLITUS	17	15	2	88.8	87.7	98.3
CEREBROVASCULAR DISEASE	16	14	2	83.6	81.8	98.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	13	0	67.9	76.0	-
INFLUENZA AND PNEUMONIA	4	3	1	20.9	17.5	49.2
CONDITIONS ORIG IN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED	4	4	0	11.9	13.3	-
NEOPLASMS	3	2	1	15.7	11.7	49.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	15.7	5.8	98.3
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	2	1	15.7	11.7	49.2
SEPTICEMIA	2	2	0	10.4	11.7	-
ALZHEIMERS DISEASE	2	2	0	10.4	11.7	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	10.4	11.7	-
PEPTIC ULCER	2	2	0	10.4	11.7	-
SUICIDE	2	2	0	10.4	11.7	-
HOMICIDE	2	1	1	10.4	5.8	49.2
ANEMIAS	1	1	0	5.2	5.8	-
ATHEROSCLEROSIS	1	1	0	5.2	5.8	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	5.2	5.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	4	0	20.9	23.4	-
ALL OTHER CAUSES	17	14	3	88.8	81.8	147.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	210	193	17	99	91	8	111	102	9
UNDER 1	7	7	0	4	4	0	3	3	0
(NEONATAL)	5	5	0	2	2	0	3	3	0
(POSTNEONATAL)	2	2	0	2	2	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	4	3	5	3	2	2	1	1
25-34	9	9	0	5	5	0	4	4	0
35-44	12	10	2	9	9	0	3	1	2
45-54	13	13	0	8	8	0	5	5	0
55-64	27	25	2	14	12	2	13	13	0
65-74	31	28	3	19	18	1	12	10	2
75-84	49	46	3	20	18	2	29	28	1
85 AND OVER	55	51	4	15	14	1	40	37	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 19,144 WHITE 17,110 NONWHITE 2,034

SELECTED DEATH STATISTICS, RESIDENTS OF GREENE COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	101	87	14	7.6	9.0	3.9
HEART DISEASES	33	29	4	248.1	299.6	110.6
MALIGNANT NEOPLASMS	16	15	1	120.3	154.9	27.6
ACCIDENTS	8	7	1	60.2	72.3	27.6
SEPTICEMIA	6	6	0	45.1	62.0	-
CEREBROVASCULAR DISEASE	6	4	2	45.1	41.3	55.3
INFLUENZA AND PNEUMONIA	5	4	1	37.6	41.3	27.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	15.0	20.6	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	2	0	15.0	20.6	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	2	2	0	15.0	20.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	15.0	20.6	-
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	13.1	8.1	34.5
DIABETES MELLITUS	1	0	1	7.5	-	27.6
PARKINSONS DISEASE	1	1	0	7.5	10.3	-
PEPTIC ULCER	1	1	0	7.5	10.3	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	7.5	10.3	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	7.5	10.3	-
HOMICIDE	1	1	0	7.5	10.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	11	8	3	82.7	82.6	82.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	101	87	14	46	40	6	55	47	8
UNDER 1	2	1	1	1	0	1	1	1	0
(Neonatal)	1	1	0	0	0	0	1	1	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	2	2	0	1	1	0
25-34	3	2	1	3	2	1	0	0	0
35-44	5	2	3	3	1	2	2	1	1
45-54	5	4	1	2	1	1	3	3	0
55-64	12	11	1	8	7	1	4	4	0
65-74	15	15	0	10	10	0	5	5	0
75-84	33	30	3	11	11	0	22	19	3
85 AND OVER	23	19	4	6	6	0	17	13	4
UNKNOWN	0	0	0	0	0	0	0	0	0
2000 POPULATION:	TOTAL	13,299	WHITE	9,681	NONWHITE	3,618			

SELECTED DEATH STATISTICS, RESIDENTS OF GRENADA COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	334	203	131	14.4	15.1	13.4
HEART DISEASES	92	58	34	395.5	430.4	347.3
MALIGNANT NEOPLASMS	67	50	17	288.0	371.1	173.7
CEREBROVASCULAR DISEASE	49	26	23	210.6	193.0	235.0
ACCIDENTS	28	15	13	120.4	111.3	132.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	16	15	1	68.8	111.3	10.2
INFLUENZA AND PNEUMONIA	11	4	7	47.3	29.7	71.5
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	11	6	5	47.3	44.5	51.1
SEPTICEMIA	7	3	4	30.1	22.3	40.9
CONDITIONS ORIG IN PERINATAL PERIOD	4	0	4	12.1	-	24.2
HOMICIDE	4	1	3	17.2	7.4	30.6
DIABETES MELLITUS	3	2	1	12.9	14.8	10.2
AORTIC ANEURYSM AND DISSECTION	3	1	2	12.9	7.4	20.4
ALZHEIMERS DISEASE	2	2	0	8.6	14.8	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	8.6	-	20.4
ATHEROSCLEROSIS	1	1	0	4.3	7.4	-
DISEASES OF APPENDIX	1	1	0	4.3	7.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	4.3	7.4	-
SUICIDE	1	1	0	4.3	7.4	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	4.3	7.4	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	4	3	30.1	29.7	30.6
ALL OTHER CAUSES	23	11	12	98.9	81.6	122.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	334	203	131	157	95	62	177	108	69
UNDER 1	7	0	7	5	0	5	2	0	2
(NEONATAL)	7	0	7	5	0	5	2	0	2
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	4	3	1	2	2	0	2	1	1
5-9	1	0	1	1	0	1	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	3	0	3	2	0	2	1	0	1
25-34	8	4	4	6	2	4	2	2	0
35-44	24	7	17	12	3	9	12	4	8
45-54	22	11	11	10	6	4	12	5	7
55-64	30	18	12	16	14	2	14	4	10
65-74	60	35	25	36	22	14	24	13	11
75-84	98	70	28	46	32	14	52	38	14
85 AND OVER	76	54	22	20	13	7	56	41	15
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 23,263 WHITE 13,474 NONWHITE 9,789

SELECTED DEATH STATISTICS, RESIDENTS OF HANCOCK COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	483	450	33	11.2	11.6	7.8
HEART DISEASES	160	151	9	372.4	389.6	213.5
MALIGNANT NEOPLASMS	105	99	6	244.4	255.5	142.3
ACCIDENTS	34	31	3	79.1	80.0	71.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	32	31	1	74.5	80.0	23.7
CEREBROVASCULAR DISEASE	22	22	0	51.2	56.8	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	17	16	1	39.6	41.3	23.7
SEPTICEMIA	11	11	0	25.6	28.4	-
INFLUENZA AND PNEUMONIA	10	9	1	23.3	23.2	23.7
SUICIDE	10	10	0	23.3	25.8	-
DIABETES MELLITUS	8	6	2	18.6	15.5	47.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	6	0	14.0	15.5	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	5	0	11.6	12.9	-
HIV DISEASE	3	2	1	7.0	5.2	23.7
ALZHEIMERS DISEASE	3	3	0	7.0	7.7	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	3	0	7.0	7.7	-
AORTIC ANEURYSM AND DISSECTION	3	2	1	7.0	5.2	23.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	2	1	7.0	5.2	23.7
HOMICIDE	3	3	0	7.0	7.7	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	4.6	5.2	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	4.6	2.6	23.7
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	4.6	5.2	-
INFECTIONS OF KIDNEY	2	1	1	4.6	2.6	23.7
TUBERCULOSIS	1	1	0	2.3	2.6	-
PARKINSONS DISEASE	1	1	0	2.3	2.6	-
ATHEROSCLEROSIS	1	1	0	2.3	2.6	-
MATERNAL CAUSES	1	1	0	173.0	192.7	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	2.3	2.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	2.3	2.6	-
ALL OTHER CAUSES	31	26	5	72.1	67.1	118.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	483	450	33	263	243	20	220	207	13
UNDER 1	4	3	1	1	0	1	3	3	0
(Neonatal)	2	2	0	0	0	0	2	2	0
(Postneonatal)	2	1	1	1	0	1	1	1	0
1-4	2	1	1	1	1	0	1	0	1
5-9	2	2	0	0	0	0	2	2	0
10-14	1	1	0	0	0	0	1	1	0
15-24	2	2	0	2	2	0	0	0	0
25-34	9	8	1	2	2	0	7	6	1
35-44	34	32	2	23	22	1	11	10	1
45-54	48	44	4	37	33	4	11	11	0
55-64	51	50	1	32	31	1	19	19	0
65-74	103	96	7	61	56	5	42	40	2
75-84	141	131	10	76	71	5	65	60	5
85 AND OVER	86	80	6	28	25	3	58	55	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 42,967 WHITE 38,752 NONWHITE 4,215

SELECTED DEATH STATISTICS, RESIDENTS OF HARRISON COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	1,800	1,470	330	9.5	10.6	6.5
HEART DISEASES	628	509	119	331.2	367.0	233.8
MALIGNANT NEOPLASMS	437	349	88	230.5	251.6	172.8
CEREBROVASCULAR DISEASE	98	78	20	51.7	56.2	39.3
ACCIDENTS	95	83	12	50.1	59.8	23.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	68	66	2	35.9	47.6	3.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	46	39	7	24.3	28.1	13.8
INFLUENZA AND PNEUMONIA	34	33	1	17.9	23.8	2.0
ALZHEIMERS DISEASE	32	31	1	16.9	22.4	2.0
SEPTICEMIA	23	20	3	12.1	14.4	5.9
SUICIDE	21	17	4	11.1	12.2	7.8
ATHEROSCLEROSIS	18	13	5	9.5	9.4	9.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	17	17	0	9.0	12.2	-
CONDITIONS ORIG IN PERINATAL PERIOD	17	9	8	5.7	4.3	9.0
DIABETES MELLITUS	10	5	5	5.3	3.6	9.8
HOMICIDE	10	8	2	5.3	5.8	3.9
AORTIC ANEURYSM AND DISSECTION	9	9	0	4.7	6.5	-
HIV DISEASE	8	5	3	4.2	3.6	5.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	8	8	0	4.2	5.8	-
PEPTIC ULCER	7	7	0	3.7	5.0	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	7	4	3	3.7	2.9	5.9
ANEMIAS	6	3	3	3.2	2.2	5.9
PARKINSONS DISEASE	6	6	0	3.2	4.3	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	5	3	2	2.6	2.2	3.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	2	3	2.6	1.4	5.9
MALNUTRITION/NUTRITIONAL DEFICIENCY	4	3	1	2.1	2.2	2.0
VIRAL HEPATITIS	3	2	1	1.6	1.4	2.0
HERNIA	3	3	0	1.6	2.2	-
COMPLICATIONS MEDICAL/SURGICAL CARE	3	1	2	1.6	0.7	3.9
ACUTE BRONCHITIS AND BRONCHIOLITIS	2	0	2	1.0	-	3.9
MATERNAL CAUSES	2	1	1	66.9	47.7	112.0
TUBERCULOSIS	1	0	1	0.5	-	2.0
INFECTIONS OF KIDNEY	1	1	0	0.5	0.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	9	8	1	4.7	5.8	2.0
ALL OTHER CAUSES	157	127	30	82.8	91.6	58.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	1,800	1,470	330	942	779	163	858	691	167
UNDER 1	35	20	15	22	13	9	13	7	6
(Neonatal)	21	12	9	13	8	5	8	4	4
(Postneonatal)	14	8	6	9	5	4	5	3	2
1-4	7	4	3	6	4	2	1	0	1
5-9	1	1	0	1	1	0	0	0	0
10-14	6	4	2	4	3	1	2	1	1
15-24	29	20	9	17	11	6	12	9	3
25-34	27	20	7	18	12	6	9	8	1
35-44	79	55	24	43	28	15	36	27	9
45-54	146	104	42	90	72	18	56	32	24
55-64	231	187	44	127	100	27	104	87	17
65-74	421	349	72	256	226	30	165	123	42
75-84	485	423	62	242	209	33	243	214	29
85 AND OVER	331	283	48	114	100	14	217	183	34
UNKNOWN	2	0	2	2	0	2	0	0	0

2000 POPULATION: TOTAL 189,601 WHITE 138,692 NONWHITE 50,909

SELECTED DEATH STATISTICS, RESIDENTS OF HINDS COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	2,144	1,001	1,143	8.5	10.7	7.3
HEART DISEASES	693	330	363	276.3	352.6	230.9
MALIGNANT NEOPLASMS	403	201	202	160.7	214.8	128.5
CEREBROVASCULAR DISEASE	135	64	71	53.8	68.4	45.2
ACCIDENTS	105	52	53	41.9	55.6	33.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	80	54	26	31.9	57.7	16.5
INFLUENZA AND PNEUMONIA	52	25	27	20.7	26.7	17.2
HOMICIDE	51	8	43	20.3	8.5	27.4
DIABETES MELLITUS	46	18	28	18.3	19.2	17.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	46	16	30	18.3	17.1	19.1
HIV DISEASE	43	6	37	17.1	6.4	23.5
SEPTICEMIA	38	15	23	15.2	16.0	14.6
ALZHEIMERS DISEASE	27	22	5	10.8	23.5	3.2
SUICIDE	26	16	10	10.4	17.1	6.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	24	7	17	9.6	7.5	10.8
CONDITIONS ORIG IN PERINATAL PERIOD	24	3	21	6.0	2.9	7.1
AORTIC ANEURYSM AND DISSECTION	17	9	8	6.8	9.6	5.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	17	11	6	6.8	11.8	3.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	15	8	7	6.0	8.5	4.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	11	4	7	4.4	4.3	4.4
PARKINSONS DISEASE	10	7	3	4.0	7.5	1.9
COMPLICATIONS MEDICAL/SURGICAL CARE	8	3	5	3.2	3.2	3.2
ATHEROSCLEROSIS	5	2	3	2.0	2.1	1.9
PEPTIC ULCER	5	3	2	2.0	3.2	1.3
MALNUTRITION/NUTRITIONAL DEFICIENCY IN SITU, BENIGN & UNSPECIFIED	4	2	2	1.6	2.1	1.3
NEOPLASMS	3	0	3	1.2	-	1.9
ANEMIAS	3	0	3	1.2	-	1.9
CHOLELITHIASIS/GALLBLADDER DISORDER	3	3	0	1.2	3.2	-
MATERNAL CAUSES	3	0	3	74.7	-	101.0
TUBERCULOSIS	2	1	1	0.8	1.1	0.6
VIRAL HEPATITIS	2	0	2	0.8	-	1.3
HYPERPLASIA OF PROSTATE	2	1	1	0.8	1.1	0.6
HERNIA	1	0	1	0.4	-	0.6
INFECTIONS OF KIDNEY	1	0	1	0.4	-	0.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	21	7	14	8.4	7.5	8.9
ALL OTHER CAUSES	218	103	115	86.9	110.1	73.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	2,144	1,001	1,143	1,068	494	574	1,076	507	569
UNDER 1	62	13	49	38	10	28	24	3	21
(NEONATAL)	35	8	27	23	7	16	12	1	11
(POSTNEONATAL)	27	5	22	15	3	12	12	2	10
1-4	3	0	3	3	0	3	0	0	0
5-9	5	1	4	3	0	3	2	1	1
10-14	6	2	4	5	2	3	1	0	1
15-24	57	17	40	37	11	26	20	6	14
25-34	75	25	50	49	21	28	26	4	22
35-44	141	39	102	79	23	56	62	16	46
45-54	185	66	119	106	41	65	79	25	54
55-64	243	94	149	153	56	97	90	38	52
65-74	338	160	178	194	98	96	144	62	82
75-84	520	299	221	240	143	97	280	156	124
85 AND OVER	507	285	222	159	89	70	348	196	152
UNKNOWN	2	0	2	2	0	2	0	0	0

2000 POPULATION: TOTAL 250,800 WHITE 93,584 NONWHITE 157,216

SELECTED DEATH STATISTICS, RESIDENTS OF HOLMES COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	250	75	175	11.6	17.0	10.2
HEART DISEASES	87	28	59	402.6	632.9	343.3
MALIGNANT NEOPLASMS	53	13	40	245.3	293.8	232.8
ACCIDENTS	18	2	16	83.3	45.2	93.1
CEREBROVASCULAR DISEASE	17	9	8	78.7	203.4	46.6
DIABETES MELLITUS	8	1	7	37.0	22.6	40.7
INFLUENZA AND PNEUMONIA	7	3	4	32.4	67.8	23.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	4	3	32.4	90.4	17.4
SEPTICEMIA	4	0	4	18.5	-	23.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	0	4	18.5	-	23.3
CONDITIONS ORIG IN PERINATAL PERIOD	4	0	4	9.5	-	10.8
HOMICIDE	4	0	4	18.5	-	23.3
HIV DISEASE	3	0	3	13.9	-	17.4
ANEMIAS	3	1	2	13.9	22.6	11.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	9.2	22.6	5.8
SUICIDE	2	2	0	9.2	45.2	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	4.6	22.6	-
MENINGITIS	1	0	1	4.6	-	5.8
PARKINSONS DISEASE	1	1	0	4.6	22.6	-
ALZHEIMERS DISEASE	1	0	1	4.6	-	5.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	4.6	22.6	-
ATHEROSCLEROSIS	1	0	1	4.6	-	5.8
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.6	22.6	-
PEPTIC ULCER	1	0	1	4.6	-	5.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	4.6	-	5.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	9.2	22.6	5.8
ALL OTHER CAUSES	16	6	10	74.0	135.6	58.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	250	75	175	126	29	97	124	46	78
UNDER 1	5	0	5	4	0	4	1	0	1
(NEONATAL)	5	0	5	4	0	4	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	10	3	7	8	3	5	2	0	2
25-34	5	1	4	5	1	4	0	0	0
35-44	15	1	14	12	1	11	3	0	3
45-54	29	2	27	18	1	17	11	1	10
55-64	26	6	20	14	1	13	12	5	7
65-74	41	17	24	18	6	12	23	11	12
75-84	55	22	33	27	8	19	28	14	14
85 AND OVER	63	23	40	19	8	11	44	15	29
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 21,609 WHITE 4,424 NONWHITE 17,185

SELECTED DEATH STATISTICS, RESIDENTS OF HUMPHREYS COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	142	42	100	12.7	13.8	12.2
HEART DISEASES	47	14	33	419.4	459.8	404.4
MALIGNANT NEOPLASMS	33	9	24	294.5	295.6	294.1
CEREBROVASCULAR DISEASE	8	4	4	71.4	131.4	49.0
INFLUENZA AND PNEUMONIA	6	3	3	53.5	98.5	36.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	3	3	53.5	98.5	36.8
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	0	5	44.6	-	61.3
ACCIDENTS	5	2	3	44.6	65.7	36.8
HOMICIDE	5	1	4	44.6	32.8	49.0
ALZHEIMERS DISEASE	4	0	4	35.7	-	49.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	1	3	35.7	32.8	36.8
HIV DISEASE	2	0	2	17.8	-	24.5
DIABETES MELLITUS	2	1	1	17.8	32.8	12.2
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	10.0	-	12.0
SEPTICEMIA	1	0	1	8.9	-	12.2
ANEMIAS	1	0	1	8.9	-	12.2
PARKINSONS DISEASE	1	1	0	8.9	32.8	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	8.9	32.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	8.9	-	12.2
ALL OTHER CAUSES	8	2	6	71.4	65.7	73.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	142	42	100	59	15	44	83	27	56
UNDER 1	2	0	2	2	0	2	0	0	0
(Neonatal)	2	0	2	2	0	2	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	0	3	2	0	2	1	0	1
25-34	2	0	2	0	0	0	2	0	2
35-44	7	3	4	2	2	0	5	1	4
45-54	16	5	11	9	2	7	7	3	4
55-64	14	0	14	12	0	12	2	0	2
65-74	38	14	24	10	5	5	28	9	19
75-84	25	10	15	14	6	8	11	4	7
85 AND OVER	35	10	25	8	0	8	27	10	17
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 11,206 WHITE 3,045 NONWHITE 8,161

SELECTED DEATH STATISTICS, RESIDENTS OF ISSAQUENA COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	19	8	11	8.4	9.7	7.6
MALIGNANT NEOPLASMS	5	2	3	219.9	242.1	207.2
HEART DISEASES	5	3	2	219.9	363.2	138.1
INFLUENZA AND PNEUMONIA	2	2	0	88.0	242.1	-
ACCIDENTS	2	0	2	88.0	-	138.1
CEREBROVASCULAR DISEASE	1	0	1	44.0	-	69.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	0	1	44.0	-	69.1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	0	1	44.0	-	69.1
SUICIDE	1	0	1	44.0	-	69.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	1	1	0	44.0	121.1	-

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	19	8	11	12	6	6	7	2	5
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	1	0	1	1	0	1	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	4	1	3	4	1	3	0	0	0
55-64	2	2	0	1	1	0	1	1	0
65-74	1	0	1	0	0	0	1	0	1
75-84	6	2	4	2	1	1	4	1	3
85 AND OVER	3	3	0	3	3	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 2,274 WHITE 826 NONWHITE 1,448

SELECTED DEATH STATISTICS, RESIDENTS OF ITAWAMBA COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	266	255	11	11.7	12.1	6.4
HEART DISEASES	82	78	4	360.1	370.4	233.2
MALIGNANT NEOPLASMS	58	54	4	254.7	256.5	233.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	26	26	0	114.2	123.5	-
ACCIDENTS	22	20	2	96.6	95.0	116.6
CEREBROVASCULAR DISEASE	17	17	0	74.7	80.7	-
ALZHEIMERS DISEASE	12	12	0	52.7	57.0	-
INFLUENZA AND PNEUMONIA	8	8	0	35.1	38.0	-
DIABETES MELLITUS	6	6	0	26.4	28.5	-
SUICIDE	6	6	0	26.4	28.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	4	1	22.0	19.0	58.3
SEPTICEMIA	4	4	0	17.6	19.0	-
CONDITIONS ORIG IN PERINATAL PERIOD	3	3	0	10.6	11.4	-
VIRAL HEPATITIS	1	1	0	4.4	4.7	-
HIV DISEASE	1	1	0	4.4	4.7	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	4.4	4.7	-
PARKINSONS DISEASE	1	1	0	4.4	4.7	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	4.4	4.7	-
HOMICIDE	1	1	0	4.4	4.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	8.8	9.5	-
ALL OTHER CAUSES	9	9	0	39.5	42.7	-

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	266	255	11	138	132	6	128	123	5
UNDER 1	4	4	0	4	4	0	0	0	0
(NEONATAL)	3	3	0	3	3	0	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	4	3	1	3	2	1	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	4	0	2	2	0	2	2	0
25-34	5	4	1	4	3	1	1	1	0
35-44	16	15	1	10	9	1	6	6	0
45-54	11	11	0	8	8	0	3	3	0
55-64	30	29	1	23	22	1	7	7	0
65-74	46	43	3	24	23	1	22	20	2
75-84	65	61	4	32	31	1	33	30	3
85 AND OVER	80	80	0	27	27	0	53	53	0
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 22,770 WHITE 21,055 NONWHITE 1,715

SELECTED DEATH STATISTICS, RESIDENTS OF JACKSON COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	1,183	974	209	9.0	9.8	6.4
HEART DISEASES	341	277	64	259.5	279.7	197.6
MALIGNANT NEOPLASMS	285	237	48	216.9	239.3	148.2
ACCIDENTS	75	64	11	57.1	64.6	34.0
CEREBROVASCULAR DISEASE	62	50	12	47.2	50.5	37.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	55	55	0	41.8	55.5	-
ALZHEIMERS DISEASE	33	31	2	25.1	31.3	6.2
INFLUENZA AND PNEUMONIA	32	26	6	24.3	26.2	18.5
SEPTICEMIA	28	20	8	21.3	20.2	24.7
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	22	12	10	16.7	12.1	30.9
DIABETES MELLITUS	16	13	3	12.2	13.1	9.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	16	16	0	12.2	16.2	-
HOMICIDE	13	8	5	9.9	8.1	15.4
AORTIC ANEURYSM AND DISSECTION	12	12	0	9.1	12.1	-
SUICIDE	12	10	2	9.1	10.1	6.2
CONDITIONS ORIG IN PERINATAL PERIOD	7	3	4	3.6	2.2	6.7
HIV DISEASE	6	5	1	4.6	5.0	3.1
PARKINSONS DISEASE	6	5	1	4.6	5.0	3.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS IN SITU, BENIGN & UNSPECIFIED	6	5	1	4.6	5.0	3.1
NEOPLASMS	5	5	0	3.8	5.0	-
ATHEROSCLEROSIS	5	4	1	3.8	4.0	3.1
COMPLICATIONS MEDICAL/SURGICAL CARE	5	4	1	3.8	4.0	3.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	2	2	3.0	2.0	6.2
ANEMIAS	3	1	2	2.3	1.0	6.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	2.3	2.0	3.1
ACUTE BRONCHITIS AND BRONCHIOLITIS	2	1	1	1.5	1.0	3.1
CHOLELITHIASIS/GALLBLADDER DISORDER	2	0	2	1.5	-	6.2
MENINGOCOCCAL INFECTION	1	1	0	0.8	1.0	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	0.8	1.0	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.8	1.0	-
PEPTIC ULCER	1	0	1	0.8	-	3.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	12	7	5	9.1	7.1	15.4
ALL OTHER CAUSES	111	96	15	84.5	96.9	46.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	1,183	974	209	595	490	105	588	484	104
UNDER 1	15	6	9	7	3	4	8	3	5
(NEONATAL)	9	4	5	5	2	3	4	2	2
(POSTNEONATAL)	6	2	4	2	1	1	4	1	3
1-4	8	6	2	5	4	1	3	2	1
5-9	1	0	1	1	0	1	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	17	13	4	14	11	3	3	2	1
25-34	26	19	7	17	12	5	9	7	2
35-44	54	41	13	25	20	5	29	21	8
45-54	80	62	18	51	41	10	29	21	8
55-64	166	131	35	98	73	25	68	58	10
65-74	273	217	56	163	133	30	110	84	26
75-84	310	269	41	151	137	14	159	132	27
85 AND OVER	232	209	23	63	56	7	169	153	16
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 131,420 WHITE 99,026 NONWHITE 32,394

SELECTED DEATH STATISTICS, RESIDENTS OF JASPER COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	235	134	101	12.9	15.9	10.4
HEART DISEASES	79	48	31	435.3	569.2	319.1
MALIGNANT NEOPLASMS	51	27	24	281.0	320.2	247.0
CEREBROVASCULAR DISEASE	18	12	6	99.2	142.3	61.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	5	8	71.6	59.3	82.3
ACCIDENTS	13	8	5	71.6	94.9	51.5
INFLUENZA AND PNEUMONIA	6	4	2	33.1	47.4	20.6
DIABETES MELLITUS	5	2	3	27.6	23.7	30.9
HOMICIDE	5	3	2	27.6	35.6	20.6
SEPTICEMIA	4	3	1	22.0	35.6	10.3
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	0	4	22.0	-	41.2
SUICIDE	4	3	1	22.0	35.6	10.3
ALZHEIMERS DISEASE	2	2	0	11.0	23.7	-
HIV DISEASE	1	0	1	5.5	-	10.3
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	5.5	11.8	-
ANEMIAS	1	0	1	5.5	-	10.3
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	5.5	-	10.3
PARKINSONS DISEASE	1	1	0	5.5	11.8	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	5.5	-	10.3
AORTIC ANEURYSM AND DISSECTION	1	0	1	5.5	-	10.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	5.5	11.8	-
HERNIA	1	1	0	5.5	11.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.5	11.8	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.5	-	5.3
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	5.5	11.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	16.5	11.8	20.6
ALL OTHER CAUSES	16	10	6	88.2	118.6	61.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	235	134	101	111	60	51	124	74	50
UNDER 1	3	1	2	0	0	0	3	1	2
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	2	1	1	0	0	0	2	1	1
1-4	2	1	1	1	1	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	0	0	0	2	0	2
15-24	5	4	1	3	2	1	2	2	0
25-34	3	2	1	2	1	1	1	1	0
35-44	9	2	7	7	1	6	2	1	1
45-54	20	5	15	11	2	9	9	3	6
55-64	36	18	18	20	9	11	16	9	7
65-74	35	22	13	19	13	6	16	9	7
75-84	56	42	14	27	22	5	29	20	9
85 AND OVER	64	37	27	21	9	12	43	28	15
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 18,149 WHITE 8,433 NONWHITE 9,716

SELECTED DEATH STATISTICS, RESIDENTS OF JEFFERSON COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	79	6	73	8.1	4.7	8.6
HEART DISEASES	24	2	22	246.4	157.2	259.8
MALIGNANT NEOPLASMS	17	2	15	174.5	157.2	177.1
CEREBROVASCULAR DISEASE	6	0	6	61.6	-	70.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	0	5	51.3	-	59.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	0	4	41.1	-	47.2
DIABETES MELLITUS	3	0	3	30.8	-	35.4
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	20.3	-	21.6
ACCIDENTS	3	0	3	30.8	-	35.4
SEPTICEMIA	2	0	2	20.5	-	23.6
HOMICIDE	2	0	2	20.5	-	23.6
HIV DISEASE	1	0	1	10.3	-	11.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	10.3	-	11.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	10.3	78.6	-
ATHEROSCLEROSIS	1	0	1	10.3	-	11.8
INFLUENZA AND PNEUMONIA	1	0	1	10.3	-	11.8
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	10.3	-	11.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	10.3	78.6	-
ALL OTHER CAUSES	3	0	3	30.8	-	35.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	79	6	73	36	1	35	43	5	38
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	3	0	3	2	0	2	1	0	1
35-44	6	0	6	1	0	1	5	0	5
45-54	7	0	7	4	0	4	3	0	3
55-64	15	2	13	5	1	4	10	1	9
65-74	10	0	10	5	0	5	5	0	5
75-84	17	2	15	9	0	9	8	2	6
85 AND OVER	16	2	14	6	0	6	10	2	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 9,740 WHITE 1,272 NONWHITE 8,468

SELECTED DEATH STATISTICS, RESIDENTS OF JEFF DAVIS COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	165	77	88	11.8	13.2	10.8
HEART DISEASES	56	28	28	401.1	481.4	343.7
MALIGNANT NEOPLASMS	33	21	12	236.4	361.1	147.3
ACCIDENTS	15	3	12	107.4	51.6	147.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	4	5	64.5	68.8	61.4
CEREBROVASCULAR DISEASE	8	2	6	57.3	34.4	73.6
INFLUENZA AND PNEUMONIA	6	2	4	43.0	34.4	49.1
DIABETES MELLITUS	4	2	2	28.6	34.4	24.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	3	1	28.6	51.6	12.3
HOMICIDE	4	0	4	28.6	-	49.1
SEPTICEMIA	3	3	0	21.5	51.6	-
ALZHEIMERS DISEASE	2	1	1	14.3	17.2	12.3
AORTIC ANEURYSM AND DISSECTION	2	1	1	14.3	17.2	12.3
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	9.8	-	15.7
PARKINSONS DISEASE	1	1	0	7.2	17.2	-
ATHEROSCLEROSIS	1	1	0	7.2	17.2	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	7.2	-	12.3
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	7.2	-	12.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	21.5	17.2	24.6
ALL OTHER CAUSES	10	4	6	71.6	68.8	73.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	165	77	88	78	37	41	87	40	47
UNDER 1	4	0	4	1	0	1	3	0	3
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	2	0	2	0	0	0	2	0	2
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	4	1	3	3	1	2	1	0	1
25-34	6	1	5	4	1	3	2	0	2
35-44	10	3	7	2	1	1	8	2	6
45-54	12	5	7	8	4	4	4	1	3
55-64	30	16	14	17	9	8	13	7	6
65-74	27	16	11	13	9	4	14	7	7
75-84	37	18	19	18	8	10	19	10	9
85 AND OVER	34	17	17	11	4	7	23	13	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 13,962 WHITE 5,816 NONWHITE 8,146

SELECTED DEATH STATISTICS, RESIDENTS OF JONES COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	703	556	147	10.8	12.0	7.8
HEART DISEASES	207	164	43	318.7	355.0	229.1
MALIGNANT NEOPLASMS	135	111	24	207.8	240.3	127.9
CEREBROVASCULAR DISEASE	45	38	7	69.3	82.3	37.3
ACCIDENTS	37	26	11	57.0	56.3	58.6
INFLUENZA AND PNEUMONIA	32	28	4	49.3	60.6	21.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	32	29	3	49.3	62.8	16.0
SEPTICEMIA	22	15	7	33.9	32.5	37.3
DIABETES MELLITUS	13	10	3	20.0	21.6	16.0
ALZHEIMERS DISEASE	13	12	1	20.0	26.0	5.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	13	9	4	20.0	19.5	21.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	8	8	0	12.3	17.3	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	8	4	4	12.3	8.7	21.3
PARKINSONS DISEASE	7	5	2	10.8	10.8	10.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	5	2	10.8	10.8	10.6
HOMICIDE	7	4	3	10.8	8.7	16.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	3	1	6.2	6.5	5.3
VIRAL HEPATITIS	3	3	0	4.6	6.5	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	1	2	4.6	2.2	10.6
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	2	1	4.6	4.3	5.3
AORTIC ANEURYSM AND DISSECTION	3	2	1	4.6	4.3	5.3
SUICIDE	3	3	0	4.6	6.5	-
ANEMIAS	2	1	1	3.1	2.2	5.3
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	3.1	4.3	-
HIV DISEASE	1	0	1	1.5	-	5.3
ATHEROSCLEROSIS	1	0	1	1.5	-	5.3
PEPTIC ULCER	1	1	0	1.5	2.2	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	1.5	2.2	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	11	10	1	16.9	21.6	5.3
ALL OTHER CAUSES	79	59	20	121.6	127.7	106.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	703	556	147	345	278	67	358	278	80
UNDER 1	12	6	6	8	3	5	4	3	1
(NEONATAL)	3	1	2	3	1	2	0	0	0
(POSTNEONATAL)	9	5	4	5	2	3	4	3	1
1-4	3	1	2	3	1	2	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	3	2	1	0	0	0	3	2	1
15-24	11	8	3	9	7	2	2	1	1
25-34	10	5	5	4	4	0	6	1	5
35-44	27	18	9	16	13	3	11	5	6
45-54	43	27	16	28	19	9	15	8	7
55-64	59	43	16	31	22	9	28	21	7
65-74	140	114	26	82	66	16	58	48	10
75-84	203	171	32	97	84	13	106	87	19
85 AND OVER	192	161	31	67	59	8	125	102	23
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 64,958 WHITE 46,192 NONWHITE 18,766

SELECTED DEATH STATISTICS, RESIDENTS OF KEMPER COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	100	55	45	9.6	13.5	7.1
HEART DISEASES	46	30	16	440.1	735.3	251.0
MALIGNANT NEOPLASMS	13	9	4	124.4	220.6	62.8
ACCIDENTS	7	3	4	67.0	73.5	62.8
CEREBROVASCULAR DISEASE	6	5	1	57.4	122.5	15.7
DIABETES MELLITUS	3	0	3	28.7	-	47.1
SUICIDE	3	1	2	28.7	24.5	31.4
SEPTICEMIA	2	1	1	19.1	24.5	15.7
INFLUENZA AND PNEUMONIA	2	1	1	19.1	24.5	15.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	1	1	19.1	24.5	15.7
HOMICIDE	2	0	2	19.1	-	31.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	9.6	24.5	-
ANEMIAS	1	0	1	9.6	-	15.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	9.6	24.5	-
HERNIA	1	0	1	9.6	-	15.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	0	1	9.6	-	15.7
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	7.5	-	10.3
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	9.6	24.5	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	9.6	24.5	-
ALL OTHER CAUSES	6	0	6	57.4	-	94.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	100	55	45	42	25	17	58	30	28
UNDER 1	1	0	1	0	0	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	1	1	0	1	0	1
25-34	5	0	5	4	0	4	1	0	1
35-44	3	1	2	1	0	1	2	1	1
45-54	7	5	2	5	4	1	2	1	1
55-64	7	1	6	1	0	1	6	1	5
65-74	17	11	6	9	5	4	8	6	2
75-84	26	15	11	12	8	4	14	7	7
85 AND OVER	31	21	10	9	7	2	22	14	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 10,453 WHITE 4,080 NONWHITE 6,373

SELECTED DEATH STATISTICS, RESIDENTS OF LAFAYETTE COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	270	200	70	7.0	7.2	6.4
HEART DISEASES	83	66	17	214.2	237.1	155.9
MALIGNANT NEOPLASMS	57	40	17	147.1	143.7	155.9
ACCIDENTS	22	11	11	56.8	39.5	100.9
CEREBROVASCULAR DISEASE	19	16	3	49.0	57.5	27.5
INFLUENZA AND PNEUMONIA	11	10	1	28.4	35.9	9.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	8	1	23.2	28.7	9.2
ALZHEIMERS DISEASE	7	5	2	18.1	18.0	18.3
DIABETES MELLITUS	5	4	1	12.9	14.4	9.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	3	2	12.9	10.8	18.3
SEPTICEMIA	4	2	2	10.3	7.2	18.3
PARKINSONS DISEASE	4	2	2	10.3	7.2	18.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	4	0	10.3	14.4	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	3	0	7.7	10.8	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	5.2	3.6	9.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	5.2	3.6	9.2
SUICIDE	2	2	0	5.2	7.2	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	2.6	3.6	-
ANEMIAS	1	0	1	2.6	-	9.2
AORTIC ANEURYSM AND DISSECTION	1	1	0	2.6	3.6	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.4	-	5.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	27	20	7	69.7	71.8	64.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	270	200	70	136	97	39	134	103	31
UNDER 1	1	0	1	0	0	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	7	3	4	5	2	3	2	1	1
25-34	8	3	5	2	1	1	6	2	4
35-44	14	10	4	7	4	3	7	6	1
45-54	16	11	5	12	8	4	4	3	1
55-64	31	18	13	19	10	9	12	8	4
65-74	44	36	8	30	26	4	14	10	4
75-84	74	61	13	41	32	9	33	29	4
85 AND OVER	73	56	17	19	13	6	54	43	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 38,744 WHITE 27,838 NONWHITE 10,906

SELECTED DEATH STATISTICS, RESIDENTS OF LAMAR COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	291	259	32	7.4	7.8	5.6
HEART DISEASES	98	88	10	250.8	263.9	174.6
MALIGNANT NEOPLASMS	58	50	8	148.4	150.0	139.7
CEREBROVASCULAR DISEASE	33	30	3	84.5	90.0	52.4
ACCIDENTS	15	14	1	38.4	42.0	17.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	13	1	35.8	39.0	17.4
INFLUENZA AND PNEUMONIA	10	9	1	25.6	27.0	17.4
ALZHEIMERS DISEASE	6	6	0	15.4	18.0	-
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	4	1	12.8	12.0	17.4
DIABETES MELLITUS	4	4	0	10.2	12.0	-
CONDITIONS ORIG IN PERINATAL PERIOD	4	3	1	6.7	6.1	9.0
SUICIDE	4	4	0	10.2	12.0	-
SEPTICEMIA	3	2	1	7.7	6.0	17.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	5.1	6.0	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	2.6	3.0	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	2.6	-	17.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	2.6	3.0	-
HOMICIDE	1	1	0	2.6	3.0	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	2.6	3.0	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	2.6	-	17.4
ALL OTHER CAUSES	29	26	3	74.2	78.0	52.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	291	259	32	138	127	11	153	132	21
UNDER 1	6	5	1	4	3	1	2	2	0
(NEONATAL)	5	4	1	3	2	1	2	2	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	5	2	3	3	0	4	2	2
25-34	5	5	0	2	2	0	3	3	0
35-44	7	6	1	2	2	0	5	4	1
45-54	22	15	7	14	11	3	8	4	4
55-64	35	33	2	20	20	0	15	13	2
65-74	61	52	9	33	30	3	28	22	6
75-84	75	73	2	40	38	2	35	35	0
85 AND OVER	72	65	7	19	18	1	53	47	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 39,070 WHITE 33,342 NONWHITE 5,728

SELECTED DEATH STATISTICS, RESIDENTS OF LAUDERDALE COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	975	641	334	12.5	13.6	10.7
HEART DISEASES	308	209	99	394.0	444.6	317.8
MALIGNANT NEOPLASMS	204	130	74	261.0	276.5	237.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	60	49	11	76.8	104.2	35.3
ACCIDENTS	47	33	14	60.1	70.2	44.9
CEREBROVASCULAR DISEASE	46	32	14	58.8	68.1	44.9
INFLUENZA AND PNEUMONIA	43	31	12	55.0	65.9	38.5
ALZHEIMERS DISEASE	26	18	8	33.3	38.3	25.7
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	26	10	16	33.3	21.3	51.4
SEPTICEMIA	15	9	6	19.2	19.1	19.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	13	10	3	16.6	21.3	9.6
HIV DISEASE	11	2	9	14.1	4.2	28.9
DIABETES MELLITUS	10	6	4	12.8	12.8	12.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	9	6	3	11.5	12.8	9.6
HOMICIDE	9	3	6	11.5	6.4	19.3
CONDITIONS ORIG IN PERINATAL PERIOD	8	0	8	7.0	-	14.9
PARKINSONS DISEASE	7	6	1	9.0	12.8	3.2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	6	4	2	7.7	8.5	6.4
SUICIDE	5	4	1	6.4	8.5	3.2
AORTIC ANEURYSM AND DISSECTION	4	3	1	5.1	6.4	3.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	2	2	5.1	4.2	6.4
ANEMIAS	3	2	1	3.8	4.2	3.2
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	3	0	3.8	6.4	-
VIRAL HEPATITIS	2	2	0	2.6	4.2	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	2.6	2.1	3.2
DISEASES OF APPENDIX	2	0	2	2.6	-	6.4
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	2.6	2.1	3.2
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	1.3	2.1	-
HERNIA	1	1	0	1.3	2.1	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	1.3	-	3.2
LEGAL INTERVENTION	1	0	1	1.3	-	3.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	19	16	3	24.3	34.0	9.6
ALL OTHER CAUSES	77	47	30	98.5	100.0	96.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	975	641	334	448	278	170	527	363	164
UNDER 1	13	3	10	7	1	6	6	2	4
(Neonatal)	6	1	5	5	1	4	1	0	1
(Postneonatal)	7	2	5	2	0	2	5	2	3
1-4	3	1	2	1	0	1	2	1	1
5-9	4	1	3	2	1	1	2	0	2
10-14	4	3	1	3	3	0	1	0	1
15-24	17	10	7	8	6	2	9	4	5
25-34	24	12	12	16	6	10	8	6	2
35-44	31	12	19	13	4	9	18	8	10
45-54	63	28	35	37	17	20	26	11	15
55-64	96	54	42	69	36	33	27	18	9
65-74	188	121	67	102	67	35	86	54	32
75-84	263	201	62	109	82	27	154	119	35
85 AND OVER	269	195	74	81	55	26	188	140	48
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 78,161 WHITE 47,013 NONWHITE 31,148

SELECTED DEATH STATISTICS, RESIDENTS OF LAWRENCE COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	151	110	41	11.4	12.4	9.4
HEART DISEASES	48	32	16	362.0	360.6	365.0
MALIGNANT NEOPLASMS	36	30	6	271.5	338.0	136.9
ACCIDENTS	20	16	4	150.8	180.3	91.3
CEREBROVASCULAR DISEASE	16	10	6	120.7	112.7	136.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	6	1	52.8	67.6	22.8
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	4	0	30.2	45.1	-
DIABETES MELLITUS	3	1	2	22.6	11.3	45.6
INFLUENZA AND PNEUMONIA	3	2	1	22.6	22.5	22.8
VIRAL HEPATITIS	1	1	0	7.5	11.3	-
AORTIC ANEURYSM AND DISSECTION	1	0	1	7.5	-	22.8
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	7.5	-	22.8
SUICIDE	1	1	0	7.5	11.3	-
HOMICIDE	1	1	0	7.5	11.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	7.5	11.3	-
ALL OTHER CAUSES	8	5	3	60.3	56.3	68.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	151	110	41	75	55	20	76	55	21
UNDER 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	6	2	6	5	1	2	1	1
25-34	8	5	3	4	3	1	4	2	2
35-44	4	4	0	3	3	0	1	1	0
45-54	8	4	4	5	3	2	3	1	2
55-64	15	13	2	10	9	1	5	4	1
65-74	32	23	9	20	15	5	12	8	4
75-84	40	25	15	20	12	8	20	13	7
85 AND OVER	36	30	6	7	5	2	29	25	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 13,258 WHITE 8,875 NONWHITE 4,383

SELECTED DEATH STATISTICS, RESIDENTS OF LEAKE COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	233	151	82	11.1	12.8	8.9
HEART DISEASES	82	53	29	391.6	450.9	315.7
MALIGNANT NEOPLASMS	52	41	11	248.3	348.8	119.8
ACCIDENTS	19	8	11	90.7	68.0	119.8
CEREBROVASCULAR DISEASE	16	12	4	76.4	102.1	43.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	8	1	43.0	68.0	10.9
DIABETES MELLITUS	7	3	4	33.4	25.5	43.5
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	7	3	4	33.4	25.5	43.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	3	1	19.1	25.5	10.9
AORTIC ANEURYSM AND DISSECTION	3	2	1	14.3	17.0	10.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	14.3	17.0	10.9
HIV DISEASE	2	1	1	9.6	8.5	10.9
ALZHEIMERS DISEASE	2	2	0	9.6	17.0	-
INFLUENZA AND PNEUMONIA	2	1	1	9.6	8.5	10.9
HOMICIDE	2	0	2	9.6	-	21.8
SEPTICEMIA	1	0	1	4.8	-	10.9
VIRAL HEPATITIS	1	1	0	4.8	8.5	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	4.8	8.5	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	4.8	8.5	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.7	-	5.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	4.8	-	10.9
SUICIDE	1	1	0	4.8	8.5	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	4.8	-	10.9
ALL OTHER CAUSES	15	8	7	71.6	68.0	76.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	233	151	82	116	75	41	117	76	41
UNDER 1	4	0	4	4	0	4	0	0	0
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	2	0	2	2	0	2	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	7	4	3	4	3	1	3	1	2
25-34	6	2	4	6	2	4	0	0	0
35-44	11	8	3	4	3	1	7	5	2
45-54	15	7	8	10	5	5	5	2	3
55-64	27	14	13	16	9	7	11	5	6
65-74	49	32	17	27	19	8	22	13	9
75-84	59	45	14	24	19	5	35	26	9
85 AND OVER	53	38	15	19	14	5	34	24	10
UNKNOWN	0	0	0	0	0	0	0	0	0
2000 POPULATION:	TOTAL	20,940	WHITE	11,755	NONWHITE	9,185			

SELECTED DEATH STATISTICS, RESIDENTS OF LEE COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	776	636	140	10.2	11.4	7.0
HEART DISEASES	256	217	39	337.9	388.9	195.4
MALIGNANT NEOPLASMS	141	119	22	186.1	213.3	110.2
CEREBROVASCULAR DISEASE	77	56	21	101.6	100.4	105.2
ACCIDENTS	49	42	7	64.7	75.3	35.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	46	43	3	60.7	77.1	15.0
INFLUENZA AND PNEUMONIA	27	27	0	35.6	48.4	-
ALZHEIMERS DISEASE	14	13	1	18.5	23.3	5.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	13	6	7	17.2	10.8	35.1
SEPTICEMIA	12	9	3	15.8	16.1	15.0
DIABETES MELLITUS	12	9	3	15.8	16.1	15.0
SUICIDE	11	10	1	14.5	17.9	5.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	10	9	1	13.2	16.1	5.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	9	7	2	11.9	12.5	10.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	3	2	6.6	5.4	10.0
CONDITIONS ORIG IN PERINATAL PERIOD	5	1	4	3.9	1.2	9.4
HIV DISEASE	4	1	3	5.3	1.8	15.0
HOMICIDE	4	3	1	5.3	5.4	5.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	3	0	4.0	5.4	-
PARKINSONS DISEASE	3	3	0	4.0	5.4	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	2	1	4.0	3.6	5.0
ATHEROSCLEROSIS	1	1	0	1.3	1.8	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	1.3	1.8	-
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	1.3	1.8	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	1.3	1.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	5	3	10.6	9.0	15.0
ALL OTHER CAUSES	60	44	16	79.2	78.8	80.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	776	636	140	376	302	74	400	334	66
UNDER 1	13	6	7	9	5	4	4	1	3
(NEONATAL)	6	1	5	4	1	3	2	0	2
(POSTNEONATAL)	7	5	2	5	4	1	2	1	1
1-4	1	1	0	1	1	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	10	8	2	7	6	1	3	2	1
25-34	15	9	6	11	7	4	4	2	2
35-44	36	23	13	23	14	9	13	9	4
45-54	50	31	19	27	18	9	23	13	10
55-64	85	63	22	46	33	13	39	30	9
65-74	132	112	20	82	72	10	50	40	10
75-84	210	187	23	111	98	13	99	89	10
85 AND OVER	222	195	27	57	47	10	165	148	17
UNKNOWN	0	0	0	0	0	0	0	0	0
2000 POPULATION:	TOTAL	75,755	WHITE	55,800	NONWHITE	19,955			

SELECTED DEATH STATISTICS, RESIDENTS OF LEFLORE COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	418	172	246	11.0	15.1	9.3
HEART DISEASES	188	78	110	495.4	685.2	414.1
MALIGNANT NEOPLASMS	66	30	36	173.9	263.5	135.5
CEREBROVASCULAR DISEASE	36	15	21	94.9	131.8	79.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	20	15	5	52.7	131.8	18.8
ACCIDENTS	12	4	8	31.6	35.1	30.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	2	7	23.7	17.6	26.4
INFLUENZA AND PNEUMONIA	7	5	2	18.4	43.9	7.5
HOMICIDE	7	0	7	18.4	-	26.4
CONDITIONS ORIG IN PERINATAL PERIOD	6	0	6	9.4	-	11.8
SUICIDE	6	2	4	15.8	17.6	15.0
SEPTICEMIA	5	2	3	13.2	17.6	11.3
DIABETES MELLITUS	5	1	4	13.2	8.8	15.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	2	2	10.5	17.6	7.5
HIV DISEASE	3	0	3	7.9	-	11.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	0	3	7.9	-	11.3
CHRONIC LIVER DISEASE AND CIRRHOSIS IN SITU, BENIGN & UNSPECIFIED	3	1	2	7.9	8.8	7.5
NEOPLASMS	2	1	1	5.3	8.8	3.8
ALZHEIMERS DISEASE	2	0	2	5.3	-	7.5
AORTIC ANEURYSM AND DISSECTION	1	0	1	2.6	-	3.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	2.6	8.8	-
ALL OTHER CAUSES	32	13	19	84.3	114.2	71.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	418	172	246	172	67	105	246	105	141
UNDER 1	11	1	10	4	1	3	7	0	7
(NEONATAL)	9	1	8	3	1	2	6	0	6
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	2	1	1	1	0	1
25-34	10	0	10	5	0	5	5	0	5
35-44	12	3	9	8	3	5	4	0	4
45-54	38	7	31	21	3	18	17	4	13
55-64	41	15	26	23	8	15	18	7	11
65-74	71	36	35	37	19	18	34	17	17
75-84	121	50	71	39	16	23	82	34	48
85 AND OVER	110	59	51	33	16	17	77	43	34
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 37,947 WHITE 11,384 NONWHITE 26,563

SELECTED DEATH STATISTICS, RESIDENTS OF LINCOLN COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	447	333	114	13.5	14.5	11.2
HEART DISEASES	106	83	23	319.6	360.7	226.5
MALIGNANT NEOPLASMS	94	70	24	283.4	304.2	236.3
CEREBROVASCULAR DISEASE	37	27	10	111.6	117.3	98.5
DIABETES MELLITUS	36	24	12	108.5	104.3	118.2
INFLUENZA AND PNEUMONIA	26	19	7	78.4	82.6	68.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	22	20	2	66.3	86.9	19.7
ACCIDENTS	19	15	4	57.3	65.2	39.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	18	13	5	54.3	56.5	49.2
ALZHEIMERS DISEASE	14	12	2	42.2	52.2	19.7
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	10	8	2	30.2	34.8	19.7
SEPTICEMIA	5	0	5	15.1	-	49.2
HIV DISEASE	4	1	3	12.1	4.3	29.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS IN SITU, BENIGN & UNSPECIFIED	4	4	0	12.1	17.4	-
NEOPLASMS	3	2	1	9.0	8.7	9.8
CONDITIONS ORIG IN PERINATAL PERIOD CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	1	2	6.5	3.5	11.2
SUICIDE	2	2	0	6.0	8.7	-
HOMICIDE	2	0	2	6.0	-	19.7
VIRAL HEPATITIS	1	1	0	3.0	4.3	-
PARKINSONS DISEASE	1	1	0	3.0	4.3	-
AORTIC ANEURYSM AND DISSECTION	1	0	1	3.0	-	9.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.0	4.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	3.0	4.3	-
ALL OTHER CAUSES	34	25	9	102.5	108.6	88.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	447	333	114	199	156	43	248	177	71
UNDER 1	5	3	2	4	3	1	1	0	1
(NEONATAL)	4	3	1	3	3	0	1	0	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	1	1	1	1	0	1	0	1
10-14	2	1	1	2	1	1	0	0	0
15-24	8	6	2	5	3	2	3	3	0
25-34	2	2	0	1	1	0	1	1	0
35-44	18	10	8	10	7	3	8	3	5
45-54	23	8	15	12	6	6	11	2	9
55-64	44	31	13	23	17	6	21	14	7
65-74	90	71	19	45	38	7	45	33	12
75-84	122	101	21	58	53	5	64	48	16
85 AND OVER	131	99	32	38	26	12	93	73	20
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 33,166 WHITE 23,010 NONWHITE 10,156

SELECTED DEATH STATISTICS, RESIDENTS OF LOWNDES COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	468	287	181	7.6	8.2	6.8
HEART DISEASES	137	77	60	222.4	221.4	223.8
MALIGNANT NEOPLASMS	101	68	33	164.0	195.5	123.1
CEREBROVASCULAR DISEASE	38	28	10	61.7	80.5	37.3
ACCIDENTS	28	17	11	45.5	48.9	41.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	13	2	24.4	37.4	7.5
SEPTICEMIA	13	8	5	21.1	23.0	18.6
INFLUENZA AND PNEUMONIA	13	8	5	21.1	23.0	18.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	2	7	14.6	5.8	26.1
CONDITIONS ORIG IN PERINATAL PERIOD	8	1	7	8.5	2.2	13.9
SUICIDE	8	7	1	13.0	20.1	3.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	2	4	9.7	5.8	14.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	6.5	8.6	3.7
HOMICIDE	4	0	4	6.5	-	14.9
DIABETES MELLITUS	3	0	3	4.9	-	11.2
HIV DISEASE	2	1	1	3.2	2.9	3.7
ANEMIAS	2	2	0	3.2	5.8	-
PARKINSONS DISEASE	2	2	0	3.2	5.8	-
ALZHEIMERS DISEASE	2	2	0	3.2	5.8	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	1.6	2.9	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	39	25	14	63.3	71.9	52.2
ALL OTHER CAUSES	33	20	13	53.6	57.5	48.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	468	287	181	248	153	95	220	134	86
UNDER 1	8	1	7	3	1	2	5	0	5
(Neonatal)	7	1	6	3	1	2	4	0	4
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	3	1	2	2	1	1	1	0	1
5-9	1	0	1	0	0	0	1	0	1
10-14	1	0	1	0	0	0	1	0	1
15-24	11	4	7	10	4	6	1	0	1
25-34	7	1	6	5	0	5	2	1	1
35-44	17	7	10	11	6	5	6	1	5
45-54	41	24	17	25	16	9	16	8	8
55-64	53	33	20	36	20	16	17	13	4
65-74	91	57	34	57	36	21	34	21	13
75-84	128	87	41	65	49	16	63	38	25
85 AND OVER	107	72	35	34	20	14	73	52	21
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 61,586 WHITE 34,775 NONWHITE 26,811

SELECTED DEATH STATISTICS, RESIDENTS OF MADISON COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	798	523	275	10.7	11.6	9.3
MALIGNANT NEOPLASMS	269	177	92	360.2	393.2	310.2
HEART DISEASES	176	116	60	235.7	257.6	202.3
CEREBROVASCULAR DISEASE	65	46	19	87.0	102.2	64.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	32	28	4	42.8	62.2	13.5
ALZHEIMERS DISEASE	29	24	5	38.8	53.3	16.9
DIABETES MELLITUS	22	6	16	29.5	13.3	54.0
ACCIDENTS	19	13	6	25.4	28.9	20.2
INFLUENZA AND PNEUMONIA	16	12	4	21.4	26.6	13.5
SEPTICEMIA	15	8	7	20.1	17.8	23.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	13	6	7	17.4	13.3	23.6
HIV DISEASE	11	2	9	14.7	4.4	30.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	7	6	1	9.4	13.3	3.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	7	3	4	9.4	6.7	13.5
SUICIDE	7	7	0	9.4	15.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	6	0	8.0	13.3	-
HOMICIDE	6	2	4	8.0	4.4	13.5
PARKINSONS DISEASE	5	5	0	6.7	11.1	-
CONDITIONS ORIG IN PERINATAL PERIOD	5	1	4	3.9	1.5	6.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	1	3	5.4	2.2	10.1
VIRAL HEPATITIS	3	2	1	4.0	4.4	3.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	3	0	4.0	6.7	-
ANEMIAS	3	0	3	4.0	-	10.1
PEPTIC ULCER	2	1	1	2.7	2.2	3.4
COMPLICATIONS MEDICAL/SURGICAL CARE	2	0	2	2.7	-	6.7
DISEASES OF APPENDIX	1	1	0	1.3	2.2	-
HERNIA	1	1	0	1.3	2.2	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	1.3	2.2	-
MATERNAL CAUSES	1	0	1	77.5	-	160.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	0	3	4.0	-	10.1
ALL OTHER CAUSES	64	45	19	85.7	100.0	64.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	798	523	275	348	207	141	450	316	134
UNDER 1	11	2	9	5	0	5	6	2	4
(Neonatal)	9	2	7	4	0	4	5	2	3
(Postneonatal)	2	0	2	1	0	1	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	1	1	0	0	0	0	1	1	0
10-14	1	1	0	0	0	0	1	1	0
15-24	15	9	6	10	7	3	5	2	3
25-34	15	7	8	11	6	5	4	1	3
35-44	25	9	16	15	6	9	10	3	7
45-54	63	24	39	37	14	23	26	10	16
55-64	68	38	30	38	23	15	30	15	15
65-74	146	94	52	73	43	30	73	51	22
75-84	220	168	52	85	57	28	135	111	24
85 AND OVER	232	170	62	74	51	23	158	119	39
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 74,674 WHITE 45,021 NONWHITE 29,653

SELECTED DEATH STATISTICS, RESIDENTS OF MARION COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	350	255	95	13.7	14.9	11.2
HEART DISEASES	91	69	22	355.5	402.6	260.1
MALIGNANT NEOPLASMS	72	54	18	281.3	315.1	212.8
CEREBROVASCULAR DISEASE	27	19	8	105.5	110.9	94.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	20	19	1	78.1	110.9	11.8
ACCIDENTS	19	12	7	74.2	70.0	82.8
SEPTICEMIA	15	7	8	58.6	40.8	94.6
INFLUENZA AND PNEUMONIA	13	10	3	50.8	58.4	35.5
DIABETES MELLITUS	7	5	2	27.3	29.2	23.6
ALZHEIMERS DISEASE	7	7	0	27.3	40.8	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	6	1	27.3	35.0	11.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	2	2	15.6	11.7	23.6
SUICIDE	4	3	1	15.6	17.5	11.8
HOMICIDE	3	0	3	11.7	-	35.5
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	5.2	-	12.3
TUBERCULOSIS	1	1	0	3.9	5.8	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.9	5.8	-
PARKINSONS DISEASE	1	1	0	3.9	5.8	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.9	5.8	-
PEPTIC ULCER	1	1	0	3.9	5.8	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	3.9	5.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	11.7	17.5	-
ALL OTHER CAUSES	50	33	17	195.4	192.6	201.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	350	255	95	161	113	48	189	142	47
UNDER 1	3	1	2	1	0	1	2	1	1
(NEONATAL)	3	1	2	1	0	1	2	1	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	1	1	0	1	1	0	0	0	0
15-24	8	4	4	7	4	3	1	0	1
25-34	6	3	3	5	3	2	1	0	1
35-44	14	11	3	12	11	1	2	0	2
45-54	19	11	8	12	6	6	7	5	2
55-64	37	32	5	22	18	4	15	14	1
65-74	64	43	21	28	20	8	36	23	13
75-84	101	76	25	51	36	15	50	40	10
85 AND OVER	95	72	23	21	13	8	74	59	15
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 25,595 WHITE 17,138 NONWHITE 8,457

SELECTED DEATH STATISTICS, RESIDENTS OF MARSHALL COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	320	158	162	9.1	9.3	9.0
HEART DISEASES	82	33	49	234.3	195.0	271.2
MALIGNANT NEOPLASMS	79	42	37	225.8	248.2	204.8
CEREBROVASCULAR DISEASE	30	18	12	85.7	106.4	66.4
ACCIDENTS	26	11	15	74.3	65.0	83.0
DIABETES MELLITUS	13	6	7	37.2	35.4	38.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	6	3	25.7	35.4	16.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	2	5	20.0	11.8	27.7
INFLUENZA AND PNEUMONIA	7	4	3	20.0	23.6	16.6
ALZHEIMERS DISEASE	5	3	2	14.3	17.7	11.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	4	1	14.3	23.6	5.5
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	2	3	14.3	11.8	16.6
SEPTICEMIA	4	4	0	11.4	23.6	-
HOMICIDE	4	1	3	11.4	5.9	16.6
HIV DISEASE	2	0	2	5.7	-	11.1
AORTIC ANEURYSM AND DISSECTION	2	1	1	5.7	5.9	5.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	0	2	5.7	-	11.1
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	3.6	4.2	3.1
ANEMIAS	1	1	0	2.8	5.9	-
PARKINSONS DISEASE	1	1	0	2.8	5.9	-
ATHEROSCLEROSIS	1	0	1	2.8	-	5.5
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	2.8	-	5.5
HYPERPLASIA OF PROSTATE	1	0	1	2.8	-	5.5
SUICIDE	1	1	0	2.8	5.9	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	2.8	5.9	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	5.7	5.9	5.5
ALL OTHER CAUSES	27	15	12	77.2	88.6	66.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	320	158	162	175	90	85	145	68	77
UNDER 1	2	1	1	1	0	1	1	1	0
(NEONATAL)	2	1	1	1	0	1	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	2	0	2	1	0	1	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	1	1	0	1	0	1
15-24	5	1	4	5	1	4	0	0	0
25-34	5	2	3	4	2	2	1	0	1
35-44	9	2	7	7	1	6	2	1	1
45-54	33	13	20	19	6	13	14	7	7
55-64	50	24	26	30	16	14	20	8	12
65-74	82	49	33	49	31	18	33	18	15
75-84	70	39	31	36	21	15	34	18	16
85 AND OVER	60	26	34	22	11	11	38	15	23
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 34,993 WHITE 16,925 NONWHITE 18,068

SELECTED DEATH STATISTICS, RESIDENTS OF MONROE COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	417	312	105	11.0	12.0	8.7
HEART DISEASES	113	86	27	297.2	330.9	224.6
MALIGNANT NEOPLASMS	101	79	22	265.7	304.0	183.0
ACCIDENTS	26	19	7	68.4	73.1	58.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	25	23	2	65.8	88.5	16.6
CEREBROVASCULAR DISEASE	24	19	5	63.1	73.1	41.6
INFLUENZA AND PNEUMONIA	20	15	5	52.6	57.7	41.6
DIABETES MELLITUS	12	6	6	31.6	23.1	49.9
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	11	7	4	28.9	26.9	33.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	9	4	5	23.7	15.4	41.6
SEPTICEMIA	5	3	2	13.2	11.5	16.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	3	2	13.2	11.5	16.6
SUICIDE	5	4	1	13.2	15.4	8.3
ALZHEIMERS DISEASE	4	3	1	10.5	11.5	8.3
PARKINSONS DISEASE	2	1	1	5.3	3.8	8.3
AORTIC ANEURYSM AND DISSECTION	2	2	0	5.3	7.7	-
HOMICIDE	2	1	1	5.3	3.8	8.3
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	2.6	3.8	-
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	2.6	3.8	-
PEPTIC ULCER	1	1	0	2.6	3.8	-
HERNIA	1	1	0	2.6	3.8	-
INFECTIONS OF KIDNEY	1	1	0	2.6	3.8	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	2.0	3.1	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	2.6	-	8.3
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	2.6	3.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	0	3	7.9	-	25.0
ALL OTHER CAUSES	40	30	10	105.2	115.4	83.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	417	312	105	201	145	56	216	167	49
UNDER 1	6	1	5	5	1	4	1	0	1
(NEONATAL)	3	1	2	3	1	2	0	0	0
(POSTNEONATAL)	3	0	3	2	0	2	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	7	5	2	3	1	2	4	4	0
25-34	10	7	3	8	5	3	2	2	0
35-44	18	9	9	10	5	5	8	4	4
45-54	36	21	15	21	12	9	15	9	6
55-64	47	37	10	27	22	5	20	15	5
65-74	81	61	20	51	37	14	30	24	6
75-84	113	92	21	53	43	10	60	49	11
85 AND OVER	98	78	20	22	18	4	76	60	16
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 38,014 WHITE 25,991 NONWHITE 12,023

SELECTED DEATH STATISTICS, RESIDENTS OF MONTGOMERY COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	154	85	69	12.6	12.8	12.4
HEART DISEASES	44	25	19	361.0	378.0	340.7
MALIGNANT NEOPLASMS	32	18	14	262.5	272.2	251.1
CEREBROVASCULAR DISEASE	11	6	5	90.2	90.7	89.7
ACCIDENTS	8	3	5	65.6	45.4	89.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	6	1	57.4	90.7	17.9
DIABETES MELLITUS	4	1	3	32.8	15.1	53.8
HOMICIDE	4	2	2	32.8	30.2	35.9
SEPTICEMIA	3	3	0	24.6	45.4	-
ALZHEIMERS DISEASE	3	2	1	24.6	30.2	17.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	2	1	24.6	30.2	17.9
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	18.3	14.3	21.3
AORTIC ANEURYSM AND DISSECTION	2	2	0	16.4	30.2	-
INFLUENZA AND PNEUMONIA	2	1	1	16.4	15.1	17.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	16.4	15.1	17.9
SUICIDE	2	1	1	16.4	15.1	17.9
ANEMIAS	1	1	0	8.2	15.1	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	8.2	-	17.9
PARKINSONS DISEASE	1	1	0	8.2	15.1	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	8.2	-	17.9
PEPTIC ULCER	1	1	0	8.2	15.1	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	8.2	-	17.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	16.4	15.1	17.9
ALL OTHER CAUSES	16	7	9	131.3	105.8	161.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	154	85	69	69	39	30	85	46	39
UNDER 1	5	1	4	1	1	0	4	0	4
(Neonatal)	3	0	3	0	0	0	3	0	3
(Postneonatal)	2	1	1	1	1	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	2	0	2	1	0	1	1	0	1
25-34	3	0	3	2	0	2	1	0	1
35-44	6	1	5	3	1	2	3	0	3
45-54	11	8	3	8	6	2	3	2	1
55-64	10	6	4	8	6	2	2	0	2
65-74	29	14	15	13	7	6	16	7	9
75-84	47	29	18	15	8	7	32	21	11
85 AND OVER	40	26	14	18	10	8	22	16	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 12,189 WHITE 6,613 NONWHITE 5,576

SELECTED DEATH STATISTICS, RESIDENTS OF NESHOPA COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	318	206	112	11.1	11.0	11.3
HEART DISEASES	119	87	32	414.9	463.1	323.4
MALIGNANT NEOPLASMS	57	37	20	198.7	196.9	202.1
CEREBROVASCULAR DISEASE	32	18	14	111.6	95.8	141.5
ACCIDENTS	17	12	5	59.3	63.9	50.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	6	4	34.9	31.9	40.4
INFLUENZA AND PNEUMONIA	9	7	2	31.4	37.2	20.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	5	4	31.4	26.6	40.4
DIABETES MELLITUS	7	0	7	24.4	-	70.7
SEPTICEMIA	5	3	2	17.4	16.0	20.2
CHRONIC LIVER DISEASE AND CIRRHOSIS IN SITU, BENIGN & UNSPECIFIED	5	0	5	17.4	-	50.5
NEOPLASMS	2	2	0	7.0	10.6	-
ALZHEIMERS DISEASE	2	2	0	7.0	10.6	-
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	4.2	4.0	4.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	7.0	5.3	10.1
SUICIDE	2	1	1	7.0	5.3	10.1
VIRAL HEPATITIS	1	0	1	3.5	-	10.1
HIV DISEASE	1	1	0	3.5	5.3	-
ANEMIAS	1	0	1	3.5	-	10.1
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.5	5.3	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.5	5.3	-
HOMICIDE	1	0	1	3.5	-	10.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	4	1	17.4	21.3	10.1
ALL OTHER CAUSES	27	17	10	94.1	90.5	101.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	318	206	112	153	98	55	165	108	57
UNDER 1	5	2	3	1	1	0	4	1	3
(Neonatal)	3	1	2	1	1	0	2	0	2
(Postneonatal)	2	1	1	0	0	0	2	1	1
1-4	1	0	1	1	0	1	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	4	2	2	4	2	2	0	0	0
25-34	4	1	3	4	1	3	0	0	0
35-44	14	2	12	6	1	5	8	1	7
45-54	23	13	10	12	7	5	11	6	5
55-64	32	15	17	18	9	9	14	6	8
65-74	52	34	18	27	17	10	25	17	8
75-84	84	61	23	45	32	13	39	29	10
85 AND OVER	97	75	22	34	27	7	63	48	15
UNKNOWN	0	0	0	0	0	0	0	0	0
2000 POPULATION:	TOTAL	28,684	WHITE	18,788	NONWHITE	9,896			

SELECTED DEATH STATISTICS, RESIDENTS OF NEWTON COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	237	166	71	10.8	11.7	9.3
HEART DISEASES	83	62	21	380.1	436.7	274.8
MALIGNANT NEOPLASMS	54	42	12	247.3	295.8	157.0
CEREBROVASCULAR DISEASE	19	12	7	87.0	84.5	91.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	10	3	7	45.8	21.1	91.6
ACCIDENTS	9	6	3	41.2	42.3	39.3
DIABETES MELLITUS	7	3	4	32.0	21.1	52.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	7	0	32.0	49.3	-
ALZHEIMERS DISEASE	3	3	0	13.7	21.1	-
SUICIDE	3	2	1	13.7	14.1	13.1
HOMICIDE	3	1	2	13.7	7.0	26.2
MENINGITIS	2	1	1	9.2	7.0	13.1
PARKINSONS DISEASE	2	2	0	9.2	14.1	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	9.2	7.0	13.1
AORTIC ANEURYSM AND DISSECTION	2	2	0	9.2	14.1	-
INFLUENZA AND PNEUMONIA	2	2	0	9.2	14.1	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	9.2	7.0	13.1
HIV DISEASE	1	0	1	4.6	-	13.1
ANEMIAS	1	1	0	4.6	7.0	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	4.6	7.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	4.6	-	13.1
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	4.6	7.0	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	1	3	18.3	7.0	39.3
ALL OTHER CAUSES	18	12	6	82.4	84.5	78.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	237	166	71	117	85	32	120	81	39
UNDER 1	2	0	2	0	0	0	2	0	2
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	0	2	0	0	0	2	0	2
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	3	3	5	3	2	1	0	1
25-34	6	4	2	4	3	1	2	1	1
35-44	6	3	3	4	2	2	2	1	1
45-54	17	9	8	12	7	5	5	2	3
55-64	23	16	7	12	10	2	11	6	5
65-74	47	32	15	28	17	11	19	15	4
75-84	64	51	13	36	30	6	28	21	7
85 AND OVER	65	47	18	16	13	3	49	34	15
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 21,838 WHITE 14,197 NONWHITE 7,641

SELECTED DEATH STATISTICS, RESIDENTS OF NOXUBEE COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	115	45	70	9.2	12.2	7.9
HEART DISEASES	47	21	26	374.6	567.6	293.8
MALIGNANT NEOPLASMS	21	9	12	167.4	243.2	135.6
ACCIDENTS	7	1	6	55.8	27.0	67.8
SEPTICEMIA	4	1	3	31.9	27.0	33.9
CEREBROVASCULAR DISEASE	4	1	3	31.9	27.0	33.9
INFLUENZA AND PNEUMONIA	4	2	2	31.9	54.0	22.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	2	1	23.9	54.0	11.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	0	3	23.9	-	33.9
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	13.8	-	17.8
DIABETES MELLITUS	2	1	1	15.9	27.0	11.3
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	8.0	-	11.3
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	8.0	27.0	-
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0	8.0	27.0	-
HOMICIDE	1	0	1	8.0	-	11.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	23.9	27.0	22.6
ALL OTHER CAUSES	10	4	6	79.7	108.1	67.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	115	45	70	59	21	38	56	24	32
UNDER 1	7	0	7	4	0	4	3	0	3
(NEONATAL)	3	0	3	2	0	2	1	0	1
(POSTNEONATAL)	4	0	4	2	0	2	2	0	2
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	1	0	1	1	0	1
25-34	0	0	0	0	0	0	0	0	0
35-44	5	1	4	2	0	2	3	1	2
45-54	9	4	5	6	2	4	3	2	1
55-64	14	1	13	8	1	7	6	0	6
65-74	19	8	11	10	2	8	9	6	3
75-84	27	15	12	14	9	5	13	6	7
85 AND OVER	31	16	15	13	7	6	18	9	9
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 12,548 WHITE 3,700 NONWHITE 8,848

SELECTED DEATH STATISTICS, RESIDENTS OF OKTIBBEHA COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*--		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	285	169	116	6.6	6.7	6.5
HEART DISEASES	92	51	41	214.4	202.6	231.2
MALIGNANT NEOPLASMS	60	33	27	139.8	131.1	152.2
CEREBROVASCULAR DISEASE	27	18	9	62.9	71.5	50.7
ACCIDENTS	15	10	5	35.0	39.7	28.2
INFLUENZA AND PNEUMONIA	12	9	3	28.0	35.8	16.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	8	0	18.6	31.8	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	2	4	14.0	7.9	22.6
AORTIC ANEURYSM AND DISSECTION	4	3	1	9.3	11.9	5.6
SUICIDE	4	4	0	9.3	15.9	-
HOMICIDE	4	0	4	9.3	-	22.6
DIABETES MELLITUS	3	3	0	7.0	11.9	-
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	5.3	-	9.9
ALZHEIMERS DISEASE	2	1	1	4.7	4.0	5.6
SEPTICEMIA	1	1	0	2.3	4.0	-
VIRAL HEPATITIS	1	1	0	2.3	4.0	-
HIV DISEASE	1	0	1	2.3	-	5.6
ANEMIAS	1	1	0	2.3	4.0	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	2.3	-	5.6
PARKINSONS DISEASE	1	1	0	2.3	4.0	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	2.3	-	5.6
HERNIA	1	0	1	2.3	-	5.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	2.3	-	5.6
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	2.3	4.0	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	7.0	7.9	5.6
ALL OTHER CAUSES	32	20	12	74.6	79.5	67.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	285	169	116	138	80	58	147	89	58
UNDER 1	5	1	4	2	0	2	3	1	2
(NEONATAL)	4	1	3	2	0	2	2	1	1
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	3	3	4	1	3	2	2	0
25-34	5	2	3	2	1	1	3	1	2
35-44	18	9	9	9	5	4	9	4	5
45-54	13	5	8	8	4	4	5	1	4
55-64	33	16	17	20	10	10	13	6	7
65-74	55	31	24	31	17	14	24	14	10
75-84	64	40	24	32	21	11	32	19	13
85 AND OVER	86	62	24	30	21	9	56	41	15
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 42,902 WHITE 25,167 NONWHITE 17,735

SELECTED DEATH STATISTICS, RESIDENTS OF PANOLA COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	367	220	147	10.7	12.7	8.7
HEART DISEASES	124	73	51	361.8	421.9	300.5
MALIGNANT NEOPLASMS	74	42	32	215.9	242.7	188.5
CEREBROVASCULAR DISEASE	28	19	9	81.7	109.8	53.0
ACCIDENTS	22	13	9	64.2	75.1	53.0
INFLUENZA AND PNEUMONIA	13	9	4	37.9	52.0	23.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	11	2	37.9	63.6	11.8
SEPTICEMIA	7	4	3	20.4	23.1	17.7
CONDITIONS ORIG IN PERINATAL PERIOD	7	1	6	12.0	4.6	16.4
SUICIDE	7	6	1	20.4	34.7	5.9
DIABETES MELLITUS	6	4	2	17.5	23.1	11.8
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	6	5	1	17.5	28.9	5.9
HOMICIDE	4	0	4	11.7	-	23.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	2	1	8.8	11.6	5.9
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	5.8	11.6	-
ALZHEIMERS DISEASE	2	2	0	5.8	11.6	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	5.8	11.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	5.8	5.8	5.9
HIV DISEASE	1	1	0	2.9	5.8	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	2.9	5.8	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	2.9	-	5.9
AORTIC ANEURYSM AND DISSECTION	1	0	1	2.9	-	5.9
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	2.9	5.8	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	2.9	-	5.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	0	5	14.6	-	29.5
ALL OTHER CAUSES	34	21	13	99.2	121.4	76.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	367	220	147	186	111	75	181	109	72
UNDER 1	13	4	9	8	3	5	5	1	4
(Neonatal)	9	2	7	6	2	4	3	0	3
(Postneonatal)	4	2	2	2	1	1	2	1	1
1-4	3	0	3	1	0	1	2	0	2
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	8	4	4	5	2	3	3	2	1
25-34	3	0	3	3	0	3	0	0	0
35-44	20	10	10	11	7	4	9	3	6
45-54	36	15	21	28	14	14	8	1	7
55-64	40	23	17	23	14	9	17	9	8
65-74	65	51	14	33	25	8	32	26	6
75-84	94	56	38	49	30	19	45	26	19
85 AND OVER	83	56	27	23	15	8	60	41	19
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 34,274 WHITE 17,302 NONWHITE 16,972

SELECTED DEATH STATISTICS, RESIDENTS OF PEARL RIVER COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	476	417	59	9.8	10.0	8.4
HEART DISEASES	138	123	15	283.8	295.7	213.5
MALIGNANT NEOPLASMS	115	105	10	236.5	252.4	142.3
CEREBROVASCULAR DISEASE	32	28	4	65.8	67.3	56.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	28	25	3	57.6	60.1	42.7
ACCIDENTS	26	24	2	53.5	57.7	28.5
DIABETES MELLITUS	20	18	2	41.1	43.3	28.5
SEPTICEMIA	11	11	0	22.6	26.4	-
INFLUENZA AND PNEUMONIA	7	7	0	14.4	16.8	-
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	7	7	0	14.4	16.8	-
SUICIDE	6	6	0	12.3	14.4	-
HOMICIDE	5	2	3	10.3	4.8	42.7
ALZHEIMERS DISEASE	4	3	1	8.2	7.2	14.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	2	1	6.2	4.8	14.2
HIV DISEASE	2	0	2	4.1	-	28.5
ATHEROSCLEROSIS	2	1	1	4.1	2.4	14.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	4.1	4.8	-
TUBERCULOSIS	1	1	0	2.0	2.4	-
VIRAL HEPATITIS	1	1	0	2.0	2.4	-
ANEMIAS	1	0	1	2.0	-	14.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	2.0	-	14.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	2.0	2.4	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	2.0	2.4	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	9	8	1	18.5	19.2	14.2
ALL OTHER CAUSES	53	41	12	109.0	98.6	170.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	476	417	59	249	216	33	227	201	26
UNDER 1	2	2	0	1	1	0	1	1	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	2	2	0	1	1	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	1	1	0	1	1	0
15-24	6	6	0	5	5	0	1	1	0
25-34	16	10	6	14	8	6	2	2	0
35-44	27	23	4	20	17	3	7	6	1
45-54	37	27	10	22	17	5	15	10	5
55-64	73	65	8	47	42	5	26	23	3
65-74	93	82	11	52	48	4	41	34	7
75-84	116	104	12	56	49	7	60	55	5
85 AND OVER	102	94	8	30	27	3	72	67	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 48,621 WHITE 41,596 NONWHITE 7,025

SELECTED DEATH STATISTICS, RESIDENTS OF PERRY COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	151	119	32	12.4	12.9	11.1
HEART DISEASES	44	34	10	362.5	367.8	345.7
MALIGNANT NEOPLASMS	32	30	2	263.6	324.5	69.1
INFLUENZA AND PNEUMONIA	10	9	1	82.4	97.4	34.6
ACCIDENTS	10	7	3	82.4	75.7	103.7
DIABETES MELLITUS	9	6	3	74.1	64.9	103.7
CEREBROVASCULAR DISEASE	9	8	1	74.1	86.5	34.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	4	5	74.1	43.3	172.8
SEPTICEMIA	2	1	1	16.5	10.8	34.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	16.5	10.8	34.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	16.5	21.6	-
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	11.2	7.4	23.2
HOMICIDE	2	2	0	16.5	21.6	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	8.2	-	34.6
PARKINSONS DISEASE	1	0	1	8.2	-	34.6
ALZHEIMERS DISEASE	1	1	0	8.2	10.8	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	8.2	-	34.6
AORTIC ANEURYSM AND DISSECTION	1	1	0	8.2	10.8	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	8.2	10.8	-
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0	8.2	10.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	24.7	21.6	34.6
ALL OTHER CAUSES	8	8	0	65.9	86.5	-

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	151	119	32	78	61	17	73	58	15
UNDER 1	2	1	1	2	1	1	0	0	0
(NEONATAL)	2	1	1	2	1	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	3	1	2	2	1	1	1	0	1
25-34	1	1	0	1	1	0	0	0	0
35-44	6	5	1	5	4	1	1	1	0
45-54	15	10	5	8	6	2	7	4	3
55-64	24	19	5	14	12	2	10	7	3
65-74	30	27	3	16	15	1	14	12	2
75-84	38	28	10	17	10	7	21	18	3
85 AND OVER	31	27	4	13	11	2	18	16	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 12,138 WHITE 9,245 NONWHITE 2,893

SELECTED DEATH STATISTICS, RESIDENTS OF PIKE COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	424	250	174	10.9	12.5	9.2
HEART DISEASES	166	110	56	426.3	551.2	295.0
MALIGNANT NEOPLASMS	73	49	24	187.5	245.6	126.4
DIABETES MELLITUS	24	10	14	61.6	50.1	73.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	24	17	7	61.6	85.2	36.9
CEREBROVASCULAR DISEASE	22	12	10	56.5	60.1	52.7
ACCIDENTS	13	5	8	33.4	25.0	42.1
SEPTICEMIA	10	5	5	25.7	25.0	26.3
INFLUENZA AND PNEUMONIA	8	5	3	20.5	25.0	15.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS IN SITU, BENIGN & UNSPECIFIED	8	3	5	20.5	15.0	26.3
NEOPLASMS	4	1	3	10.3	5.0	15.8
ALZHEIMERS DISEASE	4	2	2	10.3	10.0	10.5
HOMICIDE	4	0	4	10.3	-	21.1
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	0	3	7.7	-	15.8
AORTIC ANEURYSM AND DISSECTION	3	2	1	7.7	10.0	5.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	1	2	7.7	5.0	10.5
ANEMIAS	2	1	1	5.1	5.0	5.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	5.1	-	10.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	5.1	5.0	5.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	5.1	5.0	5.3
PARKINSONS DISEASE	1	1	0	2.6	5.0	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	2.6	-	5.3
MATERNAL CAUSES	1	0	1	157.7	-	263.8
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	1.6	-	2.6
SUICIDE	1	1	0	2.6	5.0	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	7.7	10.0	5.3
ALL OTHER CAUSES	39	21	18	100.2	105.2	94.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	424	250	174	184	106	78	240	144	96
UNDER 1	4	1	3	2	1	1	2	0	2
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	3	1	2	2	1	1	1	0	1
1-4	2	1	1	2	1	1	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	1	1	0	0	0	0	1	1	0
15-24	3	2	1	3	2	1	0	0	0
25-34	8	3	5	7	3	4	1	0	1
35-44	15	7	8	9	4	5	6	3	3
45-54	30	10	20	18	7	11	12	3	9
55-64	44	18	26	18	8	10	26	10	16
65-74	75	42	33	38	22	16	37	20	17
75-84	136	92	44	61	44	17	75	48	27
85 AND OVER	105	73	32	26	14	12	79	59	20
UNKNOWN	0	0	0	0	0	0	0	0	0
2000 POPULATION:	TOTAL	38,940	WHITE	19,955	NONWHITE	18,985			

SELECTED DEATH STATISTICS, RESIDENTS OF PONTOTOC COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	256	227	29	9.6	10.1	7.0
HEART DISEASES	80	72	8	299.3	319.2	191.9
MALIGNANT NEOPLASMS	48	39	9	179.6	172.9	215.9
ACCIDENTS	26	24	2	97.3	106.4	48.0
CEREBROVASCULAR DISEASE	15	12	3	56.1	53.2	72.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	14	0	52.4	62.1	-
DIABETES MELLITUS	6	6	0	22.4	26.6	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	6	6	0	22.4	26.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	6	0	22.4	26.6	-
INFLUENZA AND PNEUMONIA	5	5	0	18.7	22.2	-
ALZHEIMERS DISEASE	3	2	1	11.2	8.9	24.0
ATHEROSCLEROSIS	3	3	0	11.2	13.3	-
AORTIC ANEURYSM AND DISSECTION	3	3	0	11.2	13.3	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	2	1	11.2	8.9	24.0
SUICIDE	3	3	0	11.2	13.3	-
SEPTICEMIA	2	1	1	7.5	4.4	24.0
HIV DISEASE	2	2	0	7.5	8.9	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	7.5	8.9	-
HOMICIDE	2	1	1	7.5	4.4	24.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.7	4.4	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	3.7	4.4	-
PARKINSONS DISEASE	1	1	0	3.7	4.4	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	7.5	8.9	-
ALL OTHER CAUSES	22	19	3	82.3	84.2	72.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	256	227	29	138	123	15	118	104	14
UNDER 1	3	3	0	3	3	0	0	0	0
(NEONATAL)	2	2	0	2	2	0	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	2	2	0	2	2	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	7	1	5	4	1	3	3	0
25-34	7	6	1	4	4	0	3	2	1
35-44	11	11	0	8	8	0	3	3	0
45-54	16	12	4	13	10	3	3	2	1
55-64	21	16	5	10	8	2	11	8	3
65-74	59	52	7	36	33	3	23	19	4
75-84	66	62	4	37	34	3	29	28	1
85 AND OVER	62	55	7	19	16	3	43	39	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 26,726 WHITE 22,557 NONWHITE 4,169

SELECTED DEATH STATISTICS, RESIDENTS OF PRENTISS COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	226	205	21	8.8	9.3	5.8
HEART DISEASES	72	62	10	281.7	282.6	276.5
MALIGNANT NEOPLASMS	45	40	5	176.1	182.3	138.3
ACCIDENTS	21	20	1	82.2	91.2	27.6
CEREBROVASCULAR DISEASE	14	14	0	54.8	63.8	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	14	0	54.8	63.8	-
SEPTICEMIA	6	6	0	23.5	27.3	-
INFLUENZA AND PNEUMONIA	6	6	0	23.5	27.3	-
DIABETES MELLITUS	4	4	0	15.6	18.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	15.6	13.7	27.6
AORTIC ANEURYSM AND DISSECTION	3	3	0	11.7	13.7	-
CONDITIONS ORIG IN PERINATAL PERIOD	3	3	0	8.7	10.4	-
ALZHEIMERS DISEASE	2	2	0	7.8	9.1	-
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	7.8	9.1	-
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	1	1	7.8	4.6	27.6
SUICIDE	2	2	0	7.8	9.1	-
HIV DISEASE	1	0	1	3.9	-	27.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.9	4.6	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.9	4.6	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	3.9	4.6	-
HOMICIDE	1	0	1	3.9	-	27.6
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	3.9	4.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	3.9	-	27.6
ALL OTHER CAUSES	19	19	0	74.3	86.6	-

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	226	205	21	130	117	13	96	88	8
UNDER 1	3	3	0	2	2	0	1	1	0
(NEONATAL)	3	3	0	2	2	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	3	2	5	3	2	0	0	0
25-34	6	4	2	5	3	2	1	1	0
35-44	10	10	0	7	7	0	3	3	0
45-54	13	10	3	10	8	2	3	2	1
55-64	26	23	3	22	19	3	4	4	0
65-74	53	49	4	32	31	1	21	18	3
75-84	60	58	2	30	29	1	30	29	1
85 AND OVER	48	43	5	16	14	2	32	29	3
UNKNOWN	0	0	0	0	0	0	0	0	0
2000 POPULATION:	TOTAL	25,556	WHITE	21,940	NONWHITE	3,616			

SELECTED DEATH STATISTICS, RESIDENTS OF QUITMAN COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	131	53	78	12.9	17.2	11.1
HEART DISEASES	47	22	25	464.6	713.6	355.4
MALIGNANT NEOPLASMS	28	12	16	276.8	389.2	227.5
CEREBROVASCULAR DISEASE	6	2	4	59.3	64.9	56.9
INFLUENZA AND PNEUMONIA	6	2	4	59.3	64.9	56.9
ACCIDENTS	6	2	4	59.3	64.9	56.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	3	1	39.5	97.3	14.2
SEPTICEMIA	3	3	0	29.6	97.3	-
DIABETES MELLITUS	3	1	2	29.6	32.4	28.4
AORTIC ANEURYSM AND DISSECTION	3	2	1	29.6	64.9	14.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	1	2	29.6	32.4	28.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	19.8	32.4	14.2
ANEMIAS	1	0	1	9.9	-	14.2
PARKINSONS DISEASE	1	0	1	9.9	-	14.2
ALZHEIMERS DISEASE	1	0	1	9.9	-	14.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	9.9	-	14.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	9.9	-	14.2
HOMICIDE	1	0	1	9.9	-	14.2
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	9.9	-	14.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	0	3	29.6	-	42.6
ALL OTHER CAUSES	10	2	8	98.8	64.9	113.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	131	53	78	65	29	36	66	24	42
UNDER 1	3	0	3	3	0	3	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	3	0	3	3	0	3	0	0	0
1-4	2	0	2	1	0	1	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	1	0	1	0	0	0	1	0	1
25-34	2	0	2	2	0	2	0	0	0
35-44	7	2	5	5	1	4	2	1	1
45-54	17	5	12	8	3	5	9	2	7
55-64	16	7	9	10	5	5	6	2	4
65-74	22	11	11	11	7	4	11	4	7
75-84	33	17	16	18	10	8	15	7	8
85 AND OVER	27	11	16	7	3	4	20	8	12
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 10,117 WHITE 3,083 NONWHITE 7,034

SELECTED DEATH STATISTICS, RESIDENTS OF RANKIN COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	778	630	148	6.7	6.7	6.8
HEART DISEASES	301	240	61	261.0	256.8	278.8
MALIGNANT NEOPLASMS	165	141	24	143.1	150.9	109.7
ACCIDENTS	57	48	9	49.4	51.4	41.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	34	32	2	29.5	34.2	9.1
CEREBROVASCULAR DISEASE	27	21	6	23.4	22.5	27.4
INFLUENZA AND PNEUMONIA	22	18	4	19.1	19.3	18.3
SUICIDE	13	12	1	11.3	12.8	4.6
DIABETES MELLITUS	11	6	5	9.5	6.4	22.8
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	11	9	2	9.5	9.6	9.1
SEPTICEMIA	10	9	1	8.7	9.6	4.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	10	9	1	8.7	9.6	4.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	9	8	1	7.8	8.6	4.6
HIV DISEASE	6	2	4	5.2	2.1	18.3
ALZHEIMERS DISEASE	6	4	2	5.2	4.3	9.1
CONDITIONS ORIG IN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	6	2	4	3.5	1.4	12.3
HOMICIDE	5	4	1	4.3	4.3	4.6
COMPLICATIONS MEDICAL/SURGICAL CARE	4	1	3	3.5	1.1	13.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	3	0	2.6	3.2	-
ATHEROSCLEROSIS	2	0	2	1.7	-	9.1
PEPTIC ULCER	2	1	1	1.7	1.1	4.6
AORTIC ANEURYSM AND DISSECTION	2	2	0	1.7	2.1	-
DISEASES OF APPENDIX	1	1	0	0.9	1.1	-
INFECTIONS OF KIDNEY	1	1	0	0.9	1.1	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	0.9	1.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	4	0	3.5	4.3	-
ALL OTHER CAUSES	64	50	14	55.5	53.5	64.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	778	630	148	396	321	75	382	309	73
UNDER 1	11	6	5	7	3	4	4	3	1
(NEONATAL)	5	2	3	2	0	2	3	2	1
(POSTNEONATAL)	6	4	2	5	3	2	1	1	0
1-4	4	4	0	1	1	0	3	3	0
5-9	1	1	0	1	1	0	0	0	0
10-14	2	2	0	1	1	0	1	1	0
15-24	21	16	5	18	13	5	3	3	0
25-34	14	11	3	9	7	2	5	4	1
35-44	37	25	12	26	21	5	11	4	7
45-54	62	48	14	38	27	11	24	21	3
55-64	110	91	19	68	58	10	42	33	9
65-74	166	140	26	93	84	9	73	56	17
75-84	195	161	34	96	76	20	99	85	14
85 AND OVER	155	125	30	38	29	9	117	96	21
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 115,327 WHITE 93,450 NONWHITE 21,877

SELECTED DEATH STATISTICS, RESIDENTS OF SCOTT COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	244	155	89	8.6	9.5	7.3
HEART DISEASES	73	49	24	256.8	301.4	197.3
MALIGNANT NEOPLASMS	54	36	18	190.0	221.4	148.0
ACCIDENTS	18	8	10	63.3	49.2	82.2
CEREBROVASCULAR DISEASE	17	9	8	59.8	55.4	65.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	17	12	5	59.8	73.8	41.1
INFLUENZA AND PNEUMONIA	5	5	0	17.6	30.8	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	2	3	17.6	12.3	24.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	0	4	14.1	-	32.9
DIABETES MELLITUS	3	3	0	10.6	18.4	-
HOMICIDE	3	2	1	10.6	12.3	8.2
SEPTICEMIA	2	1	1	7.0	6.2	8.2
ATHEROSCLEROSIS	2	2	0	7.0	12.3	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	7.0	6.2	8.2
SUICIDE	2	1	1	7.0	6.2	8.2
TUBERCULOSIS	1	0	1	3.5	-	8.2
VIRAL HEPATITIS	1	1	0	3.5	6.2	-
ALZHEIMERS DISEASE	1	1	0	3.5	6.2	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	3.5	6.2	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.5	6.2	-
PEPTIC ULCER	1	0	1	3.5	-	8.2
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.5	6.2	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	3	2	17.6	18.4	16.4
ALL OTHER CAUSES	25	16	9	88.0	98.4	74.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	244	155	89	126	76	50	118	79	39
UNDER 1	5	5	0	2	2	0	3	3	0
(Neonatal)	1	1	0	0	0	0	1	1	0
(Postneonatal)	4	4	0	2	2	0	2	2	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	6	3	3	4	2	2	2	1	1
25-34	4	4	0	3	3	0	1	1	0
35-44	13	7	6	10	6	4	3	1	2
45-54	23	13	10	12	5	7	11	8	3
55-64	40	26	14	26	17	9	14	9	5
65-74	54	36	18	26	19	7	28	17	11
75-84	42	30	12	22	14	8	20	16	4
85 AND OVER	55	31	24	20	8	12	35	23	12
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 28,423 WHITE 16,258 NONWHITE 12,165

SELECTED DEATH STATISTICS, RESIDENTS OF SHARKEY COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	59	27	32	9.0	14.0	6.9
HEART DISEASES	16	4	12	243.2	207.0	258.2
MALIGNANT NEOPLASMS	14	6	8	212.8	310.6	172.1
CEREBROVASCULAR DISEASE	7	5	2	106.4	258.8	43.0
ACCIDENTS	5	3	2	76.0	155.3	43.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	3	1	60.8	155.3	21.5
INFLUENZA AND PNEUMONIA	3	1	2	45.6	51.8	43.0
SEPTICEMIA	1	0	1	15.2	-	21.5
HIV DISEASE	1	0	1	15.2	-	21.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	15.2	51.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	15.2	-	21.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	30.4	51.8	21.5
ALL OTHER CAUSES	4	3	1	60.8	155.3	21.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	59	27	32	33	19	14	26	8	18
UNDER 1	1	0	1	1	0	1	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	1	0	1	1	0	1	0	0	0
25-34	2	2	0	2	2	0	0	0	0
35-44	3	1	2	2	1	1	1	0	1
45-54	1	0	1	1	0	1	0	0	0
55-64	4	2	2	3	2	1	1	0	1
65-74	11	4	7	7	3	4	4	1	3
75-84	17	9	8	10	7	3	7	2	5
85 AND OVER	18	9	9	6	4	2	12	5	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 6,580 WHITE 1,932 NONWHITE 4,648

SELECTED DEATH STATISTICS, RESIDENTS OF SIMPSON COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	320	232	88	11.6	13.0	8.9
HEART DISEASES	94	66	28	340.1	370.9	284.5
MALIGNANT NEOPLASMS	58	44	14	209.8	247.2	142.2
CEREBROVASCULAR DISEASE	28	20	8	101.3	112.4	81.3
ACCIDENTS	22	15	7	79.6	84.3	71.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	14	0	50.6	78.7	-
INFLUENZA AND PNEUMONIA	10	6	4	36.2	33.7	40.6
ATHEROSCLEROSIS	9	4	5	32.6	22.5	50.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	4	5	32.6	22.5	50.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	8	7	1	28.9	39.3	10.2
SEPTICEMIA	5	4	1	18.1	22.5	10.2
DIABETES MELLITUS	5	3	2	18.1	16.8	20.3
ALZHEIMERS DISEASE	5	4	1	18.1	22.5	10.2
HOMICIDE	5	4	1	18.1	22.5	10.2
ANEMIAS	4	3	1	14.5	16.8	10.2
SUICIDE	4	3	1	14.5	16.8	10.2
CHRONIC LIVER DISEASE AND CIRRHOSIS IN SITU, BENIGN & UNSPECIFIED	2	2	0	7.2	11.2	-
NEOPLASMS	1	1	0	3.6	5.6	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	3.6	5.6	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	3.6	5.6	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.6	5.6	-
PEPTIC ULCER	1	1	0	3.6	5.6	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	2.6	4.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	10.8	11.2	10.2
ALL OTHER CAUSES	29	21	8	104.9	118.0	81.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	320	232	88	159	105	54	161	127	34
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	12	5	7	7	1	6	5	4	1
25-34	7	5	2	3	2	1	4	3	1
35-44	22	16	6	11	7	4	11	9	2
45-54	31	17	14	22	10	12	9	7	2
55-64	40	32	8	22	20	2	18	12	6
65-74	63	49	14	42	31	11	21	18	3
75-84	76	57	19	37	26	11	39	31	8
85 AND OVER	67	49	18	14	7	7	53	42	11
UNKNOWN	0	0	0	0	0	0	0	0	0
2000 POPULATION:	TOTAL	27,639	WHITE	17,796	NONWHITE	9,843			

SELECTED DEATH STATISTICS, RESIDENTS OF SMITH COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	154	126	28	9.5	10.2	7.2
HEART DISEASES	48	42	6	296.6	341.0	155.2
MALIGNANT NEOPLASMS	27	22	5	166.8	178.6	129.3
CEREBROVASCULAR DISEASE	16	13	3	98.9	105.6	77.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	9	1	61.8	73.1	25.9
SEPTICEMIA	8	7	1	49.4	56.8	25.9
ACCIDENTS	7	4	3	43.2	32.5	77.6
ALZHEIMERS DISEASE	6	5	1	37.1	40.6	25.9
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	6	4	2	37.1	32.5	51.7
INFLUENZA AND PNEUMONIA	4	3	1	24.7	24.4	25.9
HOMICIDE	2	2	0	12.4	16.2	-
HIV DISEASE	1	0	1	6.2	-	25.9
DIABETES MELLITUS	1	0	1	6.2	-	25.9
PARKINSONS DISEASE	1	1	0	6.2	8.1	-
ATHEROSCLEROSIS	1	1	0	6.2	8.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	6.2	8.1	-
SUICIDE	1	1	0	6.2	8.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	6.2	-	25.9
ALL OTHER CAUSES	13	11	2	80.3	89.3	51.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	154	126	28	66	55	11	88	71	17
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	2	1	1	1	1	0
25-34	4	3	1	3	3	0	1	0	1
35-44	6	3	3	4	3	1	2	0	2
45-54	14	12	2	7	7	0	7	5	2
55-64	18	15	3	12	10	2	6	5	1
65-74	21	18	3	10	7	3	11	11	0
75-84	41	37	4	13	12	1	28	25	3
85 AND OVER	46	36	10	15	12	3	31	24	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 16,182 WHITE 12,316 NONWHITE 3,866

SELECTED DEATH STATISTICS, RESIDENTS OF STONE COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	139	107	32	10.2	9.9	11.4
HEART DISEASES	46	37	9	337.7	342.0	321.0
MALIGNANT NEOPLASMS	36	26	10	264.3	240.3	356.6
ACCIDENTS	10	8	2	73.4	74.0	71.3
CEREBROVASCULAR DISEASE	7	5	2	51.4	46.2	71.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	5	2	51.4	46.2	71.3
AORTIC ANEURYSM AND DISSECTION	4	4	0	29.4	37.0	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	2	2	29.4	18.5	71.3
SEPTICEMIA	3	3	0	22.0	27.7	-
INFLUENZA AND PNEUMONIA	3	3	0	22.0	27.7	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	14.7	18.5	-
SUICIDE	2	2	0	14.7	18.5	-
HOMICIDE	2	0	2	14.7	-	71.3
HIV DISEASE	1	0	1	7.3	-	35.7
DIABETES MELLITUS	1	1	0	7.3	9.2	-
PARKINSONS DISEASE	1	1	0	7.3	9.2	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	7.3	9.2	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	7.3	9.2	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	14.7	18.5	-
ALL OTHER CAUSES	6	4	2	44.0	37.0	71.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	139	107	32	70	53	17	69	54	15
UNDER 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	3	2	1	2	1	1	1	1	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	2	2	3	2	1	1	0	1
25-34	4	1	3	3	1	2	1	0	1
35-44	5	2	3	2	2	0	3	0	3
45-54	8	7	1	3	3	0	5	4	1
55-64	18	14	4	9	7	2	9	7	2
65-74	26	19	7	16	10	6	10	9	1
75-84	34	30	4	18	15	3	16	15	1
85 AND OVER	36	30	6	13	12	1	23	18	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 13,622 WHITE 10,818 NONWHITE 2,804

SELECTED DEATH STATISTICS, RESIDENTS OF SUNFLOWER COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	338	149	189	9.8	15.0	7.7
HEART DISEASES	104	48	56	302.6	483.5	229.1
MALIGNANT NEOPLASMS	69	30	39	200.8	302.2	159.6
ACCIDENTS	27	18	9	78.6	181.3	36.8
CEREBROVASCULAR DISEASE	16	8	8	46.6	80.6	32.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	6	7	37.8	60.4	28.6
INFLUENZA AND PNEUMONIA	11	8	3	32.0	80.6	12.3
DIABETES MELLITUS	9	2	7	26.2	20.1	28.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	9	2	7	26.2	20.1	28.6
SEPTICEMIA	8	3	5	23.3	30.2	20.4
ALZHEIMERS DISEASE	6	4	2	17.4	40.3	8.2
CONDITIONS ORIG IN PERINATAL PERIOD	6	0	6	10.8	-	13.3
HOMICIDE	6	1	5	17.4	10.1	20.4
HIV DISEASE	3	0	3	8.7	-	12.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	8.7	10.1	8.2
PEPTIC ULCER	3	1	2	8.7	10.1	8.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	1	2	8.7	10.1	8.2
SUICIDE	3	2	1	8.7	20.1	4.1
TUBERCULOSIS	1	0	1	2.9	-	4.1
ATHEROSCLEROSIS	1	1	0	2.9	10.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	2.9	10.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	4	2	17.4	40.3	8.2
ALL OTHER CAUSES	30	8	22	87.3	80.6	90.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	338	149	189	177	78	99	161	71	90
UNDER 1	10	0	10	7	0	7	3	0	3
(NEONATAL)	6	0	6	4	0	4	2	0	2
(POSTNEONATAL)	4	0	4	3	0	3	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	4	1	3	1	1	0	3	0	3
15-24	9	5	4	6	4	2	3	1	2
25-34	15	5	10	10	3	7	5	2	3
35-44	27	9	18	17	6	11	10	3	7
45-54	32	6	26	22	6	16	10	0	10
55-64	42	15	27	25	7	18	17	8	9
65-74	52	23	29	23	12	11	29	11	18
75-84	68	39	29	34	23	11	34	16	18
85 AND OVER	79	46	33	32	16	16	47	30	17
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 34,369 WHITE 9,927 NONWHITE 24,442

SELECTED DEATH STATISTICS, RESIDENTS OF TALLAHATCHIE COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	153	72	81	10.3	12.2	9.0
HEART DISEASES	49	23	26	328.8	389.6	288.9
MALIGNANT NEOPLASMS	25	12	13	167.8	203.2	144.5
CEREBROVASCULAR DISEASE	10	6	4	67.1	101.6	44.4
ACCIDENTS	10	7	3	67.1	118.6	33.3
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	9	5	4	60.4	84.7	44.4
DIABETES MELLITUS	8	2	6	53.7	33.9	66.7
SEPTICEMIA	5	4	1	33.6	67.8	11.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	1	3	26.8	16.9	33.3
SUICIDE	4	2	2	26.8	33.9	22.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	0	3	20.1	-	33.3
HOMICIDE	3	0	3	20.1	-	33.3
INFLUENZA AND PNEUMONIA	2	1	1	13.4	16.9	11.1
VIRAL HEPATITIS	1	0	1	6.7	-	11.1
HIV DISEASE	1	0	1	6.7	-	11.1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	6.7	-	11.1
ANEMIAS	1	0	1	6.7	-	11.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	6.7	16.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	6.7	-	11.1
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	4.7	-	6.6
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	6.7	16.9	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	13	7	6	87.2	118.6	66.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	153	72	81	82	43	39	71	29	42
UNDER 1	3	0	3	2	0	2	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	2	0	2	2	0	2	0	0	0
1-4	2	1	1	2	1	1	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	1	4	4	1	3	1	0	1
25-34	4	1	3	2	1	1	2	0	2
35-44	9	4	5	9	4	5	0	0	0
45-54	9	1	8	4	1	3	5	0	5
55-64	16	6	10	9	5	4	7	1	6
65-74	23	16	7	14	11	3	9	5	4
75-84	48	25	23	23	12	11	25	13	12
85 AND OVER	33	16	17	12	6	6	21	10	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 14,903 WHITE 5,904 NONWHITE 8,999

SELECTED DEATH STATISTICS, RESIDENTS OF TATE COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	240	173	67	9.5	10.0	8.2
HEART DISEASES	62	46	16	244.4	267.3	196.1
MALIGNANT NEOPLASMS	51	35	16	201.0	203.4	196.1
ACCIDENTS	23	20	3	90.6	116.2	36.8
CEREBROVASCULAR DISEASE	14	9	5	55.2	52.3	61.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	11	0	43.4	63.9	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	10	6	4	39.4	34.9	49.0
SEPTICEMIA	9	6	3	35.5	34.9	36.8
DIABETES MELLITUS	8	5	3	31.5	29.0	36.8
ALZHEIMERS DISEASE	6	6	0	23.6	34.9	-
INFLUENZA AND PNEUMONIA	6	6	0	23.6	34.9	-
SUICIDE	4	3	1	15.8	17.4	12.2
HYPERTENSION/HYPERTENSIVE RENAL DZ CONDITIONS ORIG IN PERINATAL PERIOD	3	2	1	11.8	11.6	12.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	7.9	5.8	12.2
HOMICIDE	2	1	1	7.9	5.8	12.2
TUBERCULOSIS	1	0	1	3.9	-	12.2
VIRAL HEPATITIS	1	1	0	3.9	5.8	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	3.9	-	12.2
PARKINSONS DISEASE	1	1	0	3.9	5.8	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.9	5.8	-
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	0	1	3.9	-	12.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	3.9	-	12.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	3.9	-	12.2
ALL OTHER CAUSES	18	13	5	71.0	75.5	61.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	240	173	67	114	85	29	126	88	38
UNDER 1	4	0	4	1	0	1	3	0	3
(NEONATAL)	3	0	3	0	0	0	3	0	3
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	3	1	2	1	1	0	2	0	2
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	4	4	0	4	4	0	0	0	0
25-34	7	3	4	4	3	1	3	0	3
35-44	14	12	2	8	8	0	6	4	2
45-54	13	6	7	9	4	5	4	2	2
55-64	29	20	9	19	11	8	10	9	1
65-74	51	36	15	24	19	5	27	17	10
75-84	71	56	15	29	24	5	42	32	10
85 AND OVER	43	34	9	14	10	4	29	24	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 25,370 WHITE 17,211 NONWHITE 8,159

SELECTED DEATH STATISTICS, RESIDENTS OF TIPPAAH COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	247	218	29	11.9	12.8	7.7
HEART DISEASES	103	89	14	494.6	522.1	370.4
MALIGNANT NEOPLASMS	42	37	5	201.7	217.1	132.3
CEREBROVASCULAR DISEASE	21	17	4	100.8	99.7	105.8
ACCIDENTS	18	16	2	86.4	93.9	52.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	15	0	72.0	88.0	-
ATHEROSCLEROSIS	4	4	0	19.2	23.5	-
INFLUENZA AND PNEUMONIA	3	3	0	14.4	17.6	-
SEPTICEMIA	2	1	1	9.6	5.9	26.4
DIABETES MELLITUS	2	1	1	9.6	5.9	26.4
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	2	0	9.6	11.7	-
ALZHEIMERS DISEASE	2	2	0	9.6	11.7	-
AORTIC ANEURYSM AND DISSECTION	2	2	0	9.6	11.7	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	9.6	11.7	-
HERNIA	2	2	0	9.6	11.7	-
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	2	0	9.6	11.7	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	9.6	5.9	26.4
ANEMIAS	1	1	0	4.8	5.9	-
PARKINSONS DISEASE	1	1	0	4.8	5.9	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	4.8	5.9	-
FEMALE PELVIC INFLAMMATORY DISEASE	1	1	0	4.8	5.9	-
SUICIDE	1	1	0	4.8	5.9	-
HOMICIDE	1	1	0	4.8	5.9	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	17	16	1	81.6	93.9	26.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	247	218	29	117	108	9	130	110	20
UNDER 1	2	1	1	0	0	0	2	1	1
(NEONATAL)	2	1	1	0	0	0	2	1	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	3	2	1	0	0	0
25-34	3	3	0	2	2	0	1	1	0
35-44	7	7	0	5	5	0	2	2	0
45-54	16	12	4	11	10	1	5	2	3
55-64	20	18	2	12	11	1	8	7	1
65-74	47	44	3	31	30	1	16	14	2
75-84	75	63	12	35	32	3	40	31	9
85 AND OVER	74	68	6	18	16	2	56	52	4
UNKNOWN	0	0	0	0	0	0	0	0	0
2000 POPULATION:	TOTAL	20,826	WHITE	17,046	NONWHITE	3,780			

SELECTED DEATH STATISTICS, RESIDENTS OF TISHOMINGO COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*--		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	274	262	12	14.3	14.4	12.4
HEART DISEASES	115	110	5	600.1	604.7	514.9
MALIGNANT NEOPLASMS	49	48	1	255.7	263.8	103.0
CEREBROVASCULAR DISEASE	19	19	0	99.1	104.4	-
ACCIDENTS	12	11	1	62.6	60.5	103.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	9	0	47.0	49.5	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	7	0	36.5	38.5	-
DIABETES MELLITUS	6	6	0	31.3	33.0	-
ALZHEIMERS DISEASE	6	5	1	31.3	27.5	103.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	6	0	31.3	33.0	-
INFLUENZA AND PNEUMONIA	5	5	0	26.1	27.5	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	2	2	20.9	11.0	206.0
SEPTICEMIA	3	3	0	15.6	16.5	-
AORTIC ANEURYSM AND DISSECTION	2	2	0	10.4	11.0	-
SUICIDE	2	2	0	10.4	11.0	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	5.2	5.5	-
PARKINSONS DISEASE	1	1	0	5.2	5.5	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	5.2	5.5	-
ATHEROSCLEROSIS	1	1	0	5.2	5.5	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	5.2	5.5	-
INFECTIONS OF KIDNEY	1	0	1	5.2	-	103.0
HOMICIDE	1	1	0	5.2	5.5	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	10.4	11.0	-
ALL OTHER CAUSES	20	19	1	104.4	104.4	103.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	274	262	12	134	129	5	140	133	7
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	3	3	0	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	8	7	1	5	5	0	3	2	1
45-54	20	17	3	15	14	1	5	3	2
55-64	32	32	0	19	19	0	13	13	0
65-74	62	57	5	32	29	3	30	28	2
75-84	77	75	2	43	42	1	34	33	1
85 AND OVER	70	69	1	16	16	0	54	53	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 19,163 WHITE 18,192 NONWHITE 971

SELECTED DEATH STATISTICS, RESIDENTS OF TUNICA COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	90	30	60	9.8	11.8	9.0
HEART DISEASES	24	9	15	260.1	354.2	224.3
MALIGNANT NEOPLASMS	20	7	13	216.8	275.5	194.4
ACCIDENTS	8	3	5	86.7	118.1	74.8
CEREBROVASCULAR DISEASE	5	2	3	54.2	78.7	44.9
SEPTICEMIA	4	1	3	43.4	39.4	44.9
HOMICIDE	4	0	4	43.4	-	59.8
ALZHEIMERS DISEASE	3	1	2	32.5	39.4	29.9
INFLUENZA AND PNEUMONIA	3	2	1	32.5	78.7	15.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	0	2	21.7	-	29.9
DIABETES MELLITUS	1	0	1	10.8	-	15.0
AORTIC ANEURYSM AND DISSECTION	1	0	1	10.8	-	15.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0	10.8	39.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	10.8	-	15.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	1	0	10.8	39.4	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	5.5	-	6.4
SUICIDE	1	0	1	10.8	-	15.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	21.7	-	29.9
ALL OTHER CAUSES	8	3	5	86.7	118.1	74.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	90	30	60	48	17	31	42	13	29
UNDER 1	3	0	3	2	0	2	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	2	0	2	2	0	2	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	5	0	5	4	0	4	1	0	1
25-34	3	1	2	1	1	0	2	0	2
35-44	7	1	6	4	0	4	3	1	2
45-54	9	5	4	6	4	2	3	1	2
55-64	18	7	11	10	5	5	8	2	6
65-74	11	4	7	8	3	5	3	1	2
75-84	19	5	14	7	2	5	12	3	9
85 AND OVER	14	7	7	5	2	3	9	5	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 9,227 WHITE 2,541 NONWHITE 6,686

SELECTED DEATH STATISTICS, RESIDENTS OF UNION COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	275	245	30	10.8	11.6	7.1
HEART DISEASES	82	75	7	323.3	354.5	166.4
MALIGNANT NEOPLASMS	58	51	7	228.7	241.1	166.4
CEREBROVASCULAR DISEASE	27	25	2	106.4	118.2	47.6
ACCIDENTS	15	13	2	59.1	61.4	47.6
INFLUENZA AND PNEUMONIA	14	13	1	55.2	61.4	23.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	12	11	1	47.3	52.0	23.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	6	3	35.5	28.4	71.3
ALZHEIMERS DISEASE	6	5	1	23.6	23.6	23.8
SEPTICEMIA	3	3	0	11.8	14.2	-
DIABETES MELLITUS	3	3	0	11.8	14.2	-
SUICIDE	3	3	0	11.8	14.2	-
HOMICIDE	2	2	0	7.9	9.4	-
TUBERCULOSIS	1	0	1	3.9	-	23.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.9	4.7	-
ANEMIAS	1	1	0	3.9	4.7	-
PARKINSONS DISEASE	1	0	1	3.9	-	23.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	3.9	4.7	-
ATHEROSCLEROSIS	1	0	1	3.9	-	23.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.9	4.7	-
PEPTIC ULCER	1	1	0	3.9	4.7	-
HERNIA	1	1	0	3.9	4.7	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.9	4.7	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.9	4.7	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.3	-	13.0
LEGAL INTERVENTION	1	1	0	3.9	4.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	11.8	14.2	-
ALL OTHER CAUSES	25	23	2	98.6	108.7	47.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	275	245	30	134	117	17	141	128	13
UNDER 1	2	1	1	2	1	1	0	0	0
(Neonatal)	2	1	1	2	1	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	5	5	0	4	4	0	1	1	0
25-34	3	2	1	3	2	1	0	0	0
35-44	13	13	0	7	7	0	6	6	0
45-54	16	13	3	9	7	2	7	6	1
55-64	26	22	4	16	12	4	10	10	0
65-74	54	50	4	33	29	4	21	21	0
75-84	71	66	5	31	29	2	40	37	3
85 AND OVER	83	71	12	27	24	3	56	47	9
UNKNOWN	0	0	0	0	0	0	0	0	0
2000 POPULATION:	TOTAL	25,362	WHITE	21,156	NONWHITE	4,206			

SELECTED DEATH STATISTICS, RESIDENTS OF WALTHALL COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	176	116	60	11.6	14.0	8.7
HEART DISEASES	63	42	21	415.7	507.4	305.3
MALIGNANT NEOPLASMS	37	23	14	244.1	277.9	203.5
CEREBROVASCULAR DISEASE	17	12	5	112.2	145.0	72.7
ACCIDENTS	10	6	4	66.0	72.5	58.1
DIABETES MELLITUS	8	4	4	52.8	48.3	58.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	4	1	33.0	48.3	14.5
SUICIDE	4	4	0	26.4	48.3	-
SEPTICEMIA	3	3	0	19.8	36.2	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	0	3	19.8	-	43.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	2	1	19.8	24.2	14.5
PARKINSONS DISEASE	2	2	0	13.2	24.2	-
ALZHEIMERS DISEASE	2	2	0	13.2	24.2	-
INFLUENZA AND PNEUMONIA	2	1	1	13.2	12.1	14.5
TUBERCULOSIS	1	0	1	6.6	-	14.5
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	6.6	12.1	-
ANEMIAS	1	1	0	6.6	12.1	-
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	6.6	12.1	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	6.6	-	14.5
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	6.6	12.1	-
HOMICIDE	1	0	1	6.6	-	14.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	6.6	12.1	-
ALL OTHER CAUSES	9	6	3	59.4	72.5	43.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	176	116	60	103	63	40	73	53	20
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	6	4	2	5	4	1	1	0	1
35-44	9	3	6	5	2	3	4	1	3
45-54	11	4	7	8	3	5	3	1	2
55-64	23	12	11	14	6	8	9	6	3
65-74	34	22	12	21	11	10	13	11	2
75-84	48	32	16	31	21	10	17	11	6
85 AND OVER	41	36	5	15	13	2	26	23	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 15,156 WHITE 8,277 NONWHITE 6,879

SELECTED DEATH STATISTICS, RESIDENTS OF WARREN COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	500	289	211	10.1	10.6	9.4
HEART DISEASES	172	107	65	346.5	392.1	290.8
MALIGNANT NEOPLASMS	100	68	32	201.4	249.2	143.1
CEREBROVASCULAR DISEASE	38	18	20	76.5	66.0	89.5
ACCIDENTS	26	15	11	52.4	55.0	49.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	17	13	4	34.2	47.6	17.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	12	3	9	24.2	11.0	40.2
DIABETES MELLITUS	10	1	9	20.1	3.7	40.2
INFLUENZA AND PNEUMONIA	10	6	4	20.1	22.0	17.9
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	9	4	5	18.1	14.6	22.4
SEPTICEMIA	7	3	4	14.1	11.0	17.9
ALZHEIMERS DISEASE	7	6	1	14.1	22.0	4.5
SUICIDE	7	5	2	14.1	18.3	8.9
ATHEROSCLEROSIS	6	1	5	12.1	3.7	22.4
HIV DISEASE	5	0	5	10.1	-	22.4
HOMICIDE	5	0	5	10.1	-	22.4
AORTIC ANEURYSM AND DISSECTION	4	2	2	8.0	7.3	8.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	1	3	8.0	3.7	13.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	2	1	6.0	7.3	4.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	1	2	6.0	3.7	8.9
VIRAL HEPATITIS	2	1	1	4.0	3.7	4.5
ANEMIAS	2	1	1	4.0	3.7	4.5
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	2.4	-	4.1
TUBERCULOSIS	1	1	0	2.0	3.7	-
PEPTIC ULCER	1	1	0	2.0	3.7	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	2.0	3.7	-
FEMALE PELVIC INFLAMMATORY DISEASE	1	1	0	2.0	3.7	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	2.0	-	4.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	2	4	12.1	7.3	17.9
ALL OTHER CAUSES	38	25	13	76.5	91.6	58.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	500	289	211	242	134	108	258	155	103
UNDER 1	8	1	7	2	0	2	6	1	5
(Neonatal)	4	0	4	1	0	1	3	0	3
(Postneonatal)	4	1	3	1	0	1	3	1	2
1-4	4	0	4	4	0	4	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	1	0	1	1	1	0
25-34	17	5	12	11	4	7	6	1	5
35-44	19	8	11	8	2	6	11	6	5
45-54	37	19	18	22	10	12	15	9	6
55-64	53	37	16	33	24	9	20	13	7
65-74	102	63	39	58	34	24	44	29	15
75-84	128	82	46	57	37	20	71	45	26
85 AND OVER	129	72	57	45	22	23	84	50	34
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 49,644 WHITE 27,288 NONWHITE 22,356

SELECTED DEATH STATISTICS, RESIDENTS OF WASHINGTON COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	681	273	408	10.8	12.8	9.8
HEART DISEASES	212	87	125	336.6	406.7	300.6
MALIGNANT NEOPLASMS	151	69	82	239.8	322.5	197.2
ACCIDENTS	39	16	23	61.9	74.8	55.3
CEREBROVASCULAR DISEASE	35	12	23	55.6	56.1	55.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	26	17	9	41.3	79.5	21.6
DIABETES MELLITUS	23	6	17	36.5	28.0	40.9
HOMICIDE	18	3	15	28.6	14.0	36.1
SEPTICEMIA	15	4	11	23.8	18.7	26.4
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	14	3	11	22.2	14.0	26.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	12	4	8	19.0	18.7	19.2
ALZHEIMERS DISEASE	10	6	4	15.9	28.0	9.6
INFLUENZA AND PNEUMONIA	10	3	7	15.9	14.0	16.8
CONDITIONS ORIG IN PERINATAL PERIOD	9	1	8	7.9	3.6	9.3
AORTIC ANEURYSM AND DISSECTION	7	4	3	11.1	18.7	7.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	3	3	9.5	14.0	7.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	1	3	6.4	4.7	7.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	1	3	6.4	4.7	7.2
SUICIDE	4	2	2	6.4	9.3	4.8
HIV DISEASE	3	0	3	4.8	-	7.2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	1	2	4.8	4.7	4.8
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	0	2	3.2	-	4.8
PARKINSONS DISEASE	2	2	0	3.2	9.3	-
PEPTIC ULCER	2	2	0	3.2	9.3	-
CHOLELITHIASIS/GALLBLADDER DISORDER	2	0	2	3.2	-	4.8
VIRAL HEPATITIS	1	0	1	1.6	-	2.4
LEGAL INTERVENTION	1	0	1	1.6	-	2.4
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	1.6	-	2.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	2	4	9.5	9.3	9.6
ALL OTHER CAUSES	59	24	35	93.7	112.2	84.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	681	273	408	331	129	202	350	144	206
UNDER 1	17	2	15	7	1	6	10	1	9
(NEONATAL)	12	2	10	6	1	5	6	1	5
(POSTNEONATAL)	5	0	5	1	0	1	4	0	4
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	16	2	14	9	1	8	7	1	6
25-34	18	6	12	11	4	7	7	2	5
35-44	39	11	28	29	9	20	10	2	8
45-54	64	20	44	40	14	26	24	6	18
55-64	64	24	40	42	15	27	22	9	13
65-74	151	59	92	83	32	51	68	27	41
75-84	162	77	85	66	34	32	96	43	53
85 AND OVER	148	72	76	43	19	24	105	53	52
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 62,977 WHITE 21,393 NONWHITE 41,584

SELECTED DEATH STATISTICS, RESIDENTS OF WAYNE COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	191	131	60	9.0	10.1	7.3
HEART DISEASES	65	48	17	306.4	369.1	207.0
MALIGNANT NEOPLASMS	38	25	13	179.1	192.2	158.3
CEREBROVASCULAR DISEASE	13	6	7	61.3	46.1	85.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	11	2	61.3	84.6	24.4
ACCIDENTS	10	6	4	47.1	46.1	48.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	6	5	1	28.3	38.4	12.2
SEPTICEMIA	4	2	2	18.8	15.4	24.4
DIABETES MELLITUS	3	2	1	14.1	15.4	12.2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS CONDITIONS ORIG IN PERINATAL PERIOD	3	2	1	14.1	15.4	12.2
PARKINSONS DISEASE	2	1	1	9.4	7.7	12.2
ALZHEIMERS DISEASE	2	2	0	9.4	15.4	-
ATHEROSCLEROSIS	2	1	1	9.4	7.7	12.2
INFLUENZA AND PNEUMONIA	2	1	1	9.4	7.7	12.2
HOMICIDE	2	2	0	9.4	15.4	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	4.7	-	12.2
MENINGITIS	1	0	1	4.7	-	12.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	4.7	7.7	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.7	7.7	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	4.7	7.7	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	4.7	7.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	9.4	15.4	-
ALL OTHER CAUSES	15	10	5	70.7	76.9	60.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	191	131	60	100	65	35	91	66	25
UNDER 1	3	1	2	2	1	1	1	0	1
(NEONATAL)	3	1	2	2	1	1	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	3	1	2	3	1	2	0	0	0
35-44	4	1	3	3	0	3	1	1	0
45-54	11	6	5	7	5	2	4	1	3
55-64	24	13	11	18	9	9	6	4	2
65-74	40	30	10	26	18	8	14	12	2
75-84	54	36	18	26	21	5	28	15	13
85 AND OVER	49	40	9	14	9	5	35	31	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 21,216 WHITE 13,004 NONWHITE 8,212

SELECTED DEATH STATISTICS, RESIDENTS OF WEBSTER COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	145	124	21	14.1	15.5	9.1
HEART DISEASES	42	36	6	408.0	451.0	259.6
MALIGNANT NEOPLASMS	26	20	6	252.6	250.5	259.6
CEREBROVASCULAR DISEASE	14	13	1	136.0	162.8	43.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	7	1	77.7	87.7	43.3
INFLUENZA AND PNEUMONIA	6	6	0	58.3	75.2	-
ACCIDENTS	6	5	1	58.3	62.6	43.3
ALZHEIMERS DISEASE	5	5	0	48.6	62.6	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	4	0	38.8	50.1	-
SEPTICEMIA	2	2	0	19.4	25.0	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	19.4	25.0	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	19.4	25.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	19.4	25.0	-
CONDITIONS ORIG IN PERINATAL PERIOD	2	2	0	12.3	17.5	-
ANEMIAS	1	1	0	9.7	12.5	-
DIABETES MELLITUS	1	0	1	9.7	-	43.3
PARKINSONS DISEASE	1	1	0	9.7	12.5	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	9.7	12.5	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	19.4	25.0	-
ALL OTHER CAUSES	18	13	5	174.8	162.8	216.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	145	124	21	76	63	13	69	61	8
UNDER 1	4	3	1	2	2	0	2	1	1
(Neonatal)	2	2	0	1	1	0	1	1	0
(Postneonatal)	2	1	1	1	1	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	1	1	0	1	0	1
25-34	3	2	1	2	1	1	1	1	0
35-44	3	3	0	2	2	0	1	1	0
45-54	8	4	4	5	2	3	3	2	1
55-64	16	13	3	13	11	2	3	2	1
65-74	29	24	5	21	17	4	8	7	1
75-84	38	37	1	14	13	1	24	24	0
85 AND OVER	42	37	5	16	14	2	26	23	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 10,294 WHITE 7,983 NONWHITE 2,311

SELECTED DEATH STATISTICS, RESIDENTS OF WILKINSON COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	122	54	68	11.8	16.8	9.6
HEART DISEASES	45	20	25	436.4	621.3	352.5
MALIGNANT NEOPLASMS	21	10	11	203.6	310.6	155.1
CEREBROVASCULAR DISEASE	7	3	4	67.9	93.2	56.4
ACCIDENTS	7	4	3	67.9	124.3	42.3
DIABETES MELLITUS	5	2	3	48.5	62.1	42.3
SEPTICEMIA	3	2	1	29.1	62.1	14.1
ANEMIAS	3	0	3	29.1	-	42.3
ALZHEIMERS DISEASE	3	1	2	29.1	31.1	28.2
INFLUENZA AND PNEUMONIA	3	1	2	29.1	31.1	28.2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	0	2	19.4	-	28.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	19.4	31.1	14.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	1	1	19.4	31.1	14.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	19.4	62.1	-
PARKINSONS DISEASE	1	1	0	9.7	31.1	-
PEPTIC ULCER	1	0	1	9.7	-	14.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	9.7	31.1	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	0	1	9.7	-	14.1
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	7.3	-	8.8
HOMICIDE	1	0	1	9.7	-	14.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	9.7	31.1	-
ALL OTHER CAUSES	10	4	6	97.0	124.3	84.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	122	54	68	54	23	31	68	31	37
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	1	0	1	1	0	1	0	0	0
35-44	10	3	7	6	3	3	4	0	4
45-54	8	0	8	3	0	3	5	0	5
55-64	12	2	10	7	2	5	5	0	5
65-74	20	13	7	14	9	5	6	4	2
75-84	29	17	12	12	8	4	17	9	8
85 AND OVER	39	19	20	10	1	9	29	18	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 10,312 WHITE 3,219 NONWHITE 7,093

SELECTED DEATH STATISTICS, RESIDENTS OF WINSTON COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	233	148	85	11.6	13.3	9.4
HEART DISEASES	82	56	26	406.7	502.6	288.3
MALIGNANT NEOPLASMS	58	36	22	287.7	323.1	243.9
CEREBROVASCULAR DISEASE	19	11	8	94.2	98.7	88.7
ACCIDENTS	14	9	5	69.4	80.8	55.4
ALZHEIMERS DISEASE	6	3	3	29.8	26.9	33.3
SEPTICEMIA	5	5	0	24.8	44.9	-
DIABETES MELLITUS	5	3	2	24.8	26.9	22.2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	2	3	24.8	18.0	33.3
INFLUENZA AND PNEUMONIA	3	1	2	14.9	9.0	22.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	3	0	14.9	26.9	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	2	1	14.9	18.0	11.1
AORTIC ANEURYSM AND DISSECTION	2	2	0	9.9	18.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	9.9	18.0	-
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	6.4	-	11.1
SUICIDE	2	2	0	9.9	18.0	-
PARKINSONS DISEASE	1	1	0	5.0	9.0	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	5.0	-	11.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	14.9	18.0	11.1
ALL OTHER CAUSES	17	8	9	84.3	71.8	99.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	233	148	85	100	57	43	133	91	42
UNDER 1	3	0	3	1	0	1	2	0	2
(NEONATAL)	3	0	3	1	0	1	2	0	2
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	5	3	2	3	1	2	2	2	0
25-34	4	1	3	2	0	2	2	1	1
35-44	6	5	1	4	3	1	2	2	0
45-54	13	6	7	8	2	6	5	4	1
55-64	15	7	8	7	3	4	8	4	4
65-74	42	28	14	22	15	7	20	13	7
75-84	65	46	19	28	18	10	37	28	9
85 AND OVER	78	51	27	23	14	9	55	37	18
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 20,160 WHITE 11,141 NONWHITE 9,019

SELECTED DEATH STATISTICS, RESIDENTS OF YALOBUSHA COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	150	108	42	11.5	13.7	8.1
HEART DISEASES	53	36	17	406.1	456.2	329.4
MALIGNANT NEOPLASMS	32	27	5	245.2	342.2	96.9
CEREBROVASCULAR DISEASE	12	7	5	91.9	88.7	96.9
ACCIDENTS	7	4	3	53.6	50.7	58.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	6	0	46.0	76.0	-
INFLUENZA AND PNEUMONIA	5	4	1	38.3	50.7	19.4
DIABETES MELLITUS	3	2	1	23.0	25.3	19.4
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	3	0	23.0	38.0	-
SUICIDE	3	3	0	23.0	38.0	-
SEPTICEMIA	2	1	1	15.3	12.7	19.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	15.3	25.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	15.3	12.7	19.4
HIV DISEASE	1	1	0	7.7	12.7	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	7.7	12.7	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	7.7	12.7	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	7.7	-	19.4
PEPTIC ULCER	1	1	0	7.7	12.7	-
HERNIA	1	1	0	7.7	12.7	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	5.1	-	11.0
HOMICIDE	1	0	1	7.7	-	19.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	7.7	-	19.4
ALL OTHER CAUSES	11	7	4	84.3	88.7	77.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	150	108	42	75	52	23	75	56	19
UNDER 1	2	0	2	2	0	2	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	2	2	0	1	1	0	1	1	0
35-44	4	0	4	3	0	3	1	0	1
45-54	13	7	6	9	4	5	4	3	1
55-64	22	18	4	15	11	4	7	7	0
65-74	23	16	7	12	8	4	11	8	3
75-84	39	28	11	16	13	3	23	15	8
85 AND OVER	42	36	6	14	14	0	28	22	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 13,051 WHITE 7,891 NONWHITE 5,160

SELECTED DEATH STATISTICS, RESIDENTS OF YAZOO COUNTY, 2000

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	315	159	156	11.2	12.6	10.0
HEART DISEASES	89	43	46	316.2	341.5	295.7
MALIGNANT NEOPLASMS	65	37	28	230.9	293.8	180.0
CEREBROVASCULAR DISEASE	28	15	13	99.5	119.1	83.6
DIABETES MELLITUS	17	9	8	60.4	71.5	51.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	13	5	8	46.2	39.7	51.4
ACCIDENTS	13	7	6	46.2	55.6	38.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	8	3	39.1	63.5	19.3
INFLUENZA AND PNEUMONIA	8	4	4	28.4	31.8	25.7
HOMICIDE	5	1	4	17.8	7.9	25.7
SEPTICEMIA	4	2	2	14.2	15.9	12.8
SUICIDE	4	3	1	14.2	23.8	6.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	1	2	10.6	7.9	12.8
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	6.1	-	9.2
PARKINSONS DISEASE	2	1	1	7.1	7.9	6.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	7.1	-	12.8
VIRAL HEPATITIS	1	0	1	3.6	-	6.4
HIV DISEASE	1	0	1	3.6	-	6.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.6	7.9	-
ANEMIAS	1	1	0	3.6	7.9	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	3.6	-	6.4
PEPTIC ULCER	1	1	0	3.6	7.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.6	7.9	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	3.6	7.9	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	2	6	28.4	15.9	38.6
ALL OTHER CAUSES	32	16	16	113.7	127.0	102.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	315	159	156	150	79	71	165	80	85
UNDER 1	9	1	8	3	0	3	6	1	5
(Neonatal)	7	0	7	3	0	3	4	0	4
(Postneonatal)	2	1	1	0	0	0	2	1	1
1-4	2	2	0	1	1	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	2	5	5	2	3	2	0	2
25-34	8	1	7	3	0	3	5	1	4
35-44	12	4	8	7	3	4	5	1	4
45-54	18	8	10	13	7	6	5	1	4
55-64	36	19	17	25	13	12	11	6	5
65-74	56	32	24	30	18	12	26	14	12
75-84	78	40	38	38	18	20	40	22	18
85 AND OVER	89	50	39	25	17	8	64	33	31
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL 28,149 WHITE 12,593 NONWHITE 15,556