

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: ADAMS

	TOTAL POPULATION	FEMALES AGES	FEMALES AGES	FEMALES AGES	TOTAL LIVE BIRTHS
RACE	ALL AGES	10-19	10-14	15-19	
TOTAL	34,340	2,640	1,300	1,340	489
WHITE	15,809	958	468	490	167
NONWHITE	18,531	1,682	832	850	322

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	106	2	44	60	21	0	6	15	85	2	38	45
TEENAGE IMMATURE BIRTHS	16	1	5	10	2	0	0	2	14	1	5	8
TEENAGE PREMATURE BIRTHS	32	1	14	17	7	0	2	5	25	1	12	12
TEENAGE ILLEGITIMATE BIRTHS	95	2	40	53	13	0	3	10	82	2	37	43
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	3	17	3	0	1	2	17	0	2	15
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	5	19	5	0	2	3	19	0	3	16
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	2	1	0	0	0	0	4	1	2	1
TEENAGE FERTILITY RATE	40.2	1.5	77.6	(15-19)	21.9	-	42.8	(15-19)	50.5	2.4	97.6	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	9.4	-	-	16.7	-	-	-	-	11.8	-	-	22.2
TEENAGE INDUCED TERMINATIONS#	20	1	11	8	6	0	5	1	14	1	6	7
TEENAGE INDUCED TERMINATION RATIO	188.7	500.0	250.0	133.3	285.7	-	833.3	66.7	164.7	500.0	157.9	155.6
TEENAGE PREGNANCIES#	127	3	55	69	27	0	11	16	100	3	44	53
TEENAGE PREGNANCY RATE	48.1	2.3	92.5	(15-19)	28.2	-	55.1	(15-19)	59.4	3.6	114.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	9.4	-	-	16.7	47.6	-	-	66.7	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: ALCORN

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	34,558	2,217	1,117	1,100	454
WHITE	30,193	1,845	927	918	379
NONWHITE	4,365	372	190	182	75

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	76	2	24	50	60	1	18	41	16	1	6	9
TEENAGE IMMATURE BIRTHS	16	0	4	12	12	0	2	10	4	0	2	2
TEENAGE PREMATURE BIRTHS	11	0	3	8	8	0	2	6	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	49	1	18	30	36	1	14	21	13	0	4	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	1	17	13	0	1	12	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	3	21	18	0	2	16	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	3	0	1	2	2	0	1	1
TEENAGE FERTILITY RATE	34.3	1.8	67.3 (15-19)		32.5	1.1	64.3 (15-19)		43.0	5.3	82.4 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	13.2	-	-	20.0	16.7	-	-	24.4	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	77	2	24	51	61	1	18	42	16	1	6	9
TEENAGE PREGNANCY RATE	34.7	1.8	68.2 (15-19)		33.1	1.1	65.4 (15-19)		43.0	5.3	82.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	13.2	-	-	20.0	-	-	-	-	62.5	-	-	111.1

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: AMITE

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	13,599	1,057	506	551	173
WHITE	7,673	476	228	248	91
NONWHITE	5,926	581	278	303	82

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	21	1	4	16	6	0	0	6	15	1	4	10
TEENAGE IMMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE PREMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	17	1	4	12	3	0	0	3	14	1	4	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	1	4	2	0	0	2	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	1	6	3	0	0	3	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE FERTILITY RATE	19.9	2.0	36.3	(15-19)	12.6	-	24.2	(15-19)	25.8	3.6	46.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	6	0	1	5	2	0	0	2	4	0	1	3
TEENAGE INDUCED TERMINATION RATIO	285.7	-	250.0	312.5	333.3	-	-	333.3	266.7	-	250.0	300.0
TEENAGE PREGNANCIES#	27	1	5	21	8	0	0	8	19	1	5	13
TEENAGE PREGNANCY RATE	25.5	2.0	47.2	(15-19)	16.8	-	32.2	(15-19)	32.7	3.6	59.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: ATTALA

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	19,661	1,475	741	734	288
WHITE	11,470	694	329	365	137
NONWHITE	8,191	781	412	369	151

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	42	1	11	30	19	1	3	15	23	0	8	15
TEENAGE IMMATURE BIRTHS	7	0	1	6	3	0	0	3	4	0	1	3
TEENAGE PREMATURE BIRTHS	6	0	1	5	2	0	1	1	4	0	0	4
TEENAGE ILLEGITIMATE BIRTHS	33	1	10	22	12	1	3	8	21	0	7	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	1	9	2	0	0	2	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	2	9	3	0	1	2	8	0	1	7
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	28.5	1.4	55.8 (15-19)		27.4	3.0	49.3 (15-19)		29.4	-	62.3 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	23.8	-	90.9	-	52.6	-	333.3	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	8	1	0	7	4	0	0	4	4	1	0	3
TEENAGE INDUCED TERMINATION RATIO	190.5	1000.0	-	233.3	210.5	-	-	266.7	173.9	&	-	200.0
TEENAGE PREGNANCIES#	51	2	12	37	24	1	4	19	27	1	8	18
TEENAGE PREGNANCY RATE	34.6	2.7	66.8 (15-19)		34.6	3.0	63.0 (15-19)		34.6	2.4	70.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: BENTON

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	8,026	564	278	286	133
WHITE	4,954	292	150	142	76
NONWHITE	3,072	272	128	144	57

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	31	0	4	27	11	0	1	10	20	0	3	17
TEENAGE IMMATURE BIRTHS	5	0	1	4	1	0	0	1	4	0	1	3
TEENAGE PREMATURE BIRTHS	7	0	2	5	3	0	1	2	4	0	1	3
TEENAGE ILLEGITIMATE BIRTHS	23	0	4	19	3	0	1	2	20	0	3	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	0	8	3	0	0	3	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	0	11	5	0	0	5	6	0	0	6
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	3	2	2	0	1	1	3	0	2	1
TEENAGE FERTILITY RATE	55.0	-	108.4 (15-19)		37.7	-	77.5 (15-19)		73.5	-	138.9 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	32.2	-	-	37.0	-	-	-	-	50.0	-	-	58.8
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	32	0	4	28	11	0	1	10	21	0	3	18
TEENAGE PREGNANCY RATE	56.7	-	111.9 (15-19)		37.7	-	77.5 (15-19)		77.2	-	145.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: BOLIVAR

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	40,633	3,762	1,714	2,048	670
WHITE	13,507	872	344	528	157
NONWHITE	27,126	2,890	1,370	1,520	513

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	173	6	71	96	11	2	4	5	162	4	67	91
TEENAGE IMMATURE BIRTHS	21	0	12	9	1	0	1	0	20	0	11	9
TEENAGE PREMATURE BIRTHS	34	2	13	19	1	0	1	0	33	2	12	19
TEENAGE ILLEGITIMATE BIRTHS	170	6	71	93	10	2	4	4	160	4	67	89
TEENS WHO HAD PREVIOUS LIVE BIRTHS	53	0	13	40	4	0	1	3	49	0	12	37
TEENS WHO HAD PREVIOUS PREGNANCIES	62	0	17	45	5	0	2	3	57	0	15	42
TEENS WITH INADEQUATE* PRENATAL CARE	12	1	6	5	2	1	1	0	10	0	5	5
TEENAGE FERTILITY RATE	46.0	3.5	81.5 (15-19)		12.6	5.8	17.0 (15-19)		56.0	2.9	103.9 (15-19)	
TEENAGE FETAL DEATHS**	4	0	0	4	0	0	0	0	4	0	0	4
TEENAGE FETAL DEATH RATIO	23.1	-	-	41.7	-	-	-	-	24.7	-	-	44.0
TEENAGE INDUCED TERMINATIONS#	12	1	4	7	3	0	2	1	9	1	2	6
TEENAGE INDUCED TERMINATION RATIO	69.4	166.7	56.3	72.9	272.7	-	500.0	200.0	55.6	250.0	29.8	65.9
TEENAGE PREGNANCIES#	189	7	75	107	14	2	6	6	175	5	69	101
TEENAGE PREGNANCY RATE	50.2	4.1	88.9 (15-19)		16.0	5.8	22.7 (15-19)		60.6	3.6	111.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	11.6	-	14.1	10.4	-	-	-	-	12.3	-	14.9	11.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: CALHOUN

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES	10-19	10-14	15-19	
TOTAL	15,069	1,079	533	546	220
WHITE	10,460	628	301	327	137
NONWHITE	4,609	451	232	219	83

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	53	2	21	30	25	1	8	16	28	1	13	14
TEENAGE IMMATURE BIRTHS	4	0	1	3	1	0	1	0	3	0	0	3
TEENAGE PREMATURE BIRTHS	11	0	3	8	4	0	2	2	7	0	1	6
TEENAGE ILLEGITIMATE BIRTHS	40	2	19	19	12	1	6	5	28	1	13	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	1	10	5	0	0	5	6	0	1	5
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	1	11	6	0	0	6	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE FERTILITY RATE	49.1	3.8	93.4 (15-19)		39.8	3.3	73.4 (15-19)		62.1	4.3	123.3 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	18.9	-	47.6	-	-	-	-	-	35.7	-	76.9	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	54	2	22	30	25	1	8	16	29	1	14	14
TEENAGE PREGNANCY RATE	50.0	3.8	95.2 (15-19)		39.8	3.3	73.4 (15-19)		64.3	4.3	127.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: CARROLL

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	10,769	782	390	392	118
WHITE	6,749	426	197	229	78
NONWHITE	4,020	356	193	163	40

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	14	0	6	8	6	0	3	3	8	0	3	5
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	11	0	5	6	3	0	2	1	8	0	3	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	1	2	1	0	1	0	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FERTILITY RATE	17.9	-	35.7 (15-19)		14.1	-	26.2 (15-19)		22.5	-	49.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	4	0	2	2	1	0	0	1	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	285.7	-	333.3	250.0	166.7	-	-	333.3	375.0	-	666.7	200.0
TEENAGE PREGNANCIES#	18	0	8	10	7	0	3	4	11	0	5	6
TEENAGE PREGNANCY RATE	23.0	-	45.9 (15-19)		16.4	-	30.6 (15-19)		30.9	-	67.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: CHICKASAW

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	19,440	1,484	784	700	314
WHITE	11,060	641	335	306	159
NONWHITE	8,380	843	449	394	155

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	68	1	29	38	22	0	9	13	46	1	20	25
TEENAGE IMMATURE BIRTHS	14	1	8	5	2	0	0	2	12	1	8	3
TEENAGE PREMATURE BIRTHS	17	1	10	6	2	0	0	2	15	1	10	4
TEENAGE ILLEGITIMATE BIRTHS	58	1	27	30	14	0	7	7	44	1	20	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	3	16	3	0	1	2	16	0	2	14
TEENS WHO HAD PREVIOUS PREGNANCIES	25	0	5	20	6	0	1	5	19	0	4	15
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	5	5	1	0	1	0	9	0	4	5
TEENAGE FERTILITY RATE	45.8	1.3	95.7 (15-19)	34.3	-	71.9 (15-19)	54.6	2.2	114.2 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	7	1	3	3	1	0	0	1	6	1	3	2
TEENAGE INDUCED TERMINATION RATIO	102.9	1000.0	103.4	78.9	45.4	-	-	76.9	130.4	1000.0	150.0	80.0
TEENAGE PREGNANCIES#	75	2	32	41	23	0	9	14	52	2	23	27
TEENAGE PREGNANCY RATE	50.5	2.6	104.3 (15-19)	35.9	-	75.2 (15-19)	61.7	4.4	126.9 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: CHOCTAW

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	9,758	822	408	414	121
WHITE	6,638	481	240	241	68
NONWHITE	3,120	341	168	173	53

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	29	2	7	20	9	1	5	3	20	1	2	17
TEENAGE IMMATURE BIRTHS	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	27	2	7	18	7	1	5	1	20	1	2	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	1	2	1	0	1	0	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	1	3	1	0	1	0	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FERTILITY RATE	35.3	4.9	65.2 (15-19)	18.7	4.2	33.2 (15-19)	58.6	6.0	109.8 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	69.0	-	-	100.0	222.2	-	-	666.7	-	-	-	-
TEENAGE PREGNANCIES#	31	2	7	22	11	1	5	5	20	1	2	17
TEENAGE PREGNANCY RATE	37.7	4.9	70.0 (15-19)	22.9	4.2	41.5 (15-19)	58.6	6.0	109.8 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	34.5	-	-	50.0	111.1	-	-	333.3	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: CLAIBORNE

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE BIRTHS
	ALL AGES	10-19	10-14	15-19	
TOTAL	11,831	1,239	461	778	195
WHITE	1,796	74	41	33	14
NONWHITE	10,035	1,165	420	745	181

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	45	1	13	31	0	0	0	0	45	1	13	31
TEENAGE IMMATURE BIRTHS	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE PREMATURE BIRTHS	10	0	4	6	0	0	0	0	10	0	4	6
TEENAGE ILLEGITIMATE BIRTHS	43	1	12	30	0	0	0	0	43	1	12	30
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	1	8	0	0	0	0	9	0	1	8
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	1	15	0	0	0	0	16	0	1	15
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	3	1	0	0	0	0	4	0	3	1
TEENAGE FERTILITY RATE	36.3	2.2	56.6	(15-19)	-	-	-	(15-19)	38.6	2.4	59.1	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	7	1	2	4	0	0	0	0	7	1	2	4
TEENAGE INDUCED TERMINATION RATIO	155.6	1000.0	153.8	129.0	-	-	-	-	155.6	1000.0	153.8	129.0
TEENAGE PREGNANCIES#	52	2	15	35	0	0	0	0	52	2	15	35
TEENAGE PREGNANCY RATE	42.0	4.3	64.3	(15-19)	-	-	-	(15-19)	44.6	4.8	67.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: CLARKE

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	17,955	1,327	657	670	259
WHITE	11,580	725	377	348	146
NONWHITE	6,375	602	280	322	113

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	51	1	15	35	28	0	6	22	23	1	9	13
TEENAGE IMMATURE BIRTHS	7	0	3	4	3	0	0	3	4	0	3	1
TEENAGE PREMATURE BIRTHS	12	1	4	7	6	0	1	5	6	1	3	2
TEENAGE ILLEGITIMATE BIRTHS	36	1	14	21	13	0	5	8	23	1	9	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	0	12	11	0	0	11	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	3	12	13	0	2	11	2	0	1	1
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	38.4	1.5	74.6 (15-19)		38.6	-	80.5 (15-19)		38.2	3.6	68.3 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	19.6	-	-	28.6	35.7	-	-	45.4	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	58.8	-	-	85.7	35.7	-	-	45.4	87.0	-	-	153.8
TEENAGE PREGNANCIES#	55	1	15	39	30	0	6	24	25	1	9	15
TEENAGE PREGNANCY RATE	41.4	1.5	80.6 (15-19)		41.4	-	86.2 (15-19)		41.5	3.6	74.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	1	0	0	1	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	39.2	-	66.7	28.6	35.7	-	-	45.5	43.5	-	111.1	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: CLAY

	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
RACE	ALL AGES				
TOTAL	21,979	1,818	902	916	325
WHITE	9,411	551	280	271	91
NONWHITE	12,568	1,267	622	645	234

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	65	3	26	36	10	0	3	7	55	3	23	29
TEENAGE IMMATURE BIRTHS	13	0	9	4	1	0	1	0	12	0	8	4
TEENAGE PREMATURE BIRTHS	12	0	7	5	0	0	0	0	12	0	7	5
TEENAGE ILLEGITIMATE BIRTHS	59	3	24	32	6	0	1	5	53	3	23	27
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	4	15	4	0	1	3	15	0	3	12
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	6	17	5	0	1	4	18	0	5	13
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	3	3	1	0	0	1	5	0	3	2
TEENAGE FERTILITY RATE	35.8	3.3	67.7 (15-19)		18.1	-	36.9 (15-19)		43.4	4.8	80.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	12	0	6	6	2	0	1	1	10	0	5	5
TEENAGE INDUCED TERMINATION RATIO	184.6	-	230.8	166.7	200.0	-	333.3	142.8	181.8	-	217.4	172.4
TEENAGE PREGNANCIES#	77	3	32	42	12	0	4	8	65	3	28	34
TEENAGE PREGNANCY RATE	42.4	3.3	80.8 (15-19)		21.8	-	44.3 (15-19)		51.3	4.8	96.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: COAHOMA

	TOTAL POPULATION	FEMALES AGES	FEMALES AGES	FEMALES AGES	TOTAL LIVE BIRTHS
RACE	ALL AGES	10-19	10-14	15-19	
TOTAL	30,622	2,815	1,406	1,409	654
WHITE	8,965	550	301	249	107
NONWHITE	21,657	2,265	1,105	1,160	547

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	203	6	88	109	15	0	6	9	188	6	82	100
TEENAGE IMMATURE BIRTHS	27	0	14	13	0	0	0	0	27	0	14	13
TEENAGE PREMATURE BIRTHS	43	1	18	24	1	0	1	0	42	1	17	24
TEENAGE ILLEGITIMATE BIRTHS	192	6	87	99	8	0	5	3	184	6	82	96
TEENS WHO HAD PREVIOUS LIVE BIRTHS	66	0	18	48	5	0	1	4	61	0	17	44
TEENS WHO HAD PREVIOUS PREGNANCIES	70	0	18	52	5	0	1	4	65	0	17	48
TEENS WITH INADEQUATE* PRENATAL CARE	25	2	10	13	1	0	1	0	24	2	9	13
TEENAGE FERTILITY RATE	72.1	4.3	139.8	(15-19)	27.3	-	60.2	(15-19)	83.0	5.4	156.9	(15-19)
TEENAGE FETAL DEATHS**	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FETAL DEATH RATIO	9.8	-	-	18.3	-	-	-	-	10.6	-	-	20.0
TEENAGE INDUCED TERMINATIONS#	2	1	1	0	0	0	0	0	2	1	1	0
TEENAGE INDUCED TERMINATION RATIO	9.8	166.7	11.4	-	-	-	-	-	10.6	166.7	12.2	-
TEENAGE PREGNANCIES#	207	7	89	111	15	0	6	9	192	7	83	102
TEENAGE PREGNANCY RATE	73.5	5.0	141.9	(15-19)	27.3	-	60.2	(15-19)	84.8	6.3	159.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	4.9	-	-	9.2	-	-	-	-	5.3	-	-	10.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: COPIAH

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	28,757	2,538	1,128	1,410	461
WHITE	13,747	960	432	528	194
NONWHITE	15,010	1,578	696	882	267

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	94	4	30	60	26	0	7	19	68	4	23	41
TEENAGE IMMATURE BIRTHS	17	0	4	13	4	0	0	4	13	0	4	9
TEENAGE PREMATURE BIRTHS	28	0	7	21	5	0	1	4	23	0	6	17
TEENAGE ILLEGITIMATE BIRTHS	73	4	26	43	8	0	3	5	65	4	23	38
TEENS WHO HAD PREVIOUS LIVE BIRTHS	24	0	4	20	6	0	2	4	18	0	2	16
TEENS WHO HAD PREVIOUS PREGNANCIES	27	0	4	23	8	0	2	6	19	0	2	17
TEENS WITH INADEQUATE* PRENATAL CARE	9	1	6	2	2	0	1	1	7	1	5	1
TEENAGE FERTILITY RATE	37.0	3.5	63.8	(15-19)	27.1	-	49.2	(15-19)	43.1	5.7	72.6	(15-19)
TEENAGE FETAL DEATHS**	4	0	1	3	0	0	0	0	4	0	1	3
TEENAGE FETAL DEATH RATIO	42.6	-	33.3	50.0	-	-	-	-	58.8	-	43.5	73.2
TEENAGE INDUCED TERMINATIONS#	16	1	11	4	3	0	3	0	13	1	8	4
TEENAGE INDUCED TERMINATION RATIO	170.2	250.0	366.7	66.7	115.4	-	428.6	-	191.2	250.0	347.8	97.6
TEENAGE PREGNANCIES#	114	5	42	67	29	0	10	19	85	5	32	48
TEENAGE PREGNANCY RATE	44.9	4.4	77.3	(15-19)	30.2	-	54.9	(15-19)	53.9	7.2	90.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	0	0	3	0	0	0	0	3	0	0	3
INFANT MORTALITY RATE, TEEN MOMS	31.9	-	-	50.0	-	-	-	-	44.1	-	-	73.2

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: COVINGTON

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	19,407	1,588	818	770	305
WHITE	12,307	847	450	397	168
NONWHITE	7,100	741	368	373	137

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	77	4	26	47	26	0	12	14	51	4	14	33
TEENAGE IMMATURE BIRTHS	16	2	2	12	7	0	2	5	9	2	0	7
TEENAGE PREMATURE BIRTHS	17	1	6	10	5	0	2	3	12	1	4	7
TEENAGE ILLEGITIMATE BIRTHS	67	4	25	38	17	0	11	6	50	4	14	32
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	2	15	4	0	0	4	13	0	2	11
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	3	16	6	0	1	5	13	0	2	11
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FERTILITY RATE	48.5	4.9	94.8 (15-19)		30.7	-	65.5 (15-19)		68.8	10.9	126.0 (15-19)	
TEENAGE FETAL DEATHS**	2	1	0	1	1	0	0	1	1	1	0	0
TEENAGE FETAL DEATH RATIO	26.0	250.0	-	21.3	38.5	-	-	71.4	19.6	250.0	-	-
TEENAGE INDUCED TERMINATIONS#	5	0	3	2	2	0	2	0	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	64.9	-	115.4	42.6	76.9	-	166.7	-	58.8	-	71.4	60.6
TEENAGE PREGNANCIES#	84	5	29	50	29	0	14	15	55	5	15	35
TEENAGE PREGNANCY RATE	52.9	6.1	102.6 (15-19)		34.2	-	73.0 (15-19)		74.2	13.6	134.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	13.0	-	-	21.3	-	-	-	-	19.6	-	-	30.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: DESOTO

	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
RACE	ALL AGES				
TOTAL	107,199	7,618	4,222	3,396	1,815
WHITE	91,950	6,353	3,529	2,824	1,581
NONWHITE	15,249	1,265	693	572	234

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	207	5	71	131	160	3	48	109	47	2	23	22
TEENAGE IMMATURE BIRTHS	13	0	4	9	6	0	2	4	7	0	2	5
TEENAGE PREMATURE BIRTHS	19	1	7	11	14	0	5	9	5	1	2	2
TEENAGE ILLEGITIMATE BIRTHS	157	5	61	91	113	3	38	72	44	2	23	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	44	0	5	39	35	0	3	32	9	0	2	7
TEENS WHO HAD PREVIOUS PREGNANCIES	56	0	6	50	44	0	4	40	12	0	2	10
TEENS WITH INADEQUATE* PRENATAL CARE	15	0	5	10	11	0	3	8	4	0	2	2
TEENAGE FERTILITY RATE	27.2	1.2	59.5 (15-19)		25.2	0.8	55.6 (15-19)		37.2	2.9	78.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	9	0	5	4	6	0	4	2	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	43.5	-	70.4	30.5	37.5	-	83.3	18.3	63.8	-	43.5	90.9
TEENAGE PREGNANCIES#	216	5	76	135	166	3	52	111	50	2	24	24
TEENAGE PREGNANCY RATE	28.4	1.2	62.1 (15-19)		26.1	0.8	57.7 (15-19)		39.5	2.9	83.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	4.8	-	14.1	-	-	-	-	-	21.3	-	43.5	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: FORREST

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	72,604	5,827	2,365	3,462	1,092
WHITE	46,717	3,262	1,252	2,010	614
NONWHITE	25,887	2,565	1,113	1,452	478

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	206	7	64	135	91	1	21	69	115	6	43	66
TEENAGE IMMATURE BIRTHS	29	1	10	18	10	0	1	9	19	1	9	9
TEENAGE PREMATURE BIRTHS	32	2	10	20	10	0	2	8	22	2	8	12
TEENAGE ILLEGITIMATE BIRTHS	164	7	57	100	54	1	16	37	110	6	41	63
TEENS WHO HAD PREVIOUS LIVE BIRTHS	56	0	11	45	23	0	4	19	33	0	7	26
TEENS WHO HAD PREVIOUS PREGNANCIES	65	0	13	52	28	0	5	23	37	0	8	29
TEENS WITH INADEQUATE* PRENATAL CARE	18	2	7	9	2	0	0	2	16	2	7	7
TEENAGE FERTILITY RATE	35.4	3.0	57.5 (15-19)		27.9	0.8	44.8 (15-19)		44.8	5.4	75.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	43	1	9	33	20	1	3	16	23	0	6	17
TEENAGE INDUCED TERMINATION RATIO	208.7	142.8	140.6	244.4	219.8	1000.0	142.8	231.9	200.0	-	139.5	257.6
TEENAGE PREGNANCIES#	249	8	73	168	111	2	24	85	138	6	49	83
TEENAGE PREGNANCY RATE	42.7	3.4	69.6 (15-19)		34.0	1.6	54.2 (15-19)		53.8	5.4	90.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	0	0	0	0	2	0	2	0
INFANT MORTALITY RATE, TEEN MOMS	9.7	-	31.3	-	-	-	-	-	17.4	-	46.5	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: FRANKLIN

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	8,448	725	339	386	110
WHITE	5,305	358	155	203	62
NONWHITE	3,143	367	184	183	48

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	29	0	14	15	13	0	4	9	16	0	10	6
TEENAGE IMMATURE BIRTHS	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE PREMATURE BIRTHS	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	20	0	13	7	5	0	3	2	15	0	10	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	2	3	2	0	0	2	3	0	2	1
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	2	3	2	0	0	2	3	0	2	1
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	40.0	-	75.1 (15-19)		36.3	-	64.0 (15-19)		43.6	-	87.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	5	0	2	3	2	0	1	1	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	172.4	-	142.8	200.0	153.8	-	250.0	111.1	187.5	-	100.0	333.3
TEENAGE PREGNANCIES#	34	0	16	18	15	0	5	10	19	0	11	8
TEENAGE PREGNANCY RATE	46.9	-	88.1 (15-19)		41.9	-	73.9 (15-19)		51.8	-	103.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: GEORGE

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	19,144	1,421	714	707	337
WHITE	17,110	1,255	628	627	301
NONWHITE	2,034	166	86	80	36

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	77	0	28	49	63	0	22	41	14	0	6	8
TEENAGE IMMATURE BIRTHS	12	0	6	6	6	0	2	4	6	0	4	2
TEENAGE PREMATURE BIRTHS	16	0	8	8	8	0	4	4	8	0	4	4
TEENAGE ILLEGITIMATE BIRTHS	40	0	22	18	26	0	16	10	14	0	6	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	1	17	13	0	1	12	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	2	18	15	0	2	13	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	17	0	2	15	12	0	1	11	5	0	1	4
TEENAGE FERTILITY RATE	54.2	-	108.9 (15-19)		50.2	-	100.5 (15-19)		84.3	-	175.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	39.0	-	35.7	40.8	15.9	-	-	24.4	142.8	-	166.7	125.0
TEENAGE PREGNANCIES#	80	0	29	51	64	0	22	42	16	0	7	9
TEENAGE PREGNANCY RATE	56.3	-	113.2 (15-19)		51.0	-	102.1 (15-19)		96.4	-	200.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	13.0	-	35.7	-	15.9	-	45.5	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: GREENE

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	13,299	853	438	415	153
WHITE	9,681	629	326	303	124
NONWHITE	3,618	224	112	112	29

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	38	0	11	27	26	0	9	17	12	0	2	10
TEENAGE IMMATURE BIRTHS	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE PREMATURE BIRTHS	8	0	4	4	7	0	4	3	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	19	0	8	11	9	0	6	3	10	0	2	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	1	8	5	0	1	4	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	2	10	8	0	2	6	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE FERTILITY RATE	44.5	-	91.6 (15-19)		41.3	-	85.8 (15-19)		53.6	-	107.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	3	0	3	0	3	0	3	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	78.9	-	272.7	-	115.4	-	333.3	-	-	-	-	-
TEENAGE PREGNANCIES#	41	0	14	27	29	0	12	17	12	0	2	10
TEENAGE PREGNANCY RATE	48.1	-	98.8 (15-19)		46.1	-	95.7 (15-19)		53.6	-	107.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	26.3	-	-	37.0	-	-	-	-	83.3	-	-	100.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: GRENADA

	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
RACE	ALL AGES				
TOTAL	23,263	1,801	975	826	331
WHITE	13,474	883	483	400	166
NONWHITE	9,789	918	492	426	165

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	59	2	23	34	18	0	7	11	41	2	16	23
TEENAGE IMMATURE BIRTHS	9	1	3	5	1	0	0	1	8	1	3	4
TEENAGE PREMATURE BIRTHS	14	2	7	5	2	0	0	2	12	2	7	3
TEENAGE ILLEGITIMATE BIRTHS	50	2	21	27	9	0	5	4	41	2	16	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	2	10	3	0	0	3	9	0	2	7
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	2	13	5	0	0	5	10	0	2	8
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	4	3	1	0	0	1	6	0	4	2
TEENAGE FERTILITY RATE	32.8	2.0	69.0 (15-19)		20.4	-	45.0 (15-19)		44.7	4.1	91.5 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	16.9	-	-	29.4	-	-	-	-	24.4	-	-	43.5
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	33.9	-	-	58.8	111.1	-	-	181.8	-	-	-	-
TEENAGE PREGNANCIES#	62	2	23	37	20	0	7	13	42	2	16	24
TEENAGE PREGNANCY RATE	34.4	2.0	72.6 (15-19)		22.6	-	50.0 (15-19)		45.8	4.1	93.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	16.9	-	43.5	-	-	-	-	-	24.4	-	62.5	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: HANCOCK

	TOTAL POPULATION	FEMALES AGES	FEMALES AGES	FEMALES AGES	TOTAL LIVE BIRTHS
RACE	ALL AGES	10-19	10-14	15-19	
TOTAL	42,967	2,971	1,591	1,380	578
WHITE	38,752	2,591	1,390	1,201	519
NONWHITE	4,215	380	201	179	59

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	91	1	29	61	78	0	27	51	13	1	2	10
TEENAGE IMMATURE BIRTHS	7	0	0	7	6	0	0	6	1	0	0	1
TEENAGE PREMATURE BIRTHS	12	0	4	8	12	0	4	8	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	75	1	24	50	62	0	22	40	13	1	2	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	23	0	3	20	20	0	2	18	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	28	0	5	23	25	0	4	21	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	1	9	8	0	1	7	2	0	0	2
TEENAGE FERTILITY RATE	30.6	0.6	65.2 (15-19)		30.1	-	64.9 (15-19)		34.2	5.0	67.0 (15-19)	
TEENAGE FETAL DEATHS**	2	0	2	0	2	0	2	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	22.0	-	69.0	-	25.6	-	74.1	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	6	0	4	2	6	0	4	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	65.9	-	137.9	32.8	76.9	-	148.1	39.2	-	-	-	-
TEENAGE PREGNANCIES#	99	1	35	63	86	0	33	53	13	1	2	10
TEENAGE PREGNANCY RATE	33.3	0.6	71.0 (15-19)		33.2	-	71.6 (15-19)		34.2	5.0	67.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: HARRISON

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	189,601	13,508	6,589	6,919	2,988
WHITE	138,692	8,965	4,377	4,588	2,095
NONWHITE	50,909	4,543	2,212	2,331	893

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	513	6	183	324	306	2	96	208	207	4	87	116
TEENAGE IMMATURE BIRTHS	55	1	27	27	27	0	12	15	28	1	15	12
TEENAGE PREMATURE BIRTHS	71	0	27	44	33	0	10	23	38	0	17	21
TEENAGE ILLEGITIMATE BIRTHS	402	6	166	230	210	2	81	127	192	4	85	103
TEENS WHO HAD PREVIOUS LIVE BIRTHS	115	0	19	96	59	0	6	53	56	0	13	43
TEENS WHO HAD PREVIOUS PREGNANCIES	151	0	28	123	88	0	13	75	63	0	15	48
TEENS WITH INADEQUATE* PRENATAL CARE	72	2	26	44	36	1	10	25	36	1	16	19
TEENAGE FERTILITY RATE	38.0	0.9	73.3	(15-19)	34.1	0.4	66.3	(15-19)	45.6	1.8	87.1	(15-19)
TEENAGE FETAL DEATHS**	4	0	2	2	2	0	0	2	2	0	2	0
TEENAGE FETAL DEATH RATIO	7.8	-	10.9	6.2	6.5	-	-	9.6	9.7	-	23.0	-
TEENAGE INDUCED TERMINATIONS#	65	5	25	35	40	2	15	23	25	3	10	12
TEENAGE INDUCED TERMINATION RATIO	126.7	833.3	136.6	108.0	130.7	1000.0	156.2	110.6	120.8	750.0	114.9	103.4
TEENAGE PREGNANCIES#	582	11	210	361	348	4	111	233	234	7	99	128
TEENAGE PREGNANCY RATE	43.1	1.7	82.5	(15-19)	38.8	0.9	75.0	(15-19)	51.5	3.2	97.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	11	0	4	7	7	0	3	4	4	0	1	3
INFANT MORTALITY RATE, TEEN MOMS	21.4	-	21.9	21.6	22.9	-	31.3	19.2	19.3	-	11.5	25.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: HINDS

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	250,800	20,344	9,513	10,831	4,014
WHITE	93,584	5,725	2,407	3,318	1,044
NONWHITE	157,216	14,619	7,106	7,513	2,970

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	739	34	275	430	88	0	30	58	651	34	245	372
TEENAGE IMMATURE BIRTHS	110	10	35	65	7	0	3	4	103	10	32	61
TEENAGE PREMATURE BIRTHS	151	9	57	85	11	0	4	7	140	9	53	78
TEENAGE ILLEGITIMATE BIRTHS	689	34	263	392	56	0	22	34	633	34	241	358
TEENS WHO HAD PREVIOUS LIVE BIRTHS	223	1	45	177	17	0	3	14	206	1	42	163
TEENS WHO HAD PREVIOUS PREGNANCIES	278	2	61	215	24	0	6	18	254	2	55	197
TEENS WITH INADEQUATE* PRENATAL CARE	113	10	41	62	5	0	2	3	108	10	39	59
TEENAGE FERTILITY RATE	36.3	3.6	65.1 (15-19)	15.4	-	26.5 (15-19)	44.5	4.8	82.1 (15-19)			
TEENAGE FETAL DEATHS**	16	1	6	9	0	0	0	16	1	6	9	
TEENAGE FETAL DEATH RATIO	21.6	29.4	21.8	20.9	-	-	-	24.6	29.4	24.5	24.2	
TEENAGE INDUCED TERMINATIONS#	288	20	80	188	35	0	6	29	253	20	74	159
TEENAGE INDUCED TERMINATION RATIO	389.7	588.2	290.9	437.2	397.7	-	200.0	500.0	388.6	588.2	302.0	427.4
TEENAGE PREGNANCIES#	1,043	55	361	627	123	0	36	87	920	55	325	540
TEENAGE PREGNANCY RATE	51.3	5.8	91.2 (15-19)	21.5	-	37.1 (15-19)	62.9	7.7	115.1 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	16	1	4	11	2	0	1	1	14	1	3	10
INFANT MORTALITY RATE, TEEN MOMS	21.7	29.4	14.5	25.6	22.7	-	33.3	17.2	21.5	29.4	12.2	26.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: HOLMES

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	21,609	2,091	920	1,171	419
WHITE	4,424	311	97	214	49
NONWHITE	17,185	1,780	823	957	370

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	106	8	31	67	8	0	0	8	98	8	31	59
TEENAGE IMMATURE BIRTHS	15	2	4	9	1	0	0	1	14	2	4	8
TEENAGE PREMATURE BIRTHS	32	3	12	17	1	0	0	1	31	3	12	16
TEENAGE ILLEGITIMATE BIRTHS	100	8	31	61	4	0	0	4	96	8	31	57
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	4	16	1	0	0	1	19	0	4	15
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	4	19	1	0	0	1	22	0	4	18
TEENS WITH INADEQUATE* PRENATAL CARE	16	0	6	10	2	0	0	2	14	0	6	8
TEENAGE FERTILITY RATE	50.7	8.7	83.7 (15-19)		25.7	-	37.4 (15-19)		55.0	9.7	94.0 (15-19)	
TEENAGE FETAL DEATHS**	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FETAL DEATH RATIO	18.9	-	-	29.8	-	-	-	-	20.4	-	-	33.9
TEENAGE INDUCED TERMINATIONS#	16	2	5	9	2	0	0	2	14	2	5	7
TEENAGE INDUCED TERMINATION RATIO	150.9	250.0	161.3	134.3	250.0	-	-	250.0	142.8	250.0	161.3	118.6
TEENAGE PREGNANCIES#	124	10	36	78	10	0	0	10	114	10	36	68
TEENAGE PREGNANCY RATE	59.3	10.9	97.4 (15-19)		32.2	-	46.7 (15-19)		64.0	12.2	108.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	1	0	0	0	0	0	0	1	1	0	0
INFANT MORTALITY RATE, TEEN MOMS	9.4	125.0	-	-	-	-	-	-	10.2	125.0	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: HUMPHREYS

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	11,206	1,088	503	585	201
WHITE	3,045	193	80	113	35
NONWHITE	8,161	895	423	472	166

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	53	2	20	31	5	0	1	4	48	2	19	27
TEENAGE IMMATURE BIRTHS	11	0	3	8	1	0	0	1	10	0	3	7
TEENAGE PREMATURE BIRTHS	12	0	5	7	1	0	0	1	11	0	5	6
TEENAGE ILLEGITIMATE BIRTHS	51	2	20	29	4	0	1	3	47	2	19	26
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	1	6	0	0	0	0	7	0	1	6
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	1	11	1	0	0	1	11	0	1	10
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	6	4	1	0	0	1	9	0	6	3
TEENAGE FERTILITY RATE	48.7	4.0	87.2 (15-19)		25.9	-	44.2 (15-19)		53.6	4.7	97.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	3	1	0	2	0	0	0	0	3	1	0	2
TEENAGE INDUCED TERMINATION RATIO	56.6	500.0	-	64.5	-	-	-	-	62.5	500.0	-	74.1
TEENAGE PREGNANCIES#	56	3	20	33	5	0	1	4	51	3	19	29
TEENAGE PREGNANCY RATE	51.5	6.0	90.6 (15-19)		25.9	-	44.2 (15-19)		57.0	7.1	101.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: ISSAQUENA

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	2,274	200	110	90	30
WHITE	826	55	28	27	8
NONWHITE	1,448	145	82	63	22

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	5	0	0	5	1	0	0	1	4	0	0	4
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	4	0	0	4	0	0	0	0	4	0	0	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	0	0	0	0	0	0	0	0	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE		25.0	-	55.6 (15-19)	18.2	-	37.0 (15-19)		27.6	-	63.5 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	5	0	0	5	1	0	0	1	4	0	0	4
TEENAGE PREGNANCY RATE	25.0	-	55.6 (15-19)		18.2	-	37.0 (15-19)		27.6	-	63.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: ITAWAMBA

	TOTAL POPULATION	FEMALES AGES	FEMALES AGES	FEMALES AGES	TOTAL LIVE BIRTHS
RACE	ALL AGES	10-19	10-14	15-19	
TOTAL	22,770	1,713	802	911	282
WHITE	21,055	1,522	742	780	262
NONWHITE	1,715	191	60	131	20

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	44	0	7	37	41	0	6	35	3	0	1	2
TEENAGE IMMATURE BIRTHS	6	0	1	5	4	0	1	3	2	0	0	2
TEENAGE PREMATURE BIRTHS	7	0	1	6	6	0	1	5	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	23	0	6	17	20	0	5	15	3	0	1	2
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	1	11	10	0	0	10	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	1	13	11	0	0	11	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	1	3	3	0	1	2	1	0	0	1
TEENAGE FERTILITY RATE	25.7	-	48.3 (15-19)		26.9	-	52.6 (15-19)		15.7	-	22.9 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	22.7	-	142.8	-	24.4	-	166.7	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	4	0	2	2	2	0	2	0	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	90.9	-	285.7	54.0	48.8	-	333.3	-	666.7	-	-	1000.0
TEENAGE PREGNANCIES#	49	0	10	39	44	0	9	35	5	0	1	4
TEENAGE PREGNANCY RATE	28.6	-	53.8 (15-19)		28.9	-	56.4 (15-19)		26.2	-	38.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	22.7	-	-	27.0	24.4	-	-	28.6	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: JACKSON

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	131,420	10,001	5,120	4,881	1,930
WHITE	99,026	7,031	3,612	3,419	1,337
NONWHITE	32,394	2,970	1,508	1,462	593

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	335	0	114	221	194	0	61	133	141	0	53	88
TEENAGE IMMATURE BIRTHS	26	0	10	16	14	0	6	8	12	0	4	8
TEENAGE PREMATURE BIRTHS	41	0	16	25	24	0	8	16	17	0	8	9
TEENAGE ILLEGITIMATE BIRTHS	264	0	94	170	125	0	42	83	139	0	52	87
TEENS WHO HAD PREVIOUS LIVE BIRTHS	71	0	9	62	35	0	6	29	36	0	3	33
TEENS WHO HAD PREVIOUS PREGNANCIES	86	0	14	72	43	0	9	34	43	0	5	38
TEENS WITH INADEQUATE* PRENATAL CARE	28	0	6	22	11	0	2	9	17	0	4	13
TEENAGE FERTILITY RATE	33.5	-	68.6 (15-19)		27.6	-	56.7 (15-19)		47.5	-	96.4 (15-19)	
TEENAGE FETAL DEATHS**	4	1	1	2	1	0	0	1	3	1	1	1
TEENAGE FETAL DEATH RATIO	11.9	&	8.8	9.0	5.2	-	-	7.5	21.3	&	18.9	11.4
TEENAGE INDUCED TERMINATIONS#	48	3	18	27	29	1	13	15	19	2	5	12
TEENAGE INDUCED TERMINATION RATIO	143.3	&	157.9	122.2	149.5	&	213.1	112.8	134.8	&	94.3	136.4
TEENAGE PREGNANCIES#	387	4	133	250	224	1	74	149	163	3	59	101
TEENAGE PREGNANCY RATE	38.7	0.8	78.5 (15-19)		31.8	0.3	65.2 (15-19)		54.9	2.0	109.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	1	2	2	0	1	1	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	9.0	-	8.8	9.1	10.3	-	16.4	7.5	7.1	-	-	11.4

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: JASPER

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	18,149	1,430	699	731	288
WHITE	8,433	493	220	273	101
NONWHITE	9,716	937	479	458	187

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	49	0	17	32	13	0	3	10	36	0	14	22
TEENAGE IMMATURE BIRTHS	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE PREMATURE BIRTHS	6	0	3	3	0	0	0	0	6	0	3	3
TEENAGE ILLEGITIMATE BIRTHS	40	0	15	25	4	0	1	3	36	0	14	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	0	14	3	0	0	3	11	0	0	11
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	0	16	4	0	0	4	12	0	0	12
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	1	0	1	0	2	0	1	1
TEENAGE FERTILITY RATE	34.3	-	67.0 (15-19)		26.4	-	47.6 (15-19)		38.4	-	78.6 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	20.4	-	58.8	-	76.9	-	333.3	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	5	0	3	2	1	0	0	1	4	0	3	1
TEENAGE INDUCED TERMINATION RATIO	102.0	-	176.5	62.5	76.9	-	-	100.0	111.1	-	214.3	45.4
TEENAGE PREGNANCIES#	55	0	21	34	15	0	4	11	40	0	17	23
TEENAGE PREGNANCY RATE	38.5	-	75.2 (15-19)		30.4	-	54.9 (15-19)		42.7	-	87.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: JEFFERSON

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	9,740	856	423	433	148
WHITE	1,272	67	35	32	9
NONWHITE	8,468	789	388	401	139

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	37	2	13	22	0	0	0	0	37	2	13	22
TEENAGE IMMATURE BIRTHS	7	0	3	4	0	0	0	0	7	0	3	4
TEENAGE PREMATURE BIRTHS	11	0	4	7	0	0	0	0	11	0	4	7
TEENAGE ILLEGITIMATE BIRTHS	36	2	13	21	0	0	0	0	36	2	13	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	1	7	0	0	0	0	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	2	9	0	0	0	0	11	0	2	9
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	43.2	4.7	80.8	(15-19)	-	-	-	(15-19)	46.9	5.2	87.3	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE INDUCED TERMINATION RATIO	135.1	-	153.8	136.4	-	-	-	-	135.1	-	153.8	136.4
TEENAGE PREGNANCIES#	42	2	15	25	0	0	0	0	42	2	15	25
TEENAGE PREGNANCY RATE	49.1	4.7	92.4	(15-19)	-	-	-	(15-19)	53.2	5.2	99.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: JEFF DAVIS

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	13,962	1,167	569	598	203
WHITE	5,816	368	169	199	76
NONWHITE	8,146	799	400	399	127

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	39	1	18	20	14	0	5	9	25	1	13	11
TEENAGE IMMATURE BIRTHS	7	1	4	2	1	0	1	0	6	1	3	2
TEENAGE PREMATURE BIRTHS	7	1	3	3	1	0	1	0	6	1	2	3
TEENAGE ILLEGITIMATE BIRTHS	31	1	16	14	6	0	3	3	25	1	13	11
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	0	4	2	0	0	2	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	8	1	0	7	4	0	0	4	4	1	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	33.4	1.8	63.5 (15-19)		38.0	-	70.4 (15-19)		31.3	2.5	60.2 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	3	0	2	1	1	0	0	1	2	0	2	0
TEENAGE INDUCED TERMINATION RATIO	76.9	-	111.1	50.0	71.4	-	-	111.1	80.0	-	153.8	-
TEENAGE PREGNANCIES#	42	1	20	21	15	0	5	10	27	1	15	11
TEENAGE PREGNANCY RATE	36.0	1.8	68.6 (15-19)		40.8	-	75.4 (15-19)		33.8	2.5	65.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	1	0	0	0	0	0	0	1	1	0	0
INFANT MORTALITY RATE, TEEN MOMS	25.6	1000.0	-	-	-	-	-	-	40.0	1000.0	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: JONES

	TOTAL POPULATION	FEMALES AGES	FEMALES AGES	FEMALES AGES	TOTAL LIVE BIRTHS
RACE	ALL AGES	10-19	10-14	15-19	
TOTAL	64,958	4,911	2,241	2,670	1,047
WHITE	46,192	3,117	1,396	1,721	642
NONWHITE	18,766	1,794	845	949	405

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	198	10	71	117	90	3	34	53	108	7	37	64
TEENAGE IMMATURE BIRTHS	32	2	10	20	7	0	3	4	25	2	7	16
TEENAGE PREMATURE BIRTHS	25	2	4	19	8	0	1	7	17	2	3	12
TEENAGE ILLEGITIMATE BIRTHS	153	10	55	88	47	3	18	26	106	7	37	62
TEENS WHO HAD PREVIOUS LIVE BIRTHS	63	1	13	49	23	0	4	19	40	1	9	30
TEENS WHO HAD PREVIOUS PREGNANCIES	72	1	18	53	26	0	7	19	46	1	11	34
TEENS WITH INADEQUATE* PRENATAL CARE	14	1	4	9	5	0	2	3	9	1	2	6
TEENAGE FERTILITY RATE	40.3	4.5	70.4 (15-19)		28.9	2.1	50.6 (15-19)		60.2	8.3	106.4 (15-19)	
TEENAGE FETAL DEATHS**	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE FETAL DEATH RATIO	15.2	-	14.1	17.1	11.1	-	-	18.9	18.5	-	27.0	15.6
TEENAGE INDUCED TERMINATIONS#	25	4	5	16	11	1	2	8	14	3	3	8
TEENAGE INDUCED TERMINATION RATIO	126.3	400.0	70.4	136.8	122.2	333.3	58.8	150.9	129.6	428.6	81.1	125.0
TEENAGE PREGNANCIES#	226	14	77	135	102	4	36	62	124	10	41	73
TEENAGE PREGNANCY RATE	46.0	6.2	79.4 (15-19)		32.7	2.9	56.9 (15-19)		69.1	11.8	120.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	2	1	1	0	1	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	15.2	-	28.2	8.5	11.1	-	29.4	-	18.5	-	27.0	15.6

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: KEMPER

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	10,453	827	346	481	133
WHITE	4,080	258	94	164	36
NONWHITE	6,373	569	252	317	97

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	21	1	7	13	4	0	0	4	17	1	7	9
TEENAGE IMMATURE BIRTHS	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE PREMATURE BIRTHS	3	1	0	2	0	0	0	0	3	1	0	2
TEENAGE ILLEGITIMATE BIRTHS	18	1	7	10	2	0	0	2	16	1	7	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	0	7	2	0	0	2	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	1	7	2	0	0	2	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	25.4	2.9	41.6 (15-19)	15.5	-	24.4 (15-19)	29.9	4.0	50.5 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	1	0	1	0	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	142.8	-	142.8	153.8	250.0	-	&	-	117.6	-	-	222.2
TEENAGE PREGNANCIES#	24	1	8	15	5	0	1	4	19	1	7	11
TEENAGE PREGNANCY RATE	29.0	2.9	47.8 (15-19)	19.4	-	30.5 (15-19)	33.4	4.0	56.8 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	47.6	-	-	76.9	-	-	-	-	58.8	-	-	111.1

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: LAFAYETTE

	TOTAL POPULATION	FEMALES AGES	FEMALES AGES	FEMALES AGES	TOTAL LIVE BIRTHS
RACE	ALL AGES	10-19	10-14	15-19	
TOTAL	38,744	3,261	1,005	2,256	425
WHITE	27,838	2,268	617	1,651	244
NONWHITE	10,906	993	388	605	181

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	58	1	17	40	21	0	4	17	37	1	13	23
TEENAGE IMMATURE BIRTHS	10	0	5	5	4	0	0	4	6	0	5	1
TEENAGE PREMATURE BIRTHS	8	0	2	6	4	0	0	4	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	42	1	15	26	9	0	3	6	33	1	12	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	4	12	3	0	1	2	13	0	3	10
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	4	19	8	0	1	7	15	0	3	12
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	17.8	1.0	25.3	(15-19)	9.2	-	12.7	(15-19)	37.3	2.6	59.5	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	8	0	1	7	6	0	0	6	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	137.9	-	58.8	175.0	285.7	-	-	352.9	54.0	-	76.9	43.5
TEENAGE PREGNANCIES#	66	1	18	47	27	0	4	23	39	1	14	24
TEENAGE PREGNANCY RATE	20.2	1.0	28.8	(15-19)	11.9	-	16.4	(15-19)	39.3	2.6	62.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	17.2	-	58.8	-	-	-	-	-	27.0	-	76.9	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: LAMAR

	TOTAL POPULATION	FEMALES AGES	FEMALES AGES	FEMALES AGES	TOTAL LIVE BIRTHS
RACE	ALL AGES	10-19	10-14	15-19	
TOTAL	39,070	3,114	1,511	1,603	600
WHITE	33,342	2,556	1,232	1,324	489
NONWHITE	5,728	558	279	279	111

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	70	2	22	46	51	0	17	34	19	2	5	12
TEENAGE IMMATURE BIRTHS	6	1	4	1	4	0	3	1	2	1	1	0
TEENAGE PREMATURE BIRTHS	12	1	3	8	8	0	2	6	4	1	1	2
TEENAGE ILLEGITIMATE BIRTHS	38	2	13	23	20	0	9	11	18	2	4	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	3	10	10	0	1	9	3	0	2	1
TEENS WHO HAD PREVIOUS PREGNANCIES	21	0	5	16	16	0	3	13	5	0	2	3
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	1	0	0	1	2	0	2	0
TEENAGE FERTILITY RATE	22.5	1.3	42.4	(15-19)	20.0	-	38.5	(15-19)	34.0	7.2	60.9	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	13	0	1	12	7	0	0	7	6	0	1	5
TEENAGE INDUCED TERMINATION RATIO	185.7	-	45.4	260.9	137.2	-	-	205.9	315.8	-	200.0	416.7
TEENAGE PREGNANCIES#	83	2	23	58	58	0	17	41	25	2	6	17
TEENAGE PREGNANCY RATE	26.6	1.3	50.5	(15-19)	22.7	-	43.8	(15-19)	44.8	7.2	82.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	14.3	-	45.5	-	-	-	-	-	52.6	-	200.0	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: LAUDERDALE

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	78,161	5,759	2,812	2,947	1,149
WHITE	47,013	2,854	1,421	1,433	613
NONWHITE	31,148	2,905	1,391	1,514	536

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	186	6	65	115	62	1	14	47	124	5	51	68
TEENAGE IMMATURE BIRTHS	29	2	10	17	7	1	2	4	22	1	8	13
TEENAGE PREMATURE BIRTHS	41	4	12	25	5	1	0	4	36	3	12	21
TEENAGE ILLEGITIMATE BIRTHS	163	6	63	94	40	1	12	27	123	5	51	67
TEENS WHO HAD PREVIOUS LIVE BIRTHS	31	0	6	25	8	0	1	7	23	0	5	18
TEENS WHO HAD PREVIOUS PREGNANCIES	40	1	8	31	11	1	1	9	29	0	7	22
TEENS WITH INADEQUATE* PRENATAL CARE	7	1	2	4	2	0	0	2	5	1	2	2
TEENAGE FERTILITY RATE	32.3	2.1	61.1 (15-19)		21.7	0.7	42.6 (15-19)		42.7	3.6	78.6 (15-19)	
TEENAGE FETAL DEATHS**	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FETAL DEATH RATIO	16.1	-	30.8	8.7	-	-	-	-	24.2	-	39.2	14.7
TEENAGE INDUCED TERMINATIONS#	32	1	13	18	13	0	6	7	19	1	7	11
TEENAGE INDUCED TERMINATION RATIO	172.0	166.7	200.0	156.5	209.7	-	428.6	148.9	153.2	200.0	137.2	161.8
TEENAGE PREGNANCIES#	221	7	80	134	75	1	20	54	146	6	60	80
TEENAGE PREGNANCY RATE	38.4	2.5	72.6 (15-19)		26.3	0.7	51.6 (15-19)		50.2	4.3	92.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	1	0	2	0	0	0	0	3	1	0	2
INFANT MORTALITY RATE, TEEN MOMS	16.1	166.7	-	17.4	-	-	-	-	24.2	200.0	-	29.4

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: LAWRENCE

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	13,258	1,004	496	508	189
WHITE	8,875	607	299	308	114
NONWHITE	4,383	397	197	200	75

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES
	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19
TEENAGE BIRTHS	36	0	11	25	17	0	4	13	19	0	7	12
TEENAGE IMMATURE BIRTHS	3	0	1	2	2	0	1	1	1	0	0	1
TEENAGE PREMATURE BIRTHS	5	0	1	4	4	0	1	3	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	24	0	8	16	5	0	1	4	19	0	7	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	1	4	3	0	1	2	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	2	6	4	0	1	3	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FERTILITY RATE	35.8	-	70.9 (15-19)		28.0	-	55.2 (15-19)		47.8	-	95.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	7	0	3	4	3	0	1	2	4	0	2	2
TEENAGE INDUCED TERMINATION RATIO	194.4	-	272.7	160.0	176.5	-	250.0	153.8	210.5	-	285.7	166.7
TEENAGE PREGNANCIES#	43	0	14	29	20	0	5	15	23	0	9	14
TEENAGE PREGNANCY RATE	42.8	-	84.6 (15-19)		32.9	-	64.9 (15-19)		57.9	-	115.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: LEAKE

	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
RACE	ALL AGES				
TOTAL	20,940	1,510	737	773	375
WHITE	11,755	708	345	363	190
NONWHITE	9,185	802	392	410	185

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	68	3	21	44	29	1	9	19	39	2	12	25
TEENAGE IMMATURE BIRTHS	5	0	1	4	1	0	1	0	4	0	0	4
TEENAGE PREMATURE BIRTHS	5	1	0	4	1	1	0	0	4	0	0	4
TEENAGE ILLEGITIMATE BIRTHS	49	3	16	30	12	1	4	7	37	2	12	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	1	12	4	0	0	4	9	0	1	8
TEENS WHO HAD PREVIOUS PREGNANCIES	16	1	1	14	5	0	0	5	11	1	1	9
TEENS WITH INADEQUATE* PRENATAL CARE	14	2	4	8	7	1	2	4	7	1	2	4
TEENAGE FERTILITY RATE	45.0	4.1	84.1	(15-19)	41.0	2.9	77.1	(15-19)	48.6	5.1	90.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	9	1	1	7	3	0	1	2	6	1	0	5
TEENAGE INDUCED TERMINATION RATIO	132.4	333.3	47.6	159.1	103.4	-	111.1	105.3	153.8	500.0	-	200.0
TEENAGE PREGNANCIES#	77	4	22	51	32	1	10	21	45	3	12	30
TEENAGE PREGNANCY RATE	51.0	5.4	94.4	(15-19)	45.2	2.9	85.4	(15-19)	56.1	7.6	102.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	14.7	-	-	22.7	-	-	-	-	25.6	-	-	40.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: LEE

	TOTAL POPULATION	FEMALES AGES	FEMALES AGES	FEMALES AGES	TOTAL LIVE BIRTHS
RACE	ALL AGES	10-19	10-14	15-19	
TOTAL	75,755	5,527	2,828	2,699	1,289
WHITE	55,800	3,615	1,845	1,770	865
NONWHITE	19,955	1,912	983	929	424

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	240	4	94	142	136	0	46	90	104	4	48	52
TEENAGE IMMATURE BIRTHS	32	1	12	19	13	0	5	8	19	1	7	11
TEENAGE PREMATURE BIRTHS	36	0	15	21	18	0	6	12	18	0	9	9
TEENAGE ILLEGITIMATE BIRTHS	184	4	82	98	81	0	34	47	103	4	48	51
TEENS WHO HAD PREVIOUS LIVE BIRTHS	68	0	14	54	33	0	5	28	35	0	9	26
TEENS WHO HAD PREVIOUS PREGNANCIES	75	0	17	58	36	0	5	31	39	0	12	27
TEENS WITH INADEQUATE* PRENATAL CARE	35	0	12	23	21	0	6	15	14	0	6	8
TEENAGE FERTILITY RATE	43.4	1.4	87.4	(15-19)	37.6	-	76.8	(15-19)	54.4	4.1	107.6	(15-19)
TEENAGE FETAL DEATHS**	3	1	2	0	1	1	0	0	2	0	2	0
TEENAGE FETAL DEATH RATIO	12.5	250.0	21.3	-	7.4	&	-	-	19.2	-	41.7	-
TEENAGE INDUCED TERMINATIONS#	8	0	3	5	5	0	1	4	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	33.3	-	31.9	35.2	36.8	-	21.7	44.4	28.8	-	41.7	19.2
TEENAGE PREGNANCIES#	251	5	99	147	142	1	47	94	109	4	52	53
TEENAGE PREGNANCY RATE	45.4	1.8	91.1	(15-19)	39.3	0.5	79.7	(15-19)	57.0	4.1	113.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	0	0	3	1	0	0	1	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	12.5	-	-	21.1	7.4	-	-	11.1	19.2	-	-	38.5

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: LEFLORE

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	37,947	3,249	1,534	1,715	635
WHITE	11,384	668	333	335	126
NONWHITE	26,563	2,581	1,201	1,380	509

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	160	7	55	98	11	0	4	7	149	7	51	91
TEENAGE IMMATURE BIRTHS	30	4	10	16	1	0	0	1	29	4	10	15
TEENAGE PREMATURE BIRTHS	32	3	8	21	1	0	0	1	31	3	8	20
TEENAGE ILLEGITIMATE BIRTHS	151	7	53	91	4	0	2	2	147	7	51	89
TEENS WHO HAD PREVIOUS LIVE BIRTHS	45	0	7	38	1	0	0	1	44	0	7	37
TEENS WHO HAD PREVIOUS PREGNANCIES	56	0	9	47	2	0	1	1	54	0	8	46
TEENS WITH INADEQUATE* PRENATAL CARE	36	1	14	21	2	0	0	2	34	1	14	19
TEENAGE FERTILITY RATE	49.2	4.6	89.2 (15-19)	16.5	-	32.8 (15-19)	57.7	5.8	102.9 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	22	3	9	10	0	0	0	0	22	3	9	10
TEENAGE INDUCED TERMINATION RATIO	137.5	428.6	163.6	102.0	-	-	-	-	147.6	428.6	176.5	109.9
TEENAGE PREGNANCIES#	182	10	64	108	11	0	4	7	171	10	60	101
TEENAGE PREGNANCY RATE	56.0	6.5	100.3 (15-19)	16.5	-	32.8 (15-19)	66.2	8.3	116.7 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	3	0	0	3	0	0	0	0	3	0	0	3
INFANT MORTALITY RATE, TEEN MOMS	18.8	-	-	30.6	-	-	-	-	20.1	-	-	33.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: LINCOLN

	TOTAL POPULATION	FEMALES AGES	FEMALES AGES	FEMALES AGES	TOTAL LIVE BIRTHS
RACE	ALL AGES	10-19	10-14	15-19	
TOTAL	33,166	2,437	1,167	1,270	462
WHITE	23,010	1,528	729	799	283
NONWHITE	10,156	909	438	471	179

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	79	4	29	46	36	0	13	23	43	4	16	23
TEENAGE IMMATURE BIRTHS	10	0	5	5	2	0	1	1	8	0	4	4
TEENAGE PREMATURE BIRTHS	11	0	5	6	1	0	1	0	10	0	4	6
TEENAGE ILLEGITIMATE BIRTHS	59	4	25	30	19	0	10	9	40	4	15	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	3	10	3	0	0	3	10	0	3	7
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	5	14	6	0	1	5	13	0	4	9
TEENS WITH INADEQUATE* PRENATAL CARE	8	2	2	4	1	0	0	1	7	2	2	3
TEENAGE FERTILITY RATE	32.4	3.4	59.0 (15-19)		23.6	-	45.0 (15-19)		47.3	9.1	82.8 (15-19)	
TEENAGE FETAL DEATHS**	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE FETAL DEATH RATIO	38.0	-	-	65.2	27.8	-	-	43.5	46.5	-	-	87.0
TEENAGE INDUCED TERMINATIONS#	11	0	5	6	6	0	2	4	5	0	3	2
TEENAGE INDUCED TERMINATION RATIO	139.2	-	172.4	130.4	166.7	-	153.8	173.9	116.3	-	187.5	87.0
TEENAGE PREGNANCIES#	93	4	34	55	43	0	15	28	50	4	19	27
TEENAGE PREGNANCY RATE	38.2	3.4	70.1 (15-19)		28.1	-	53.8 (15-19)		55.0	9.1	97.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	12.7	-	-	21.7	27.8	-	-	43.5	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: LOWNDES

	TOTAL POPULATION	FEMALES AGES	FEMALES AGES	FEMALES AGES	TOTAL LIVE BIRTHS
RACE	ALL AGES	10-19	10-14	15-19	
TOTAL	61,586	4,879	2,411	2,468	945
WHITE	34,775	2,333	1,109	1,224	443
NONWHITE	26,811	2,546	1,302	1,244	502

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	163	6	62	95	46	0	22	24	117	6	40	71
TEENAGE IMMATURE BIRTHS	17	1	7	9	4	0	1	3	13	1	6	6
TEENAGE PREMATURE BIRTHS	37	3	16	18	9	0	3	6	28	3	13	12
TEENAGE ILLEGITIMATE BIRTHS	142	4	53	85	29	0	13	16	113	4	40	69
TEENS WHO HAD PREVIOUS LIVE BIRTHS	40	1	9	30	7	0	1	6	33	1	8	24
TEENS WHO HAD PREVIOUS PREGNANCIES	48	1	12	35	10	0	2	8	38	1	10	27
TEENS WITH INADEQUATE* PRENATAL CARE	11	0	4	7	1	0	1	0	10	0	3	7
TEENAGE FERTILITY RATE	33.4	2.5	63.6 (15-19)	19.7	-	37.6 (15-19)	46.0	4.6	89.2 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	45	1	15	29	20	0	7	13	24	1	8	15
TEENAGE INDUCED TERMINATION RATIO	276.1	166.7	241.9	305.3	434.8	-	318.2	541.7	205.1	166.7	200.0	211.3
TEENAGE PREGNANCIES#	208	7	77	124	66	0	29	37	141	7	48	86
TEENAGE PREGNANCY RATE	42.6	2.9	81.4 (15-19)	28.3	-	53.9 (15-19)	55.4	5.4	107.7 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	6.1	-	16.1	-	-	-	-	-	8.5	-	25.0	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: MADISON

	TOTAL POPULATION	FEMALES AGES	FEMALES AGES	FEMALES AGES	TOTAL LIVE BIRTHS
RACE	ALL AGES	10-19	10-14	15-19	
TOTAL	74,674	5,793	3,054	2,739	1,290
WHITE	45,021	2,855	1,627	1,228	668
NONWHITE	29,653	2,938	1,427	1,511	622

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	147	1	62	84	22	0	12	10	125	1	50	74
TEENAGE IMMATURE BIRTHS	19	0	8	11	4	0	3	1	15	0	5	10
TEENAGE PREMATURE BIRTHS	37	0	16	21	6	0	4	2	31	0	12	19
TEENAGE ILLEGITIMATE BIRTHS	136	1	60	75	17	0	11	6	119	1	49	69
TEENS WHO HAD PREVIOUS LIVE BIRTHS	43	0	8	35	1	0	0	1	42	0	8	34
TEENS WHO HAD PREVIOUS PREGNANCIES	49	0	9	40	2	0	0	2	47	0	9	38
TEENS WITH INADEQUATE* PRENATAL CARE	30	0	13	17	2	0	2	0	28	0	11	17
TEENAGE FERTILITY RATE	25.4	0.3	53.3	(15-19)	7.7	-	17.9	(15-19)	42.5	0.7	82.1	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	6.8	-	-	11.9	-	-	-	-	8.0	-	-	13.5
TEENAGE INDUCED TERMINATIONS#	43	1	17	25	15	0	5	10	28	1	12	15
TEENAGE INDUCED TERMINATION RATIO	292.5	1000.0	274.2	297.6	681.8	-	416.7	1000.0	224.0	1000.0	240.0	202.7
TEENAGE PREGNANCIES#	191	2	79	110	37	0	17	20	154	2	62	90
TEENAGE PREGNANCY RATE	33.0	0.6	69.0	(15-19)	13.0	-	30.1	(15-19)	52.4	1.4	100.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	0	1	2	0	0	0	0	3	0	1	2
INFANT MORTALITY RATE, TEEN MOMS	20.4	-	16.1	23.8	-	-	-	-	24.0	-	20.0	27.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: MARION

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	25,595	2,032	966	1,066	387
WHITE	17,138	1,206	558	648	224
NONWHITE	8,457	826	408	418	163

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	74	1	19	54	42	0	13	29	32	1	6	25
TEENAGE IMMATURE BIRTHS	5	0	1	4	2	0	1	1	3	0	0	3
TEENAGE PREMATURE BIRTHS	5	0	1	4	1	0	0	1	4	0	1	3
TEENAGE ILLEGITIMATE BIRTHS	56	1	14	41	27	0	8	19	29	1	6	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	1	16	9	0	0	9	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	1	19	10	0	0	10	10	0	1	9
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE FERTILITY RATE	36.4	1.0	68.5	(15-19)	34.8	-	64.8	(15-19)	38.7	2.4	74.2	(15-19)
TEENAGE FETAL DEATHS**	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE FETAL DEATH RATIO	13.5	1000.0	-	-	-	-	-	-	31.2	1000.0	-	-
TEENAGE INDUCED TERMINATIONS#	8	1	1	6	4	0	0	4	4	1	1	2
TEENAGE INDUCED TERMINATION RATIO	108.1	1000.0	52.6	111.1	95.2	-	-	137.9	125.0	1000.0	166.7	80.0
TEENAGE PREGNANCIES#	83	3	20	60	46	0	13	33	37	3	7	27
TEENAGE PREGNANCY RATE	40.8	3.1	75.0	(15-19)	38.1	-	71.0	(15-19)	44.8	7.4	81.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	27.0	-	-	37.0	-	-	-	-	62.5	-	-	80.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: MARSHALL

	TOTAL POPULATION	FEMALES AGES	FEMALES AGES	FEMALES AGES	TOTAL LIVE BIRTHS
RACE	ALL AGES	10-19	10-14	15-19	
TOTAL	34,993	2,716	1,339	1,377	558
WHITE	16,925	1,034	528	506	237
NONWHITE	18,068	1,682	811	871	321

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	108	4	30	74	40	1	14	25	68	3	16	49
TEENAGE IMMATURE BIRTHS	21	1	4	16	5	0	3	2	16	1	1	14
TEENAGE PREMATURE BIRTHS	18	1	5	12	4	0	1	3	14	1	4	9
TEENAGE ILLEGITIMATE BIRTHS	92	4	26	62	25	1	10	14	67	3	16	48
TEENS WHO HAD PREVIOUS LIVE BIRTHS	26	0	5	21	10	0	3	7	16	0	2	14
TEENS WHO HAD PREVIOUS PREGNANCIES	33	0	5	28	11	0	3	8	22	0	2	20
TEENS WITH INADEQUATE* PRENATAL CARE	11	1	2	8	0	0	0	0	11	1	2	8
TEENAGE FERTILITY RATE	39.8	3.0	75.5 (15-19)		38.7	1.9	77.1 (15-19)		40.4	3.7	74.6 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	9.2	-	-	13.5	-	-	-	-	14.7	-	-	20.4
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	18.5	-	-	27.0	25.0	-	-	40.0	14.7	-	-	20.4
TEENAGE PREGNANCIES#	111	4	30	77	41	1	14	26	70	3	16	51
TEENAGE PREGNANCY RATE	40.9	3.0	77.7 (15-19)		39.6	1.9	79.0 (15-19)		41.6	3.7	76.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: MONROE

	TOTAL POPULATION	FEMALES AGES	FEMALES AGES	FEMALES AGES	TOTAL LIVE BIRTHS
RACE	ALL AGES	10-19	10-14	15-19	
TOTAL	38,014	2,887	1,484	1,403	509
WHITE	25,991	1,772	923	849	318
NONWHITE	12,023	1,115	561	554	191

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	111	3	44	64	65	0	25	40	46	3	19	24
TEENAGE IMMATURE BIRTHS	17	1	4	12	5	0	0	5	12	1	4	7
TEENAGE PREMATURE BIRTHS	19	2	9	8	6	0	2	4	13	2	7	4
TEENAGE ILLEGITIMATE BIRTHS	90	3	39	48	44	0	20	24	46	3	19	24
TEENS WHO HAD PREVIOUS LIVE BIRTHS	24	0	6	18	13	0	4	9	11	0	2	9
TEENS WHO HAD PREVIOUS PREGNANCIES	27	0	8	19	13	0	4	9	14	0	4	10
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	6	4	5	0	4	1	5	0	2	3
TEENAGE FERTILITY RATE	38.4	2.0	77.0 (15-19)		36.7	-	76.6 (15-19)		41.2	5.3	77.6 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	9.0	-	-	15.6	15.4	-	-	25.0	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	13	0	4	9	4	0	0	4	9	0	4	5
TEENAGE INDUCED TERMINATION RATIO	117.1	-	90.9	140.6	61.5	-	-	100.0	195.6	-	210.5	208.3
TEENAGE PREGNANCIES#	125	3	48	74	70	0	25	45	55	3	23	29
TEENAGE PREGNANCY RATE	43.3	2.0	87.0 (15-19)		39.5	-	82.4 (15-19)		49.3	5.3	93.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	9.0	-	-	15.6	-	-	-	-	21.7	-	-	41.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: MONTGOMERY

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	12,189	958	476	482	164
WHITE	6,613	396	190	206	70
NONWHITE	5,576	562	286	276	94

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	28	0	9	19	7	0	2	5	21	0	7	14
TEENAGE IMMATURE BIRTHS	8	0	3	5	3	0	2	1	5	0	1	4
TEENAGE PREMATURE BIRTHS	5	0	3	2	1	0	1	0	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	24	0	9	15	5	0	2	3	19	0	7	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	0	9	1	0	0	1	8	0	0	8
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	1	9	1	0	0	1	9	0	1	8
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	1	0	1	0	2	0	1	1
TEENAGE FERTILITY RATE	29.2	-	58.1 (15-19)		17.7	-	34.0 (15-19)		37.4	-	76.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	11	3	3	5	4	2	1	1	7	1	2	4
TEENAGE INDUCED TERMINATION RATIO	392.8	&	333.3	263.2	571.4	&	500.0	200.0	333.3	&	285.7	285.7
TEENAGE PREGNANCIES#	39	3	12	24	11	2	3	6	28	1	9	18
TEENAGE PREGNANCY RATE	40.7	6.3	74.7 (15-19)		27.8	10.5	43.7 (15-19)		49.8	3.5	97.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	35.7	-	111.1	-	142.9	-	500.0	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: NESHOPA

	TOTAL POPULATION	FEMALES AGES	FEMALES AGES	FEMALES AGES	TOTAL LIVE BIRTHS
RACE	ALL AGES	10-19	10-14	15-19	
TOTAL	28,684	2,259	1,116	1,143	479
WHITE	18,788	1,243	616	627	253
NONWHITE	9,896	1,016	500	516	226

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	84	5	35	44	35	0	15	20	49	5	20	24
TEENAGE IMMATURE BIRTHS	8	1	4	3	1	0	0	1	7	1	4	2
TEENAGE PREMATURE BIRTHS	14	2	8	4	4	0	3	1	10	2	5	3
TEENAGE ILLEGITIMATE BIRTHS	57	5	26	26	11	0	6	5	46	5	20	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	3	9	3	0	1	2	9	0	2	7
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	4	10	3	0	1	2	11	0	3	8
TEENS WITH INADEQUATE* PRENATAL CARE	5	1	4	0	0	0	0	0	5	1	4	0
TEENAGE FERTILITY RATE	37.2	4.5	69.1 (15-19)		28.2	-	55.8 (15-19)		48.2	10.0	85.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	3	1	1	1	2	0	1	1	1	1	0	0
TEENAGE INDUCED TERMINATION RATIO	35.7	200.0	28.6	22.7	57.1	-	66.7	50.0	20.4	200.0	-	-
TEENAGE PREGNANCIES#	87	6	36	45	37	0	16	21	50	6	20	24
TEENAGE PREGNANCY RATE	38.5	5.4	70.9 (15-19)		29.8	-	59.0 (15-19)		49.2	12.0	85.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: NEWTON

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	21,838	1,729	787	942	365
WHITE	14,197	991	420	571	199
NONWHITE	7,641	738	367	371	166

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	61	1	18	42	30	0	6	24	31	1	12	18
TEENAGE IMMATURE BIRTHS	8	1	0	7	6	0	0	6	2	1	0	1
TEENAGE PREMATURE BIRTHS	9	1	1	7	4	0	1	3	5	1	0	4
TEENAGE ILLEGITIMATE BIRTHS	41	1	14	26	11	0	3	8	30	1	11	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	1	11	6	0	0	6	6	0	1	5
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	2	14	8	0	1	7	8	0	1	7
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	1	0	0	1	2	0	2	0
TEENAGE FERTILITY RATE	35.3	1.3	63.7 (15-19)		30.3	-	52.5 (15-19)		42.0	2.7	80.9 (15-19)	
TEENAGE FETAL DEATHS**	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	32.8	-	111.1	-	33.3	-	166.7	-	32.2	-	83.3	-
TEENAGE INDUCED TERMINATIONS#	10	0	4	6	5	0	2	3	5	0	2	3
TEENAGE INDUCED TERMINATION RATIO	163.9	-	222.2	142.8	166.7	-	333.3	125.0	161.3	-	166.7	166.7
TEENAGE PREGNANCIES#	73	1	24	48	36	0	9	27	37	1	15	21
TEENAGE PREGNANCY RATE	42.2	1.3	76.4 (15-19)		36.3	-	63.0 (15-19)		50.1	2.7	97.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: NOXUBEE

	TOTAL POPULATION	FEMALES AGES	FEMALES AGES	FEMALES AGES	TOTAL LIVE BIRTHS
RACE	ALL AGES	10-19	10-14	15-19	
TOTAL	12,548	1,081	557	524	218
WHITE	3,700	194	95	99	49
NONWHITE	8,848	887	462	425	169

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	40	3	11	26	1	0	0	1	39	3	11	25
TEENAGE IMMATURE BIRTHS	5	0	1	4	0	0	0	0	5	0	1	4
TEENAGE PREMATURE BIRTHS	9	1	2	6	0	0	0	0	9	1	2	6
TEENAGE ILLEGITIMATE BIRTHS	39	3	11	25	0	0	0	0	39	3	11	25
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	1	8	0	0	0	0	9	0	1	8
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	2	9	0	0	0	0	11	0	2	9
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE FERTILITY RATE	37.0	5.4	70.6	(15-19)	5.2	-	10.1	(15-19)	44.0	6.5	84.7	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	25.0	-	-	38.5	-	-	-	-	25.6	-	-	40.0
TEENAGE INDUCED TERMINATIONS#	4	0	3	1	0	0	0	0	4	0	3	1
TEENAGE INDUCED TERMINATION RATIO	100.0	-	272.7	38.5	-	-	-	-	102.6	-	272.7	40.0
TEENAGE PREGNANCIES#	45	3	14	28	1	0	0	1	44	3	14	27
TEENAGE PREGNANCY RATE	41.6	5.4	80.2	(15-19)	5.2	-	10.1	(15-19)	49.6	6.5	96.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	50.0	-	-	76.9	-	-	-	-	51.3	-	-	80.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: OKTIBBEHA

RACE	TOTAL POPULATION	FEMALES AGES	FEMALES AGES	FEMALES AGES	TOTAL LIVE BIRTHS
	ALL AGES	10-19	10-14	15-19	
TOTAL	42,902	3,729	1,239	2,490	568
WHITE	25,167	1,858	485	1,373	264
NONWHITE	17,735	1,871	754	1,117	304

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	81	4	27	50	13	0	3	10	68	4	24	40
TEENAGE IMMATURE BIRTHS	12	0	2	10	2	0	0	2	10	0	2	8
TEENAGE PREMATURE BIRTHS	17	0	5	12	3	0	0	3	14	0	5	9
TEENAGE ILLEGITIMATE BIRTHS	73	4	25	44	6	0	2	4	67	4	23	40
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	3	12	1	0	0	1	14	0	3	11
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	4	18	2	0	0	2	20	0	4	16
TEENS WITH INADEQUATE* PRENATAL CARE	11	0	4	7	2	0	0	2	9	0	4	5
TEENAGE FERTILITY RATE	21.7	3.2	30.9 (15-19)	7.0	-	9.5 (15-19)	36.3	5.3	57.3 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	19	0	4	15	6	0	0	6	13	0	4	9
TEENAGE INDUCED TERMINATION RATIO	234.6	-	148.1	300.0	461.5	-	-	600.0	191.2	-	166.7	225.0
TEENAGE PREGNANCIES#	100	4	31	65	19	0	3	16	81	4	28	49
TEENAGE PREGNANCY RATE	26.8	3.2	38.6 (15-19)	10.2	-	13.8 (15-19)	43.3	5.3	68.9 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	12.3	-	-	20.0	-	-	-	-	14.7	-	-	25.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: PANOLA

	TOTAL POPULATION	FEMALES AGES	FEMALES AGES	FEMALES AGES	TOTAL LIVE BIRTHS
RACE	ALL AGES	10-19	10-14	15-19	
TOTAL	34,274	2,883	1,406	1,477	583
WHITE	17,302	1,116	550	566	218
NONWHITE	16,972	1,767	856	911	365

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	140	4	56	80	39	1	13	25	101	3	43	55
TEENAGE IMMATURE BIRTHS	16	0	7	9	8	0	4	4	8	0	3	5
TEENAGE PREMATURE BIRTHS	20	0	10	10	5	0	2	3	15	0	8	7
TEENAGE ILLEGITIMATE BIRTHS	123	4	51	68	26	1	8	17	97	3	43	51
TEENS WHO HAD PREVIOUS LIVE BIRTHS	34	0	11	23	9	0	2	7	25	0	9	16
TEENS WHO HAD PREVIOUS PREGNANCIES	45	0	16	29	14	0	3	11	31	0	13	18
TEENS WITH INADEQUATE* PRENATAL CARE	13	0	7	6	2	0	2	0	11	0	5	6
TEENAGE FERTILITY RATE	48.6	2.8	92.1 (15-19)		34.9	1.8	67.1 (15-19)		57.2	3.5	107.6 (15-19)	
TEENAGE FETAL DEATHS**	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE FETAL DEATH RATIO	7.1	250.0	-	-	-	-	-	-	9.9	333.3	-	-
TEENAGE INDUCED TERMINATIONS#	4	1	1	2	0	0	0	0	4	1	1	2
TEENAGE INDUCED TERMINATION RATIO	28.6	250.0	17.8	25.0	-	-	-	-	39.6	333.3	23.2	36.4
TEENAGE PREGNANCIES#	145	6	57	82	39	1	13	25	106	5	44	57
TEENAGE PREGNANCY RATE	50.3	4.3	94.1 (15-19)		34.9	1.8	67.1 (15-19)		60.0	5.8	110.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	4	0	2	2	1	0	0	1	3	0	2	1
INFANT MORTALITY RATE, TEEN MOMS	28.6	-	35.7	25.0	25.6	-	-	40.0	29.7	-	46.5	18.2

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: PEARL RIVER

	TOTAL POPULATION	FEMALES AGES	FEMALES AGES	FEMALES AGES	TOTAL LIVE BIRTHS
RACE	ALL AGES	10-19	10-14	15-19	
TOTAL	48,621	3,817	1,898	1,919	662
WHITE	41,596	3,147	1,576	1,571	555
NONWHITE	7,025	670	322	348	107

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	140	1	48	91	112	0	36	76	28	1	12	15
TEENAGE IMMATURE BIRTHS	8	0	1	7	5	0	1	4	3	0	0	3
TEENAGE PREMATURE BIRTHS	13	0	3	10	10	0	3	7	3	0	0	3
TEENAGE ILLEGITIMATE BIRTHS	89	1	37	51	61	0	25	36	28	1	12	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	35	0	8	27	27	0	5	22	8	0	3	5
TEENS WHO HAD PREVIOUS PREGNANCIES	43	0	11	32	32	0	7	25	11	0	4	7
TEENS WITH INADEQUATE* PRENATAL CARE	12	0	9	3	7	0	4	3	5	0	5	0
TEENAGE FERTILITY RATE	36.7	0.5	72.4	(15-19)	35.6	-	71.3	(15-19)	41.8	3.1	77.6	(15-19)
TEENAGE FETAL DEATHS**	2	0	2	0	2	0	2	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	14.3	-	41.7	-	17.8	-	55.6	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	14.3	-	-	22.0	17.8	-	-	26.3	-	-	-	-
TEENAGE PREGNANCIES#	144	1	50	93	116	0	38	78	28	1	12	15
TEENAGE PREGNANCY RATE	37.7	0.5	74.5	(15-19)	36.9	-	73.8	(15-19)	41.8	3.1	77.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: PERRY

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	12,138	948	440	508	178
WHITE	9,245	649	292	357	135
NONWHITE	2,893	299	148	151	43

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES
	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19
TEENAGE BIRTHS	42	0	12	30	30	0	10	20	12	0	2	10
TEENAGE IMMATURE BIRTHS	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE PREMATURE BIRTHS	8	0	3	5	6	0	2	4	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	27	0	9	18	16	0	7	9	11	0	2	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	0	11	7	0	0	7	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	0	11	7	0	0	7	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	44.3	-	82.7 (15-19)		46.2	-	84.0 (15-19)		40.1	-	79.5 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	47.6	-	83.3	33.3	33.3	-	100.0	-	83.3	-	-	100.0
TEENAGE PREGNANCIES#	44	0	13	31	31	0	11	20	13	0	2	11
TEENAGE PREGNANCY RATE	46.4	-	86.6 (15-19)		47.8	-	86.8 (15-19)		43.5	-	86.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: PIKE

	TOTAL POPULATION	FEMALES AGES	FEMALES AGES	FEMALES AGES	TOTAL LIVE BIRTHS
RACE	ALL AGES	10-19	10-14	15-19	
TOTAL	38,940	3,064	1,425	1,639	634
WHITE	19,955	1,281	585	696	255
NONWHITE	18,985	1,783	840	943	379

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	129	2	49	78	37	0	17	20	92	2	32	58
TEENAGE IMMATURE BIRTHS	16	0	6	10	3	0	1	2	13	0	5	8
TEENAGE PREMATURE BIRTHS	32	1	14	17	8	0	4	4	24	1	10	13
TEENAGE ILLEGITIMATE BIRTHS	106	2	43	61	19	0	11	8	87	2	32	53
TEENS WHO HAD PREVIOUS LIVE BIRTHS	28	1	8	19	7	0	4	3	21	1	4	16
TEENS WHO HAD PREVIOUS PREGNANCIES	35	1	8	26	10	0	4	6	25	1	4	20
TEENS WITH INADEQUATE* PRENATAL CARE	16	1	7	8	1	0	0	1	15	1	7	7
TEENAGE FERTILITY RATE	42.1	1.4	77.5 (15-19)		28.9	-	53.2 (15-19)		51.6	2.4	95.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	8	0	2	6	1	0	1	0	7	0	1	6
TEENAGE INDUCED TERMINATION RATIO	62.0	-	40.8	76.9	27.0	-	58.8	-	76.1	-	31.2	103.4
TEENAGE PREGNANCIES#	137	2	51	84	38	0	18	20	99	2	33	64
TEENAGE PREGNANCY RATE	44.7	1.4	82.4 (15-19)		29.7	-	54.6 (15-19)		55.5	2.4	102.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	0	0	0	0	2	0	2	0
INFANT MORTALITY RATE, TEEN MOMS	15.5	-	40.8	-	-	-	-	-	21.7	-	62.5	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: PONTOTOC

	TOTAL POPULATION	FEMALES AGES	FEMALES AGES	FEMALES AGES	TOTAL LIVE BIRTHS
RACE	ALL AGES	10-19	10-14	15-19	
TOTAL	26,726	2,017	1,040	977	402
WHITE	22,557	1,615	845	770	348
NONWHITE	4,169	402	195	207	54

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	80	1	30	49	67	0	26	41	13	1	4	8
TEENAGE IMMATURE BIRTHS	9	0	2	7	6	0	0	6	3	0	2	1
TEENAGE PREMATURE BIRTHS	14	1	7	6	11	0	6	5	3	1	1	1
TEENAGE ILLEGITIMATE BIRTHS	48	1	20	27	35	0	16	19	13	1	4	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	5	11	15	0	5	10	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	6	17	20	0	6	14	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	11	0	6	5	8	0	3	5	3	0	3	0
TEENAGE FERTILITY RATE	39.7	1.0	80.9 (15-19)		41.5	-	87.0 (15-19)		32.3	5.1	58.0 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	12.5	-	-	20.4	14.9	-	-	24.4	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	4	1	1	2	2	0	0	2	2	1	1	0
TEENAGE INDUCED TERMINATION RATIO	50.0	1000.0	33.3	40.8	29.8	-	-	48.8	153.8	1000.0	250.0	-
TEENAGE PREGNANCIES#	85	2	31	52	70	0	26	44	15	2	5	8
TEENAGE PREGNANCY RATE	42.1	1.9	85.0 (15-19)		43.3	-	90.9 (15-19)		37.3	10.2	62.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	12.5	-	-	20.4	14.9	-	-	24.4	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: PRENTISS

	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
RACE	ALL AGES				
TOTAL	25,556	1,942	882	1,060	346
WHITE	21,940	1,580	734	846	288
NONWHITE	3,616	362	148	214	58

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	64	2	21	41	51	2	17	32	13	0	4	9
TEENAGE IMMATURE BIRTHS	8	0	3	5	5	0	2	3	3	0	1	2
TEENAGE PREMATURE BIRTHS	6	1	1	4	3	1	1	1	3	0	0	3
TEENAGE ILLEGITIMATE BIRTHS	37	2	14	21	26	2	11	13	11	0	3	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	4	11	12	0	3	9	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	4	12	13	0	3	10	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	5	1	2	2	4	1	1	2	1	0	1	0
TEENAGE FERTILITY RATE	33.0	2.3	58.5 (15-19)		32.3	2.7	57.9 (15-19)		35.9	-	60.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	3	0	3	0	3	0	3	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	46.9	-	142.8	-	58.8	-	176.5	-	-	-	-	-
TEENAGE PREGNANCIES#	67	2	24	41	54	2	20	32	13	0	4	9
TEENAGE PREGNANCY RATE	34.5	2.3	61.3 (15-19)		34.2	2.7	61.5 (15-19)		35.9	-	60.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	15.6	-	47.6	-	19.6	-	58.8	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: QUITMAN

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	10,117	879	465	414	166
WHITE	3,083	164	93	71	27
NONWHITE	7,034	715	372	343	139

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	41	0	17	24	7	0	0	7	34	0	17	17
TEENAGE IMMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	7	0	5	2	1	0	0	1	6	0	5	1
TEENAGE ILLEGITIMATE BIRTHS	36	0	17	19	2	0	0	2	34	0	17	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	3	10	2	0	0	2	11	0	3	8
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	3	10	2	0	0	2	11	0	3	8
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	46.6	-	99.0 (15-19)		42.7	-	98.6 (15-19)		47.6	-	99.1 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	24.4	-	-	41.7	-	-	-	-	29.4	-	-	58.8
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	42	0	17	25	7	0	0	7	35	0	17	18
TEENAGE PREGNANCY RATE	47.8	-	101.4 (15-19)		42.7	-	98.6 (15-19)		49.0	-	102.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: RANKIN

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	115,327	8,271	4,154	4,117	1,698
WHITE	93,450	6,384	3,233	3,151	1,373
NONWHITE	21,877	1,887	921	966	325

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	205	2	63	140	144	1	40	103	61	1	23	37
TEENAGE IMMATURE BIRTHS	34	0	11	23	18	0	6	12	16	0	5	11
TEENAGE PREMATURE BIRTHS	54	0	15	39	33	0	9	24	21	0	6	15
TEENAGE ILLEGITIMATE BIRTHS	153	2	50	101	92	1	27	64	61	1	23	37
TEENS WHO HAD PREVIOUS LIVE BIRTHS	41	0	11	30	29	0	8	21	12	0	3	9
TEENS WHO HAD PREVIOUS PREGNANCIES	56	0	14	42	40	0	10	30	16	0	4	12
TEENS WITH INADEQUATE* PRENATAL CARE	21	0	8	13	10	0	4	6	11	0	4	7
TEENAGE FERTILITY RATE	24.8	0.5	49.3	(15-19)	22.6	0.3	45.4	(15-19)	32.3	1.1	62.1	(15-19)
TEENAGE FETAL DEATHS**	3	0	1	2	2	0	0	2	1	0	1	0
TEENAGE FETAL DEATH RATIO	14.6	-	15.9	14.3	13.9	-	-	19.4	16.4	-	43.5	-
TEENAGE INDUCED TERMINATIONS#	56	1	16	39	41	1	9	31	15	0	7	8
TEENAGE INDUCED TERMINATION RATIO	273.2	500.0	254.0	278.6	284.7	1000.0	225.0	301.0	245.9	-	304.3	216.2
TEENAGE PREGNANCIES#	264	3	80	181	187	2	49	136	77	1	31	45
TEENAGE PREGNANCY RATE	31.9	0.7	63.4	(15-19)	29.3	0.6	58.7	(15-19)	40.8	1.1	78.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	4.9	-	-	7.1	-	-	-	-	16.4	-	-	27.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: SCOTT

	TOTAL POPULATION	FEMALES AGES	FEMALES AGES	FEMALES AGES	TOTAL LIVE BIRTHS
RACE	ALL AGES	10-19	10-14	15-19	
TOTAL	28,423	2,237	1,138	1,099	460
WHITE	16,258	1,126	570	556	240
NONWHITE	12,165	1,111	568	543	220

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	100	5	33	62	44	1	16	27	56	4	17	35
TEENAGE IMMATURE BIRTHS	18	2	5	11	9	0	3	6	9	2	2	5
TEENAGE PREMATURE BIRTHS	17	2	7	8	5	0	1	4	12	2	6	4
TEENAGE ILLEGITIMATE BIRTHS	78	5	26	47	23	1	9	13	55	4	17	34
TEENS WHO HAD PREVIOUS LIVE BIRTHS	31	0	5	26	13	0	3	10	18	0	2	16
TEENS WHO HAD PREVIOUS PREGNANCIES	36	0	8	28	16	0	5	11	20	0	3	17
TEENS WITH INADEQUATE* PRENATAL CARE	9	3	5	1	4	1	3	0	5	2	2	1
TEENAGE FERTILITY RATE	44.7	4.4	86.4 (15-19)		39.1	1.8	77.3 (15-19)		50.4	7.0	95.8 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	20.0	-	30.3	16.1	22.7	-	62.5	-	17.8	-	-	28.6
TEENAGE INDUCED TERMINATIONS#	11	1	7	3	6	0	4	2	5	1	3	1
TEENAGE INDUCED TERMINATION RATIO	110.0	200.0	212.1	48.4	136.4	-	250.0	74.1	89.3	250.0	176.5	28.6
TEENAGE PREGNANCIES#	113	6	41	66	51	1	21	29	62	5	20	37
TEENAGE PREGNANCY RATE	50.5	5.3	97.4 (15-19)		45.3	1.8	89.9 (15-19)		55.8	8.8	105.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	2	0	1	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	20.0	-	30.3	16.1	45.5	-	62.5	37.0	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: SHARKEY

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	6,580	581	285	296	107
WHITE	1,932	111	50	61	13
NONWHITE	4,648	470	235	235	94

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	25	1	6	18	3	0	1	2	22	1	5	16
TEENAGE IMMATURE BIRTHS	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE PREMATURE BIRTHS	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE ILLEGITIMATE BIRTHS	23	1	5	17	1	0	0	1	22	1	5	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	3	11	1	0	1	0	13	0	2	11
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	3	11	1	0	1	0	13	0	2	11
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE FERTILITY RATE	43.0	3.5	81.1 (15-19)		27.0	-	49.2 (15-19)		46.8	4.2	89.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	25	1	6	18	3	0	1	2	22	1	5	16
TEENAGE PREGNANCY RATE	43.0	3.5	81.1 (15-19)		27.0	-	49.2 (15-19)		46.8	4.2	89.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: SIMPSON

	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
RACE	ALL AGES				
TOTAL	27,639	2,064	1,073	991	388
WHITE	17,796	1,145	588	557	218
NONWHITE	9,843	919	485	434	170

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	82	0	36	46	36	0	12	24	46	0	24	22
TEENAGE IMMATURE BIRTHS	11	0	5	6	4	0	1	3	7	0	4	3
TEENAGE PREMATURE BIRTHS	12	0	5	7	5	0	1	4	7	0	4	3
TEENAGE ILLEGITIMATE BIRTHS	66	0	33	33	21	0	9	12	45	0	24	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	3	17	6	0	1	5	14	0	2	12
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	3	20	9	0	1	8	14	0	2	12
TEENS WITH INADEQUATE* PRENATAL CARE	9	0	4	5	3	0	0	3	6	0	4	2
TEENAGE FERTILITY RATE	39.7	-	82.7 (15-19)		31.4	-	64.6 (15-19)		50.0	-	106.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	17	0	5	12	7	0	3	4	10	0	2	8
TEENAGE INDUCED TERMINATION RATIO	207.3	-	138.9	260.9	194.4	-	250.0	166.7	217.4	-	83.3	363.6
TEENAGE PREGNANCIES#	99	0	41	58	43	0	15	28	56	0	26	30
TEENAGE PREGNANCY RATE	48.0	-	99.9 (15-19)		37.6	-	77.2 (15-19)		60.9	-	129.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	12.2	-	-	21.7	27.8	-	-	41.7	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: SMITH

	TOTAL POPULATION	FEMALES AGES	FEMALES AGES	FEMALES AGES	TOTAL LIVE BIRTHS
RACE	ALL AGES	10-19	10-14	15-19	
TOTAL	16,182	1,199	609	590	179
WHITE	12,316	815	415	400	126
NONWHITE	3,866	384	194	190	53

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	41	2	15	24	24	0	10	14	17	2	5	10
TEENAGE IMMATURE BIRTHS	8	0	4	4	6	0	4	2	2	0	0	2
TEENAGE PREMATURE BIRTHS	10	0	6	4	8	0	5	3	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	24	2	8	14	7	0	3	4	17	2	5	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	2	3	3	0	2	1	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	3	6	4	0	2	2	5	0	1	4
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE FERTILITY RATE	34.2	3.3	66.1 (15-19)		29.4	-	60.0 (15-19)		44.3	10.3	78.9 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	24.4	-	66.7	-	-	-	-	-	58.8	-	200.0	-
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	24.4	-	-	41.7	-	-	-	-	58.8	-	-	100.0
TEENAGE PREGNANCIES#	43	2	16	25	24	0	10	14	19	2	6	11
TEENAGE PREGNANCY RATE	35.9	3.3	69.5 (15-19)		29.4	-	60.0 (15-19)		49.5	10.3	89.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: STONE

	TOTAL POPULATION	FEMALES AGES	FEMALES AGES	FEMALES AGES	TOTAL LIVE BIRTHS
RACE	ALL AGES	10-19	10-14	15-19	
TOTAL	13,622	1,121	522	599	216
WHITE	10,818	824	407	417	161
NONWHITE	2,804	297	115	182	55

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	41	1	15	25	26	0	9	17	15	1	6	8
TEENAGE IMMATURE BIRTHS	2	1	1	0	1	0	1	0	1	1	0	0
TEENAGE PREMATURE BIRTHS	6	1	2	3	5	0	2	3	1	1	0	0
TEENAGE ILLEGITIMATE BIRTHS	26	1	12	13	11	0	6	5	15	1	6	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	0	4	4	0	0	4	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	0	5	4	0	0	4	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	1	2	2	0	1	1	2	1	0	1
TEENAGE FERTILITY RATE	36.6	1.9	66.8 (15-19)		31.6	-	62.4 (15-19)		50.5	8.7	76.9 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	24.4	-	-	40.0	38.5	-	-	58.8	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	48.8	-	66.7	40.0	38.5	-	111.1	-	66.7	-	-	125.0
TEENAGE PREGNANCIES#	44	1	16	27	28	0	10	18	16	1	6	9
TEENAGE PREGNANCY RATE	39.2	1.9	71.8 (15-19)		34.0	-	67.1 (15-19)		53.9	8.7	82.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: SUNFLOWER

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	34,369	2,862	1,276	1,586	557
WHITE	9,927	574	228	346	106
NONWHITE	24,442	2,288	1,048	1,240	451

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	162	8	53	101	15	0	2	13	147	8	51	88
TEENAGE IMMATURE BIRTHS	34	2	10	22	7	0	1	6	27	2	9	16
TEENAGE PREMATURE BIRTHS	59	4	20	35	8	0	1	7	51	4	19	28
TEENAGE ILLEGITIMATE BIRTHS	156	8	53	95	10	0	2	8	146	8	51	87
TEENS WHO HAD PREVIOUS LIVE BIRTHS	50	1	7	42	4	0	0	4	46	1	7	38
TEENS WHO HAD PREVIOUS PREGNANCIES	56	1	8	47	4	0	0	4	52	1	8	43
TEENS WITH INADEQUATE* PRENATAL CARE	14	1	2	11	0	0	0	0	14	1	2	11
TEENAGE FERTILITY RATE	56.6	6.3	97.1 (15-19)	26.1	-	43.4 (15-19)	64.2	7.6	112.1 (15-19)			
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	1	0	1	0	
TEENAGE FETAL DEATH RATIO	6.2	-	18.9	-	-	-	-	6.8	-	19.6	-	
TEENAGE INDUCED TERMINATIONS#	8	1	3	4	3	0	0	3	5	1	3	1
TEENAGE INDUCED TERMINATION RATIO	49.4	125.0	56.6	39.6	200.0	-	-	230.8	34.0	125.0	58.8	11.4
TEENAGE PREGNANCIES#	171	9	57	105	18	0	2	16	153	9	55	89
TEENAGE PREGNANCY RATE	59.7	7.0	102.1 (15-19)	31.4	-	52.0 (15-19)	66.9	8.6	116.1 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	12.3	-	18.9	9.9	-	-	-	-	13.6	-	19.6	11.4

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: TALLAHATCHIE

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	14,903	1,291	661	630	213
WHITE	5,904	361	182	179	61
NONWHITE	8,999	930	479	451	152

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES
	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19
TEENAGE BIRTHS	64	1	17	46	12	0	2	10	52	1	15	36
TEENAGE IMMATURE BIRTHS	10	0	3	7	0	0	0	0	10	0	3	7
TEENAGE PREMATURE BIRTHS	10	1	1	8	1	0	0	1	9	1	1	7
TEENAGE ILLEGITIMATE BIRTHS	56	1	17	38	4	0	2	2	52	1	15	36
TEENS WHO HAD PREVIOUS LIVE BIRTHS	22	0	3	19	3	0	0	3	19	0	3	16
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	3	21	4	0	0	4	20	0	3	17
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	3	4	2	0	0	2	5	0	3	2
TEENAGE FERTILITY RATE	49.6	1.5	100.0 (15-19)	33.2	-	67.0 (15-19)	55.9	2.1	113.1 (15-19)			
TEENAGE FETAL DEATHS**	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FETAL DEATH RATIO	46.9	-	58.8	43.5	-	-	-	-	57.7	-	66.7	55.6
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	67	1	18	48	12	0	2	10	55	1	16	38
TEENAGE PREGNANCY RATE	51.9	1.5	104.8 (15-19)	33.2	-	67.0 (15-19)	59.1	2.1	119.7 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	31.3	-	58.8	21.7	-	-	-	-	38.5	-	66.7	27.8

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: TATE

	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
RACE	ALL AGES				
TOTAL	25,370	2,161	1,023	1,138	415
WHITE	17,211	1,255	617	638	256
NONWHITE	8,159	906	406	500	159

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	74	4	18	52	40	1	11	28	34	3	7	24
TEENAGE IMMATURE BIRTHS	9	1	2	6	3	0	1	2	6	1	1	4
TEENAGE PREMATURE BIRTHS	11	1	4	6	5	0	3	2	6	1	1	4
TEENAGE ILLEGITIMATE BIRTHS	56	4	16	36	24	1	9	14	32	3	7	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	1	14	7	0	1	6	8	0	0	8
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	2	18	10	0	2	8	10	0	0	10
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	2	0	0	2	1	0	0	1
TEENAGE FERTILITY RATE	34.2	3.9	61.5 (15-19)		31.9	1.6	61.1 (15-19)		37.5	7.4	62.0 (15-19)	
TEENAGE FETAL DEATHS**	3	0	2	1	1	0	0	1	2	0	2	0
TEENAGE FETAL DEATH RATIO	40.5	-	111.1	19.2	25.0	-	-	35.7	58.8	-	285.7	-
TEENAGE INDUCED TERMINATIONS#	3	0	2	1	2	0	1	1	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	40.5	-	111.1	19.2	50.0	-	90.9	35.7	29.4	-	142.8	-
TEENAGE PREGNANCIES#	80	4	22	54	43	1	12	30	37	3	10	24
TEENAGE PREGNANCY RATE	37.0	3.9	66.8 (15-19)		34.3	1.6	65.8 (15-19)		40.8	7.4	68.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: TIPPAH

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	20,826	1,585	784	801	349
WHITE	17,046	1,214	611	603	280
NONWHITE	3,780	371	173	198	69

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	71	2	24	45	54	2	15	37	17	0	9	8
TEENAGE IMMATURE BIRTHS	10	0	1	9	7	0	0	7	3	0	1	2
TEENAGE PREMATURE BIRTHS	8	0	3	5	4	0	1	3	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	41	2	17	22	26	2	9	15	15	0	8	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	1	12	9	0	0	9	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	1	16	13	0	0	13	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	2	0	1	1	1	0	0	1
TEENAGE FERTILITY RATE	44.8	2.6	86.1 (15-19)		44.5	3.3	86.2 (15-19)		45.8	-	85.8 (15-19)	
TEENAGE FETAL DEATHS**	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE FETAL DEATH RATIO	28.2	-	-	44.4	37.0	-	-	54.0	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	28.2	-	41.7	22.2	-	-	-	-	117.6	-	111.1	125.0
TEENAGE PREGNANCIES#	75	2	25	48	56	2	15	39	19	0	10	9
TEENAGE PREGNANCY RATE	47.3	2.6	91.1 (15-19)		46.1	3.3	89.6 (15-19)		51.2	-	96.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: TISHOMINGO

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	19,163	1,204	625	579	240
WHITE	18,192	1,140	598	542	234
NONWHITE	971	64	27	37	6

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	42	0	13	29	40	0	13	27	2	0	0	2
TEENAGE IMMATURE BIRTHS	5	0	1	4	5	0	1	4	0	0	0	0
TEENAGE PREMATURE BIRTHS	9	0	3	6	8	0	3	5	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	22	0	11	11	20	0	11	9	2	0	0	2
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	1	10	9	0	1	8	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	1	10	9	0	1	8	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FERTILITY RATE	34.9	-	72.5 (15-19)		35.1	-	73.8 (15-19)		31.2	-	54.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	23.8	-	-	34.5	25.0	-	-	37.0	-	-	-	-
TEENAGE PREGNANCIES#	43	0	13	30	41	0	13	28	2	0	0	2
TEENAGE PREGNANCY RATE	35.7	-	74.3 (15-19)		36.0	-	75.6 (15-19)		31.2	-	54.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: TUNICA

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	9,227	804	429	375	181
WHITE	2,541	119	58	61	26
NONWHITE	6,686	685	371	314	155

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	45	2	18	25	2	0	0	2	43	2	18	23
TEENAGE IMMATURE BIRTHS	7	0	3	4	1	0	0	1	6	0	3	3
TEENAGE PREMATURE BIRTHS	9	0	6	3	0	0	0	0	9	0	6	3
TEENAGE ILLEGITIMATE BIRTHS	45	2	18	25	2	0	0	2	43	2	18	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	5	11	1	0	0	1	15	0	5	10
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	6	11	1	0	0	1	16	0	6	10
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	3	3	0	0	0	0	6	0	3	3
TEENAGE FERTILITY RATE	56.0	4.7	114.7	(15-19)	16.8	-	32.8	(15-19)	62.8	5.4	130.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	45	2	18	25	2	0	0	2	43	2	18	23
TEENAGE PREGNANCY RATE	56.0	4.7	114.7	(15-19)	16.8	-	32.8	(15-19)	62.8	5.4	130.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: UNION

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	25,362	1,703	877	826	426
WHITE	21,156	1,396	705	691	349
NONWHITE	4,206	307	172	135	77

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	67	1	28	38	53	1	24	28	14	0	4	10
TEENAGE IMMATURE BIRTHS	5	0	2	3	4	0	2	2	1	0	0	1
TEENAGE PREMATURE BIRTHS	5	0	2	3	5	0	2	3	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	47	1	21	25	33	1	17	15	14	0	4	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	1	14	10	0	0	10	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	18	0	2	16	13	0	1	12	5	0	1	4
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	2	2	4	0	2	2	0	0	0	0
TEENAGE FERTILITY RATE	39.3	1.1	79.9 (15-19)		38.0	1.4	75.2 (15-19)		45.6	-	103.7 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	14.9	-	-	26.3	18.9	-	-	35.7	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	68	1	28	39	54	1	24	29	14	0	4	10
TEENAGE PREGNANCY RATE	39.9	1.1	81.1 (15-19)		38.7	1.4	76.7 (15-19)		45.6	-	103.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: WALTHALL

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	15,156	1,202	599	603	222
WHITE	8,277	524	251	273	95
NONWHITE	6,879	678	348	330	127

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES
	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19
TEENAGE BIRTHS	52	1	21	30	18	0	7	11	34	1	14	19
TEENAGE IMMATURE BIRTHS	6	0	3	3	2	0	2	0	4	0	1	3
TEENAGE PREMATURE BIRTHS	10	0	4	6	3	0	2	1	7	0	2	5
TEENAGE ILLEGITIMATE BIRTHS	40	1	18	21	8	0	4	4	32	1	14	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	4	8	1	0	1	0	11	0	3	8
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	4	10	3	0	1	2	11	0	3	8
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	43.3	1.7	84.6 (15-19)		34.4	-	65.9 (15-19)		50.1	2.9	100.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	57.7	-	47.6	66.7	55.6	-	-	90.9	58.8	-	71.4	52.6
TEENAGE PREGNANCIES#	55	1	22	32	19	0	7	12	36	1	15	20
TEENAGE PREGNANCY RATE	45.8	1.7	89.6 (15-19)		36.3	-	69.6 (15-19)		53.1	2.9	106.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: WARREN

	TOTAL POPULATION	FEMALES AGES	FEMALES AGES	FEMALES AGES	TOTAL LIVE BIRTHS
RACE	ALL AGES	10-19	10-14	15-19	
TOTAL	49,644	3,899	1,912	1,987	817
WHITE	27,288	1,829	912	917	329
NONWHITE	22,356	2,070	1,000	1,070	488

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	158	1	51	106	43	0	17	26	115	1	34	80
TEENAGE IMMATURE BIRTHS	11	0	3	8	1	0	0	1	10	0	3	7
TEENAGE PREMATURE BIRTHS	20	0	4	16	1	0	1	0	19	0	3	16
TEENAGE ILLEGITIMATE BIRTHS	146	1	49	96	31	0	15	16	115	1	34	80
TEENS WHO HAD PREVIOUS LIVE BIRTHS	47	0	10	37	7	0	1	6	40	0	9	31
TEENS WHO HAD PREVIOUS PREGNANCIES	54	0	13	41	9	0	1	8	45	0	12	33
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	3	5	0	0	0	0	8	0	3	5
TEENAGE FERTILITY RATE	40.5	0.5	79.0	(15-19)	23.5	-	46.9	(15-19)	55.6	1.0	106.5	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	6.3	-	-	9.4	-	-	-	-	8.7	-	-	12.5
TEENAGE INDUCED TERMINATIONS#	29	2	12	15	8	1	4	3	21	1	8	12
TEENAGE INDUCED TERMINATION RATIO	183.5	2000.0	235.3	141.5	186.0	&	235.3	115.4	182.6	1000.0	235.3	150.0
TEENAGE PREGNANCIES#	188	3	63	122	51	1	21	29	137	2	42	93
TEENAGE PREGNANCY RATE	48.2	1.6	93.1	(15-19)	27.9	1.1	54.5	(15-19)	66.2	2.0	126.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	6.3	-	-	9.4	-	-	-	-	8.7	-	-	12.5

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: WASHINGTON

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	62,977	5,461	2,632	2,829	1,137
WHITE	21,393	1,328	635	693	276
NONWHITE	41,584	4,133	1,997	2,136	861

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	254	7	95	152	29	0	8	21	225	7	87	131
TEENAGE IMMATURE BIRTHS	26	0	8	18	1	0	1	0	25	0	7	18
TEENAGE PREMATURE BIRTHS	50	3	19	28	5	0	1	4	45	3	18	24
TEENAGE ILLEGITIMATE BIRTHS	241	7	92	142	20	0	5	15	221	7	87	127
TEENS WHO HAD PREVIOUS LIVE BIRTHS	83	0	12	71	7	0	0	7	76	0	12	64
TEENS WHO HAD PREVIOUS PREGNANCIES	94	0	15	79	9	0	0	9	85	0	15	70
TEENS WITH INADEQUATE* PRENATAL CARE	26	1	10	15	2	0	1	1	24	1	9	14
TEENAGE FERTILITY RATE	46.5	2.7	87.3 (15-19)		21.8	-	41.8 (15-19)		54.4	3.5	102.1 (15-19)	
TEENAGE FETAL DEATHS**	5	0	1	4	2	0	0	2	3	0	1	2
TEENAGE FETAL DEATH RATIO	19.7	-	10.5	26.3	69.0	-	-	95.2	13.3	-	11.5	15.3
TEENAGE INDUCED TERMINATIONS#	29	3	9	17	9	0	3	6	20	3	6	11
TEENAGE INDUCED TERMINATION RATIO	114.2	428.6	94.7	111.8	310.3	-	375.0	285.7	88.9	428.6	69.0	84.0
TEENAGE PREGNANCIES#	288	10	105	173	40	0	11	29	248	10	94	144
TEENAGE PREGNANCY RATE	52.7	3.8	98.3 (15-19)		30.1	-	57.7 (15-19)		60.0	5.0	111.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	4	0	3	1	0	0	0	0	4	0	3	1
INFANT MORTALITY RATE, TEEN MOMS	15.7	-	31.6	6.6	-	-	-	-	17.8	-	34.5	7.6

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: WAYNE

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	21,216	1,749	834	915	317
WHITE	13,004	924	459	465	153
NONWHITE	8,212	825	375	450	164

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	74	3	29	42	24	0	5	19	50	3	24	23
TEENAGE IMMATURE BIRTHS	5	0	1	4	1	0	0	1	4	0	1	3
TEENAGE PREMATURE BIRTHS	13	1	6	6	3	0	1	2	10	1	5	4
TEENAGE ILLEGITIMATE BIRTHS	61	3	26	32	13	0	3	10	48	3	23	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	6	11	5	0	1	4	12	0	5	7
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	6	14	8	0	1	7	12	0	5	7
TEENS WITH INADEQUATE* PRENATAL CARE	12	2	7	3	2	0	1	1	10	2	6	2
TEENAGE FERTILITY RATE	42.3	3.6	77.6 (15-19)	26.0	-	51.6 (15-19)	60.6	8.0	104.4 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	10	0	2	8	4	0	1	3	6	0	1	5
TEENAGE INDUCED TERMINATION RATIO	135.1	-	69.0	190.5	166.7	-	200.0	157.9	120.0	-	41.7	217.4
TEENAGE PREGNANCIES#	84	3	31	50	28	0	6	22	56	3	25	28
TEENAGE PREGNANCY RATE	48.0	3.6	88.5 (15-19)	30.3	-	60.2 (15-19)	67.9	8.0	117.8 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	27.0	-	34.5	23.8	-	-	-	-	40.0	-	41.7	43.5

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: WEBSTER

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	10,294	760	348	412	162
WHITE	7,983	518	237	281	114
NONWHITE	2,311	242	111	131	48

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	26	2	12	12	11	2	4	5	15	0	8	7
TEENAGE IMMATURE BIRTHS	6	1	4	1	1	1	0	0	5	0	4	1
TEENAGE PREMATURE BIRTHS	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	21	2	12	7	7	2	4	1	14	0	8	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	3	4	3	0	1	2	4	0	2	2
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	4	5	4	0	1	3	5	0	3	2
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	2	0	1	1	3	0	1	2
TEENAGE FERTILITY RATE	34.2	5.7	58.2 (15-19)		21.2	8.4	32.0 (15-19)		62.0	-	114.5 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	38.5	-	83.3	-	-	-	-	-	66.7	-	125.0	-
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	38.5	-	83.3	-	90.9	-	250.0	-	-	-	-	-
TEENAGE PREGNANCIES#	28	2	14	12	12	2	5	5	16	0	9	7
TEENAGE PREGNANCY RATE	36.8	5.7	63.1 (15-19)		23.2	8.4	35.6 (15-19)		66.1	-	122.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: WILKINSON

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	10,312	769	365	404	137
WHITE	3,219	169	86	83	23
NONWHITE	7,093	600	279	321	114

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	27	0	10	17	2	0	0	2	25	0	10	15
TEENAGE IMMATURE BIRTHS	7	0	1	6	0	0	0	0	7	0	1	6
TEENAGE PREMATURE BIRTHS	9	0	3	6	1	0	0	1	8	0	3	5
TEENAGE ILLEGITIMATE BIRTHS	26	0	10	16	1	0	0	1	25	0	10	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	0	4	0	0	0	0	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	0	5	1	0	0	1	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	1	3	1	0	0	1	3	0	1	2
TEENAGE FERTILITY RATE	35.1	-	66.8 (15-19)		11.8	-	24.1 (15-19)		41.7	-	77.9 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	37.0	-	-	58.8	-	-	-	-	40.0	-	-	66.7
TEENAGE INDUCED TERMINATIONS#	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE INDUCED TERMINATION RATIO	37.0	&	-	-	-	-	-	-	40.0	&	-	-
TEENAGE PREGNANCIES#	29	1	10	18	2	0	0	2	27	1	10	16
TEENAGE PREGNANCY RATE	37.7	2.7	69.3 (15-19)		11.8	-	24.1 (15-19)		45.0	3.6	81.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: WINSTON

	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
RACE	ALL AGES				
TOTAL	20,160	1,505	755	750	312
WHITE	11,141	636	330	306	132
NONWHITE	9,019	869	425	444	180

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	67	7	20	40	15	0	4	11	52	7	16	29
TEENAGE IMMATURE BIRTHS	12	1	8	3	2	0	1	1	10	1	7	2
TEENAGE PREMATURE BIRTHS	12	1	5	6	3	0	0	3	9	1	5	3
TEENAGE ILLEGITIMATE BIRTHS	56	7	20	29	6	0	4	2	50	7	16	27
TEENS WHO HAD PREVIOUS LIVE BIRTHS	22	2	3	17	6	0	1	5	16	2	2	12
TEENS WHO HAD PREVIOUS PREGNANCIES	23	2	3	18	6	0	1	5	17	2	2	13
TEENS WITH INADEQUATE* PRENATAL CARE	13	2	6	5	1	0	1	0	12	2	5	5
TEENAGE FERTILITY RATE	44.5	9.3	80.0 (15-19)	23.6	-	49.0 (15-19)	59.8	16.5	101.4 (15-19)			
TEENAGE FETAL DEATHS**	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FETAL DEATH RATIO	29.8	-	100.0	-	-	-	-	-	38.5	-	125.0	-
TEENAGE INDUCED TERMINATIONS#	12	1	4	7	7	0	2	5	5	1	2	2
TEENAGE INDUCED TERMINATION RATIO	179.1	142.8	200.0	175.0	466.7	-	500.0	454.5	96.2	142.8	125.0	69.0
TEENAGE PREGNANCIES#	81	8	26	47	22	0	6	16	59	8	20	31
TEENAGE PREGNANCY RATE	53.8	10.6	97.3 (15-19)	34.6	-	71.9 (15-19)	67.9	18.8	114.9 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	0	0	0	0	2	0	2	0
INFANT MORTALITY RATE, TEEN MOMS	29.9	-	100.0	-	-	-	-	-	38.5	-	125.0	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: YALOBUSHA

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES				
TOTAL	13,051	947	445	502	197
WHITE	7,891	455	214	241	106
NONWHITE	5,160	492	231	261	91

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	46	3	14	29	19	1	3	15	27	2	11	14
TEENAGE IMMATURE BIRTHS	5	0	1	4	2	0	0	2	3	0	1	2
TEENAGE PREMATURE BIRTHS	6	2	1	3	3	1	0	2	3	1	1	1
TEENAGE ILLEGITIMATE BIRTHS	36	3	11	22	9	1	0	8	27	2	11	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	2	10	4	0	1	3	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	3	13	6	0	1	5	10	0	2	8
TEENS WITH INADEQUATE* PRENATAL CARE	3	1	1	1	0	0	0	0	3	1	1	1
TEENAGE FERTILITY RATE	48.6	6.7	85.6 (15-19)		41.8	4.7	74.7 (15-19)		54.9	8.6	95.8 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	21.7	-	-	34.5	-	-	-	-	37.0	-	-	71.4
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	47	3	14	30	19	1	3	15	28	2	11	15
TEENAGE PREGNANCY RATE	49.6	6.7	87.6 (15-19)		41.8	4.7	74.7 (15-19)		56.9	8.6	99.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2000**

COUNTY: YAZOO

RACE	TOTAL POPULATION	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
	ALL AGES	10-19	10-14	15-19	
TOTAL	28,149	2,195	1,100	1,095	489
WHITE	12,593	735	365	370	164
NONWHITE	15,556	1,460	735	725	325

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	119	3	59	57	20	0	10	10	99	3	49	47
TEENAGE IMMATURE BIRTHS	22	1	9	12	2	0	2	0	20	1	7	12
TEENAGE PREMATURE BIRTHS	28	1	16	11	3	0	3	0	25	1	13	11
TEENAGE ILLEGITIMATE BIRTHS	112	3	58	51	13	0	9	4	99	3	49	47
TEENS WHO HAD PREVIOUS LIVE BIRTHS	34	0	10	24	2	0	1	1	32	0	9	23
TEENS WHO HAD PREVIOUS PREGNANCIES	38	0	10	28	3	0	1	2	35	0	9	26
TEENS WITH INADEQUATE* PRENATAL CARE	25	2	7	16	4	0	1	3	21	2	6	13
TEENAGE FERTILITY RATE	54.2	2.7	105.9	(15-19)	27.2	-	54.0	(15-19)	67.8	4.1	132.4	(15-19)
TEENAGE FETAL DEATHS**	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FETAL DEATH RATIO	16.8	-	33.9	-	-	-	-	-	20.2	-	40.8	-
TEENAGE INDUCED TERMINATIONS#	22	3	9	10	7	0	2	5	15	3	7	5
TEENAGE INDUCED TERMINATION RATIO	184.9	1000.0	152.5	175.4	350.0	-	200.0	500.0	151.5	1000.0	142.8	106.4
TEENAGE PREGNANCIES#	143	6	70	67	27	0	12	15	116	6	58	52
TEENAGE PREGNANCY RATE	65.1	5.4	125.1	(15-19)	36.7	-	73.0	(15-19)	79.4	8.2	151.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	1	0	2	0	0	0	0	3	1	0	2
INFANT MORTALITY RATE, TEEN MOMS	25.2	333.3	-	35.1	-	-	-	-	30.3	333.3	-	42.6

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP